

Algorithm for Constrained Path Optimization Problem on Road Networks

Kumar Mangalam 2022AIM1002

Oct 2022

1 Introduction

The problem of finding a path in road networks has been of great importance. Given the significance of this problem area, several researchers (e.g., [1, 2]) have explored it from different aspects. Among these, the most fundamental is computing a path between a source and destination under a given preference metric. The preference metric of choice has typically been the minimization of distance (e.g., [6]), time (e.g., [2]), or fuel (e.g., [5]). This paper makes the following contributions:

1. We propose a novel parallel approach, called *Parallel-Spatial-RG*, for the CPO problem on road networks.
2. *Parallel-Spatial-RG* uses **intelligent task assignment policy and demonstrates an almost linear speed-up** with an increase in the number of cores.
3. Experimentally evaluate *Parallel-Spatial-RG* on real road networks.

2 Problem Definition

Input: consists of the following:

- (1) A road network, $G(V, E)$, where each node $v \in V$ is associated with certain spatial coordinates and each edge $e \in E$ associated with a cost and a score value.
- (2) A source $s \in V$ and a destination $d \in V$.
- (3) A positive value *overhead*. We define the term *budget* as the sum of overhead and the cost of the shortest path between s and d .

Output: A directed path P^* between s and d .

Objective function: Maximize $\Gamma(P^*)$

Constraint: $\Phi(P^*) \leq \text{budget}$

3 Proposed Approach

A pseudocode of the algorithm is presented in Algorithm 1. Each call to the algorithm primarily takes the following input: (i) “source node” u , (ii) “destination node” v and (iii) remaining budget β . In the first call to the *Spatial-RG* algorithm, u , v , and β would be set according to the input values given while defining the CPO query. Thereafter, u , v , and β would change during the course of the recursion calls.

3.1 Time Complexity Analysis of Parallel-Spatial-RG:

In the worst case, an instance of *Parallel-Spatial-RG* algorithm would iterate over m feasible edges, and for each iteration, it would again iterate for β times. Following this, it would have two recursion calls inside the inner loop. Thus, the time complexity for one recursion depth is $O(2m\beta)$. For a maximum recursion depth of θ , the total time complexity of *Parallel-Spatial-RG* would be $O((2m\beta)^\theta)$.

Algorithm 1 Spatial-RG Algorithm

Input: (a) Input graph $G(V, E)$; (b) source node u ; (c) destination node v ; (d) Remaining budget β ; (e) current *level*; (f) maximum recursion depth θ .

Output: (a) A directed path P between u and v

```
1:  $P \leftarrow$  minimum cost path between  $u$  and  $v$ 
2: if  $\Phi(P) > \beta$  then
3:   Return Null
4: end if
5: if  $\text{level} = \theta$  then /*Maximum recursion depth reached*/
6:   Return  $P$ 
7: end if
8:  $s_p \leftarrow \Gamma(P)$  /*stores value of optimizing metric of  $P$  */
9: for all edge  $e = (x, y) \in E$  with  $\Gamma(e) > 0$  and  $e$  inside ellipse( $u, v, \beta$ ) do
10:   $b \leftarrow \text{Euclidean\_Distance}(u, x)$ 
11:  while  $b \leq \beta - \Phi(e) - \text{Euclidean\_Distance}(y, v)$  do
12:     $P_1 \leftarrow \text{Spatial-RG}(u, x, b, \text{level} + 1)$ 
13:     $P_2 \leftarrow \text{Spatial-RG}(y, v, \beta - b - \Phi(e), \text{level} + 1)$ 
14:     $P_{\text{new}} \leftarrow P_1 \cup e \cup P_2$ 
15:    if  $(P_1 \cap P_2) = \text{null}$  &  $\Gamma(P_{\text{new}}) > s_p$  then
16:       $P \leftarrow P_{\text{new}}$  and  $s_p \leftarrow \Gamma(P_{\text{new}})$ 
17:    end if
18:     $b \leftarrow b + 1$ 
19:  end while
20: end for
21: Return  $P$ 
```

4 Experimental Analysis

We conducted experimental analysis on the real road networks of London, Delhi, and Buenos Aires (obtained from [4]). Due to lack of space, we are presenting only a summary of our results in this paper. Please refer to [3] for a detailed experimental analysis. In this paper, we present our results on the London dataset. This dataset has 285050 nodes and 749382 edges. Edges are selected uniformly at random from across the network and are assigned (randomly) a score value between 1 and 15. Other edges has 0 score value. Our experiments indicate that both the runtime and the score gain of *Parallel-Spatial-RG* increases as we increase the overhead and the density of the edges with non-zero score values. Please refer to [3] for more details on this experiment. Figure 1 illustrates the results.




Figure 1: Comparison of Parallel-Spatial-RG, MSWBS, and ILS*(CEI).

References

- [1] Venkatesan T. Chakaravarthy, Fabio Checconi, Fabrizio Petrini, and Yogish Sabharwal. Scalable single source shortest path algorithms for massively parallel systems. In *2014 IEEE 28th International Parallel and Distributed Processing Symposium*, pages 889–901, 2014.
- [2] Ugur Demiryurek, Farnoush Banaei-Kashani, Cyrus Shahabi, and Anand Ranganathan. Online computation of fastest path in time-dependent spatial networks. In Dieter Pfoser, Yufei Tao, Kyriakos Mouratidis, Mario A. Nascimento, Mohamed Mokbel, Shashi Shekhar, and Yan Huang, editors, *Advances in Spatial and Temporal Databases*, pages 92–111, Berlin, Heidelberg, 2011. Springer Berlin Heidelberg.

- [3] Kousik Kumar Dutta, Ankita Dewan, and Venkata M. V. Gunturi. A multi-threading algorithm for constrained path optimization problem on road networks. *CoRR*, abs/2208.02296, 2022.
- [4] Alireza Karduni, Amirhassan Kermanshah, and Sybil Derrible. A protocol to convert spatial polyline data to network formats and applications to world urban road networks. *Scientific Data*, 3:160046, 06 2016.
- [5] Yan Li, Shashi Shekhar, Pengyue Wang, and William Northrop. Physics-guided energy-efficient path selection: A summary of results. In *Proceedings of the 26th ACM SIGSPATIAL International Conference on Advances in Geographic Information Systems*, SIGSPATIAL '18, page 99–108, New York, NY, USA, 2018. Association for Computing Machinery.
- [6] Sibor Wang, Xiaokui Xiao, Yin Yang, and Wenqing Lin. Effective indexing for approximate constrained shortest path queries on large road networks. *Proc. VLDB Endow.*, 10(2):61–72, oct 2016.