```
<!DOCTYPE html>
<html <pre>lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Movie</title>
    <link rel="shortcut icon" href="./favicon.svg" type="image/x-icon">
    <link rel="stylesheet" href="./assets/css/style.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    k
href="https://fonts.googleapis.com/css2?family=DM+Sans:wght@400;700&display=swap"
rel="stylesheet">
</head>
<body>
    <header class="header">
        <a href="./index.html" class="logo">
            <img src="./assets/images/logo.svg" width="140" height="32"</pre>
alt="Tvflix home">
        </a>
        <div class="search-box" search-box>
            <div class="search-wrapper" search-wrapper>
                <input type="text" name="search" aria-label="search movies"</pre>
placeholder="Search Movie" class="search-field" search-field autocomplete="off">
                <img src="./assets/images/search.png" width="24" height="24"</pre>
class="loading-icon" >
            </div>
            <button class="search-btn" search-toggler>
                <img src="./assets/images/close.png" width="24" height="24"</pre>
alt="close search box">
            </button>
        </div>
        <button class="search-btn" search-toggler menu-close>
            <img src="./assets/images/search.png" width="24" height="24">
```

```
</button>
        <button class="menu-btn" menu-btn menu-toggler>
            <img src="./assets/images/menu.png" width="24" height="24"</pre>
class="menu" alt="open menu">
            <img src="./assets/images/menu-close.png" width="24" height="24"</pre>
class="close" alt="close menu">
        </button>
    </header>
<main>
    <nav class="sidebar" sidebar></nav>
    <div class="overlay" overlay menu-toggler></div>
    <article class="container" page-content></article>
</main>
    <script src="./assets/js/global.js" defer></script>
    <script src="./assets/js/index.js" type="module"></script>
</body>
</html>
```

Detail.html

```
<!DOCTYPE html>
<html <pre>lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title></title>
    <link rel="shortcut icon" href="./favicon.svg" type="image/x-icon">
    <link rel="stylesheet" href="./assets/css/style.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    k
href="https://fonts.googleapis.com/css2?family=DM+Sans:wght@400;700&display=swap"
rel="stylesheet">
</head>
<body>
    <header class="header">
        <a href="./index.html" class="logo">
            <img src="./assets/images/logo.svg" width="140" height="32"</pre>
alt="Tvflix home">
        </a>
        <div class="search-box" search-box>
            <div class="search-wrapper" search-wrapper>
                <input type="text" name="search" aria-label="search movies"</pre>
placeholder="Search Movie" class="search-field" search-field autocomplete="off">
                <img src="./assets/images/search.png" width="24" height="24"</pre>
class="loading-icon" >
            </div>
            <button class="search-btn" search-toggler>
                <img src="./assets/images/close.png" width="24" height="24"</pre>
alt="close search box">
            </button>
        </div>
        <button class="search-btn" search-toggler menu-close>
            <img src="./assets/images/search.png" width="24" height="24">
        </button>
```

```
<button class="menu-btn" menu-btn menu-toggler>
            <img src="./assets/images/menu.png" width="24" height="24"</pre>
class="menu" alt="open menu">
            <img src="./assets/images/menu-close.png" width="24" height="24"</pre>
class="close" alt="close menu">
        </button>
    </header>
<main>
    <nav class="sidebar" sidebar>
    </nav>
    <div class="overlay" overlay menu-toggler></div>
    <article class="container" page-content></article>
</main>
    <script src="./assets/js/global.js" defer></script>
    <script src="./assets/js/detail.js" type="module"></script>
</body>
</html>
```

Movielist.html

```
k
href="https://fonts.googleapis.com/css2?family=DM+Sans:wght@400;700&display=swap"
rel="stylesheet">
</head>
<body>
    <header class="header">
        <a href="./index.html" class="logo">
            <img src="./assets/images/logo.svg" width="140" height="32"</pre>
alt="Tvflix home">
        </a>
        <div class="search-box" search-box>
            <div class="search-wrapper" search-wrapper>
                <input type="text" name="search" aria-label="search movies"</pre>
placeholder="Search Movie" class="search-field" search-field autocomplete="off">
                <img src="./assets/images/search.png" width="24" height="24"</pre>
class="loading-icon" >
            </div>
            <button class="search-btn" search-toggler>
                <img src="./assets/images/close.png" width="24" height="24"</pre>
alt="close search box">
            </button>
        </div>
        <button class="search-btn" search-toggler menu-close>
            <img src="./assets/images/search.png" width="24" height="24">
        </button>
        <button class="menu-btn" menu-btn menu-toggler>
            <img src="./assets/images/menu.png" width="24" height="24"</pre>
class="menu" alt="open menu">
            <img src="./assets/images/menu-close.png" width="24" height="24"</pre>
class="close" alt="close menu">
        </button>
    </header>
```

Style.css

```
:root{
  --background: hsla(220, 17%, 7%, 1);
  --banner-background: hsla(250, 6%, 20%, 1);
  --white-alpha-20: hsla(0, 0%, 100%, 0.2);
  --on-background: hsla(220, 100%, 95%, 1);
  --on-surface: hsla(250, 100%, 95%, 1);
  --on-surface-variant: hsla(250, 1%, 44%, 1);
  --primary: hsla(349, 100%, 43%, 1);
  --primary-variant: hsla(349, 69%, 51%, 1);
  --rating-color: hsla(44, 100%, 49%, 1);
  --surface: hsla(250, 13%, 11%, 1);
  --text-color: hsla(250, 2%, 59%, 1);
  --white: hsla(0, 0%, 100%, 1);
  --banner-overlay: 90deg, hsl(220, 17%, 7%) 0%, hsla(220, 17%, 7%, 0.5) 100%;
  --bottom-overlay: 180deg, hsla(250, 13%, 11%, 0), hsla(250, 13%, 11%, 1);
  --ff-dm-sans: 'DM Sans', sans-serif;
  --fs-heading: 4rem;
  --fs-title-lg: 2.6rem;
 --fs-title: 2rem;
  --fs-body: 1.8rem;
 --fs-button: 1.5rem;
  --fs-label: 1.4rem;
```

```
--weight-bold: 700;
  --shadow-1: 0 1px 4px hsla(0, 0%, 0%, 0.75);
  --shadow-2: 0 2px 4px hsla(350, 100%, 43%, 0.3);
  --radius-4: 4px;
  --radius-8: 8px;
  --radius-16: 16px;
  --radius-24: 24px;
  --radius-36: 36px;
  --transition-short: 250ms ease;
  --transition-long: 500ms ease;
*,*::before,*::after{
 margin: 0;
 padding: 0;
 box-sizing: border-box;
li{
  list-style: none;
a,img,span,iframe,button{
  display: block;
a{
 color: inherit;
  text-decoration: none;
img{
  height: auto;
input,button{
  background: none;
 border: none;
 font: inherit;
  color: inherit;
```

```
button{
  text-align: center;
  cursor: pointer;
html{
  font-family: var(--ff-dm-sans);
  font-size: 10px;
  scroll-behavior: smooth;
body{
  background-color: var(--background);
  color: var(--on-background);
 font-size: var(--fs-body);
  line-height: 1.5;
:focus-visible{
  outline-color: var(--primary-variant);
::-webkit-scrollbar{
 width: 8px;
 height: 8px;
::-webkit-scrollbar-thumb{
  background-color: var(--banner-background);
  border-radius: var(--radius-8);
.search-wrapper::before,
.Load-more::before{
  content: "";
 width: 20px;
  height: 20px;
  border: 3px solid var(--white);
  border-radius: var(--radius-24);
  border-inline-end-color:transparent;
  animation: loading 500ms linear infinite;
  display: none;
 search-wrapper::before{
  position: absolute;
```

```
top: 14px;
  right: 12px;
.Load-more{
  background-color: var(--primary-variant);
  margin-inline: auto;
  margin-block: 36px 48px;
.load-more:is(:hover,:focus-visible){
  --primary-variant:hsla(350,67%,39%,1)
.load-more.loading::before{display: block;}
.search-wrapper.searching::before{
  display: block;
@keyframes Loading {
  0%{
    transform: rotate(0);
 100%{
    transform: rotate(360deg);
  }
.title{
  font-size: var(--fs-title);
  font-weight: var(--weight-bold);
  letter-spacing: .5px;
.img-cover{
  width: 100%;
  height: 100%;
  object-fit: cover;
.heading{
  color: var(--white);
  font-size: var(--fs-heading);
  line-height: 1.2;
.heading,
.title-large,
.title{
  font-weight: var(--weight-bold);
```

```
letter-spacing: .5px;
.title-large{
  font-size: var(--fs-title-lg);
.meta-item{
  display: flex;
 align-items: center;
 gap: 4px;
.btn{
  color: var(--white);
  font-size: var(--fs-button);
  font-weight: var(--weight-bold);
  max-width: max-content;
  display: flex;
  align-items: center;
  gap: 12px;
  padding-block: 12px;
  padding-inline: 20px 24px;
  border-radius: var(--radius-8);
  transition: var(--transition-short);
card-badge{
  background-color: var(--banner-background);
  color: var(--white);
  font-size: var(--fs-label);
  font-weight: var(--weight-bold);
  padding-inline:6px;
  border-radius: var(--radius-4);
 poster-box,.video-card{
  background-image: url('../images/poster-bg-icon.png');
  aspect-ratio: 2 / 3;
  background-position: center;
  background-color: var(--banner-background);
  border-radius: var(--radius-16);
  overflow: hidden;
.poster-box{
  background-repeat: no-repeat;
  background-size: 50px;
```

```
.title-wrapper{ margin-block-end: 24px;}
.slider-list{
 margin-inline: -20px;
 overflow-x:overlay ;
 padding-block-end: 16px;
 margin-block-end: -16px;
.slider-list::-webkit-scrollbar-thumb{
 background-color: transparent;
.slider-list:is(:hover,:focus-within)::-webkit-scrollbar-thumb{
 background-color: var(--banner-background);
.slider-list::-webkit-scrollbar-button{
 width: 20px;
.slider-list .slider-inner{
 position: relative;
 display: flex;
 gap: 12px;
.slider-list .slider-inner::before,
.slider-list .slider-inner::after{
 content: "";
 min-width: 4px;
.separator{
 width: 4px;
 height: 4px;
 background-color: var(--white-alpha-20);
 border-radius: var(--radius-8);
.video-card{
 background-image: url('../images/video-bg-icon.png');
 background-position: center;
 background-repeat: no-repeat;
 aspect-ratio: 16 / 9;
 flex-shrink: 0;
 max-width: 500px;
 width: calc(100% - 40px);
```

```
.header{
 position: relative;
 padding-block:24px ;
 padding-inline: 16px;
 display: flex;
 justify-content: space-between;
 align-items: center;
 gap: 8px;
.header .logo{
 margin-inline-end: auto;
.search-btn,.menu-btn{
 padding: 12px;
.search-btn{
 background-color: var(--banner-background);
 border-radius: var(--radius-8);
.search-btn img{
 opacity: 0.5;
 transition: var(--transition-short);
.search-btn:is(:hover,:focus-visible) img{
 opacity: 1;
.menu-btn.active .menu,
.menu-btn .close{
 display: none;
.menu-btn .menu,
.menu-btn.active .close{
 display: block;
.search-box{
 position: absolute;
```

```
top: 0;
  left: 0;
 width: 100%;
 height: 100%;
  background-color: var(--background);
  padding: 24px 16px;
  align-items: center;
 gap: 8px;
 z-index: 1;
 display: none;
.search-box.active{display: flex;}
.search-wrapper{
 position: relative;
 flex-grow: 1;
.search-field{
 width: 100%;
 background-color: var(--banner-background);
 height: 48px;
 line-height: 48px;
 padding-inline: 44px 16px;
 border-radius: var(--radius-8);
 transition: var(--transition-short);
 outline: none;
.search-field::placeholder{
  color: var(--on-surface-variant);
.search-field:hover{
 box-shadow: 0 0 0 2px var(--on-surface-variant);
.search-field:focus{
 box-shadow: 0 0 0 2px var(--on-surface);
 padding-inline-start: 16px;
.search-wrapper .loading-icon{
 position: absolute;
 top: 50%;
 transform: translateY(-50%);
 left: 12px;
 opacity: .5;
 transition: var(--transition-short);
```

```
.search-wrapper:focus-within .loading-icon{opacity: 0;}
.sidebar{
 position: absolute;
 background-color: var(--background);
 top: 96px;
 bottom: 0;
 left: -340px;
 max-width: 340px;
 width: 100%;
 border-block-start: 1px solid var(--banner-background);
 overflow-y: overlay;
 z-index: 4;
 visibility: hidden;
 transition: var(--transition-long);
.sidebar.active{
 transform:translateX(340px);
 visibility: visible;
.sidebar-inner{
 display: grid;
 gap: 20px;
 padding-block: 36px;
.sidebar::-webkit-scrollbar-thumb{
 background-color: transparent;
.sidebar:is(:hover,:focus-within)::-webkit-scrollbar-thumb{
 background-color: var(--banner-background);
.sidebar::-webkit-scrollbar-button{ height: 16px;}
.sidebar-list,.sidebar-footer{
 padding-inline: 36px;
.sidebar-link{
 color: var(--on-surface-variant);
 transition: var(--transition-short);
.sidebar-link:is(:hover,:focus-visible){
 color: var(--on-background);
```

```
.sidebar-list{
 display: grid;
 gap: 8px;
.sidebar-list .title{
 margin-block-end: 8px;
.sidebar-footer{
 border-block-start: 1px solid var(--banner-background);
 padding-block-start: 28px;
 margin-block-start: 16px;
.copyright{
 color: var(--on-surface-variant);
 margin-block-end: 20px;
.copyright a{
 display: inline-block;
.overlay{
 position: fixed;
 top: 96px;
 left: 0;bottom: 0;
 width: 100%;
 background-color: var(--background);
 opacity: 0;
 pointer-events: none;
 transition: var(--transition-short);
 z-index: 3;
.overlay.active{
 opacity: .5;
 pointer-events: all;
 #HOME PAGE
.container{
 position: relative;
 background-color: var(--surface);
 color: var(--on-surface);
 padding: 24px 20px 48px;
```

```
height: calc(100vh - 96px);
 overflow-y: overlay;
 z-index: 1;
.container::after,
.search-modal::after{
 content: "";
 position: fixed;
 bottom: 0;
 left: 0;
 width: 100%;
 height: 150px;
 background-image:linear-gradient(var(--bottom-overlay));
 z-index: 1;
 pointer-events: none;
.banner{
 position: relative;
 height: 700px;
 border-radius: var(--radius-24);
 overflow: hidden;
.banner-slider .slider-item{
 position: absolute;
 top: 0;
 left: 120%;
 width: 100%;
 height: 100%;
 background-color: var(--banner-background);
 opacity: 0;
 visibility: hidden;
 transition: opacity var(--transition-long);
.banner-slider .slider-item::before{
 content: "";
 position: absolute;
 inset: 0;
 background-image: linear-gradient(var(--banner-overlay));
.banner-slider .active{
 left: 0;
 opacity: 1;
```

```
visibility: visible;
.banner-content{
 position: absolute;
  left: 24px;
  right: 24px;
 bottom: 206px;
  z-index: 1;
  color: var(--text-color);
.banner :is(.heading,.banner-text){
  display: -webkit-box;
  -webkit-box-orient: vertical;
  overflow: hidden;
.banner .heading{
  -webkit-line-clamp: 3;
 margin-block-end: 16px;
.meta-list{
 display: flex;
 flex-wrap: wrap;
 justify-content: flex-start;
 align-items: center;
  gap: 12px;
.banner .genre{margin-block:12px ;}
.banner-text{
 -webkit-line-clamp: 2;
 margin-block-end: 24px;
.banner .btn{ background-color: var(--primary);}
.banner .btn:is(:hover,:focus-visible){
 box-shadow: var(--shadow-2);
.slider-control{
  position: absolute;
 bottom: 20px;
 left: 20px;
  right: 0;
  border-radius: var(--radius-16) 0 0 var(--radius-16);
  user-select: none;
 padding: 4px 0 4px 4px;
```

```
overflow-x:auto ;
.slider-control::-webkit-scrollbar{display: none;}
.control-inner{
    display: flex;
    gap: 12px;
.control-inner::after{
  content: "";
  min-width: 12px;
.slider-control .slider-item{
 width: 100px;
 border-radius: var(--radius-8);
 flex-shrink: 0;
 filter: brightness(.4);
.slider-control .active{
 filter: brightness(1);
 box-shadow: var(--shadow-1);
.movie-list{
  padding-block-start: 32px;
.movie-card{
 position: relative;
  min-width: 200px;
.movie-card .card-banner{
 width: 200px;
.movie-card .title{
 width: 100%;
 white-space: nowrap;
  text-overflow: ellipsis;
 overflow: hidden;
 margin-block:8px 4px;
.movie-card .meta-list{
  justify-content: space-between;
.movie-card .card-btn{
```

```
position: absolute;
  inset: 0;
.backdrop-image{
  position: absolute;
 top: 0;
 left: 0;
 width: 100%;
 height: 600px;
 background-repeat:no-repeat ;
  background-size: cover;
 background-position: center;
  z-index: -1;
.backdrop-image::before{
 content: "";
 position: absolute;
 inset: 0;
 background-image: linear-gradient(0deg,
hsla(250,13%,11%,1),hsla(250,13%,11%,0.9));
.movie-detail .movie-poster{
 max-width: 300px;
 width: 100%;
.movie-detail .heading{
 margin-block: 24px 12px;
.movie-detail :is(.meta-list,.genre){
  color: var(--text-color);
.movie-detail .genre{
 margin-block: 12px 16px;
.detail-list{
 margin-block: 24px 32px;
.movie-detail .list-item{
 display: flex;
 align-items: flex-start;
```

```
gap: 8px;
  margin-block-end: 12px;
.movie-detail .list-name{
  color: var(--text-color);
  min-width: 112px;
.genre-list .title-wrapper{
  margin-block-end: 56px;
.grid-list{
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(200px, 1fr));
  column-gap: 16px;
  row-gap: 20px;
:is(.grid-list,.search-modal) :is(.movie-card,.card-banner){
  width: 100%;
 search-modal{
 position: fixed;
  top: 96px;
  left: 0;
  width: 100%;
  bottom: 0;
  background-color: var(--surface);
  padding: 50px 24px;
  overflow-y: overlay;
  z-index: 4;
  display: none;
.search-modal.active{
  display: block;
```

```
.search-modal .label{
  color: var(--primary-variant);
 font-weight: var(--weight-bold);
 margin-block-end: 8px;
@media (min-width:575px) {
    .banner-content{
      right: auto;
     max-width: 500px;
    .slider-control{
     left: calc(100% - 400px);
    .detail-content{ max-width: 750px;}
@media (min-width:768px){
  :root{
    --banner-overlay:90deg,hsl(220,17%,7%) 0%,hsla(220,17%,7%,0) 100%;
    --fs-heading:5.4rem;
  .container{
   padding-inline: 24px;
  .slider-list{
   margin-inline: -24px;
  .search-btn{
   display: none;
  .search-box{
   all:unset;
   display: block;
   width: 360px;
```

```
.banner-content{
    left: 50px;
  .movie-detail{
   display: flex;
    align-items: flex-start;
   gap: 40px;
  .movie-detail .detail-box{
   flex-grow: 1;
  .movie-detail .movie-poster{
   flex-shrink: 0;
   position: sticky;
   top: 0;
  .poster-box {
   background-repeat: no-repeat;
    background-size: 50px;
   width: 100%;
   height: 80%;
  .movie-detail .slider-list{
   margin-inline-start: 0;
@media (min-width:1200px){
  .header{
    padding: 28px 56px;
  .logo img{
   width: 160px;
  .menu-btn,.overlay{display: none;}
 main{
   display: grid;
   grid-template-columns: 250px 1fr;
  .sidebar{
   position: static;
   visibility: visible;
   border-block-start: 0;
```

```
height: calc(100vh -104px);
}
.sidebar.active{
  transform: none;
}
.sidebar-list,.sidebar-footer{
  padding-inline: 56px;
}
.container{
  height: calc(100vh -104px);
  border-top-left-radius: var(--radius-36);
}
```

Api.js

```
"use strict";
const api_key = '215b7388a50135da76601db1ca0183ba';
const imageBaseURL = 'http://image.tmdb.org/t/p/' //tren post man

// fetch data from a server using the url and passes the result in JSON

// data to a callback func,

// along with an optional paramerter if has optionalParam

const fetchDataFromServer = function(url,callback,optionalParam){
    fetch(url)
        .then(response => response.json())
        .then(data => callback(data,optionalParam));
}

export {imageBaseURL ,api_key ,fetchDataFromServer};
```

detail.js

```
'use strict';
import { api_key,imageBaseURL,fetchDataFromServer } from "./api.js";
import { sidebar } from "./sidebar.js";
import { createMovieCard } from "./movie-card.js";
import { search } from "./search.js";
```

```
const pageContent = document.querySelector("[page-content]");
const movieId = window.localStorage.getItem("movieId");
sidebar();
https://api.themoviedb.org/3/movie/505864?api key=215b7388a50135da76601db1ca0183b
const getGenres = function(grenlist){
    const newGenreList = [];
    for(const { name } of grenlist){
        newGenreList.push(name);
    return newGenreList.join(", ");
const getCarts = function(castList){
    const newCastList = [];
    for(let i=0,len=castList.length;i<len && i<10;i++){</pre>
        const {name}=castList[i];
        newCastList.push(name);
    return newCastList.join(", ");
const getDirections=function(crewList){
    const directors = crewList.filter(({job}) => job ==="Director")
    const directorList = [];
    for(const {name} of directors){
        directorList.push(name);
    return directorList.join(', ');
const filterVideos = function(videos){
    return videos.filter(({type,site})=>(type ==="Trailer" || type ===
"Teaser")&& site ==="YouTube");
fetchDataFromServer(
    `https://api.themoviedb.org/3/movie/${movieId}?api key=${api key}&append to r
esponse=casts, videos, images, releases`
    function(movie){
```

```
const{
            backdrop path,
            poster_path,
            title,
            release_date,
            runtime,
            vote average,
            releases:{countries:[{ certification }]},
            genres,
            overview,
            casts:{cast,crew},
            videos:{results:videos}
        } = movie;
        document.title=`${title} - Tvflix`;
        const movieDetail = document.createElement("div");
        movieDetail.classList.add("movie-detail");
        movieDetail.innerHTML = `
        <div class="backdrop-image" style="background-</pre>
image:url('${imageBaseURL}${"w1280" || "original"}${backdrop_path ||
poster path}');">
        </div>
        <figure class="poster-box movi-poster">
            <img src="${imageBaseURL}w342${poster_path}" alt="${title}" poster</pre>
class="img-cover">
        </figure>
        <div class="detail-box">
            <div class="detail-content">
                <h1 class="heading">${title}</h1>
                <div class="meta-list">
                    <div class="meta-item">
                         <img src="assets/images/star.png" width="20"</pre>
alt="rating">
                        <span class="span">${vote_average.toFixed(1)}</span>
                    </div>
                    <div class="separator"></div>
                    <div class="meta-item">${runtime}m</div>
                    <div class="separator"></div>
                    <div class="meta-item">${release date.split("-")}</div>
                    <div class="meta-item card-badge">${certification}</div>
                </div>
```

```
${getGenres(genres)}
     ${overview}
     <div class="list-item">
           Starring
           ${getCarts(cast)}
        </div>
        <div class="list-item">
           Directed By
           ${getDirections(crew)}
        </div>
     </div>
  <div class="title-wrapper">
     <h3 class="title-lagre">
        Trailers and Clips
     </h3>
  </div>
  <div class="slider-list">
     <div class="slider-inner">
     </div>
  </div>
</div>
```

```
for(const {key,name} of filterVideos(videos)){
            const videoCard = document.createElement('div');
            videoCard.classList.add("video-card");
            videoCard.innerHTML = `
                <iframe
                 width="500" height="294"
                src="http://www.youtube.com/embed/${key}?&
                theme=dark&color=white&rel=0"
                 frameborder="0" allowfullscreen="1"
                  title="${name}"
                  class="img-cover" loading="lazy"
                ></iframe>
            movieDetail.querySelector(".slider-inner").appendChild(videoCard);
        pageContent.appendChild(movieDetail);
        fetchDataFromServer(
           `https://api.themoviedb.org/3/movie/${movieId}/recommendations?api_key
=${api_key}&page=1`,
           addSuggestedMovies
const addSuggestedMovies = function({results:movieList},title){
    const movieListElem = document.createElement("section");
   movieListElem.classList.add("movie-list");
   movieListElem.ariaLabel = "You May Also Like";
   movieListElem.innerHTML =`
            <div class="title-wrapper">
                <h3 class="title-lagre">
                   You May Also Like
```

```
"use strict";

// mo menu search

const addEventOnElement = function(eles ,eventType,callback){
    for (const ele of eles){
        ele.addEventListener(eventType,callback)
    }
}

// toggle search box in mobile

const searchBox = document.querySelector('[search-box]');

const searchTogglers = document.querySelectorAll('[search-toggler]')

addEventOnElement(searchTogglers,'click', function(){
    searchBox.classList.toggle('active')
})

// localstorage khi aasn vaof 1 movie card nao do

const getMovieDetail = function(movieId){
    window.localStorage.setItem("movieId",String(movieId));
}

const getMovieList = function(urlParam,genreName){
    window.localStorage.setItem("urlParam",urlParam");
```

```
window.localStorage.setItem("genreName", genreName);
}
```

Index.js

```
'use strict'
import { sidebar } from "./sidebar.js"
import { api_key,imageBaseURL,fetchDataFromServer } from "./api.js";
import { createMovieCard} from "./movie-card.js"
import { search } from "./search.js";
const pageContent = document.querySelector('[page-content]');
sidebar();
const homePageSections = [
        title: "Upcoming Movies",
        path:"/movie/upcoming"
    },
        title:"Today\'s Trending Movies",
        path:"/trending/movie/week"
    },
        title: "Top Rate Movies",
        path:"/movie/top_rated"
    },
const genreList = {
    asString(genreIdList){
       let newGenreList = [];
```

```
for( const genreId of genreIdList){
            this[genreId]&&newGenreList.push(this[genreId]);
        return newGenreList.join(", ");
};
fetchDataFromServer(
    `https://api.themoviedb.org/3/genre/movie/list?api_key=${api_key}`,
    function({genres}){
        for(const {id,name} of genres){
            genreList[id]=name; //luu lai casci the loai
        }
        fetchDataFromServer(
            `https://api.themoviedb.org/3/movie/popular?api_key=${api_key}&page=1
            heroBanner
        );
const heroBanner = function({results:movieList}){
    const banner= document.createElement('section');
    banner.classList.add('banner');
    banner.ariaLabel = 'Popular Movies';
    banner.innerHTML=`
        <div class="banner-slider">
        </div>
        <div class="slider-control">
            <div class="control-inner">
            </div>
        </div>
    let controlItemIndex = 0;
    for(const [index,movie] of movieList.entries()){
        const {
            backdrop_path,
            title,
```

```
release_date,
            genre ids,
            overview,
            poster_path,
            vote_average,
            id
        } = movie;
        const sliderItem = document.createElement("div");
        sliderItem.classList.add('slider-item');
        sliderItem.setAttribute('slider-item',"");
        sliderItem.innerHTML=`
                <img src="${imageBaseURL}w1280${backdrop_path}" alt="${title}"</pre>
class="img-cover" loading=${index === 0 ? "eager":"lazy"}>
               <div class="banner-content">
                    <h2 class="heading">
                       ${title}
                    </h2>
                    <div class="meta-list">
                        <div class="meta-item">${release_date.split("-
")[0]}</div>
                       <div class="meta-item card-</pre>
badge">${vote_average.toFixed(1)}</div>
                    </div>
                    ${genreList.asString(genre_ids)}
                    ${overview}
                    <a href="./detail.html" class="btn"
onclick="getMovieDetail(${id})" >
                        <img src="./assets/images/play_circle.png" width="24"</pre>
height="24" aria-hidden="true" alt=" play circle" >
                        <span class="span">Watch Now</span>
                    </a>
               </div>
        banner.querySelector('.banner-slider').appendChild(sliderItem);
        const controlItem = document.createElement('button')
        controlItem.classList.add('poster-box','slider-item');
        controlItem.setAttribute('slider-control', `${controlItemIndex}`);
        controlItemIndex++;
        controlItem.innerHTML = `
```

```
<img src="${imageBaseURL}w154${poster_path}" alt="Slide to ${title}"</pre>
loading="lazy" draggable="false" class="img-cover">
        banner.querySelector(".control-inner").appendChild(controlItem);
    pageContent.appendChild(banner);
    addheroSlide();
    for(const {title,path} of homePageSections){
        fetchDataFromServer(
            `https://api.themoviedb.org/3${path}?api key=${api key}&page=1`,
            createMovieList,title
        )
    }
const addheroSlide = function(){
    const sliderItems = document.querySelectorAll("[slider-item]")
    const silderControls = document.querySelectorAll("[slider-control]")
    let lastSliderItem = sliderItems[0];
    let lastSliderControl =silderControls[0];
    lastSliderControl.classList.add('active');
    lastSliderItem.classList.add('active');
    const sliderStart = function(){
        lastSliderItem.classList.remove('active');
        lastSliderControl.classList.remove('active')
        sliderItems[Number(this.getAttribute('slider-
control'))].classList.add("active")
        this.classList.add("active");
        lastSliderItem = sliderItems[Number(this.getAttribute('slider-control'))]
        lastSliderControl =this;
    addEventOnElement(silderControls,'click',sliderStart)
const createMovieList = function({results:movieList},title){
    const movieListElem = document.createElement("section");
    movieListElem.classList.add("movie-list");
   movieListElem.ariaLabel = `${title}`;
```

moviecard.js

```
"use strict"
import { imageBaseURL } from "./api.js"

// movie card

export function createMovieCard(movie){
   const {
      poster_path,
      title,
      vote_average,
      release_date,
      id
   } = movie;
   const card = document.createElement("div")
```

```
card.classList.add("movie-card");
    card.innerHTML = `
        <figure class="poster-box card-banner">
            <img src="${imageBaseURL}w342${poster_path}" loading="lazy"</pre>
class="img-cover" alt="${title}">
        </figure>
        <h4 class="title">
            ${title}
        </h4>
        <div class="meta-list">
            <div class="meta-item">
                <img src="./assets/images/star.png" width="20" height="20"</pre>
loading="lazy" alt="rating">
                <span class="span">${vote_average.toFixed(1)}</span>
            </div>
            <div class="card-badge">${release date.split("-")[0]}</div>
        </div>
        <a href="./detail.html" class="card-btn" title="${title}" onclick</pre>
="getMovieDetail(${id})" ></a>
    return card;
```

Movie-list.js

```
'use strict';
import { api_key,fetchDataFromServer } from "./api.js";
import{createMovieCard} from "./movie-card.js";
import { search } from "./search.js";
import { sidebar } from "./sidebar.js";

const genreName = window.localStorage.getItem("genreName");
const urlParam = window.localStorage.getItem("urlParam");

const pageContent = document.querySelector("[page-content]");

sidebar();
```

```
let currentPage = 1;
let totalPages = 0;
fetchDataFromServer(
    `https://api.themoviedb.org/3/discover/movie?api_key=${api_key}&sort_by=popul
arity.desc&include adult=false&page=${currentPage}&${urlParam}`,
    function({results:movieList,total pages}){
        totalPages = totalPages;
        document.title=`${genreName} Movies - TVflix`;
        const movieListElem = document.createElement("section");
        movieListElem.classList.add("movie-list", "genre-list");
        movieListElem.ariaLabel = `${genreName} Movies`;
        movieListElem.innerHTML = `
            <div class="title-wrapper">
                <h1 class="heading">
                    All ${genreName} Movies
                </h1>
            </div>
            <div class="grid-list">
            </div>
            <button class="btn load-more" load-more>Load More</putton>
        for(const movie of movieList){
            const movieCard = createMovieCard(movie);
            movieListElem.querySelector(".grid-list").appendChild(movieCard)
        }
        pageContent.appendChild(movieListElem)
        // load more
        document.querySelector('[load-
more]').addEventListener("click",function(){
            if(currentPage >= totalPages){
                this.style.display="none"; //this = loadding btn
                return;
            }
            currentPage++;
            this.classList.add("loading");//this = loadding btn
            fetchDataFromServer(
```

search.js

```
'use strict';
import { api key,fetchDataFromServer } from "./api.js";
import { createMovieCard } from "./movie-card.js";
export function search(){
    const searchWrapper = document.querySelector("[search-wrapper]");
    const searchField = document.querySelector("[search-field]");
    const searchResultsModal = document.createElement("div");
    searchResultsModal.classList.add("search-modal");
    document.querySelector("main").appendChild(searchResultsModal);
    let searchTimeOut;
    searchField.addEventListener('input',function(){
        if(!searchField.value.trim()){
            searchResultsModal.classList.remove("active");
            searchWrapper.classList.remove("searching");
            clearTimeout(searchTimeOut);
            return;
        searchWrapper.classList.add("searching");
        clearTimeout(searchTimeOut);
        searchTimeOut = setTimeout(function(){
            fetchDataFromServer(
                `https://api.themoviedb.org/3/search/movie?api key=${api key}&que
ry=${searchField.value}&page=1&include_adult=false`,
                function({results : movieList}){
```

```
searchWrapper.classList.remove("searching");
                   searchResultsModal.classList.add("active");
                   searchResultsModal.innerHTML="";
                   searchResultsModal.innerHTML = `
                   Results for
                   <h1 class="heading">${searchField.value}</h1>
                   <div class="movie-list">
                       <div class="grid-list">
                       </div>
                   </div>
                   for(const movie of movieList){
                       const movieCard = createMovieCard(movie);
                       searchResultsModal.querySelector(".grid-
list").appendChild(movieCard);
       },500)
    })
```

Sidebar

```
"use strict";
import { api_key , fetchDataFromServer } from "./api.js";

export function sidebar(){
    const genreList = {};

    fetchDataFromServer(
        `https://api.themoviedb.org/3/genre/movie/list?api_key=${api_key}`,
        function({genres}){
            for(const {id,name} of genres){
                 genreList[id]=name; //luu lại casci thể loại
            }
                 genreLink();
        }
    );

    const sidebarInner = document.createElement('div');
    sidebarInner.classList.add('sidebar-inner');
    sidebarInner.innerHTML = `
```

```
<div class="sidebar-list">
           Genre
       </div>
       <div class="sidebar-list">
           Language
           <a href="./movie-list.html" menu-close class="sidebar-link"</pre>
onclick='getMovieList("with_original_language=en","English")'>
               English
           </a>
           <a href="./movie-list.html" menu-close class="sidebar-link"</pre>
onclick='getMovieList("with_original_language=hi","Hindi")'>
               Hindi
           </a>
           <a href="./movie-list.html" menu-close class="sidebar-link"</pre>
onclick='getMovieList("with_original_language=bn","Bengali")'>
               Bengali
           </a>
       </div>
        <div class="sidebar-footer">
           Copyright 2023
               <a href="https://youtube.com/@codewithsadee">Tran Duc Manh</a>
           <img src="./assets/images/tmdb-logo.svg" width="130" height="17"</pre>
alt="the movie database logo">
       </div>
       const genreLink = function(){
           for(const [genreID,genreName] of Object.entries(genreList)){
               const link=document.createElement('a');
               link.classList.add('sidebar-link');
               link.setAttribute("href","./movie-list.html");
               link.setAttribute('menu-close',"");
               link.setAttribute("onclick", getMovieList("with_genres=${genreID})
","${genreName}")`);
               link.textContent = genreName;
```

```
sidebarInner.querySelectorAll('.sidebar-
list')[0].appendChild(link);
            }
            const sidebar = document.querySelector("[sidebar]");
            sidebar.appendChild(sidebarInner);
            toggleSidebar(sidebar);
        }
        const toggleSidebar = function(sidebar){
            const sidebarBtn = document.querySelector("[menu-btn]");
            const sidebarTogglers =document.querySelectorAll("[menu-toggler]")
            const sidebarClose = document.querySelectorAll("[menu-close]")
            const overlay = document.querySelector('[overlay]')
            addEventOnElement(sidebarTogglers,'click',function(){
                sidebar.classList.toggle('active');
                sidebarBtn.classList.toggle('active');
                overlay.classList.toggle('active');
            });
            addEventOnElement(sidebarClose, 'click', function(){
                sidebar.classList.remove('active');
                sidebarBtn.classList.remove('active');
                overlay.classList.remove('active');
            });
        }
```