Name:D.Mani Kumar Reddy

Reg No:192325095

Course Code:CSA4302

Course Name:Internet Programming

Slot:A

Experiment 1: Library Management System

Aim:

To design a Library Management System webpage using HTML that allows users to search books, view book details, manage book issues and returns, check fines, and access study materials.

Procedure:

- Create the basic HTML structure using HTML tags.
- Add a header and navigation menu for Admin, User, and Contact.
- Create forms for admin login, adding, updating, and deleting books.
- Add user login and registration forms.
- Create sections for searching books, issuing and returning books, fines, and study materials.
- Add CSS styles to make the webpage attractive.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Library Management System</title>
</head>
<body>
  <header>
    <h1 align="center">Library Management System</h1>
    <hr>
    <nav align="center">
      <a href="#home">Home</a> |
      <a href="#admin">Admin</a> |
      <a href="#user">User</a> |
      <a href="#contact">Contact</a>
```

```
    </nav>
    <hr>
</header>
<section id="home">
    <h2>Welcome</h2>
    <p>
        The Library Management System helps students and librarians manage
        books, issue and return books, check fines, and download study
        materials efficiently.
    </p>
</section>
<hr>
<!-- Admin Section -->
<section id="admin">
    <h2>Librarian Admin</h2>
    <h3>Admin Login</h3>
    <form>
        Username:<br>
        <input type="text"><br><br>

        Password:<br>
        <input type="password"><br><br>
        <input type="submit" value="Login">
    </form>
    <h3>Add Book</h3>
    <form>
        Book Name:<br>
        <input type="text"><br><br>
        Author:<br>
        <input type="text"><br><br>
        Category:<br>
        <input type="text"><br><br>
        Quantity:<br>
        <input type="number"><br><br>
        <input type="submit" value="Add Book">
    </form>
```

```
<h3>Update / Delete Book</h3>
<table border="1" cellpadding="8">
  <tr>
    <th>Book ID</th>
    <th>Book Name</th>
    <th>Author</th>
    <th>Action</th>
  </tr>
  <tr>
    <td>101</td>
    <td>Java Programming</td>
    <td>James Gosling</td>
    <td>
      <button>Update</button>
      <button>Delete</button>
    </td>
  </tr>
</table>
<h3>Issue Book</h3>
<form>
  Student ID:<br>
  <input type="text"><br><br>
  Book ID:<br>
  <input type="text"><br><br>
  Issue Date:<br>
  <input type="date"><br><br>
  Return Date:<br>
  <input type="date"><br><br>
  <input type="submit" value="Issue Book">
</form>
<h3>Return Book</h3>
<form>
  Student ID:<br>
  <input type="text"><br><br>
  Book ID:<br>
  <input type="text"><br><br>
```


```
    Return Date:<br>
    <input type="date"><br><br>
    <input type="submit" value="Return Book">
</form>
<h3>Fine Management</h3>
<form>
    Student ID:<br>
    <input type="text"><br><br>
    Fine Amount:<br>
    <input type="number"><br><br>
    <input type="submit" value="Save Fine">
</form>
<h3>Upload Study Material</h3>
<form>
    Year:<br>
    <select>
        <option>1st Year</option>
        <option>2nd Year</option>
        <option>3rd Year</option>
        <option>4th Year</option>
    </select>
    <br><br>
    Semester:<br>
    <select>
        <option>Semester 1</option>
        <option>Semester 2</option>
        <option>Semester 3</option>
        <option>Semester 4</option>
        <option>Semester 5</option>
        <option>Semester 6</option>
        <option>Semester 7</option>
        <option>Semester 8</option>
    </select>
    <br><br>
    File:<br>
    <input type="file">
```

```
        <br><br>
        <input type="submit" value="Upload">
    </form>
</section>
<hr>
<!-- User Section -->
<section id="user">
    <h2>User</h2>
    <h3>User Login</h3>
    <form>
        Email:<br>
        <input type="email"><br><br>
        Password:<br>
        <input type="password"><br><br>
        <input type="submit" value="Login">
    </form>
    <h3>Register</h3>
    <form>
        Name:<br>
        <input type="text"><br><br>
        Email:<br>
        <input type="email"><br><br>
        Phone:<br>
        <input type="text"><br><br>
        Password:<br>
        <input type="password"><br><br>
        <input type="submit" value="Register">
    </form>
    <h3>Search Book</h3>
    <input type="text" placeholder="Search Book">
    <button>Search</button>
    <h3>Book Details</h3>
    <table border="1" cellpadding="8">
        <tr>
            <th>Book Name</th>
            <th>Author</th>
```

```
        <th>Status</th>
    </tr>
    <tr>
        <td>Java Programming</td>
        <td>James Gosling</td>
        <td>Available</td>
    </tr>
</table>
<h3>My Borrow History</h3>
<table border="1" cellpadding="8">
    <tr>
        <th>Book</th>
        <th>Issue Date</th>
        <th>Expiry Date</th>
    </tr>
    <tr>
        <td>Java Programming</td>
        <td>10-07-2026</td>
        <td>20-07-2026</td>
    </tr>
</table>
<h3>Check Fine</h3>
<p><strong>Total Fine:</strong> ₹100</p>
<h3>Study Materials</h3>
<select>
    <option>Select Year</option>
    <option>1st Year</option>
    <option>2nd Year</option>
    <option>3rd Year</option>
    <option>4th Year</option>
</select>
<select>
    <option>Select Semester</option>
    <option>Semester 1</option>
    <option>Semester 2</option>
    <option>Semester 3</option>
```

```
            <option>Semester 4</option>
            <option>Semester 5</option>
            <option>Semester 6</option>
            <option>Semester 7</option>
            <option>Semester 8</option>
        </select>
        <button>Search</button>
        <p>Database Management System Notes</p>
        <button>Download</button>
        <h3>My Profile</h3>
        <p>Name : Student Name</p>
        <p>Email : student@gmail.com</p>
        <p>Department : Computer Science</p>
    </section>
    <hr>
    <!-- Contact -->
    <section id="contact">
        <h2>Contact Us</h2>
        <form>
            Name:<br>
            <input type="text"><br><br>
            Email:<br>
            <input type="email"><br><br>
            Message:<br>
            <textarea rows="5" cols="40"></textarea>
            <br><br>
            <input type="submit" value="Send">
        </form>
    </section>
    <hr>
    <footer align="center">
        <p>&copy; 2026 Library Management System. All Rights Reserved.</p>
    </footer>
</body>
</html>
```

Output:



Result:

Thus, the Library Management System webpage was designed successfully with options for managing books, issuing and returning books, searching books, viewing borrowing history, and accessing study materials.

Experiment 2: Hotel Room Booking System

Aim:

To design a Hotel Room Booking System webpage using HTML and CSS to display room types, prices, facilities, and a booking form.

Procedure:

1. Create the basic HTML structure.
2. Add a header and navigation menu.
3. Display different room categories such as Single, Double, Deluxe, and Suite with their prices.
4. Create a booking form to enter guest name, email, check-in date, check-out date, and number of guests.
5. Add About and Contact sections.
6. Apply CSS to improve the webpage design.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Hotel Room Booking</title>
<style>
*{
   margin:0;
   padding:0;
   box-sizing:border-box;
   font-family:Arial,sans-serif;
}
body{
```

```
    background:#f4f4f4;
}
header{
    background:#003366;
    color:white;
    padding:20px;
    text-align:center;
}
nav{
    background:#0059b3;
    padding:10px;
    text-align:center;
}
nav a{
    color:white;
    text-decoration:none;
    margin:15px;
    font-weight:bold;
}
.hero{
    text-align:center;
    background:#e6f2ff;
    padding:40px;
}
.hero h2{
    margin-bottom:10px;
}
.container{
    width:90%;
    margin:auto;
    padding:20px;
}
.rooms{
    display:flex;
    justify-content:space-around;
    flex-wrap:wrap;
```

```
}
.room{
    background:white;
    width:250px;
    margin:10px;
    padding:15px;
    border-radius:10px;
    box-shadow:0 0 10px gray;
    text-align:center;
}
.room h3{
    color:#003366;
}
.room button{
    background:#28a745;
    color:white;
    border:none;
    padding:10px;
    margin-top:10px;
    cursor:pointer;
    border-radius:5px;
}
form{
    background:white;
    padding:20px;
    margin-top:20px;
    border-radius:10px;
    box-shadow:0 0 10px gray;
}
input,select{
    width:100%;
    padding:10px;
    margin:10px 0;
}
input[type=submit]{
    background:#003366;
```

```
    color:white;
    border:none;
    cursor:pointer;
}
.about,.contact{
    background:white;
    margin-top:20px;
    padding:20px;
    border-radius:10px;
    box-shadow:0 0 10px gray;
}
footer{
    background:#003366;
    color:white;
    text-align:center;
    padding:15px;
    margin-top:20px;
}
</style>
</head>
<body>
<header>
<h1>Hotel Room Booking System</h1>
<p>Welcome to Our Hotel</p>
</header>
<nav>
<a href="#">Home</a>
<a href="#">Rooms</a>
<a href="#">Booking</a>
<a href="#">About</a>
<a href="#">Contact</a>
</nav>
<section class="hero">
<h2>Book Your Dream Room</h2>
<p>Easy, Fast and Secure Booking</p>
</section>
```


```
<div class="container">
<h2>Room Types</h2>
<div class="rooms">
<div class="room">
<h3>Single Room</h3>
<p>Price: ₹1500 / Night</p>
<p>1 Bed, Free WiFi</p>
<button>Book Now</button>
</div>
<div class="room">
<h3>Double Room</h3>
<p>Price: ₹2500 / Night</p>
<p>2 Beds, AC, TV</p>
<button>Book Now</button>
</div>
<div class="room">
<h3>Deluxe Room</h3>
<p>Price: ₹4000 / Night</p>
<p>Luxury Room with Breakfast</p>
<button>Book Now</button>
</div>
<div class="room">
<h3>Suite Room</h3>
<p>Price: ₹6000 / Night</p>
<p>Premium Luxury Suite</p>
<button>Book Now</button>
</div>
</div>
<h2>Booking Form</h2>
<form>
<label>Name</label>
<input type="text" placeholder="Enter Your Name" required>
<label>Email</label>
<input type="email" placeholder="Enter Email" required>
<label>Check-in Date</label>
<input type="date" required>
```

```
<label>Check-out Date</label>
<input type="date" required>
<label>Guests</label>
<select>
<option>1</option>
<option>2</option>
<option>3</option>
<option>4</option>
</select>
<label>Room Type</label>
<select>
<option>Single Room</option>
<option>Double Room</option>
<option>Deluxe Room</option>
<option>Suite Room</option>
</select>
<input type="submit" value="Book Room">
</form>
<div class="about">
<h2>About Us</h2>
<p>
Our hotel provides comfortable rooms with modern facilities.
We offer secure booking, friendly service, free WiFi,
24/7 customer support, and affordable prices.
</p>
</div>
<div class="contact">
<h2>Contact Us</h2>
<p>Email : hotel@example.com</p>
<p>Phone : +91 9876543210</p>
<p>Address : Chennai, Tamil Nadu</p>
</div>
</div>
<footer>
<p>© 2026 Hotel Room Booking System | Internet Programming Lab</p>
</footer>
```

</body>

</html>

Output:



Result:

Thus, the Hotel Room Booking webpage was designed successfully with different room categories, room prices, and a booking form for entering guest and reservation detail

Experiment 3: Online Bus Ticket Booking System

Aim:

To design an Online Bus Ticket Booking webpage using HTML and CSS to search buses, display available buses, and collect passenger and seat details.

Procedure:

1. Create the HTML structure for the bus booking webpage.
2. Add a header and navigation menu.
3. Create a bus search form to enter the source, destination, and journey date.
4. Display sample bus details, available seats, bus types, and ticket fares in a table.
5. Create a passenger booking form.
6. Add user and admin features and apply CSS styling.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Online Bus Ticket Booking System</title>

<style>
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
    font-family:Arial, sans-serif;
}
body{
    background:#f4f4f4;
}
header{
    background:#004080;
    color:white;
    text-align:center;
    padding:20px;
}
nav{
    background:#0066cc;
    padding:12px;
    text-align:center;
}
nav a{
    color:white;
    text-decoration:none;
    margin:15px;
    font-weight:bold;
```

```
}
.container{
    width:90%;
    margin:auto;
    padding:20px;
}
.section{
    background:white;
    padding:20px;
    margin-top:20px;
    border-radius:8px;
    box-shadow:0 0 8px gray;
}
h2{
    color:#004080;
    margin-bottom:10px;
}
input,select,textarea{
    width:100%;
    padding:10px;
    margin:8px 0;
}
button{
    background:#004080;
    color:white;
    padding:10px 20px;
    border:none;
    cursor:pointer;
}
table{
    width:100%;
    border-collapse:collapse;
    margin-top:10px;
}
table,th,td{
    border:1px solid gray;
```

```
}
th{
    background:#004080;
    color:white;
}
th,td{
    padding:10px;
    text-align:center;
}
footer{
    background:#004080;
    color:white;
    text-align:center;
    padding:15px;
    margin-top:20px;
}
</style>

</head>
<body>

<header>
<h1>Online Bus Ticket Booking System</h1>
<p>Book Your Bus Tickets Easily</p>
</header>

<nav>
<a href="#">Home</a>
<a href="#">Search Bus</a>
<a href="#">Book Ticket</a>
<a href="#">Login</a>
<a href="#">Register</a>
<a href="#">Contact</a>
</nav>
<div class="container">
<div class="section">
```

```
<h2>Search Bus</h2>

<form>
<input type="text" placeholder="From">
<input type="text" placeholder="To">
<input type="date">
<select>
<option>Select Time</option>
<option>Morning</option>
<option>Afternoon</option>
<option>Evening</option>
<option>Night</option>
</select>

<button type="submit">Search Bus</button>
</form>

</div>

<div class="section">

<h2>Available Buses</h2>

<table>
<tr>
<th>Bus Name</th>
<th>Category</th>
<th>Seats</th>
<th>Fare</th>
</tr>

<tr>
<td>Express Travels</td>
<td>Volvo</td>
<td>25</td>
<td>₹900</td>
```

```
</tr>

<tr>
<td>Royal Bus</td>
<td>Sleeper</td>
<td>18</td>
<td>₹1200</td>
</tr>

<tr>
<td>City Coach</td>
<td>AC Coach</td>
<td>30</td>
<td>₹700</td>
</tr>

</table>

</div>

<div class="section">

<h2>Book Ticket</h2>

<form>

<input type="text" placeholder="Passenger Name">

<input type="email" placeholder="Email">

<input type="tel" placeholder="Mobile Number">

<select>
<option>Select Bus</option>
<option>Express Travels</option>
<option>Royal Bus</option>
```

```
<option>City Coach</option>
</select>

<select>
<option>Select Seat</option>
<option>A1</option>
<option>A2</option>
<option>B1</option>
<option>B2</option>
</select>

<button>Book Ticket</button>

</form>

</div>

<div class="section">

<h2>User Features</h2>

<ul>
<li>User Registration</li>
<li>User Login</li>
<li>Search Bus</li>
<li>Book Ticket</li>
<li>Cancel Ticket</li>
<li>Booking History</li>
<li>Payment Gateway</li>
<li>Email Confirmation</li>

</ul>

</div>

<div class="section">
```

```
<h2>Admin Features</h2>

<ul>

<li>Manage Bus Categories</li>

<li>Add / Update Bus Information</li>

<li>Manage Seat Availability</li>

<li>Manage Registered Users</li>

<li>Generate Reports</li>

<li>Manage Comments</li>

<li>Manage News</li>

</ul>

</div>

<div class="section">

<h2>Post Comments</h2>

<form>

<input type="text" placeholder="Your Name">

<textarea rows="4" placeholder="Write Your Comment"></textarea>

<button>Post Comment</button>

</form>
```

```
</div>

</div>

<footer>


<p>© 2026 Online Bus Ticket Booking System</p>

<p>Internet Programming Lab Experiment</p>

</footer>

</body>
</html>
```

Output:



Result:

Thus, the Online Bus Ticket Booking webpage was designed successfully with bus search options, bus details, seat availability, ticket fares, and a passenger booking form.

Experiment 4: Online Train Reservation System

Aim:

To design an Online Train Reservation webpage using HTML and CSS to search trains, display train schedules, collect passenger details, and check PNR status.

Procedure:

1. Create the HTML document with a title and header.
2. Apply CSS to style the navigation bar, forms, tables, and footer.
3. Create a train search form with source station, destination station, date, and class.
4. Display available trains with train number, name, departure, arrival, and seat availability.
5. Create a ticket booking form to collect passenger and journey details.
6. Add a PNR status form, user features, admin features, and refund policy.
7. Save the file and open it in a web browser.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Online Train Reservation System</title>

<style>
*{
   margin:0;
   padding:0;
   box-sizing:border-box;
   font-family:Arial,sans-serif;
}
body{
```

```
    background:#f2f2f2;
}
header{
    background:#003366;
    color:white;
    text-align:center;
    padding:20px;
}
nav{
    background:#0059b3;
    padding:12px;
    text-align:center;
}
nav a{
    color:white;
    text-decoration:none;
    margin:15px;
    font-weight:bold;
}
.container{
    width:90%;
    margin:auto;
    padding:20px;
}
.section{
    background:white;
    padding:20px;
    margin-top:20px;
    border-radius:8px;
    box-shadow:0 0 8px gray;
}
h2{
    color:#003366;
    margin-bottom:10px;
}
input,select{
```

```
    width:100%;
    padding:10px;
    margin:8px 0;
}
button{
    background:#003366;
    color:white;
    border:none;
    padding:10px 20px;
    cursor:pointer;
}
table{
    width:100%;
    border-collapse:collapse;
    margin-top:10px;
}
table,th,td{
    border:1px solid #999;
}
th{
    background:#003366;
    color:white;
}
th,td{
    padding:10px;
    text-align:center;
}
footer{
    background:#003366;
    color:white;
    text-align:center;
    padding:15px;
    margin-top:20px;
}
ul{
    margin-left:20px;
```

```
}
</style>

</head>
<body>

<header>
<h1>Online Train Reservation System</h1>
<p>Book Train Tickets Easily</p>
</header>

<nav>
<a href="#">Home</a>
<a href="#">Search Train</a>
<a href="#">Book Ticket</a>
<a href="#">PNR Status</a>
<a href="#">Login</a>
<a href="#">Register</a>
</nav>

<div class="container">

<div class="section">
<h2>Search Train</h2>

<form>

<input type="text" placeholder="From Station">

<input type="text" placeholder="To Station">

<input type="date">

<select>
<option>Select Class</option>
<option>Sleeper</option>
```

```
<option>3A</option>
<option>2A</option>
<option>1A</option>
</select>

<button>Search Train</button>

</form>

</div>

<div class="section">

<h2>Available Trains</h2>

<table>

<tr>
<th>Train No</th>
<th>Train Name</th>
<th>Departure</th>
<th>Arrival</th>
<th>Seats</th>
</tr>

<tr>
<td>12623</td>
<td>Chennai Express</td>
<td>08:00 AM</td>
<td>04:00 PM</td>
<td>120</td>
</tr>

<tr>
<td>12645</td>
<td>Super Fast Express</td>
```

```
<td>09:30 AM</td>
<td>06:30 PM</td>
<td>75</td>
</tr>

<tr>
<td>12789</td>
<td>Intercity Express</td>
<td>11:00 AM</td>
<td>08:00 PM</td>
<td>90</td>
</tr>

</table>

</div>

<div class="section">

<h2>Book Ticket</h2>

<form>

<input type="text" placeholder="Passenger Name">

<input type="number" placeholder="Age">

<select>
<option>Gender</option>
<option>Male</option>
<option>Female</option>
<option>Other</option>
</select>

<input type="text" placeholder="Origin Station">
```

```
<input type="text" placeholder="Destination Station">

<select>
<option>Select Class</option>
<option>Sleeper</option>
<option>3A</option>
<option>2A</option>
<option>1A</option>
</select>

<button>Book Ticket</button>

</form>

</div>

<div class="section">

<h2>Check PNR Status</h2>

<form>

<input type="text" placeholder="Enter PNR Number">

<button>Check Status</button>

</form>

</div>

<div class="section">

<h2>User Features</h2>

<ul>
<li>User Registration</li>
```

User Login

Search Trains

Seat Availability

Book Tickets

View Booking History

Print Ticket

Cancel Ticket

Online/Offline Payment

<h2>Admin Features</h2>

Manage Train Details

Manage Train Schedule

Manage Seat Availability

Manage User Accounts

Manage Fare Details

Manage PNR Details

Manage Refund Requests

Generate Reports

<h2>Refund Policy</h2>

<p>

Passengers can cancel tickets using the PNR number.

Refunds are processed based on railway cancellation rules and the cancellation date.

<footer>

© 2026 Online Train Reservation System


Internet Programming Lab Experiment

</footer>

</body>

</html>

Output:



Result:

Thus, the Online Train Reservation webpage was designed successfully with train search options, train schedules, ticket booking, and PNR enquiry sections.

Experiment 5: Online Flight Reservation System

Aim:

To design an Online Flight Reservation System using HTML, CSS, and JavaScript to search flights, enter passenger details, simulate booking and payment, view tickets, and manage flight information.

Procedure:

1. Create the HTML structure and style the page using CSS.
2. Create sections for Home, Login, Registration, Flight Search, Booking, Payment, My Ticket, Feedback, Admin, and Reports.
3. Define sample flight details using a JavaScript array.
4. Use JavaScript functions to switch pages, register users, log in, and search flights.
5. Allow users to select flights, enter passenger details, and proceed to the simulated payment page.
6. Display booking details and provide ticket printing, cancellation, feedback, and admin flight-management functions.
7. Save the file and open it in a browser with JavaScript enabled.

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Online Flight Reservation System</title>

<style>
*{
  margin:0;
  padding:0;
```

```
    box-sizing:border-box;
    font-family:Arial,sans-serif;
}
body{
    background:#f2f6fa;
    color:#222;
}

header{
    background:#073b66;
    color:white;
    padding:18px 40px;
    display:flex;
    justify-content:space-between;
    align-items:center;
}

header h1{
    font-size:24px;
}

nav button{
    background:none;
    border:none;
    color:white;
    margin:5px;
    cursor:pointer;
    font-size:15px;
}

.container{
    width:90%;
    max-width:1100px;
    margin:30px auto;
}
```

```
.page{
    display:none;
}

.active{
    display:block;
}

.card{
    background:white;
    padding:25px;
    border-radius:12px;
    box-shadow:0 3px 12px #ccc;
    margin-bottom:20px;
}

h2{
    color:#073b66;
    margin-bottom:20px;
}

input,select{
    width:100%;
    padding:12px;
    margin:8px 0 15px;
    border:1px solid #bbb;
    border-radius:6px;
}

button{
    background:#0878c9;
    color:white;
    border:none;
    padding:11px 18px;
    border-radius:6px;
    cursor:pointer;
```

```
}

button:hover{
    background:#055c99;
}

.search-grid{
    display:grid;
    grid-template-columns:repeat(4,1fr);
    gap:15px;
}

.flight{
    border:1px solid #ddd;
    padding:18px;
    border-radius:10px;
    margin:12px 0;
    background:#fafafa;
}

.flight button{
    float:right;
}

table{
    width:100%;
    border-collapse:collapse;
    background:white;
}

th,td{
    padding:12px;
    border:1px solid #ddd;
    text-align:center;
}
```

```
th{
    background:#073b66;
    color:white;
}

.message{
    padding:12px;
    margin:10px 0;
    background:#e7f5ff;
    border-radius:6px;
}

.danger{
    background:#d9534f;
}

footer{
    text-align:center;
    background:#073b66;
    color:white;
    padding:20px;
    margin-top:40px;
}

@media(max-width:700px){
    .search-grid{
        grid-template-columns:1fr;
    }

    header{
        flex-direction:column;
        gap:10px;
        text-align:center;
    }

    table{
```

```
        font-size:12px;
    }
}
</style>
</head>

<body>

<header>
    <h1>✈ SkyFly Reservation</h1>

    <nav>
        <button onclick="showPage('home')">Home</button>
        <button onclick="showPage('search')">Search Flight</button>
        <button onclick="showPage('myticket')">My Ticket</button>
        <button onclick="showPage('feedback')">Feedback</button>
        <button onclick="showPage('admin')">Admin</button>
        <button onclick="showPage('login')">Login</button>
    </nav>
</header>

<div class="container">

<!-- HOME -->
<section id="home" class="page active">

    <div class="card">
        <h2>Online Flight Reservation System</h2>
        <p>
            Search flights, check real-time seat availability,
            book tickets, make payments and manage your reservations
            easily from one platform.
        </p>
        <br>
        <button onclick="showPage('search')">Search Flights</button>
    </div>
```

```
    <div class="card">
      <h2>Features</h2>
      <p>✓ Flight Search</p>
      <p>✓ Seat Selection</p>
      <p>✓ Online Booking</p>
      <p>✓ Secure Payment</p>
      <p>✓ E-Ticket</p>
      <p>✓ Booking History</p>
      <p>✓ Ticket Cancellation</p>
      <p>✓ Customer Feedback</p>
      <p>✓ Admin Reports</p>
    </div>

</section>


<!-- LOGIN -->
<section id="login" class="page">

<div class="card">
<h2>Customer Login</h2>

<input type="email" id="loginEmail" placeholder="Email">
<input type="password" id="loginPassword" placeholder="Password">

<button onclick="login()">Login</button>
<button onclick="showPage('register')">Register</button>
<button onclick="showPage('forgot')">Forgot Password?</button>

<p id="loginMsg"></p>
</div>

</section>
```

```
<!-- REGISTER -->
<section id="register" class="page">

<div class="card">
<h2>Create Account</h2>

<input id="regName" placeholder="Full Name">
<input id="regEmail" type="email" placeholder="Email">
<input id="regPassword" type="password" placeholder="Password">

<button onclick="register()">Register</button>
<button onclick="showPage('login')">Back to Login</button>

<p id="registerMsg"></p>
</div>
</section>
<!-- FORGOT PASSWORD -->
<section id="forgot" class="page">
<div class="card">
<h2>Forgot Password</h2>
<input type="email" id="forgotEmail" placeholder="Enter registered email">
<button onclick="resetPassword()">Reset Password</button>
<p id="forgotMsg"></p>
</div>
</section>
<!-- SEARCH FLIGHT -->
<section id="search" class="page">
<div class="card">
<h2>Search Flights</h2>
<div class="search-grid">
<div>
<label>From</label>
<select id="from">
<option>Chennai</option>
<option>Bangalore</option>
```

```
<option>Delhi</option>
<option>Mumbai</option>
</select>
</div>
<div>
<label>Destination</label>
<select id="to">
<option>Delhi</option>
<option>Mumbai</option>
<option>Bangalore</option>
<option>Chennai</option>
</select>
</div>
<div>
<label>Date</label>
<input type="date" id="flightDate">
</div>
<div>
<label>Class</label>
<select id="flightClass">
<option>Economy</option>
<option>Business</option>
<option>First Class</option>
</select>
</div>
</div>
<button onclick="searchFlights()">Search Flights</button>
</div>
<div id="flightResults"></div>
</section>
<!-- BOOK TICKET -->
<section id="booking" class="page">
<div class="card">
<h2>Book Ticket</h2>
<div id="selectedFlight"></div>
<h3>Passenger Details</h3>
```

```
<input id="passengerName" placeholder="Passenger Name">
<input id="passengerAge" type="number" placeholder="Age">
<input id="passengerPassport" placeholder="Passport / ID Number">
<h3>Select Seat</h3>
<select id="seat">
<option>1A</option>
<option>1B</option>
<option>1C</option>
<option>2A</option>
<option>2B</option>
<option>2C</option>
<option>3A</option>
<option>3B</option>
</select>
<br><br>
<button onclick="proceedPayment()">Continue to Payment</button>
</div>
</section>
<!-- PAYMENT -->
<section id="payment" class="page">
<div class="card">
<h2>Ticket Payment</h2>
<h3 id="paymentAmount"></h3>
<select id="paymentMethod">
<option>Credit Card</option>
<option>Debit Card</option>
<option>UPI</option>
<option>Net Banking</option>
</select>
<input placeholder="Card / UPI Number">
<input type="password" placeholder="PIN / CVV">
<button onclick="makePayment()">Pay Now</button>
<p id="paymentMsg"></p>
</div>
</section>
<!-- MY TICKET -->
```

```
<section id="myticket" class="page">
<div class="card">
<h2>My Ticket</h2>
<div id="ticketDetails">
<p>No ticket booked yet.</p>
</div>
<br>
<button onclick="printTicket()">Print Ticket</button>
<button class="danger" onclick="cancelTicket()">Cancel Ticket</button>
</div>
</section>
<!-- BOOKING STATUS -->
<section id="status" class="page">
<div class="card">
<h2>View Booking Status</h2>
<input id="bookingId" placeholder="Enter Booking ID">
<button onclick="checkStatus()">Check Status</button>
<p id="statusResult"></p>
</div>
</section>
<!-- FEEDBACK -->
<section id="feedback" class="page">
<div class="card">
<h2>Customer Feedback</h2>

<input id="feedbackName" placeholder="Your Name">

<select id="rating">
<option>5 - Excellent</option>
<option>4 - Very Good</option>
<option>3 - Good</option>
<option>2 - Average</option>
<option>1 - Poor</option>
</select>

<textarea id="feedbackText"
```

```
placeholder="Write your feedback"
style="width:100%;height:120px;padding:12px;"></textarea>
<br><br>
<button onclick="submitFeedback()">Submit Feedback</button>
<p id="feedbackMsg"></p>
</div>
</section>
<!-- ADMIN LOGIN -->
<section id="admin" class="page">
<div class="card">
<h2>Administrator Login</h2>
<input id="adminUser" placeholder="Admin Username">
<input id="adminPass" type="password" placeholder="Password">
<button onclick="adminLogin()">Admin Login</button>
<p id="adminMsg"></p>
</div>
</section>
<!-- ADMIN PANEL -->
<section id="adminPanel" class="page">
<div class="card">
<h2>Admin Panel</h2>
<button onclick="showPage('adminFlights')">Manage Flights</button>
<button onclick="showPage('adminUsers')">Manage Users</button>
<button onclick="showPage('report')">Admin Report</button>
</div>
</section>
<!-- ADMIN FLIGHTS -->
<section id="adminFlights" class="page">
<div class="card">
<h2>Manage Flight Schedules</h2>
<input id="newFlight" placeholder="Flight Number">
<input id="newRoute" placeholder="Route">
<input id="newSeats" type="number" placeholder="Number of Seats">
<input id="newFare" type="number" placeholder="Fare">
<button onclick="addFlight()">Add Flight</button>
```

```
<br><br>
<table>
<thead>
<tr>
<th>Flight</th>
<th>Route</th>
<th>Seats</th>
<th>Fare</th>
</tr>
</thead>
<tbody id="flightTable"></tbody>
</table>
</div>

</section>
<!-- ADMIN USERS -->
<section id="adminUsers" class="page">

<div class="card">

<h2>User Accounts</h2>

<table>

<tr>
<th>Name</th>
<th>Email</th>
<th>Status</th>
</tr>

<tr>
<td>Arun</td>
<td>arun@gmail.com</td>
<td>Active</td>
</tr>
```

```
<tr>
<td>Priya</td>
<td>priya@gmail.com</td>
<td>Active</td>
</tr>

</table>

</div>

</section>


<!-- REPORT -->
<section id="report" class="page">

<div class="card">

<h2>Admin Report</h2>

<table>

<tr>
<th>Total Flights</th>
<th>Total Bookings</th>
<th>Available Seats</th>
<th>Revenue</th>
</tr>

<tr>
<td id="totalFlights">5</td>
<td id="totalBookings">0</td>
<td>245</td>
<td id="revenue">₹0</td>
</tr>
```

```
</table>

</div>

</section>

</div>


<footer>
  <p>© 2026 SkyFly Online Flight Reservation System</p>
</footer>


<script>

let selectedFlight = null;
let booking = null;
let bookings = 0;
let revenue = 0;

const flights = [
{
  number:"SF101",
  from:"Chennai",
  to:"Delhi",
  time:"06:30 AM",
  seats:25,
  fare:5500
},
{
  number:"SF202",
  from:"Chennai",
  to:"Mumbai",
  time:"09:00 AM",
  seats:18,
```

```
    fare:4800
},
{
    number:"SF303",
    from:"Bangalore",
    to:"Delhi",
    time:"01:30 PM",
    seats:30,
    fare:6200
},
{
    number:"SF404",
    from:"Delhi",
    to:"Mumbai",
    time:"05:00 PM",
    seats:20,
    fare:4500
}
];


function showPage(page){

    document.querySelectorAll(".page").forEach(function(p){
        p.classList.remove("active");
    });

    document.getElementById(page).classList.add("active");

    window.scrollTo(0,0);
}


function register(){

    let name=document.getElementById("regName").value;
```

```
    let email=document.getElementById("regEmail").value;
    let password=document.getElementById("regPassword").value;

    if(name==="" || email==="" || password===""){
        document.getElementById("registerMsg").innerHTML="Please fill all fields.";
        return;
    }

    localStorage.setItem("userName",name);
    localStorage.setItem("userEmail",email);
    localStorage.setItem("userPassword",password);

    document.getElementById("registerMsg").innerHTML=
    "Registration successful!";

}


function login(){

    let email=document.getElementById("loginEmail").value;
    let password=document.getElementById("loginPassword").value;

    if(
        email===localStorage.getItem("userEmail") &&
        password===localStorage.getItem("userPassword")
    ){

        document.getElementById("loginMsg").innerHTML="Login successful!";
        showPage("search");

    }else{

        document.getElementById("loginMsg").innerHTML=
        "Invalid email or password.";
```

```
    }

}

function resetPassword(){

    let email=document.getElementById("forgotEmail").value;

    if(email===localStorage.getItem("userEmail")){

        document.getElementById("forgotMsg").innerHTML=
        "Password reset link sent to your email.";

    }else{

        document.getElementById("forgotMsg").innerHTML=
        "Email not found.";

    }

}

function searchFlights(){

    let from=document.getElementById("from").value;
    let to=document.getElementById("to").value;

    let results=flights.filter(function(f){
        return f.from===from && f.to===to;
    });

    let output="";

    if(results.length===0){
```

```
    output="<div class='card'><h3>No flights available.</h3></div>";
}else{
    results.forEach(function(f){
        output+=`
        <div class="flight">
        <h3>✈ ${f.number}</h3>
        <p>${f.from} → ${f.to}</p>
        <p>Departure: ${f.time}</p>
        <p>Available Seats: ${f.seats}</p>
        <p>Fare: ₹${f.fare}</p>
        <button onclick="bookFlight('${f.number}')">
        Book Ticket
        </button>
        <br><br>
        </div>
        `;
    });
}
document.getElementById("flightResults").innerHTML=output;
```

```
}

function bookFlight(number){
    selectedFlight=flights.find(function(f){
        return f.number===number;
    });
    document.getElementById("selectedFlight").innerHTML=`
        <div class="message">
        <b>${selectedFlight.number}</b><br>
        ${selectedFlight.from} → ${selectedFlight.to}<br>
        Departure: ${selectedFlight.time}<br>
        Fare: ₹${selectedFlight.fare}
        </div>
    `;
    showPage("booking");
}

function proceedPayment(){
    let name=document.getElementById("passengerName").value;
    let age=document.getElementById("passengerAge").value;
    if(name==="" || age===""){
        alert("Please enter passenger details.");
        return;
```

```
    }

    document.getElementById("paymentAmount").innerHTML=
    "Total Amount: ₹"+selectedFlight.fare;

    showPage("payment");

}


function makePayment(){

    booking={

        id:"SF"+Math.floor(Math.random()*90000+10000),

        passenger:document.getElementById("passengerName").value,

        flight:selectedFlight.number,

        route:selectedFlight.from+" → "+selectedFlight.to,

        seat:document.getElementById("seat").value,

        amount:selectedFlight.fare,

        status:"Confirmed"

    };

    bookings++;

    revenue+=selectedFlight.fare;

    selectedFlight.seats--;
```

```
    document.getElementById("paymentMsg").innerHTML=
    "Payment successful! Ticket booked.";

    document.getElementById("totalBookings").innerHTML=bookings;

    document.getElementById("revenue").innerHTML="₹"+revenue;

    document.getElementById("ticketDetails").innerHTML=`

        <h3>✈ Booking Confirmed</h3>

        <p><b>Booking ID:</b> ${booking.id}</p>
        <p><b>Passenger:</b> ${booking.passenger}</p>
        <p><b>Flight:</b> ${booking.flight}</p>
        <p><b>Route:</b> ${booking.route}</p>
        <p><b>Seat:</b> ${booking.seat}</p>
        <p><b>Amount:</b> ₹${booking.amount}</p>
        <p><b>Status:</b> ${booking.status}</p>

    `;

    showPage("myticket");

}


function cancelTicket(){

    if(!booking){

        alert("No ticket available.");
        return;

    }

    booking.status="Cancelled";
```

```
    document.getElementById("ticketDetails").innerHTML+=
    "<p style='color:red'><b>Ticket Cancelled</b></p>";

}


function printTicket(){

    if(!booking){

        alert("No ticket available.");
        return;

    }

    window.print();

}


function checkStatus(){

    let id=document.getElementById("bookingId").value;


    if(booking && id===booking.id){
        document.getElementById("statusResult").innerHTML=
        "Booking Status: "+booking.status;
    }else{
        document.getElementById("statusResult").innerHTML=
        "Booking not found.";
    }
}
function submitFeedback(){
    let name=document.getElementById("feedbackName").value;
    let feedback=document.getElementById("feedbackText").value;
```

```
    if(name==="" || feedback===""){
        alert("Please enter feedback.");
        return;
    }
    document.getElementById("feedbackMsg").innerHTML=
    "Thank you for your valuable feedback!";
}
function adminLogin(){
    let user=document.getElementById("adminUser").value;
    let pass=document.getElementById("adminPass").value;
    if(user==="admin" && pass==="admin123"){
        document.getElementById("adminMsg").innerHTML=
        "Admin login successful!";
        setTimeout(function(){
            showPage("adminPanel");
        },500);

    }else{
        document.getElementById("adminMsg").innerHTML=
        "Invalid admin credentials.";
    }
}
function addFlight(){
    let number=document.getElementById("newFlight").value;
    let route=document.getElementById("newRoute").value;
    let seats=document.getElementById("newSeats").value;
    let fare=document.getElementById("newFare").value;
    if(number==="" || route==="" || seats==="" || fare===""){
        alert("Please enter all flight details.");
        return;
    }
    document.getElementById("flightTable").innerHTML+=`
        <tr>
        <td>${number}</td>
        <td>${route}</td>
        <td>${seats}</td>
```

```
        <td>₹${fare}</td>
        </tr>
    `;
    document.getElementById("totalFlights").innerHTML=
    parseInt(document.getElementById("totalFlights").innerHTML)+1;
}
</script>
</body>
</html>
```

Output:



Result:

Thus, the Online Flight Reservation System was implemented successfully using HTML, CSS, and JavaScript, with flight search, user login, booking, simulated payment, ticket generation, cancellation, and admin features.

Experiment 06 -Online cake ordering system

Aim:

To design an Online Cake Ordering System webpage using HTML, CSS, and JavaScript that allows users to view cakes, select their preferred cake, enter delivery details, and place an order online.

Procedure

1. Create the basic HTML structure for the Online Cake Ordering System.
2. Add a header, website title, and navigation menu.
3. Display different cake varieties with images, names, descriptions, and prices.
4. Create an order form to enter the customer's name, phone number, address, cake selection, quantity, and delivery date.
5. Use CSS to style the webpage and make it attractive.
6. Use JavaScript to handle cake selection, calculate the total price, and process the order form.
7. Display an order confirmation message after submitting the form.

Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Online Cake Ordering System</title>
<style>
*{
  margin:0;
  padding:0;
  box-sizing:border-box;
  font-family:Arial,sans-serif;
```

```
}
body{
    background:#fff5f7;
    color:#333;
}
header{
    background:#d6336c;
    color:white;
    padding:18px 40px;
    display:flex;
    justify-content:space-between;
    align-items:center;
}
header h1{
    font-size:25px;
}
nav button{
    background:none;
    border:none;
    color:white;
    margin:5px;
    cursor:pointer;
    font-size:14px;
}
.container{
    width:90%;
    max-width:1200px;
    margin:30px auto;
}
.page{
    display:none;
}
.active{
    display:block;
}
.card{
```

```
    background:white;
    padding:25px;
    margin-bottom:20px;
    border-radius:12px;
    box-shadow:0 3px 12px #ddd;
}
h2{
    color:#d6336c;
    margin-bottom:20px;
}

input,select,textarea{
    width:100%;
    padding:12px;
    margin:8px 0 15px;
    border:1px solid #ccc;
    border-radius:6px;
}

button{
    background:#d6336c;
    color:white;
    border:none;
    padding:11px 18px;
    border-radius:6px;
    cursor:pointer;
}

button:hover{
    background:#ad2455;
}

.hero{
    text-align:center;
    padding:60px 20px;
    background:#ffe0e9;
```

```
    border-radius:15px;
}

.hero h2{
    font-size:35px;
}

.filters{
    display:grid;
    grid-template-columns:repeat(4,1fr);
    gap:15px;
}

.cakes{
    display:grid;
    grid-template-columns:repeat(3,1fr);
    gap:20px;
}

.cake{
    background:white;
    border-radius:12px;
    overflow:hidden;
    box-shadow:0 3px 12px #ddd;
}

.cake img{
    width:100%;
    height:200px;
    object-fit:cover;
}

.cake-content{
    padding:18px;
}
```

```
.cake-content h3{
    color:#d6336c;
    margin-bottom:8px;
}

.cake-content button{
    margin-top:10px;
}

.cart-item{
    border-bottom:1px solid #ddd;
    padding:15px 0;
}

.price{
    color:#d6336c;
    font-weight:bold;
}

table{
    width:100%;
    border-collapse:collapse;
}

th,td{
    padding:12px;
    border:1px solid #ddd;
    text-align:center;
}

th{
    background:#d6336c;
    color:white;
}

.status{
```

```
    padding:7px 12px;
    background:#ffe0e9;
    color:#d6336c;
    border-radius:15px;
}

footer{
    background:#d6336c;
    color:white;
    text-align:center;
    padding:20px;
    margin-top:40px;
}

@media(max-width:800px){

    .cakes{
        grid-template-columns:repeat(2,1fr);
    }

    .filters{
        grid-template-columns:repeat(2,1fr);
    }

    header{
        flex-direction:column;
        gap:15px;
    }

}

@media(max-width:550px){

    .cakes{
        grid-template-columns:1fr;
    }
```

```
    .filters{
        grid-template-columns:1fr;
    }

}

</style>
</head>

<body>

<header>

<h1>🎂 SweetCake</h1>

<nav>
<button onclick="showPage('home')">Home</button>
<button onclick="showPage('cakes')">Cakes</button>
<button onclick="showPage('cart')">Cart 🛒</button>
<button onclick="showPage('orders')">My Orders</button>
<button onclick="showPage('login')">Login</button>
<button onclick="showPage('adminLogin')">Admin</button>
</nav>

</header>


<div class="container">


<!-- HOME -->

<section id="home" class="page active">

<div class="hero">
```

<h2>Delicious Cakes for Every Occasion 🎂</h2>

Freshly prepared cakes delivered to your doorstep.

<button onclick="showPage('cakes')">
Shop Cakes
</button>

<h2>Why Choose SweetCake?</h2>

🍰 Wide variety of cakes
🎉 Cakes for every occasion
🚚 Fast delivery
💳 Easy online payment
📦 Order tracking

</section>

<!-- REGISTER -->

<section id="register" class="page">

```
<div class="card">

<h2>Student Registration</h2>

<input id="regName" placeholder="Full Name">

<input id="regEmail" type="email" placeholder="Email">

<input id="regPassword" type="password" placeholder="Password">

<button onclick="register()">
Register
</button>

<p id="registerMsg"></p>

</div>

</section>


<!-- LOGIN -->

<section id="login" class="page">

<div class="card">

<h2>Student Login</h2>

<input id="loginEmail" type="email" placeholder="Email">

<input id="loginPassword" type="password" placeholder="Password">

<button onclick="login()">
Login
```

```
</button>

<button onclick="showPage('register')">
Register
</button>

<p id="loginMsg"></p>

</div>

</section>


<!-- CAKES -->

<section id="cakes" class="page">

<div class="card">

<h2>Search & Filter Cakes</h2>

<div class="filters">

<input
id="search"
placeholder="Search Cake"
onkeyup="displayCakes()">

<select id="category" onchange="displayCakes()">

<option value="All">All Categories</option>
<option value="Birthday">Birthday</option>
<option value="Wedding">Wedding</option>
<option value="Anniversary">Anniversary</option>
<option value="Chocolate">Chocolate</option>
```

```
</select>

<select id="subcategory" onchange="displayCakes()">

<option value="All">All Sub Categories</option>
<option value="Eggless">Eggless</option>
<option value="Cream">Cream</option>
<option value="Fruit">Fruit</option>

</select>

<select id="price" onchange="displayCakes()">

<option value="All">All Prices</option>
<option value="500">Below ₹500</option>
<option value="1000">Below ₹1000</option>
<option value="2000">Below ₹2000</option>

</select>

</div>

</div>

<div id="cakeList" class="cakes"></div>

</section>

<!-- CAKE DETAILS -->

<section id="details" class="page">

<div class="card">
```

```
<h2>Cake Description</h2>

<div id="cakeDetails"></div>

<button onclick="showPage('cakes')">
Back to Cakes
</button>

</div>

</section>


<!-- CART -->

<section id="cart" class="page">

<div class="card">

<h2>Shopping Cart 🛒</h2>

<div id="cartItems"></div>

<h3 id="cartTotal"></h3>

<br>

<button onclick="showPage('shipping')">
Place Order
</button>

</div>

</section>
```

```
<!-- SHIPPING -->

<section id="shipping" class="page">

<div class="card">

<h2>Shipping Address</h2>

<input id="addressName" placeholder="Name">

<input id="addressPhone" placeholder="Phone Number">

<textarea
id="address"
placeholder="Enter Shipping Address"></textarea>

<input id="city" placeholder="City">

<input id="pincode" placeholder="Pincode">

<button onclick="saveAddress()">
Save / Update Address
</button>

<p id="addressMsg"></p>

<br>

<button onclick="showPage('payment')">
Continue to Payment
</button>

</div>

</section>
```

```
<!-- PAYMENT -->

<section id="payment" class="page">

<div class="card">

<h2>Payment</h2>

<h3 id="paymentTotal"></h3>

<select id="paymentMethod">

<option>UPI</option>
<option>Credit Card</option>
<option>Debit Card</option>
<option>Net Banking</option>

</select>

<input placeholder="Payment Number">

<input type="password" placeholder="PIN / CVV">

<button onclick="placeOrder()">
Pay & Place Order
</button>

<p id="paymentMsg"></p>

</div>

</section>
```

```
<!-- ORDERS -->

<section id="orders" class="page">

<div class="card">

<h2>My Orders</h2>

<div id="orderList">

<p>No orders yet.</p>

</div>

</div>

</section>


<!-- SHIPPING STATUS -->

<section id="shippingStatus" class="page">

<div class="card">

<h2>View Shipping Status</h2>

<input id="trackId" placeholder="Enter Order ID">

<button onclick="trackOrder()">
Track Order
</button>

<p id="trackResult"></p>

</div>
```

```
</section>

<!-- ADMIN LOGIN -->

<section id="adminLogin" class="page">

<div class="card">

<h2>Admin Login</h2>

<input id="adminUser" placeholder="Username">

<input id="adminPassword"
type="password"
placeholder="Password">

<button onclick="adminLogin()">
Login
</button>

<p id="adminMsg"></p>

</div>

</section>

<!-- ADMIN PANEL -->

<section id="adminPanel" class="page">

<div class="card">

<h2>Admin Panel</h2>
```

```
<button onclick="showPage('manageProducts')">
Manage Products
</button>

<button onclick="showPage('manageOrders')">
Manage Orders
</button>

<button onclick="adminLogout()">
Logout
</button>

</div>

</section>


<!-- MANAGE PRODUCTS -->

<section id="manageProducts" class="page">

<div class="card">

<h2>Manage Products</h2>

<input id="productName"
placeholder="Cake Name">

<input id="productPrice"
type="number"
placeholder="Price">

<select id="productCategory">

<option>Birthday</option>
```

```
<option>Wedding</option>
<option>Anniversary</option>
<option>Chocolate</option>

</select>

<input id="productImage"
placeholder="Image URL">

<textarea
id="productDescription"
placeholder="Cake Description"></textarea>

<button onclick="addProduct()">
Post Cake
</button>

<br><br>

<table>

<thead>

<tr>
<th>Product</th>
<th>Category</th>
<th>Price</th>
</tr>

</thead>

<tbody id="productTable"></tbody>

</table>

</div>
```

```
</section>

<!-- MANAGE ORDERS -->

<section id="manageOrders" class="page">

<div class="card">

<h2>Manage Orders</h2>

<table>

<thead>

<tr>
<th>Order ID</th>
<th>Customer</th>
<th>Total</th>
<th>Status</th>
<th>Update</th>
</tr>

</thead>

<tbody id="adminOrders"></tbody>

</table>

</div>

</section>


</div>
```

<footer>

© 2026 SweetCake - Online Cake Ordering System

</footer>

<script>

// CAKE DATA

let cakes = [

{
id:1,
name:"Chocolate Truffle",
category:"Chocolate",
sub:"Cream",
price:650,
image:"https://images.unsplash.com/photo-1578985545062-69928b1d9587",
description:"Rich and delicious chocolate truffle cake."
},

{
id:2,
name:"Birthday Special",
category:"Birthday",
sub:"Cream",
price:550,
image:"https://images.unsplash.com/photo-1551024506-0bccd828d307",
description:"Beautiful birthday cake with fresh cream."
},

{
id:3,
name:"Strawberry Cake",
category:"Anniversary",
sub:"Fruit",
price:750,
image:"https://images.unsplash.com/photo-1565958011703-44f9829ba187",
description:"Fresh strawberry cake perfect for anniversaries."
},

{
id:4,
name:"Wedding White Cake",
category:"Wedding",
sub:"Cream",
price:1500,
image:"https://images.unsplash.com/photo-1535254973040-607b474cb50d",
description:"Elegant white cake for weddings."
},

{
id:5,
name:"Eggless Vanilla",
category:"Birthday",
sub:"Eggless",
price:450,
image:"https://images.unsplash.com/photo-1464349095431-e9a21285b5f3",
description:"Soft and delicious eggless vanilla cake."
},

{
id:6,
name:"Fruit Celebration",
category:"Anniversary",
sub:"Fruit",
price:900,

```
image:"https://images.unsplash.com/photo-1602351447937-745cb720612f",
description:"Fresh fruit cake with delicious toppings."
}

];


let cart=[];

let orders=[];

let address="";


// PAGE NAVIGATION

function showPage(page){

document.querySelectorAll(".page").forEach(function(p){

p.classList.remove("active");

});

document.getElementById(page).classList.add("active");

if(page==="cakes"){
displayCakes();
}

if(page==="cart"){
displayCart();
}

if(page==="orders"){
displayOrders();
```

```
}

if(page==="payment"){
calculatePayment();
}

if(page==="manageOrders"){
displayAdminOrders();
}

}


// REGISTER

function register(){

let name=document.getElementById("regName").value;

let email=document.getElementById("regEmail").value;

let password=document.getElementById("regPassword").value;

if(!name || !email || !password){

alert("Please fill all fields");

return;

}

localStorage.setItem("cakeUserName",name);

localStorage.setItem("cakeUserEmail",email);

localStorage.setItem("cakeUserPassword",password);
```

```
document.getElementById("registerMsg").innerHTML=
"Registration successful!";

}


// LOGIN

function login(){

let email=document.getElementById("loginEmail").value;

let password=document.getElementById("loginPassword").value;

if(
email===localStorage.getItem("cakeUserEmail") &&
password===localStorage.getItem("cakeUserPassword")
){

document.getElementById("loginMsg").innerHTML=
"Login successful!";

showPage("cakes");

}

else{

document.getElementById("loginMsg").innerHTML=
"Invalid email or password.";

}

}
```

```
// DISPLAY CAKES

function displayCakes(){

let search=document.getElementById("search").value.toLowerCase();

let category=document.getElementById("category").value;

let sub=document.getElementById("subcategory").value;

let price=document.getElementById("price").value;

let result=cakes.filter(function(cake){

return (

cake.name.toLowerCase().includes(search)

&&

(category==="All" || cake.category===category)

&&

(sub==="All" || cake.sub===sub)

&&

(price==="All" || cake.price<=Number(price))

);

});
```

```
let output="";

result.forEach(function(cake){

output+=`

<div class="cake">

<img src="${cake.image}">

<div class="cake-content">

<h3>${cake.name}</h3>

<p>${cake.description}</p>

<p class="price">₹${cake.price}</p>

<button onclick="viewCake(${cake.id})">
View Description
</button>

<button onclick="addToCart(${cake.id})">
Add to Cart
</button>
</div>
</div>
`;
});
document.getElementById("cakeList").innerHTML=
output || "<p>No cakes found.</p>";
}
// VIEW CAKE
function viewCake(id){
let cake=cakes.find(c=>c.id===id);
```

```
document.getElementById("cakeDetails").innerHTML=`
<img src="${cake.image}"
style="width:300px;max-width:100%;border-radius:10px;">
<h3>${cake.name}</h3>
<p>${cake.description}</p>
<h3>Price: ₹${cake.price}</h3>
<br>
<button onclick="addToCart(${cake.id})">
Add to Cart
</button>
`;
showPage("details");
}
// ADD CART
function addToCart(id){
let cake=cakes.find(c=>c.id===id);
cart.push(cake);
alert(cake.name+" added to cart!");
}
// DISPLAY CART
function displayCart(){
let output="";
let total=0;
cart.forEach(function(cake,index){
total+=cake.price;
output+=`
<div class="cart-item">
<h3>${cake.name}</h3>
<p>₹${cake.price}</p>
<button onclick="removeCart(${index})">
Remove
</button>
</div>
`;
});
document.getElementById("cartItems").innerHTML=
```

```
output || "<p>Your cart is empty.</p>";
document.getElementById("cartTotal").innerHTML=
"Total: ₹"+total;
}
// REMOVE CART
function removeCart(index){
cart.splice(index,1);
displayCart();
}
// SHIPPING ADDRESS
function saveAddress(){
let name=document.getElementById("addressName").value;
let phone=document.getElementById("addressPhone").value;
let addr=document.getElementById("address").value;
let city=document.getElementById("city").value;
let pincode=document.getElementById("pincode").value;
if(!name || !phone || !addr || !city || !pincode){
alert("Please enter complete shipping address.");

return;

}
address=
name+", "+phone+", "+addr+", "+city+" - "+pincode;


document.getElementById("addressMsg").innerHTML=
"Shipping address saved successfully.";

}


// PAYMENT TOTAL

function calculatePayment(){
```

```
let total=cart.reduce(function(sum,cake){

return sum+cake.price;

},0);



document.getElementById("paymentTotal").innerHTML=
"Total Amount: ₹"+total;

}
// PLACE ORDER
function placeOrder(){
if(cart.length===0){
alert("Cart is empty.");
return;
}
if(address===""){
alert("Please add shipping address.");
return;
}
let total=cart.reduce(function(sum,cake){
return sum+cake.price;
},0);
let order={
id:"ORD"+Math.floor(Math.random()*90000+10000),
items:[...cart],
total:total,
address:address,
status:"Order Placed"
};
orders.push(order);
cart=[];
document.getElementById("paymentMsg").innerHTML=
"Payment successful! Order placed.";
displayOrders();
```


```
setTimeout(function(){
showPage("orders");
},800);
}
// DISPLAY ORDERS
function displayOrders(){
let output="";
orders.forEach(function(order){
output+=`
<div class="card">
<h3>Order ID: ${order.id}</h3>
<p>Total: ₹${order.total}</p>
<p>Shipping Address: ${order.address}</p>
<p>
Status:
<span class="status">
${order.status}
</span>
</p>
<br>
<button onclick="trackSpecific('${order.id}')">
View Shipping Status
</button>
</div>
`;
});
document.getElementById("orderList").innerHTML=
output || "<p>No orders yet.</p>";
}
// TRACK ORDER
function trackSpecific(id){
document.getElementById("trackId").value=id;
showPage("shippingStatus");
trackOrder();
}
function trackOrder(){
```

```
let id=document.getElementById("trackId").value;
let order=orders.find(o=>o.id===id);
if(order){
document.getElementById("trackResult").innerHTML=
"Order <b>"+order.id+
"</b> Status: <b>"+order.status+"</b>";
}
else{
document.getElementById("trackResult").innerHTML=
"Order not found.";
}
}
// ADMIN LOGIN
function adminLogin(){
let user=document.getElementById("adminUser").value;
let pass=document.getElementById("adminPassword").value;
if(user==="admin" && pass==="admin123"){
document.getElementById("adminMsg").innerHTML=
"Admin login successful!";
setTimeout(function(){
showPage("adminPanel");
},500);
}
else{
document.getElementById("adminMsg").innerHTML=
"Invalid admin username or password.";
}
}
// ADMIN LOGOUT
function adminLogout(){
showPage("home");
}
// ADD PRODUCT
function addProduct(){
let name=document.getElementById("productName").value;
let price=document.getElementById("productPrice").value;
```

```
let category=document.getElementById("productCategory").value;
let image=document.getElementById("productImage").value;
let description=
document.getElementById("productDescription").value;
if(!name || !price || !image || !description){
alert("Please enter all product details.");
return;
}
let product={
id:cakes.length+1,
name:name,
category:category,
sub:"Cream",
price:Number(price),
image:image,
description:description
};
cakes.push(product);
document.getElementById("productTable").innerHTML+=`
<tr>
<td>${name}</td>
<td>${category}</td>
<td>₹${price}</td>
</tr>
`;
alert("Cake added successfully!");
}
// ADMIN ORDERS
function displayAdminOrders(){
let output="";
orders.forEach(function(order,index){
output+=`
<tr>
<td>${order.id}</td>
<td>Customer</td>
<td>₹${order.total}</td>
```

```
<td>${order.status}</td>
<td>
<select onchange="updateOrder(${index},this.value)">
<option>Order Placed</option>
<option>Preparing</option>
<option>Out for Delivery</option>
<option>Delivered</option>
<option>Cancelled</option>
</select>
</td>
</tr>
`;
});
document.getElementById("adminOrders").innerHTML=
output || `
<tr>
<td colspan="5">
No orders available
</td>
</tr>
`;
}
// UPDATE ORDER STATUS
function updateOrder(index,status){
orders[index].status=status;
alert("Order status updated to "+status);
}
// INITIAL DISPLAY
displayCakes();
</script>
</body>
</html>
```

Output:



Result

Thus, the Online Cake Ordering System webpage was designed successfully, allowing users to view cake varieties, select cakes, enter delivery details, calculate the total price, and place orders through the webpage.