Docker

1. docker help
2. Docker ps
3. Docker ps –a
4. Docker images (show available images)
5. docker container ls –a (like docker ps –a)
6. Docker system prune
7. Docker pull image-name
8. Docker run image-name
9. Docker run –p 8080:80 –name container_name image-name (create a new and run container)
10. Docker start existing-container-name
11. Docker stop running-container-name
12. Docker restart container-name
13. Docker exec –it running-container-name /bin/bash (interactive mode)
14. Docker run –d container_name (deamon mode)
15. Docker rmi image-name
16. Docker rm –f container-name (f for force)
17. Docker logs –since 2m container_name

Additional commands

1. docker history image-name (history of image layer)

2. docker save -o image-name.tar image-name

3. docker load -i image-name.tar

4. docker built –t container-name . (build image via docker filer)

5. docker compose up –d (using compose filer up create docker image)

6. Docker compose down

7. docker tag <local-image>:<local-tag> <remote-repo-uri>:<remote-tag>

How to write docker file

Use Ubuntu as base image

FROM ubuntu:22.04

Set environment variable

ENV DEBIAN_FRONTEND=noninteractive

Update and install curl

RUN apt-get update && apt-get install -y curl

Set working directory inside container

WORKDIR /app

Copy local files into the container

COPY . .

Expose port 8080 (optional if your app listens on this port)

EXPOSE 8080

Default command to run when container starts

CMD ["bash"]