

QUALITY COMPLAINT NOTIFICATION

Reference: QC-CMP-2026-0714 | Date: 12-Jul-2026

To: Quality Assurance Department, Meethu Pharma API Division
From: Sourcing & QA, Vantura Life Sciences Pvt. Ltd.
Subject: Customer complaint regarding Metformin Hydrochloride API batch received under PO# VLS-8843

This is to formally notify a quality complaint against the Metformin Hydrochloride API (IP/BP grade) supplied under batch/lot number MFH260712A. Upon receipt at our formulation facility and subsequent incoming QC testing, the material exhibited off-white to pale yellow discoloration inconsistent with the reference standard, along with a slightly elevated moisture content on Karl Fischer titration.

Field	Details
Product Name	Metformin Hydrochloride API
Product Grade	IP/BP
Batch/Lot Number	MFH260712A
Manufacturing Date	2026-01-18
Expiry Date	2028-01-17
Quantity Affected	50 kg (2 HDPE drums)
Complaint Type	Discoloration / Moisture Deviation
Complaint Date	2026-07-12
Reported By	Vantura Life Sciences Pvt. Ltd. — QA Dept.

We request root cause investigation, CAPA, and confirmation of retained sample analysis for this batch. Please advise on replacement material timelines given the discoloration and moisture deviation observed, as this batch is currently on hold at our incoming stores.

Regards,
QA Manager, Vantura Life Sciences Pvt. Ltd.