MDI3001-Advances in Web Technologies.   SLOT   : L29+L30

NAME: CHANNAKA MANIDEEP   REG NO: 20MID0172

QUESTION:

(Case Study) Online Recruitment System:

We consider a company that we can automate its recruitment process. This company is now utilizing a manual system to recruit people, which is time-consuming, may lead to hiring incompetent personnel, and wastes the company's money. The recruitment system is the process of identifying possible candidates for a vacant position and employing the individuals who meet the organization's requirements; thus, hiring is a strategic function for the human resource department. Recruitment is the process of identifying possible resources to fill open jobs in an organization. It is the process of screening individuals based on their abilities and attitudes, which is necessary for an organization to achieve its goals.

The recruitment process entails locating job openings, analyzing job requirements, examining applications, screening, shortlisting, and selecting the best candidate refer the ER diagram above and not limited to this. This Online Recruitment System assists recruiters online. The use of an online recruitment system is critical in simplifying the recruitment process. This employee recruitment system allows prospective applicants to upload their CVs and apply for jobs that are a good fit for them.

This employee recruiting system also allows recruiters and businesses to post their employment needs and examine the profiles of interested individuals. This Recruitment application is intended to do the entire job and reduce paperwork. They can significantly contribute to a company's marketing and sales efforts.

There are two modules: Administration and Employee. Admin can inspect the candidate, filter the candidate based on the requirement, update the requirement statistics, and view feedback. Employees can apply for the desired job based on the vacancy, update their profiles, search for available positions, and request information and arrange the interview.

*Important:

Upload the PDF format screenshots and (output) all pages created with coding, if needed you can upload in cloud/github and give the link at first page.

GitHub Link:

https://github.com/Manideep-25/Online-Job-Recruitment-System.git

Ans:-

Complete Job Portal Page:

Home Page:

Latest Job News Page:

Employe page:

Normal User:

Contact Page:

Login To Administrator:

Administrator Page:

Admins page:

After Adding the New User:

Users under specific Admin:

Employees under specific Admin:

News Page

Login to the employer site:

Main Page:

Profile:

Adding New Jobs:

After Adding the Jobs to the user:

Job Title:

Total Vacancy:

Qualification:

Salary:

Description:

Submit

Posted Job

Id	Job Title	Vacancy	Qualification	Description	Delete
3	Software Trainee Required	1	B.Sc.I.T	Starting Salary 5000	Delete
5	Manager	2	M.S.C	An quality person required	Delete

Total 2 Records

Manage Walkin:

Home   Profile   Manage Job   Manage Walkin   Application   Logout

Welcome TCS Private Limited

Welcome

Manage Walkin

Job Title:

Total Vacancy:

Qualification:

Salary:

Description:

Interview Date:

Interview Time:

Submit

Posted Walkin

Id	Job Title	Vacancy	Qualification	Description	Date	Time	Delete

Login to the user site:

User Interface:

Profile:

Education page:

Interviews Available:

Feedback Form:

Search Jobs:

After Clicking Logout:

Codes:

```php
<?php
session_start();
if(isset($_SESSION['$UserName'])){
    header('location:Admin/index.php');
}
if(isset($_SESSION['$UserName_job'])){
    header('location:JobSeeker/index.php');
}
if(isset($_SESSION['$UserName_emp'])){
    header('location:Employer/index.php');
}
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all,follow" />


    <title>JOB PORTAL</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href="./" title="Home" />
    <link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
.style1 {
    color: #000020;
    font-weight: bold;
}
.style2 {
    font-size: medium;
    font-weight: bold;
}
-->
    </style>
</head>

<body id="www-url-cz">
<!-- Main -->
<div id="main" class="box">
```

```php
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
    <div id="page-in" class="box">

        <div id="strip" class="box noprint">

            <!-- RSS feeds -->
            <hr class="noscreen" />

            <!-- Breadcrumbs -->
            <p id="breadcrumbs"> </p>
          <hr class="noscreen" />

        </div> <!-- /strip -->

        <!-- Content -->
        <div id="content">

            <!-- /article -->

            <hr class="noscreen" />

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->
            <div class="article">
                <h2><span><a href="#">Welcome To JOB Mela</a></span></h2>

                <p> <span class="style2">Welcome to online Job Portal</span>
It provides facility to the user to search for various jobs as per his
qualification. Here user can registered himself on the web portal and create
his profile along with his educational information. user can search various
jobs and apply for the Job.</p>
                <p>This Portal is also designed for the various employer who
required to recruit employees in their organization. Employer can registered
himself on the web portal and then he can upload information of various job
```

```
vacancies in their organization. Employeer can view the applications of user
and send call latter to the job seekers.</p>
                <p align="right"> </p>
                <p class="btn-more box noprint"> </p>
            </div> <!-- /article -->


            <hr class="noscreen" />

        </div> <!-- /content -->


<?php
include "right.php"
?>


</div> <!-- /page-in -->
    </div> <!-- /page -->



</div> <!-- /main -->


</body>
</html>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all,follow" />


    <title>JOB-PORTAL</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href="./" title="Home" />
    <link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
.style1 {
  color: #000066;
  font-weight: bold;
}
-->
```

```html
    </style>
    <script src="SpryAssets/SpryValidationTextarea.js"
type="text/javascript"></script>
    <link href="SpryAssets/SpryValidationTextarea.css" rel="stylesheet"
type="text/css" />
</head>

<body id="www-url-cz">
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
    <div id="page-in" class="box">

        <div id="strip" class="box noprint">

            <!-- RSS feeds -->
            <hr class="noscreen" />

            <!-- Breadcrumbs -->
            <p id="breadcrumbs"> </p>
          <hr class="noscreen" />

        </div> <!-- /strip -->

        <!-- Content -->
        <div id="content">

            <!-- /article -->

            <hr class="noscreen" />

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->
            <div class="article">
                <h2><span><a href="#">Contact Us</a></span></h2>
```

```html
                  <table width="100%" border="0" cellspacing="0"
cellpadding="0">
                    <tr>
                      <td width="6%"><img src="design/ico_archive2.gif" alt=""
width="9" height="11" /></td>
                      <td width="94%"><strong>jobportal.com<br/>
                      MGR road,<br/>
                      Chittoor, India<br/>
                      Pincode:500767</strong></td>
                    </tr>
                    <tr>
                      <td><img src="design/ico_archive2.gif" alt="" width="9"
height="11" /></td>
            <td><strong>Office No:65765<b>
            Mobile: +919898987878
            </strong></td>

                    </tr>
                    <tr>
                      <td><img src="design/ico_archive2.gif" alt="" width="9"
height="11" /></td>
                      <td><strong>Email:jobportal.com</strong></td>
                    </tr>
                    <tr>
                      <td><img src="design/ico_archive2.gif" alt="" width="9"
height="11" /></td>
                      <td><strong>Website:jobportal.com</strong></td>
                    </tr>

                  </table>


              <p> </p>

              <p class="btn-more box noprint"> </p>
          </div> <!-- /article -->

            <hr class="noscreen" />

        </div> <!-- /content -->

<?php
include "right.php"
?>

    </div> <!-- /page-in -->
    </div> <!-- /page -->



</div> <!-- /main -->


</body>
```

```
</html>
```

```php
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<?php

    $CompnayName=$_POST['txtName'];
    $ContactPerson=$_POST['txtPerson'];
    $Address=$_POST['txtAddress'];
    $City=$_POST['txtCity'];
    $Email=$_POST['txtEmail'];
    $Mobile=$_POST['txtMobile'];
    $Area=$_POST['txtAreaWork'];
    $Status="Pending";
    $UserName=$_POST['txtUserName'];
    $Password=$_POST['txtPassword'];
    $UserType="Employer";
    $Question=$_POST['cmbQue'];
    $Answer=$_POST['txtAnswer'];
    // Establish Connection with MYSQL
    $con = mysqli_connect ("localhost","root","","job");

    // Specify the query to Insert Record
    $sql = "insert into
employer_reg(CompanyName,ContactPerson,Address,City,Email,Mobile,Area_Work,Sta
tus,UserName,Password,Question,Answer)
values('".$CompnayName."','".$ContactPerson."','".$Address."','".$City."','".$
Email."','".$Mobile."','".$Area."','".$Status."','".$UserName."','".$Password."'
,'".$Question."','".$Answer."')";
    // execute query

    mysqli_query ($con,$sql);
    // Close The Connection
    mysqli_close ($con);

    echo '<script type="text/javascript">alert("Registration Completed
Succesfully");window.location=\'index.php\';</script>';

?>
</body>
</html>
```

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all,follow" />


    <title>JOB PORTAL</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href="./" title="Home" />
    <link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
.style1 {
    color: #000066;
    font-weight: bold;
}
.style2 {font-weight: bold}
-->
    </style>
</head>

<body id="www-url-cz">
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
    <div id="page-in" class="box">

        <div id="strip" class="box noprint">

            <!-- RSS feeds -->
            <hr class="noscreen" />

            <!-- Breadcrumbs -->
            <p id="breadcrumbs"> </p>
        <hr class="noscreen" />
```

```html
        </div>

        <!-- Content -->
        <div id="content">



            <hr class="noscreen" />



            <!-- /article -->

            <hr class="noscreen" />



            <hr class="noscreen" />

            <!-- Article -->
            <div class="article">
                <h2><span><a href="#">Our Employers</a></span></h2>


                <p>

              <table width="100%" border="1" cellpadding="1" cellspacing="2"
bordercolor="#006699" >
<tr>
<th height="32" bgcolor="#006699" class="style3"><div align="left"
class="style9 style5 style2"><strong>Company Name</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9 style5
style2"><strong>Contact Person</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9 style5
style2"><strong>Email</strong></div></th>
</tr>
<?php
// Establish Connection with Database
$con = mysqli_connect("localhost","root","","job");

// Specify the query to execute
$sql = "select * from employer_reg where Status='Confirm'";
// Execute query
$result = mysqli_query($con,$sql);
// Loop through each records
//var_dump($result);
while($row = mysqli_fetch_array($result))
{
$CompanyName=$row['CompanyName'];
$ContactPerson=$row['ContactPerson'];
$Email=$row['Email'];

?>
<tr>
```

```php
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$CompanyName;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$ContactPerson;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$Email;?></strong></div></td>
</tr>
<?php
}
// Retrieve Number of records returned
$records = mysqli_num_rows($result);
?>

<?php
// Close the connection
mysqli_close($con);
?>
</table>
    </td>
  </tr>
</table>
                </p>

                <div align="center"><a href="EmployerReg.php"><strong>New
Employer? Register Here</strong></a>
                </div>
            <p class="btn-more box noprint"> </p>
        </div> <!-- /article -->

          <hr class="noscreen" />

      </div> <!-- /content -->

<?php
include "right.php"
?>

    </div> <!-- /page-in -->
    </div> <!-- /page -->


</div> <!-- /main -->


</body>
</html>
```

```php
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
```

```html
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all,follow" />


<title>JOB PORTAL</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href="./" title="Home" />
    <link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
.style1 {
  color: #000066;
  font-weight: bold;
}
-->
    </style>
    <script src="SpryAssets/SpryValidationTextarea.js"
type="text/javascript"></script>
    <link href="SpryAssets/SpryValidationTextarea.css" rel="stylesheet"
type="text/css" />
</head>

<body id="www-url-cz">
<SCRIPT language="JavaScript1.2" src="gen_validation.js"></SCRIPT>
<SCRIPT language="JavaScript1.2">
var arrFormValidation=
            [
        [//Name
            ["minlen=1",
    "Please Enter Company Name"
            ]

                ],
                [//Contact Person
            ["minlen=1",
    "Please Enter Contact Person"
            ]

                ],
        [//Address
            ["minlen=1",
    "Please Enter Address"
            ]
                ],
                [//City
            ["minlen=1",
```

```
                "Please Enter City"
                    ]
                        ],
            [//Email

                ["minlen=1",
"Please Enter Email "
                    ],
                    ["email",
"Please Enter valid email "
                    ]
                        ],
            [//Mobile
                    ["num",
"Please Enter valid Mobile "
                    ],
                    ["minlen=10",
"Please Enter valid Mobile "
                    ]
                        ],
            [//Area

                ["minlen=1",
"Please Enter Area of Work"
                    ]


                        ],

            [//User
                ["minlen=1",
"Please Enter UserName "
                    ]


                        ],
            [//Password
                ["minlen=1",
"Please Enter Password "
                    ]


                        ],
            [//Que


                        ],
            [//Answer

                ["minlen=1",
"Please Enter Answer "
                    ]


                    ]
```

```html
            ];
</SCRIPT>
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
    <div id="page-in" class="box">

        <div id="strip" class="box noprint">

            <!-- RSS feeds -->
            <hr class="noscreen" />

            <!-- Breadcrumbs -->
            <p id="breadcrumbs"> </p>
          <hr class="noscreen" />

        </div> <!-- /strip -->

        <!-- Content -->
        <div id="content">

            <!-- /article -->

            <hr class="noscreen" />

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->
            <div class="article">
                <h2><span><a href="#">Employer Registration
Form</a></span></h2>
                <div class="login">

                <form action="EmployeInsert.php" method="post"
onSubmit="return validateForm(this,arrFormValidation);"
enctype="multipart/form-data" id="form2">
```

```html
<table width="100%" border="0" cellspacing="0"
cellpadding="0">
    <tr>
      <td>Company Name:</td>
      <td><span id="sprytextfield3">
        <label>
        <input type="text" name="txtName" id="txtName" />
        </label>
        <span class="textfieldRequiredMsg">Enter
Name</span></span></td>
    </tr>

    <tr>
      <td>Contact Person:</td>
      <td><span id="sprytextfield8">
        <label>
        <input type="text" name="txtPerson" id="txtPerson" />
        </label>
        <span class="textfieldRequiredMsg">Enter Contact
Person</span></span></td>
    </tr>
    <tr>
      <td>Address:</td>
      <td><span id="sprytextarea1">
        <label>
        <textarea name="txtAddress" id="txtAddress" cols="45"
rows="5"></textarea>
        </label>
        <span class="textareaRequiredMsg">Enter
Address</span></span></td>
    </tr>
    <tr>
      <td>City:</td>
      <td><span id="sprytextfield4">
        <label>
        <input type="text" name="txtCity" id="txtCity" />
        </label>
        <span class="textfieldRequiredMsg">Enter
City</span></span></td>
    </tr>
    <tr>
      <td>Email:</td>
      <td><span id="sprytextfield5">
        <label>
        <input type="text" name="txtEmail" id="txtEmail" />
        </label>
        <span class="textfieldRequiredMsg">Enter
Email</span></span></td>
    </tr>
    <tr>
      <td>Mobile:</td>
      <td><span id="sprytextfield6">
        <label>
        <input type="text" name="txtMobile" id="txtMobile" />
```

```html
                                </label>
                                <span class="textfieldRequiredMsg">Enter
Mobile</span></span></td>
                            </tr>
                            <tr>
                              <td>Area of Work: </td>
                              <td><span id="sprytextfield7">
                              <input type="text" name="txtAreaWork" id="txtAreaWork"
/>
                              <span class="textfieldRequiredMsg">Enter Area of
Work</span></span></td>
                            </tr>
                            <tr>
                              <td>User Name:</td>
                            <td><span id="sprytextfield9">
                                <label>
                                <input type="text" name="txtUserName" id="txtUserName"
/>
                                </label>
                              <span class="textfieldRequiredMsg">Enter User
Name</span></span></td>
                            </tr>
                            <tr>
                              <td>Password:</td>
                              <td><label><span id="sprytextfield10">
                                <input type="password" name="txtPassword"
id="txtPassword" />
                              <span class="textfieldRequiredMsg">Enter
Password</span></span></label></td>
                            </tr>
                            <tr>
                              <td>Security Question:</td>
                             <td><select name="cmbQue" id="cmbQue">
                                <option>What is Your Pet Name?</option>
                                 <option selected="selected">Who is Your Favourite
Person?</option>
                                 <option>What is the Name of Your First
School?</option>
                                                                        </select></t
d>
                            </tr>
                            <tr>
                              <td>Answer:</td>
                             <td><span id="sprytextfield11">
                              <label>
                              <input type="text" name="txtAnswer" id="txtAnswer" />
                              </label>
                              <span class="textfieldRequiredMsg">Enter
Answer.</span></span></td>
                            </tr>
                            <tr>
                              <td colspan="2"><label>
                                <div align="center">
```

```html
                              <input type="submit" name="button2" id="button2"
value="Submit" />
                            </div>
                        </label></td>
                    </tr>
                  </table>
                </form>
              </div>
              <p> </p>

                  <p class="btn-more box noprint"> </p>
            </div> <!-- /article -->

              <hr class="noscreen" />

        </div> <!-- /content -->

<?php
include "right.php"
?>

    </div> <!-- /page-in -->
    </div> <!-- /page -->


</div> <!-- /main -->

<script type="text/javascript">
<!--
var sprytextfield3 = new Spry.Widget.ValidationTextField("sprytextfield3");
var sprytextfield4 = new Spry.Widget.ValidationTextField("sprytextfield4");
var sprytextarea1 = new Spry.Widget.ValidationTextarea("sprytextarea1");
var sprytextfield8 = new Spry.Widget.ValidationTextField("sprytextfield8");
var sprytextfield7 = new Spry.Widget.ValidationTextField("sprytextfield7");
var sprytextfield5 = new Spry.Widget.ValidationTextField("sprytextfield5");
var sprytextfield6 = new Spry.Widget.ValidationTextField("sprytextfield6");
var sprytextfield9 = new Spry.Widget.ValidationTextField("sprytextfield9");
var sprytextfield10 = new Spry.Widget.ValidationTextField("sprytextfield10");
var sprytextfield11 = new Spry.Widget.ValidationTextField("sprytextfield11");
//-->
</script>
</body>
</html>
```

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>
```

```php
<body>
<?php
session_start();
$UserName=$_POST['txtUserName'];
$Question=$_POST['cmbQue'];
$Answer=$_POST['txtAnswer'];
$UserType=$_POST['rdUser'];

if($UserType=="Employer")
{
$con = mysqli_connect("localhost","root","","job");
//mysqli_select_db("job", $con);
$sql = "select * from employer_reg  where UserName='".$UserName."' and
Question='".$Question."' and Answer='".$Answer."'";

$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
echo $records;
if ($records==0)
{
echo '<script type="text/javascript">alert("Wrong Information
Provided");window.location=\'Forget.php\';</script>';
}
else
{
$_SESSION['ID']=$row['EmployerId'];
$_SESSION['Name']=$row['CompanyName'];

header('location:Employer/index.php');
}
mysqli_close($con);
}
else
{
$con = mysqli_connect("localhost","root","","job");
//mysqli_select_db("job", $con);
$sql = "select * from jobseeker_reg  where UserName='".$UserName."' and
Question='".$Question."' and Answer='".$Answer."'";
$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
if ($records==0)
{
echo '<script type="text/javascript">alert("Wrong Information
Provided");window.location=\'Forget.php\';</script>';
}
else
{
$_SESSION['ID']=$row['JobSeekId'];
$_SESSION['Name']=$row['JobSeekerName'];
header('location:JobSeeker/index.php');
}
```

```php
mysqli_close($con);
}
?>
</body>
</html>
```

```html
    <!-- Header -->
    <div id="header">

        <!-- Logotyp -->

        <hr class="noscreen" />

        <!-- Quick links -->
        <div class="noscreen noprint">
            <p><em>Quick links: <a href="#content">content</a>, <a
href="#tabs">navigation</a>, <a href="#search">search</a>.</em></p>
            <hr />
        </div>



    </div> <!-- /header -->
```

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all,follow" />


    <title>JOB PORTAL</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href="./" title="Home" />
    <link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
.style1 {
```

```
    color: #000066;
    font-weight: bold;
}
.style2 {font-weight: bold}
-->
    </style>
</head>

<body id="www-url-cz">
<SCRIPT language="JavaScript1.2" src="gen_validation.js"></SCRIPT>
<SCRIPT language="JavaScript1.2">
var arrFormValidation=
            [
                    [//Name
                            ["minlen=1",
        "Please Enter Name "
                            ]

                    ],
                    [//Address
                            ["minlen=1",
        "Please Enter Address "
                            ]

                    ],
                    [//Country



                    ],
                    [//State


                    ],
                    [//City


                    ],
                    [//Mobile

                            ["num",
        "Please Enter valid Mobile "
                            ],
                            ["minlen=10",
        "Please Enter valid Mobile "
                            ]


                    ],
                    [//Email
                            ["minlen=1",
        "Please Enter Email "
```

```
                                    ],
                                    ["email",
                "Please Enter valid email "
                                            ]

                            ],
                            [//ID


                            ],
                            [//TDType

                                        ["minlen=1",
                "Please Select File "
                                            ]

                            ],
                            [//UserName

                                    ["minlen=1",
                "Please Enter UserName "
                                            ]
                            ],
                            [//Password

                                        ["minlen=1",
                "Please Enter Password "
                                            ]

                            ],
                            [//Confirm

                                        ["minlen=1",
                "Please Enter Confirm Password "
                                            ]

                            ]
                ];
</SCRIPT>
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
    <div id="page-in" class="box">

        <div id="strip" class="box noprint">

            <!-- RSS feeds -->
```

```html
            <hr class="noscreen" />

            <!-- Breadcrumbs -->
            <p id="breadcrumbs"> </p>
          <hr class="noscreen" />

        </div> <!-- /strip -->

        <!-- Content -->
        <div id="content">


            <!-- /article -->

            <hr class="noscreen" />


            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->
            <div class="article">
                <h2><span><a href="#">Our Job Seekers</a></span></h2>


                <p>
                <table width="100%" border="1" cellpadding="1" cellspacing="2"
bordercolor="#006699" >
<tr>
<th height="32" bgcolor="#006699" class="style3"><div align="left"
class="style9 style5 style2"><strong>Company Name</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9 style5
style2"><strong>Contact Person</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9 style5
style2"><strong>Email</strong></div></th>
</tr>
<?php
// Establish Connection with Database
$con = mysqli_connect("localhost","root","","job");
// Select Database
//mysqli_select_db("job", $con);
// Specify the query to execute
$sql = "select * from jobseeker_reg where Status='Confirm'";
// Execute query
```

```php
$result = mysqli_query($con,$sql);


//var_dump($result);

// Loop through each records
while($row = mysqli_fetch_array($result))
{
$Name=$row['JobSeekerName'];
$City=$row['City'];
$Email=$row['Email'];

?>
<tr>
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$Name;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$City;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$Email;?></strong></div></td>
</tr>
<?php
}
// Retrieve Number of records returned
$records = mysqli_num_rows($result);
?>


<?php
// Close the connection
mysqli_close($con);
?>
</table>
    </td>
  </tr>
</table>
                </p>

                <div align="center"><a href="JobSeekerReg.php"><strong>New
user? Register Here</strong></a>                    </div>
                <p class="btn-more box noprint"> </p>
        </div> <!-- /article -->

            <hr class="noscreen" />

        </div> <!-- /content -->


<?php
include "right.php"
?>

    </div> <!-- /page-in -->
    </div> <!-- /page -->
```

```
</div> <!-- /main -->

</body>
</html>
```

```php
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<?php

    $Name=$_POST['txtName'];
    $Address=$_POST['txtAddress'];
    $City=$_POST['txtCity'];
    $Email=$_POST['txtEmail'];
    $Mobile=$_POST['txtMobile'];
    $Qualification=$_POST['txtQualification'];
    $Gender=$_POST['cmbGender'];
    $BirthDate=$_POST['txtBirthDate'];
    $path1 = $_FILES["txtFile"]["name"];
    $Status="Pending";
    $UserName=$_POST['txtUserName'];
    $Password=$_POST['txtPassword'];
    $Question=$_POST['cmbQue'];
    $Answer=$_POST['txtAnswer'];
    $UserType="JobSeeker";
    if ($Qualification=="Other")
    {
        $Qualification=$_POST['txtOther'];
    }
    //   move_uploaded_file($_FILES["txtFile"]["tmp_name"],"upload/" .$_FILES
["txtFile"]["name"]);
    // Establish Connection with MYSQL
    $con = mysqli_connect ("localhost","root","","job");
    // Select Database  mysql_select_db("job", $con);
    // Specify the query to Insert Record
//  $sql = "insert into
jobSeeker_reg(JobSeekerName,Address,City,Email,Mobile,Qualification,Gender,Bir
thDate,Resume,Status,UserName,Password,Question,Answer) values(
//'".$Name."','".$Address."','".$City."','".$Email."',".$Mobile.",'".$Qualific
ation."','".$Gender."',
//'".$BirthDate."','".$path1."','".$Status."','".$UserName."','".$Password."',
'".$Question."','".$Answer."')";
```

```php
$sql="insert into
jobseeker_reg(JobSeekerName,Address,City,Email,Mobile,Qualification,Gender,Bir
thDate,Status,UserName,Password,Question,Answer) VALUES (
'$Name','$Address','$City','$Email','$Mobile','$Qualification','$Gender','$Bir
thDate','$Status','$UserName','$Password','$Question','$Answer'

)";
    // execute query

// var_dump($sql);
    if(mysqli_query ($con,$sql)){


        echo '<script type="text/javascript">alert("Registration Completed
Succesfully");window.location=\'index.php\';</script>';
    }


mysqli_close ($con);

    // Close The Connection


?>
</body>
</html>
```

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all,follow" />


    <title>Welcome To Job Portal</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href="./" title="Home" />
    <link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
```

```css
.style1 {
    color: #000066;
    font-weight: bold;
}
-->
    </style>
    <style type="text/css">

.ds_box {
    background-color: #FFF;
    border: 1px solid #000;
    position: absolute;
    z-index: 32767;
}

.ds_tbl {
    background-color: #FFF;
}

.ds_head {
    background-color: #333;
    color: #FFF;
    font-family: Arial, Helvetica, sans-serif;
    font-size: 13px;
    font-weight: bold;
    text-align: center;
    letter-spacing: 2px;
}

.ds_subhead {
    background-color: #CCC;
    color: #000;
    font-size: 12px;
    font-weight: bold;
    text-align: center;
    font-family: Arial, Helvetica, sans-serif;
    width: 32px;
}

.ds_cell {
    background-color: #EEE;
    color: #000;
    font-size: 13px;
    text-align: center;
    font-family: Arial, Helvetica, sans-serif;
    padding: 5px;
    cursor: pointer;
}

.ds_cell:hover {
    background-color: #F3F3F3;
} /* This hover code won't work for IE */

</style>
```

```html
<script src="SpryAssets/SpryValidationTextarea.js"
type="text/javascript"></script>
<link href="SpryAssets/SpryValidationTextarea.css" rel="stylesheet"
type="text/css" />
</head>


<table class="ds_box" cellpadding="0" cellspacing="0" id="ds_conclass"
style="display: none;">
<tr><td id="ds_calclass">
</td></tr>
</table>

<script type="text/javascript">
// <!-- <![CDATA[

// Project: Dynamic Date Selector (DtTvB) - 2006-03-16
// Script featured on JavaScript Kit- http://www.javascriptkit.com
// Code begin...
// Set the initial date.
var ds_i_date = new Date();
ds_c_month = ds_i_date.getMonth() + 1;
ds_c_year = ds_i_date.getFullYear();

// Get Element By Id
function ds_getel(id) {
    return document.getElementById(id);
}

// Get the left and the top of the element.
function ds_getleft(el) {
    var tmp = el.offsetLeft;
    el = el.offsetParent
    while(el) {
        tmp += el.offsetLeft;
        el = el.offsetParent;
    }
    return tmp;
}
function ds_gettop(el) {
    var tmp = el.offsetTop;
    el = el.offsetParent
    while(el) {
        tmp += el.offsetTop;
        el = el.offsetParent;
    }
    return tmp;
}


// Output Element
var ds_oe = ds_getel('ds_calclass');
// Container
var ds_ce = ds_getel('ds_conclass');
```

```javascript
// Output Buffering
var ds_ob = '';
function ds_ob_clean() {
    ds_ob = '';
}
function ds_ob_flush() {
    ds_oe.innerHTML = ds_ob;
    ds_ob_clean();
}
function ds_echo(t) {
    ds_ob += t;
}


var ds_element; // Text Element...

var ds_monthnames = [
'January', 'February', 'March', 'April', 'May', 'June',
'July', 'August', 'September', 'October', 'November', 'December'
]; // You can translate it for your language.

var ds_daynames = [
'Sun', 'Mon', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat'
]; // You can translate it for your language.

// Calendar template
function ds_template_main_above(t) {
    return '<table cellpadding="3" cellspacing="1" class="ds_tbl">'
        + '<tr>'
        + '<td class="ds_head" style="cursor: pointer"
onclick="ds_py();">&lt;&lt;</td>'
        + '<td class="ds_head" style="cursor: pointer"
onclick="ds_pm();">&lt;</td>'
        + '<td class="ds_head" style="cursor: pointer" onclick="ds_hi();"
colspan="3">[Close]</td>'
        + '<td class="ds_head" style="cursor: pointer"
onclick="ds_nm();">&gt;</td>'
        + '<td class="ds_head" style="cursor: pointer"
onclick="ds_ny();">&gt;&gt;</td>'
        + '</tr>'
        + '<tr>'
        + '<td colspan="7" class="ds_head">' + t + '</td>'
        + '</tr>'
        + '<tr>';
}


function ds_template_day_row(t) {
    return '<td class="ds_subhead">' + t + '</td>';
    // Define width in CSS, XHTML 1.0 Strict doesn't have width property for
it.
}

function ds_template_new_week() {
    return '</tr><tr>';
}
```

```javascript
function ds_template_blank_cell(colspan) {
    return '<td colspan="' + colspan + '"></td>'
}

function ds_template_day(d, m, y) {
    return '<td class="ds_cell" onclick="ds_onclick(' + d + ',' + m + ',' + y
+ ')">' + d + '</td>';
    // Define width the day row.
}

function ds_template_main_below() {
    return '</tr>'
        + '</table>';
}

// This one draws calendar...
function ds_draw_calendar(m, y) {
    // First clean the output buffer.
    ds_ob_clean();
    // Here we go, do the header
    ds_echo (ds_template_main_above(ds_monthnames[m - 1] + ' ' + y));
    for (i = 0; i < 7; i ++) {
        ds_echo (ds_template_day_row(ds_daynames[i]));
    }
    // Make a date object.
    var ds_dc_date = new Date();
    ds_dc_date.setMonth(m - 1);
    ds_dc_date.setFullYear(y);
    ds_dc_date.setDate(1);
    if (m == 1 || m == 3 || m == 5 || m == 7 || m == 8 || m == 10 || m == 12)
{
        days = 31;
    } else if (m == 4 || m == 6 || m == 9 || m == 11) {
        days = 30;
    } else {
        days = (y % 4 == 0) ? 29 : 28;
    }
    var first_day = ds_dc_date.getDay();
    var first_loop = 1;
    // Start the first week
    ds_echo (ds_template_new_week());
    // If sunday is not the first day of the month, make a blank cell...
    if (first_day != 0) {
        ds_echo (ds_template_blank_cell(first_day));
    }
    var j = first_day;
    for (i = 0; i < days; i ++) {
        // Today is sunday, make a new week.
        // If this sunday is the first day of the month,
        // we've made a new row for you already.
        if (j == 0 && !first_loop) {
            // New week!!
            ds_echo (ds_template_new_week());
```

```
        }
        // Make a row of that day!
        ds_echo (ds_template_day(i + 1, m, y));
        // This is not first loop anymore...
        first_loop = 0;
        // What is the next day?
        j ++;
        j %= 7;
    }
    // Do the footer
    ds_echo (ds_template_main_below());
    // And let's display..
    ds_ob_flush();
    // Scroll it into view.
    ds_ce.scrollIntoView();
}

// A function to show the calendar.
// When user click on the date, it will set the content of t.
function ds_sh(t) {
    // Set the element to set...
    ds_element = t;
    // Make a new date, and set the current month and year.
    var ds_sh_date = new Date();
    ds_c_month = ds_sh_date.getMonth() + 1;
    ds_c_year = ds_sh_date.getFullYear();
    // Draw the calendar
    ds_draw_calendar(ds_c_month, ds_c_year);
    // To change the position properly, we must show it first.
    ds_ce.style.display = '';
    // Move the calendar container!
    the_left = ds_getleft(t);
    the_top = ds_gettop(t) + t.offsetHeight;
    ds_ce.style.left = the_left + 'px';
    ds_ce.style.top = the_top + 'px';
    // Scroll it into view.
    ds_ce.scrollIntoView();
}

// Hide the calendar.
function ds_hi() {
    ds_ce.style.display = 'none';
}

// Moves to the next month...
function ds_nm() {
    // Increase the current month.
    ds_c_month ++;
    // We have passed December, let's go to the next year.
    // Increase the current year, and set the current month to January.
    if (ds_c_month > 12) {
        ds_c_month = 1;
        ds_c_year++;
    }
```

```
        // Redraw the calendar.
    ds_draw_calendar(ds_c_month, ds_c_year);
}

// Moves to the previous month...
function ds_pm() {
    ds_c_month = ds_c_month - 1; // Can't use dash-dash here, it will make the
page invalid.
    // We have passed January, let's go back to the previous year.
    // Decrease the current year, and set the current month to December.
    if (ds_c_month < 1) {
        ds_c_month = 12;
        ds_c_year = ds_c_year - 1; // Can't use dash-dash here, it will make
the page invalid.
    }
    // Redraw the calendar.
    ds_draw_calendar(ds_c_month, ds_c_year);
}

// Moves to the next year...
function ds_ny() {
    // Increase the current year.
    ds_c_year++;
    // Redraw the calendar.
    ds_draw_calendar(ds_c_month, ds_c_year);
}

// Moves to the previous year...
function ds_py() {
    // Decrease the current year.
    ds_c_year = ds_c_year - 1; // Can't use dash-dash here, it will make the
page invalid.
    // Redraw the calendar.
    ds_draw_calendar(ds_c_month, ds_c_year);
}

// Format the date to output.
function ds_format_date(d, m, y) {
    // 2 digits month.
    m2 = '00' + m;
    m2 = m2.substr(m2.length - 2);
    // 2 digits day.
    d2 = '00' + d;
    d2 = d2.substr(d2.length - 2);
    // YYYY-MM-DD
    return y + '-' + m2 + '-' + d2;
}

// When the user clicks the day.
function ds_onclick(d, m, y) {
    // Hide the calendar.
    ds_hi();
    // Set the value of it, if we can.
    if (typeof(ds_element.value) != 'undefined') {
```

```javascript
        ds_element.value = ds_format_date(d, m, y);
    // Maybe we want to set the HTML in it.
    } else if (typeof(ds_element.innerHTML) != 'undefined') {
        ds_element.innerHTML = ds_format_date(d, m, y);
    // I don't know how should we display it, just alert it to user.
    } else {
        alert (ds_format_date(d, m, y));
    }
}

// And here is the end.

// ]]> -->
</script>
    <script src="SpryAssets/SpryValidationTextarea.js"
type="text/javascript"></script>
    <link href="SpryAssets/SpryValidationTextarea.css" rel="stylesheet"
type="text/css" />

</head>

<body id="www-url-cz">
<SCRIPT language="JavaScript1.2" src="gen_validation.js"></SCRIPT>
<SCRIPT language="JavaScript1.2">
var arrFormValidation=
            [
                [//Name
                    ["minlen=1",
        "Please Enter Name"
                    ]

                ],
                [//Address
                    ["minlen=1",
        "Please Enter Address"
                    ]

                ],
                [//City
                    ["minlen=1",
        "Please Enter City"
                    ]
                ],
                [//Email

                    ["minlen=1",
        "Please Enter Email "
                    ],
                    ["email",
        "Please Enter valid email "
                    ]
                ],
                [//Mobile
                    ["num",
```

```
                "Please Enter valid Mobile "
                        ],
                        ["minlen=10",
    "Please Enter valid Mobile "
                        ],
                        ["maxlen=10",
    "Please Enter valid Mobile "
                        ]
                ],
                [//Qual




                ],
                [//Other



                ],
                [//Gender



                ],
                [//Birthdate

                        ["minlen=1",
    "Please Enter Birthdate "
                        ]

                ],
                [//Upload

                    ["minlen=1",
    "Please Upload Marksheet "
                        ]
                ],
                [//User
                        ["minlen=1",
    "Please Enter UserName "
                        ]



                ],
                [//Password
                        ["minlen=1",
    "Please Enter Password "
                        ]



                ],
                 [//Que



                ],
```

```
                    [//Answer

                            ["minlen=1",
            "Please Enter Answer "
                            ]

                    ]

            ];
</SCRIPT>
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
    <div id="page-in" class="box">

        <div id="strip" class="box noprint">

            <!-- RSS feeds -->
            <hr class="noscreen" />

            <!-- Breadcrumbs -->
            <p id="breadcrumbs"> </p>
          <hr class="noscreen" />

        </div> <!-- /strip -->

        <!-- Content -->
        <div id="content">

            <!-- /article -->

            <hr class="noscreen" />

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->
            <div class="article">
```

```html
<h2><span><a href="#">user Registration Form</a></span></h2>

                    <div class="login">

                <form action="JobSeekerInsert.php" method="post"
onSubmit="return validateForm(this,arrFormValidation);"
enctype="multipart/form-data" id="form2">
                    <table width="100%" border="0" cellspacing="0"
cellpadding="0">
                        <tr>
                          <td>JobSeeker Name:</td>
                          <td><span id="sprytextfield3">
                            <label>
                            <input type="text" name="txtName" id="txtName" />
                            </label>
                          <span class="textfieldRequiredMsg">Enter
Name</span></span></td>
                        </tr>

                        <tr>
                          <td>Address:</td>
                          <td><span id="sprytextarea1">
                            <label>
                            <textarea name="txtAddress" id="txtAddress" cols="45"
rows="5"></textarea>
                            </label>
                          <span class="textareaRequiredMsg">Enter
Address</span></span></td>
                        </tr>
                        <tr>
                          <td>City:</td>
                          <td><span id="sprytextfield4">
                            <label>
                            <input type="text" name="txtCity" id="txtCity" />
                            </label>
                          <span class="textfieldRequiredMsg">Enter
City</span></span></td>
                        </tr>
                        <tr>
                          <td>Email:</td>
                          <td><span id="sprytextfield5">
                            <label>
                            <input type="text" name="txtEmail" id="txtEmail" />
                            </label>
                          <span class="textfieldRequiredMsg">Enter Email
Id</span></span></td>
                        </tr>
                        <tr>
                          <td>Mobile:</td>
                          <td><span id="sprytextfield6">
                            <label>
                            <input type="text" name="txtMobile" id="txtMobile" />
                            </label>
```

```html
                                <span class="textfieldRequiredMsg">Enter
Mobile</span></span></td>
                            </tr>
                            <tr>
                              <td>Qualification:</td>
                              <td><label>
                                    <input type="text" name="txtQualification"
id="txtQualification" />
                              </label>
                              <span class="textfieldRequiredMsg">Enter
Qualification</span></td>
                            </tr>
                            <tr>
                              <td>Other:</td>
                              <td><label>
                                  <input type="text" name="txtOther" id="txtOther" />
                              </label></td>
                            </tr>
                            <tr>
                              <td>Gender:</td>
                              <td><label>
                                  <select name="cmbGender" id="cmbGender">
                                    <option value="Male">Male</option>
                                    <option value="Female">Female</option>
                                  </select>
                              </label></td>
                            </tr>
                            <tr>
                              <td>BirthDate:</td>
                              <td><span id="sprytextfield7">
                                  <label>
                                  <input type="text" name="txtBirthDate"
onclick="ds_sh(this);" id="txtBirthDate" />
                                  </label>
                                <span class="textfieldRequiredMsg">Enter Birth
Date</span></span></td>
                            </tr>
                            <tr>
                              <td>Upload Marksheet:</td>
                              <td><label>
                                  <input type="file" name="txtFile" id="txtFile" />
                              </label></td>
                            </tr>
                            <tr>
                              <td>User Name:</td>
                            <td><span id="sprytextfield8">
                                  <label>
                                  <input type="text" name="txtUserName" id="txtUserName"
/>
                                  </label>
                                <span class="textfieldRequiredMsg">Enter User
Name</span></span></td>
                            </tr>
                            <tr>
```

```html
                    <td>Password:</td>
                    <td><label><span id="sprytextfield9">
                        <input type="password" name="txtPassword"
id="txtPassword" />
                    <span class="textfieldRequiredMsg">Enter
Password</span></span></label></td>
                  </tr>
                  <tr>
                    <td>Security Question:</td>
                    <td><label>
                      <select name="cmbQue" id="cmbQue">
                        <option selected="selected">What is Your Pet
Name?</option>

                        <option>Who is Your Favourite Person?</option>
                        <option>What is the Name of Your First
School?</option>
                      </select>
                    </label></td>
                  </tr>
                  <tr>
                    <td>Answer:</td>
                    <td><span id="sprytextfield10">
                      <label>
                        <input type="text" name="txtAnswer" id="txtAnswer" />
                      </label>
                    <span class="textfieldRequiredMsg">Enter
Answer.</span></span></td>
                  </tr>
                  <tr>
                    <td colspan="2"><label>
                      <label></label>
                      <div align="center">
                        <input type="submit" name="button2" id="button2"
value="Submit" />
                      </div>
                    </label></td>
                  </tr>
                </table>
              </form>
            </div>

            <p class="btn-more box noprint"> </p>
        </div> <!-- /article -->

          <hr class="noscreen" />

      </div> <!-- /content -->


<?php
include "right.php"
?>

    </div> <!-- /page-in -->
    </div> <!-- /page -->
```

```html
</div> <!-- /main -->

<script type="text/javascript">
<!--
var sprytextfield4 = new Spry.Widget.ValidationTextField("sprytextfield4");
var sprytextfield5 = new Spry.Widget.ValidationTextField("sprytextfield5");
var sprytextfield6 = new Spry.Widget.ValidationTextField("sprytextfield6");
var sprytextfield7 = new Spry.Widget.ValidationTextField("sprytextfield7");
var sprytextfield3 = new Spry.Widget.ValidationTextField("sprytextfield3");
var sprytextarea1 = new Spry.Widget.ValidationTextarea("sprytextarea1");
var sprytextfield8 = new Spry.Widget.ValidationTextField("sprytextfield8");
var sprytextfield9 = new Spry.Widget.ValidationTextField("sprytextfield9");
var sprytextfield10 = new Spry.Widget.ValidationTextField("sprytextfield10");
//-->
</script>
</body>
</html>
```

```php
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>

<body>
<?php
session_start();
$UserName=$_POST['txtUser'];
$Password=$_POST['txtPass'];
$UserType=$_POST['cmbUser'];
if($UserType=="Administrator")
{
$con = mysqli_connect("localhost","root","","job");

$sql = "select * from user_master where UserName='".$UserName."' and
Password='".$Password."'";
$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
if ($records==0)
{
echo '<script type="text/javascript">alert("Wrong UserName or
Password");window.location=\'index.php\';</script>';
}
else
{
    $_SESSION['$UserName']=$UserName;
```

```php
header("location:Admin/index.php");
}
mysqli_close($con);
}
else if($UserType=="JobSeeker")
{
$con = mysqli_connect("localhost","root","","job");
$sql = "select * from jobseeker_reg where UserName='".$UserName."' and
Password='".$Password."' and Status='Confirm'";
$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
if ($records==0)
{
echo '<script type="text/javascript">alert("Wrong UserName or
Password");window.location=\'index.php\';</script>';
}
else
{
$_SESSION['ID']=$row['JobSeekId'];
$_SESSION['Name']=$row['JobSeekerName'];
$_SESSION['$UserName_job']=$UserName;
header("location:JobSeeker/index.php");
}
mysqli_close($con);
}
else
{
$con = mysqli_connect("localhost","root","","job");
$sql = "select * from employer_reg where UserName='".$UserName."' and
Password='".$Password."' and Status='Confirm'";
$result = mysqli_query($con,$sql);
$records = mysqli_num_rows($result);
$row = mysqli_fetch_array($result);
if ($records==0)
{
echo '<script type="text/javascript">alert("Wrong UserName or
Password");window.location=\'index.php\';</script>';
}
else
{
    $_SESSION['ID']=$row['EmployerId'];
$_SESSION['Name']=$row['CompanyName'];
$_SESSION['$UserName_emp']=$UserName;
header("location:Employer/index.php");
}
mysqli_close($con);
}
?>


</body>
</html>
```

```html
<!-- Main menu (tabs) -->
    <div id="tabs" class="noprint">


            <h3 class="noscreen">Navigation</h3>
            <ul class="box">
                <li><a href="index.php">Home<span class="tab-l"></span><span
class="tab-r"></span></a></li>
                    <li><a href="News.php">Latest Job news<span class="tab-
l"></span><span class="tab-r"></span></a></li>
                <li><a href="Employer.php">Employer<span class="tab-
l"></span><span class="tab-r"></span></a></li>
                    <li><a href="JobSeeker.php">User<span class="tab-
l"></span><span class="tab-r"></span></a></li>
                <li><a href="ContactUs.php">Contact Us<span class="tab-
l"></span><span class="tab-r"></span></a></li>
            </ul>

        <hr class="noscreen" />
    </div> <!-- /tabs -->
```

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="cs" lang="cs">
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8" />
    <meta http-equiv="content-language" content="cs" />
    <meta name="robots" content="all,follow" />


    <title>JOB PORTAL</title>
    <meta name="description" content="..." />
    <meta name="keywords" content="..." />

    <link rel="index" href="./" title="Home" />
    <link rel="stylesheet" media="screen,projection" type="text/css"
href="./css/main.css" />
    <link rel="stylesheet" media="print" type="text/css"
href="./css/print.css" />
    <link rel="stylesheet" media="aural" type="text/css"
href="./css/aural.css" />
    <style type="text/css">
<!--
.style1 {
  color: #000066;
  font-weight: bold;
}
.style2 {font-weight: bold}
-->
    </style>
</head>
```

```
<body id="www-url-cz">
<!-- Main -->
<div id="main" class="box">
<?php
include "Header.php"
?>
<?php
include "menu.php"
?>
<!-- Page (2 columns) -->
    <div id="page" class="box">
    <div id="page-in" class="box">

        <div id="strip" class="box noprint">

            <!-- RSS feeds -->
            <hr class="noscreen" />

            <!-- Breadcrumbs -->
            <p id="breadcrumbs"> </p>
          <hr class="noscreen" />

        </div> <!-- /strip -->

        <!-- Content -->
        <div id="content">

            <!-- /article -->

            <hr class="noscreen" />

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->

            <!-- /article -->

            <hr class="noscreen" />

            <!-- Article -->
            <div class="article">
                <h2><span><a href="#">Latest News</a></span></h2>


                <p>
                <table width="100%" border="1" cellpadding="1" cellspacing="2"
bordercolor="#006699" >
<tr>
  <th bgcolor="#006699" class="style3"> </th>
```

```php
<th height="32" bgcolor="#006699" class="style3"><div align="left"
class="style9 style5 style2"><strong>News</strong></div></th>
<th bgcolor="#006699" class="style3"><div align="left" class="style9 style5
style2"><strong>News Date</strong></div></th>
</tr>
<?php
// Establish Connection with Database
$con = mysqli_connect("localhost","root","","job");
// Select Database

// Specify the query to execute
$sql = "select * from news_master";
// Execute query
$result = mysqli_query($con,$sql) or die( mysqli_error($con));
// Loop through each records
while($row = mysqli_fetch_array($result))
{
$News=$row['News'];
$NewsDate=$row['NewsDate'];

?>
<tr>
  <td class="style3"><img src="design/ico_archive2.gif" alt="" width="9"
height="11" /></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$News;?></strong></div></td>
<td class="style3"><div align="left" class="style9 style5"><strong><?php echo
$NewsDate;?></strong></div></td>
</tr>
<?php
}
// Retrieve Number of records returned
$records = mysqli_num_rows($result);
?>

<?php
// Close the connection
mysqli_close($con);
?>
</table>
    </td>
  </tr>
</table>
                </p>
                <p class="btn-more box noprint"> </p>
            </div> <!-- /article -->

                <hr class="noscreen" />

        </div> <!-- /content -->

<?php
include "right.php"
?>
```

```html
    </div> <!-- /page-in -->
    </div> <!-- /page -->


</div> <!-- /main -->

</body>
</html>
```

```html
        <!-- Right column -->
        <script src="SpryAssets/SpryValidationTextField.js"
type="text/javascript"></script>
        <link href="SpryAssets/SpryValidationTextField.css" rel="stylesheet"
type="text/css">
        <div id="col" class="noprint">
          <center>
          <div id="col-in">



<hr class="noscreen" />

<!-- Category -->
<center><h2>Login</h2></center>

<div class="login">
  <form name="form1" method="post" action="login.php">
    <table width="100%" border="0">
      <tr>
        <td><strong>User Name</strong></td>
      </tr>
      <tr>
        <td><span id="sprytextfield1">
            <label>
              <input type="text" name="txtUser" id="txtUser">
            </label>
            <span class="textfieldRequiredMsg">*</span></span>
          <label></label></td>
      </tr>
      <tr>
        <td><strong>Password</strong></td>
      </tr>
      <tr>
        <td><span id="sprytextfield2">
            <label>
              <input type="password" name="txtPass" id="txtPass">
            </label>
            <span class="textfieldRequiredMsg">*</span></span></td>
      </tr>
      <tr>
```

```html
        <td><strong>User Type</strong></td>
      </tr>
      <tr>
        <td><label>
            <select name="cmbUser" id="cmbUser">
              <option value="JobSeeker">JobSeeker</option>
              <option value="Employer" selected="selected">Employer</option>
              <option value="Administrator">Administrator</option>
            </select>
          </label></td>
      </tr>
      <tr>
        <td><label>
            <div align="center">
              <input type="submit" name="button" id="button" value="Login">
            </div>
          </label></td>
      </tr>
      <tr>
        <td>
          <div align="center"><a href="Forget.php"><strong>Forgot Password?
</strong></a></div>
        </td>
      </tr>
    </table>
  </form>
</div>
<br />

<hr class="noscreen" />

<!-- Archive -->


<hr class="noscreen" />

<!-- Links -->

<hr class="noscreen" />
</div>
        </center>
        <!-- /col-in -->
      </div> <!-- /col -->
      <script type="text/javascript">
        <!--
        var sprytextfield1 = new
Spry.Widget.ValidationTextField("sprytextfield1");
        var sprytextfield2 = new
Spry.Widget.ValidationTextField("sprytextfield2");
        //
        -->
      </script>
```

Css code;

```css
* {min-height:1px;}
body {border:0; margin:0; padding:0; background: #ffffff; font:72%/160%
"verdana",sans-serif; color:#011212; _text-align:center; }

a {color:#4b4b4b;}
a:hover {color:#4F6AD7;}

p {border:0; margin:15px 0; padding:0; line-height:30px;color: rgb(0, 0, 0);}

div {display:block; border:0; margin:0; padding:0; box-shadow: 0 8px 16px 0
rgba(0,0,0,0.2);}

h1, h2, h3, h4, h5 {border:0; margin:15px 0 10px 0; padding:0; font-
weight:bold;}
h1 {font-size:260%; line-height:100%; font-family:"georgia",serif; font-
weight:normal;}
h2 {font-size:180%; line-height:100%; font-family:"georgia",serif; font-
weight:normal;}
h3 {font-size:120%; line-height:100%; font-weight:bold;}
h4 {font-size:120%;}
h5 {font-size:100%;}

table {display:table;  margin:15px 0; padding:0; border:1px solid #B7CAF6;
font-size:100%; box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2);}
tr {display:table-row;}
th, td {display: table-cell; border:1px solid #B7CAF6; margin:0; padding:5px;
vertical-align:top; text-align:left;}
th {background:#E7ECFD; text-align:center; columns: #120101;; font-
weight:bold;}

ul, ol {display:block; border:0; margin:15px 0 15px 40px; padding:0;}
ol {list-style-type:decimal;}
li {display:list-item; border:0; margin:0; padding:0; _height:1px;}
ul ul, ul ol, ol ol, ol ul {margin: 0 0 0 20px;}

dl {border:0; margin:15px 0; padding:0;}
dt {border:0; margin:0; padding:0; font-weight:bold;}
dd {border:0; margin:0 0 0 30px; padding:0;}

form {border:0; margin:0; padding:0;}
fieldset {border:1px solid rgb(21, 21, 21); margin:15px 0; padding:10px;}
legend {margin-left:10px; font-size:100%; font-weight:bold; color:rgb(0, 109,
136);}

hr {display:block; height:1px; margin:10px 0; padding:0; background:#CCC;
border:0 solid #CCC; color:#CCC;}

a, img, span {border:0; margin:0; padding:0;}
abbr, acronym {border-bottom:1px dotted #CCC; cursor:help;}

del, .through {text-decoration:line-through;}
strong, .strong {font-weight:bold;}
```

```css
cite, em, q, var {font-style:italic;}
code, kbd, samp {font-family:monospace; font-size:110%;}

/* Floating */
.f-left {float:left;}
.f-right {float:right;}

/* Text align */
.t-left {text-align:left;}
.t-center {text-align:center;}
.t-right {text-align:right;}

.va-middle {vertical-align:middle;}

.clear {clear:both;}
.box {min-height:1px; _height:1px;}
.box:after {content:"."; display:block; line-height:0px; font-size:0px;
visibility:hidden; clear:both;}

.nom {margin:0;}
.noscreen {display:none;}

/* ---------------------..........------------------------------------------
------------------------------------ */

#main {width:770px; margin:50px auto 0 auto; _text-align:left;}

/* Header */
#header {position:relative; width:770px; height:100px; margin:0; padding:0;
background:rgb(130, 170, 211) url("../design/header.jpg") 0 0 no-repeat;  box-
shadow: 0 8px 16px 0 rgba(0,0,0,0.2); }

    /* Header - logo */
    #header #logo {position:absolute; top:35px; left:35px; margin:0;}

    #header #logo a {color:rgb(118, 110, 110);}

    /* Header - Search */
    #header #search {position:absolute; top:35px; right:20px;}
    #header #search form {position:relative;}
    #header #search #search-input-out {position:absolute; top:0; right:45px;
width:155px; height:28px; margin:0; padding:0; border:0; color:#82af5f;}
    #header #search #search-input {width:140px; margin:5px 8px; padding:3px 0;
border:0; background:#FFF; color:#4b4b4b;}
    #header #search #search-submit {position:absolute; top:0; right:0px;}
    #header #search fieldset {margin:0; padding:0; border:0;}
    #header #search fieldset {width:200px;}
    #header #search legend {display:none;}

/* Main menu (tabs) */
#tabs {background:#ffffff69; margin:0 5px; padding:10px 0 0 0; _height:1px;}

    #tabs ul {margin:0 10px; padding:0; list-style:none;}
    #tabs ul li {margin:0 5px 0 0; padding:0; float:left;}
```

```css
    #tabs ul li a {display:block; position:relative; padding:7px 15px;
border:0; text-decoration:none; cursor:pointer;}

    /* Main menu (tabs - link) */
    #tabs ul li a span.tab-l, #tabs ul li a:hover span.tab-l
{position:absolute; top:0; left:0; _left:-15px; width:8px; height:8px; }
    #tabs ul li a span.tab-r, #tabs ul li a:hover span.tab-r
{position:absolute; top:0; right:0; _right:-1px; width:8px; height:8px;}

    /* Main menu (tabs - hover) */

    /* Main menu (tabs - active) */
    #tabs ul li#active a {background:#818682;; color:#FF9000;}
    #tabs ul li#active a span.tab-l {position:absolute; top:0; left:0; _left:-
15px; width:8px; height:8px; }
    #tabs ul li#active a span.tab-r {position:absolute; top:0; right:0;
width:8px; height:8px; }

/* Page (2 columns) */
#page {width:770px; min-height:1px; background:#e7ebe8; _height:1px; }
#page-in {min-height:1px; padding:10px 0;  _height:1px;}

/* Strip */
#strip {position:relative; clear:both; padding:3px 20px 10px 20px;
color:#7a807c;}
#strip p {margin:0;}
#strip a {color:#7a807c;}

    /* Strip - breadcrumbs */
    #strip #breadcrumbs {width:520px; margin:0; padding:0;}

    /* Strip - RSS */
    #strip #rss {float:right; width:175px; _width:200px; margin:0; padding-
left:25px;}

/* Content */
#content {float:left; width:530px; _width:550px; margin:0; padding:0 0 0
20px;}

    /* Content - article */
    #content .article {clear:both; margin:0; padding:20px;}
    #content .article h2 {margin:0 -20px; padding:10px; background:#DEE5FD ;
color:#4b4b4b; }
    #content .article h2 span {padding-left:25px;}

    #content .article p {text-align:justify;}
    #content .info {margin:10px 0; padding-bottom:8px; border-bottom:1px solid
#DEE5FD; color:#6685CC;}
    #content .info a {color:#6685CC;}

    #content .info span.date, #content .info span.cat, #content .info
span.user, #content .info span.comments {padding-left:15px;}
    #content .info span.date {}
    #content .info span.cat {margin-left:8px;}
```

```css
    #content .info span.user { margin-left:8px;}
    #content .info span.comments { margin-left:8px;}

    /* Content - More */
    #content .btn-more {margin:0 0 15px 0; padding:0; border:0;
position:relative;}
    #content .btn-more a {display:block; position:absolute; top:0; right:0;
width:67px; _width:95px; height:21px; margin:0; padding:0 0 0 28px;
color:#7a807c; text-decoration:none;}
    #content .btn-more a:hover {}

/* Right column */
#col {float:left; width:200px; margin:0; padding:0; background:#4b9e17 ;  box-
shadow: 0 8px 16px 0 rgba(0,0,0,0.2);}
#col-in {padding:20px 10px; }
#col h3 {padding:13px 15px 14px 15px; margin:0 -10px 15px -10px;
color:#4b4b4b;}

    /* Right column - About me */
    #col #about-me {margin-bottom:15px; line-height:130%;}
    #col #about-me p {margin:0;}
    #col #about-me #me {float:left; width:54px; height:58px; margin-
right:7px;}

    /* Right column - Category */
    #col ul#category {margin:15px 0; padding:0; list-style:none;}
    #col ul#category li {margin:0; padding:0; border-bottom:1px solid
#E0E8FA;}
    #col ul#category li a {display:block; padding:3px 0 3px 22px;  text-
decoration:none;}
    #col ul#category li#category-active a {background:#E0E8FA ; font-
weight:bold;}

    /* Right column - Archive */
    #col ul#archive {margin:15px 0; padding:0; list-style:none;}
    #col ul#archive li {margin:0; padding:0; border-bottom:1px solid #E0E8FA;}
    #col ul#archive li a {display:block; padding:3px 0 3px 22px; text-
decoration:none;}
    #col ul#archive li#archive-active a {background:#E0E8FA ; font-
weight:bold;}

    /* Right column - Links */
    #col ul#links {margin:15px 0; padding:0; list-style:none;}
    #col ul#links li {margin:0; padding:0; border-bottom:1px solid #E0E8FA;}
    #col ul#links li a {display:block; padding:3px 0 3px 22px;  text-
decoration:none;}


/* Footer */
#footer {position:relative; clear:both; width:770px; height:60px; margin-
bottom:50px;  color:#6685CC;}
#footer a {color:#6685CC;}

    /* Footer - "back on top" */
```

```css
    #top {position:absolute; top:55px; left:550px;}
    #top p {position:relative; width:30px; height:25px; margin:0;
overflow:hidden;}
    #top p span {display:block; position:absolute; left:0; top:0; z-index:1;
width:30px; height:25px;  cursor:pointer;}


    /*  Footer - copyright */
    #footer p#copyright {
    position:absolute;
    top:10px;
    left:40px;
    margin:0;
    width: 245px;
}


    /* Footer - created by */
    #createdby {
    position:absolute;
    top:10px;
    left:562px;
    margin:0;
    color:#8CA3D8;
    width: 174px;
}
    #createdby a {color:#61e4d0;}
.login input[type="text"]
{
    background-color:#FFFFCC;
    height:22px;
    width:160px;
    border:1px solid black;
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#00665c;
}
.login input[type="text"]:hover
{
    background-color:#003366;
    height:22px;
    width:160px;
    border:1px solid black;
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#FFFFFF;
}
.login input[type="password"]
{
    background-color:#FFFFCC;
    height:22px;
    width:160px;
    border:1px solid black;
```

```css
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
}
.login input[type="password"]:hover
{
    background-color:#003366;
    height:22px;
    width:160px;
    border:1px solid black;
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#FFFFFF;
}
.login input[type="submit"]
{
    background-color:#FFFFCC;
    height:22px;
    width:100px;
    border:1px solid #003366;
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#006627;
}
.login input[type="submit"]:hover
{
    background-color:#003366;
    height:22px;
    width:100px;
    border:1px solid #003366;
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#FFFFFF;
}
.login select
{
    background-color:#FFFFCC;
    height:25px;
    width:160px;
    border:1px solid #003366;
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#006647;
}
.login textarea
{
    background-color:#FFFFCC;
    height:45px;
    width:160px;
    border:1px solid black;
```

```css
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#006663;
}
.login textarea:hover
{
    background-color:#003366;
    height:45px;
    width:160px;
    border:1px solid black;
    font-size:12px;
    font-weight:bold;
    border-radius:5px 0px 5px 0px;
    color:#FFFFFF;
}
```

-:The End:-