

Smart Service API Documentation

Complete Postman Guide for testing API endpoints.

1. Authentication & Profile

Register User [POST] /api/auth/register

```
{
  "name": "John Doe",
  "email": "john@gmail.com",
  "password": "password123",
  "phone": "9876543210",
  "address": {
    "street": "123 Main St",
    "city": "Chennai",
    "state": "TN",
    "zipCode": "600001"
  }
}
```

Login [POST] /api/auth/login

```
{
  "email": "john@gmail.com",
  "password": "password123",
  "role": "user"
}
```

Update Profile [PUT] /api/auth/updatedetails

```
{
  "name": "John Updated",
  "phone": "9998887776"
}
```

2. Admin Operations (Requires Admin Token)

Register Tech [POST] /api/admin/register-technician

```
{
  "name": "Alex Tech",
  "email": "alex@tech.com",
  "password": "password123",
  "phone": "8887776665",
  "specialization": [
    "AC",
    "Washing Machine"
  ]
}
```

```
}  
]
```

Assign Tech [PUT] /api/bookings/:id

```
{  
  "technician": "TECH_ID_HERE"  
}
```

Get All Users [GET] /api/admin/users
(No Request Body Required)

3. User Operations (Requires User Token)

Create Booking [POST] /api/bookings

```
{
  "applianceType": "AC",
  "serviceType": "Repair",
  "description": "AC not cooling",
  "scheduledDate": "2024-02-10T10:00:00Z"
}
```

Cancel Booking [PUT] /api/bookings/:id

```
{
  "status": "Cancelled"
}
```

4. Technician Operations (Requires Tech Token)

Accept Booking [PUT] /api/bookings/:id

```
{
  "acceptanceStatus": "Accepted"
}
```

Finish Work [PUT] /api/bookings/:id

```
{
  "status": "Completed",
  "diagnosis": "Gas leak fixed",
  "totalAmount": 1500,
  "paymentStatus": "Paid"
}
```

Get Dashboard [GET] /api/technician/dashboard

(No Request Body Required)

5. Payments

Record Payment [POST] /api/payments

```
{
  "bookingId": "BOOKING_ID_HERE",
  "amount": 1500,
  "method": "Cash",
  "status": "Success"
}
```

How to Start the Server

- Open your terminal in the Smart_Service folder.
- Run npm install (to ensure all dependencies are there).
- Run node seedAdmin.js (to create the initial admin account).
- Run node server.js to start the backend.