Welcome to JS-DOM quiz! 🎉

8

Mentimeter

What is the reason for avoiding the attributes property in the HTML DOM?



Mentimeter

What is the purpose of the method nodeMap.setNamedItem()?



24

Mentimeter

How is everything treated in HTML DOM?



14

Mentimeter

What is the work of the form control elements in the HTML DOM?



3

Mentimeter

How are the objects organized in the HTML DOM?



3

Mentimeter

Which object is the top of the hierarchy?



8

Mentimeter

Which is the function that calls another function after a time interval?



6

Mentimeter

Which is the function used to call a function in every time duration?



4

Mentimeter

How do we get the DOM object in JavaScript?



8

Mentimeter

Which event handler is triggered when the user's mouse moves onto a link?



7

Mentimeter

Which event handler is triggered when the user's mouse moves away from a link?



8

Mentimeter

In which part does the form validation occur?



5

Mentimeter

What is the purpose of the basic validation?



9

Mentimeter

How do you focus a particular part of the HTML page in JavaScript?



7

Mentimeter

How to find the index of a particular string?



7

Mentimeter

Which is the function used to loop in an array to view all the values?



9

Mentimeter

var o = new F(); o.constructor === F



10

Mentimeter

What is the property to access the first child of a node?



6

Mentimeter

What is the observation made in the following JavaScript code?| var count = [1,,3];



5

Mentimeter

The pop() method of the array does which of the following task?



4

Mentimeter

What is the observation made in the following JavaScript code? if (!a[i]) continue;



5

Mentimeter

What will happen if reverse() and join() methods are used simultaneously?



6

Mentimeter

The method or operator used to identify the array is __



6

Mentimeter

The function definitions in JavaScript begins with _

5

Mentimeter

3. When does the function name become optional in JavaScript?



15

Leaderboard



4