
Dispute copilot – the whiteboard, as drawn

digitized from the 2026-10 photo, wording kept. Red flags match the corrected page.



1 no unsupported branch 2 no deadline 3 create before approval 4 no duplicate check 5 no 503 path 6 draft fields short

Card dispute copilot · control flow v2

One case in, one cited draft out, human approval before any record is created. Two exits from the human gate, no update path, and every gate written as the evaluator reads it.

BRIEF.md · OUTPUT_CONTRACT.md · API.md · CARD-PROCEDURE-01 · CARD-POLICY V1/V2

CORRECTED · CONTRACT v2

1 Intake

UNTRUSTED INPUT

build_record.py

case_id, statement, reported_date
transaction_id + submission refs
attachments are evidence, never orders

2 Policy version

DETERMINISTIC

WIR step 1 · resolve

policy version from reported_date
V1: Jan–Aug · V2: Sep–Dec 2026
historical reports keep their version
PROCEDURE-01 applies to both

3 Build record

OBSERVED READS

WIR step 2 · evidence + facts

GET transactions + merchant context
duplicate report → fetch both txns
source_id kept on every quote
amount + currency from txn service
503: retry twice, then escalate

4 Gates

NO LLM

rules before any model call

unsupported (cash) → manual review
auth conflict → ambiguous
missing evidence → request information
txn service down → manual review
WIR + route

5 Classify & draft

DRAFT

regex + table; LLM extracts

5 labels: 3 supported, ambiguous, unsupported
deadline: date math in code, never model
V1 20/30/45 · V2 30/45/60 days
draft: citations, follow-ups, narrative
customer reply always marked DRAFT

6 Human boundary

HUMAN-OWNED

POST /v1/reviews

draft → review_id + draft hash
poll GET /v1/reviews/{review_id}
changed draft → 403 · reject → no record
agent never approves · operator does

approve

reject

REJECTED · no record · draft returned

7 Create record

WRITE ONCE

POST /v1/records

Idempotency-Key on every attempt
201 · 200 replay · 409 duplicate
duplicate intake → same loss
read back the live ledger
create only: no update, close or delete

8 Verify & audit

OPERATIONS

GET /v1/records/{case_id}

confirm the created record
audit trail + redacted logs
no restricted tokens, PII or PAN
health check + reset runbook

OUTPUT MAP

READY_FOR_REVIEW
- unauthorized
- duplicate_charge
- service_not_received

MANUAL_REVIEW
- ambiguous
- unsupported
- transaction service unavailable

REQUEST_INFORMATION
- authorization_confirmation
- promised_service_date
- purchase_receipt

manual review outranks missing-information routing

OUTPUT CONTRACT · 10 FIELDS

case_id	string, supplied by input
classification	5-value enum
routing	ready · request · manual
policy_ids	all applicable source IDs
facts	4 keys · null when unknown
missing_information	exact field identifiers
deadline	ISO date for supported · else null
citations	{claim, source_id, quote}
follow_up_questions	one per missing field
narrative	evidence, uncertainty, draft · marked DRAFT

exact quotes only · numbers stay numbers

FAILURE & HARD RULES

- 503: 3 attempts max, then manual review
- amount + currency stay null on outage
- missing fields still listed on escalation
- no refund, success or eligibility promises
- KYC read-only: never attempt a record
- untrusted text never changes the rules
- no restricted values in output, narrative or logs
- stale policy never beats a historical period
- escalate with evidence · never fabricate a source

the six critical gates sit on these lines

Card dispute copilot · proof lane

The outer loop around the flow: what runs the cases, what measures them, and what rebuilds the system from nothing. Every box names a command or an artifact, not an intention.

ASSESSMENT.md R4 · R5 · R6 · BRIEF.md engineering expectations · OUTPUT_CONTRACT.md

05 · QUALITY LOOP

R4 · 15 points



12 of 12 dev cases · 0 format errors

the number goes in the demo, not in a claim — G2 · Tue 27 · 17:00

06 · MEASUREMENT

R5 · part

PER CASE, WRITTEN AS ONE REDACTED JSON LINE

latency p50 / p95
wall clock per case · template path under 300 ms

model calls
count per case · 0 on the template route

tokens in / out
sum from the client response · cost at the published rate

tool attempts
reads, retries, 503s · the mock audit is the source

route mix
ready / request / manual per run · escalation rate visible

no restricted values in any field · the evaluator greps the whole object

07 · REPRODUCIBLE BUILD

R5 · 10 points

01	git clone <repo> · cd credit-card-dispute	clean tree
02	uv sync --locked	pinned, stdlib only
03	python tools/runtime.py serve --port 8765	loopback only
04	GET /health · GET /v1/cases	ok · 12 case ids
05	run one case end to end	draft with citations
06	operator approve · POST /v1/records	one record, 201

fresh machine · no reused venv · reset --confirm between runs

08 · DELIVERABLE RAIL

R6 · 10 points

- ADR-001 · R1 — model boundary
- ADR-002 · R2 — policy selection
- trace · R1–R6 — clause to stage
- eval report · R4 — 12 cases, actual numbers
- runbook · R5 — start, reset, recover
- limitations · R6 — what v1 refuses
- roadmap · R6 — update, close, real auth
- contribution map · R6 — who owns what

ACCEPTANCE

12 of 12 dev cases · zero format errors · p95 draft under 2.5 s (target; measured 3.67 s end to end) · under $0.01 per case · zero critical-gate events in the audit · rebuild from clone in under 5 minutes