# STUDENT REPORT

# DETAILS

#### Name

T G MANIKANTA

## EXPERIMENT

Title

CANDIES

## Description

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where  $1 \le x \le N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

Note: Each child receives only 1 candy.

#### **Input Format:**

The first line of input contains 3 space seperated integers N, K and A.

### **Output Format:**

Print the friend who will be the final recipient of the candy.

### **Constraints:**

1<=N<=K<=10^8

Sample Input:

5 2 1

Sample Output:

2

**RESULT** 

### **Roll Number**

TEMPBTech-CSE082

# **Source Code:**

```
n, k, a = list(map(int, input().split()))
ans = (a + k - 1) % n

if ans == 0:
    print(n)
else:
    print(ans)
```

NPB

EN

100%, C.

E 1000 /