

```
import _frozen_importlib # frozen
import _imp # builtin
import '_thread' # <class '_frozen_importlib.BuiltinImporter'>
import '_warnings' # <class '_frozen_importlib.BuiltinImporter'>
import '_weakref' # <class '_frozen_importlib.BuiltinImporter'>
import '_io' # <class '_frozen_importlib.BuiltinImporter'>
import 'marshal' # <class '_frozen_importlib.BuiltinImporter'>
import 'posix' # <class '_frozen_importlib.BuiltinImporter'>
import '_frozen_importlib_external' # <class '_frozen_importlib.FrozenImporter'>
# installing zipimport hook
import 'time' # <class '_frozen_importlib.BuiltinImporter'>
import 'zipimport' # <class '_frozen_importlib.FrozenImporter'>
# installed zipimport hook
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/codecs.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/codecs.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/codecs.cpython-310.pyc'
import '_codecs' # <class '_frozen_importlib.BuiltinImporter'>
```

```
import 'codecs' # <_frozen_importlib_external.SourceFileLoader object at 0x10260b2b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/aliases.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/aliases.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/aliases.cpython-310.pyc'
import 'encodings.aliases' # <_frozen_importlib_external.SourceFileLoader object at
0x1027cc880>
import 'encodings' # <_frozen_importlib_external.SourceFileLoader object at 0x10260b130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/utf_8.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/utf_8.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/utf_8.cpython-310.pyc'
import 'encodings.utf_8' # <_frozen_importlib_external.SourceFileLoader object at
0x10260b010>
import '_signal' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/io.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/io.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/io.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/abc.cpython-310.pyc'
import '_abc' # <class '_frozen_importlib.BuiltinImporter'>
import 'abc' # <_frozen_importlib_external.SourceFileLoader object at 0x1027ccbb0>
import 'io' # <_frozen_importlib_external.SourceFileLoader object at 0x1027cc9a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/site.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/site.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/os.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/os.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/os.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/stat.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/stat.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/stat.cpython-310.pyc'
import '_stat' # <class '_frozen_importlib.BuiltinImporter'>
import 'stat' # <_frozen_importlib_external.SourceFileLoader object at 0x1027cedd0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_collections_abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_collections_abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_collections_abc.cpython-310.pyc'
import '_collections_abc' # <_frozen_importlib_external.SourceFileLoader object at
0x1027cf130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/posixpath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/posixpath.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/posixpath.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/genericpath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/genericpath.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/genericpath.cpython-310.pyc'
import 'genericpath' # <_frozen_importlib_external.SourceFileLoader object at 0x102805960>
import 'posixpath' # <_frozen_importlib_external.SourceFileLoader object at 0x1027cf1c0>
import 'os' # <_frozen_importlib_external.SourceFileLoader object at 0x1027cd9f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/_sitebuiltins.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/_sitebuiltins.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_sitebuiltins.cpython-310.pyc'
import '_sitebuiltins' # <_frozen_importlib_external.SourceFileLoader object at 0x1027cead0>
Processing user site-packages
Processing global site-packages
Adding directory:
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages'
Processing .pth file:
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/distutils-precedence.pth'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/_distutils_hack/__pycache__/__init__.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__pycache__/__init__.cpython-310.pyc'
import '_distutils_hack' # <_frozen_importlib_external.SourceFileLoader object at 0x102806a10>
Processing .pth file:
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/homebrew-pybind11.pth'
Adding directory: '/opt/homebrew/Cellar/pybind11/2.10.0/libexec/lib/python3.10/site-packages'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/sitecustomize.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/sitecustomize.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/sitecustomize.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/re.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/re.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/re.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/enum.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/enum.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/enum.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/types.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/types.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/types.cpython-310.pyc'
import 'types' # <_frozen_importlib_external.SourceFileLoader object at 0x102850760>
import 'enum' # <_frozen_importlib_external.SourceFileLoader object at 0x102807550>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sre_compile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sre_compile.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_compile.cpython-310.pyc'
import '_sre' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sre_parse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sre_parse.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_parse.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sre_constants.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sre_constants.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_constants.cpython-310.pyc'
import 'sre_constants' # <_frozen_importlib_external.SourceFileLoader object at 0x1028521d0>
import 'sre_parse' # <_frozen_importlib_external.SourceFileLoader object at 0x1028519c0>
import 'sre_compile' # <_frozen_importlib_external.SourceFileLoader object at 0x102851120>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/functools.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/functools.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/functools.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/collections/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/collections/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/collections/__pycache__/__init__.cpython-310.pyc'
```



```
import 'itertools' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/keyword.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/keyword.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/keyword.cpython-310.pyc'
import 'keyword' # <_frozen_importlib_external.SourceFileLoader object at 0x10288f1f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/operator.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/operator.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/operator.cpython-310.pyc'
import '_operator' # <class '_frozen_importlib.BuiltinImporter'>
import 'operator' # <_frozen_importlib_external.SourceFileLoader object at 0x10288f2b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/reprlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/reprlib.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/reprlib.cpython-310.pyc'
import 'reprlib' # <_frozen_importlib_external.SourceFileLoader object at 0x10288f4c0>
import '_collections' # <class '_frozen_importlib.BuiltinImporter'>
```

```
import 'collections' # <_frozen_importlib_external.SourceFileLoader object at 0x10288ce20>
import '_functools' # <class '_frozen_importlib.BuiltinImporter'>
import 'functools' # <_frozen_importlib_external.SourceFileLoader object at 0x102853a90>
import '_locale' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/copyreg.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/copyreg.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/copyreg.cpython-310.pyc'
import 'copyreg' # <_frozen_importlib_external.SourceFileLoader object at 0x10288f850>
import 're' # <_frozen_importlib_external.SourceFileLoader object at 0x102805db0>
import 'sitecustomize' # <_frozen_importlib_external.SourceFileLoader object at 0x1028061d0>
import 'site' # <_frozen_importlib_external.SourceFileLoader object at 0x1027cd3c0>
Python 3.10.6 (main, Aug 30 2022, 04:58:14) [Clang 13.1.6 (clang-1316.0.21.2.5)] on darwin
Type "help", "copyright", "credits" or "license" for more information.
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/traceback.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/traceback.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/traceback.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/linecache.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/linecache.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/linecache.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/tokenize.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/tokenize.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/tokenize.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/token.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/token.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/token.cpython-310.pyc'
import 'token' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bdd20>
import 'tokenize' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bd870>
import 'linecache' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bd690>
import 'traceback' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bd090>
# /opt/homebrew/lib/python3.10/site-packages/pip/__pycache__/__init__.cpython-310.pyc
matches /opt/homebrew/lib/python3.10/site-packages/pip/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/__pycache__/__init__.cpython-310.pyc'
```

```
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/typing.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/typing.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/typing.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/collections/__pycache__/abc.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/collections/abc.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/collections/__pycache__/abc.cpython-310.pyc'  
import 'collections.abc' # <_frozen_importlib_external.SourceFileLoader object at 0x1029187c0>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/contextlib.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/contextlib.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/contextlib.cpython-310.pyc'  
import 'contextlib' # <_frozen_importlib_external.SourceFileLoader object at 0x1029188b0>  
import 'typing' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bd6c0>  
import 'pip' # <_frozen_importlib_external.SourceFileLoader object at 0x10288cc40>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/__init__.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__init__.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/__pycache__/__init__.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utis/__pycache__/__init__.cpython-310.pyc'  
import 'pip._internal.utis' # <_frozen_importlib_external.SourceFileLoader object at  
0x1028bf820>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utis/__pycache__/inject_securetransport.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/inject_securetransport.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utis/__pycache__/inject_securetransport.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/ssl.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/ssl.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/ssl.cpython-310.pyc'  
# extension module '_ssl' loaded from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/_ssl.cpython-310-darwin.so'  
# extension module '_socket' loaded from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/_socket.cpython-310-darwin.so'  
# extension module '_socket' executed from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/_socket.cpython-310-darwin.so'
```

```
import '_socket' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102955d20>
# extension module '_ssl' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_ssl.cpython-310-darwin.so'
import '_ssl' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1029558a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/socket.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/socket.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/socket.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/selectors.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/selectors.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/selectors.cpython-310.pyc'
# extension module 'math' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/math.cpython-310-darwin.so'
# extension module 'math' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/math.cpython-310-darwin.so'
import 'math' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102ebce50>
```

```
# extension module 'select' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/select.cpython-310-darwin.so'
# extension module 'select' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/select.cpython-310-darwin.so'
import 'select' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102ebcf10>
import 'selectors' # <_frozen_importlib_external.SourceFileLoader object at 0x102ebc400>
import 'errno' # <class '_frozen_importlib.BuiltinImporter'>
# extension module 'array' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/array.cpython-310-darwin.so'
# extension module 'array' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/array.cpython-310-darwin.so'
import 'array' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102ebdf30>
import 'socket' # <_frozen_importlib_external.SourceFileLoader object at 0x102957820>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/base64.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/base64.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/base64.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/struct.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/struct.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/struct.cpython-310.pyc'
# extension module '_struct' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_struct.cpython-310-darwin.so'
# extension module '_struct' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_struct.cpython-310-darwin.so'
import '_struct' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102ebec80>
import 'struct' # <_frozen_importlib_external.SourceFileLoader object at 0x102ebea70>
# extension module 'binascii' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/binascii.cpython-310-darwin.so'
# extension module 'binascii' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/binascii.cpython-310-darwin.so'
import 'binascii' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102ebed10>
import 'base64' # <_frozen_importlib_external.SourceFileLoader object at 0x102957e50>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/warnings.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/warnings.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/warnings.cpython-310.pyc'
import 'warnings' # <_frozen_importlib_external.SourceFileLoader object at 0x102ebece0>
import 'ssl' # <_frozen_importlib_external.SourceFileLoader object at 0x102954100>
```



```
import 'pip._internal.utils.inject_securetransport' # <_frozen_importlib_external.SourceFileLoader
object at 0x1028bf6d0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/_log.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/_log.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/_log.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/logging/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/weakref.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/weakref.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/weakref.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/weakrefset.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_weakrefset.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/weakrefset.cpython-310.pyc'
```

```
import '_weakrefset' # <_frozen_importlib_external.SourceFileLoader object at 0x102efae60>
import 'weakref' # <_frozen_importlib_external.SourceFileLoader object at 0x102efa170>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_pycache_/string.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/string.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_pycache_/string.cpython-310.pyc'
import '_string' # <class '_frozen_importlib.BuiltinImporter'>
import 'string' # <_frozen_importlib_external.SourceFileLoader object at 0x102efb850>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_pycache_/threading.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/threading.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_pycache_/threading.cpython-310.pyc'
import 'threading' # <_frozen_importlib_external.SourceFileLoader object at 0x102efbe80>
import 'atexit' # <class '_frozen_importlib.BuiltinImporter'>
import 'logging' # <_frozen_importlib_external.SourceFileLoader object at 0x102ef8220>
import 'pip._internal.utils._log' # <_frozen_importlib_external.SourceFileLoader object at 0x1029542b0>
import 'pip._internal' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bf250>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/_pycache_/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/_pycache_/__init__.cpython-310.pyc'
```

```
import 'pip._internal.cli' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bece0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/main.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/main.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/main.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/locale.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/locale.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/locale.cpython-310.pyc'
import 'locale' # <_frozen_importlib_external.SourceFileLoader object at 0x102ef8af0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/autocompletion.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/autocompletion.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/autocompletion.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/optparse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/optparse.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/optparse.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/textwrap.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/textwrap.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/textwrap.cpython-310.pyc'
import 'textwrap' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8c1c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/gettext.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/gettext.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/gettext.cpython-310.pyc'
import 'gettext' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8cfd0>
import 'optparse' # <_frozen_importlib_external.SourceFileLoader object at 0x102f3a7a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/main_parser.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/main_parser.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/main_parser.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/cmdoptions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/cmdoptions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/cmdoptions.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/__init__.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/__init__.cpython-310.pyc'
import 'importlib' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8dcf0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/util.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/util.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/__abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/_abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/__abc.cpython-310.pyc'
import 'importlib._abc' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8e5f0>
import 'importlib.util' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8df00>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/_future__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/_future__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_future__.cpython-310.pyc'
import '_future_' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8ea10>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/glob.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/glob.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/glob.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/fnmatch.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/fnmatch.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/fnmatch.cpython-310.pyc'
import 'fnmatch' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8f580>
import 'glob' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8efb0>
import 'pip._vendor' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8e8f0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/__init__.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__about__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/__about__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__about__.cpython-310.pyc'
import 'pip._vendor.packaging.__about__' # <_frozen_importlib_external.SourceFileLoader
object at 0x102f8f8e0>
import 'pip._vendor.packaging' # <_frozen_importlib_external.SourceFileLoader object at
0x102f8f3d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/utils.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/utils.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/utils.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/tags.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/tags.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/tags.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/platform.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/platform.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/platform.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/subprocess.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/subprocess.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/subprocess.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/signal.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/signal.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/signal.cpython-310.pyc'
import 'signal' # <_frozen_importlib_external.SourceFileLoader object at 0x102fddae0>
# extension module 'fcntl' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/fcntl.cpython-310-darwin.so'
# extension module 'fcntl' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/fcntl.cpython-310-darwin.so'
import 'fcntl' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102fddf30>
# extension module '_posixsubprocess' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_posixsubprocess.cpython-310-darwin.so'
# extension module '_posixsubprocess' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_posixsubprocess.cpython-310-darwin.so'
```



```
import '_posixsubprocess' # <_frozen_importlib_external.ExtensionFileLoader object at
0x102fdff0>
import 'subprocess' # <_frozen_importlib_external.SourceFileLoader object at 0x102fdcd30>
import 'platform' # <_frozen_importlib_external.SourceFileLoader object at 0x102fdc130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sysconfig.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sysconfig.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sysconfig.cpython-310.pyc'
import 'sysconfig' # <_frozen_importlib_external.SourceFileLoader object at 0x102fded40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/machinery.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/machinery.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/machinery.cpython-310.pyc'
import 'importlib.machinery' # <_frozen_importlib_external.SourceFileLoader object at
0x102fdf040>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/_manylinux.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/_manylinux.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/_manylinux.cpython-310.pyc'
import 'pip._vendor.packaging._manylinux' # <_frozen_importlib_external.SourceFileLoader
object at 0x102fdf3a0>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/_musllinux.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/_musllinux.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/_musllinux.cpython-310.pyc'
import 'pip._vendor.packaging._musllinux' # <_frozen_importlib_external.SourceFileLoader
object at 0x102fdcf70>

import 'pip._vendor.packaging.tags' # <_frozen_importlib_external.SourceFileLoader object at
0x102f8f9d0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/version.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/version.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/version.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/_structures.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/_structures.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/_structures.cpython-310.pyc'

import 'pip._vendor.packaging._structures' # <_frozen_importlib_external.SourceFileLoader
object at 0x103020d30>

import 'pip._vendor.packaging.version' # <_frozen_importlib_external.SourceFileLoader object at
0x103020100>

import 'pip._vendor.packaging.utils' # <_frozen_importlib_external.SourceFileLoader object at
0x102f8f3a0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/parser.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/parser.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/parser.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/shutil.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/shutil.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/shutil.cpython-310.pyc'
# extension module 'zlib' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/zlib.cpython-310-darwin.so'
# extension module 'zlib' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/zlib.cpython-310-darwin.so'
import 'zlib' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103051420>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/bz2.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/bz2.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/bz2.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_compression.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_compression.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_compression.cpython-310.pyc'
import '_compression' # <_frozen_importlib_external.SourceFileLoader object at 0x103051d50>
# extension module '_bz2' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bz2.cpython-310-darwin.so'
# extension module '_bz2' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bz2.cpython-310-darwin.so'
import '_bz2' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103052260>
import 'bz2' # <_frozen_importlib_external.SourceFileLoader object at 0x103051540>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/lzma.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/lzma.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/lzma.cpython-310.pyc'
# extension module '_lzma' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_lzma.cpython-310-darwin.so'
# extension module '_lzma' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_lzma.cpython-310-darwin.so'
import '_lzma' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103052920>
import 'lzma' # <_frozen_importlib_external.SourceFileLoader object at 0x1030522c0>
import 'shutil' # <_frozen_importlib_external.SourceFileLoader object at 0x103050640>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/cli/__pycache__/status_codes.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/status_codes.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/cli/__pycache__/status_codes.cpython-310.pyc'  
import 'pip._internal.cli.status_codes' # <_frozen_importlib_external.SourceFileLoader object at  
0x103053370>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/configuration.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/configuration.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/__pycache__/configuration.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/configparser.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/configparser.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/configparser.cpython-310.pyc'  
import 'configparser' # <_frozen_importlib_external.SourceFileLoader object at 0x1030535e0>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/exceptions.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/exceptions.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/__pycache__/exceptions.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__init__.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/exceptions.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/exceptions.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/exceptions.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.urllib3.packages' # <_frozen_importlib_external.SourceFileLoader object at 0x10308f070>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/__pycache__/six.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/six.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/__pycache__/six.cpython-310.pyc'
import 'pip._vendor.urllib3.packages.six' # <_frozen_importlib_external.SourceFileLoader object at 0x10308f130>
import 'pip._vendor.urllib3.packages.six.moves' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x103304460>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/http/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/http/__init__.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/__init__.cpython-310.pyc'
import 'http' # <_frozen_importlib_external.SourceFileLoader object at 0x10308f9d0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__pycache__/client.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/client.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/client.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/__init__.cpython-310.pyc'
import 'email' # <_frozen_importlib_external.SourceFileLoader object at 0x1033213f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/parser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/parser.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/parser.cpython-310.pyc'
```

```
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/__pycache__/feedparser.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/feedparser.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/email/__pycache__/feedparser.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/__pycache__/errors.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/errors.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/email/__pycache__/errors.cpython-310.pyc'  
import 'email.errors' # <_frozen_importlib_external.SourceFileLoader object at 0x103321ff0>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/__pycache__/_policybase.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/_policybase.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/email/__pycache__/_policybase.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/__pycache__/header.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/header.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/header.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/quoprimime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/quoprimime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/quoprimime.cpython-310.pyc'
import 'email.quoprimime' # <_frozen_importlib_external.SourceFileLoader object at
0x103323b20>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/base64mime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/base64mime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/base64mime.cpython-310.pyc'
import 'email.base64mime' # <_frozen_importlib_external.SourceFileLoader object at
0x103323fa0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/charset.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/charset.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/charset.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/encoders.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/encoders.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/encoders.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/quopri.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/quopri.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/quopri.cpython-310.pyc'
import 'quopri' # <_frozen_importlib_external.SourceFileLoader object at 0x103360af0>
import 'email.encoders' # <_frozen_importlib_external.SourceFileLoader object at
0x103360760>
import 'email.charset' # <_frozen_importlib_external.SourceFileLoader object at 0x103360280>
import 'email.header' # <_frozen_importlib_external.SourceFileLoader object at 0x1033233a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/utils.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/utils.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/utils.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/random.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/random.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/random.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/bisect.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/bisect.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/bisect.cpython-310.pyc'
# extension module '_bisect' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bisect.cpython-310-darwin.so'
# extension module '_bisect' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bisect.cpython-310-darwin.so'
import '_bisect' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103362110>
import 'bisect' # <_frozen_importlib_external.SourceFileLoader object at 0x103361f00>
# extension module '_random' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_random.cpython-310-darwin.so'
```

```
# extension module '_random' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_random.cpython-310-darwin.so'
import '_random' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1033620e0>
# extension module '_sha512' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_sha512.cpython-310-darwin.so'
# extension module '_sha512' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_sha512.cpython-310-darwin.so'
import '_sha512' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103362170>
import 'random' # <_frozen_importlib_external.SourceFileLoader object at 0x103361330>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/datetime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/datetime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/datetime.cpython-310.pyc'
# extension module '_datetime' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_datetime.cpython-310-darwin.so'
# extension module '_datetime' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_datetime.cpython-310-darwin.so'
import '_datetime' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1033a0790>
import 'datetime' # <_frozen_importlib_external.SourceFileLoader object at 0x1033622c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/urllib/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/urllib/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/__init__.cpython-310.pyc'
import 'urllib' # <_frozen_importlib_external.SourceFileLoader object at 0x1033623e0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/urllib/__pycache__/parse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/urllib/parse.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/parse.cpython-310.pyc'
import 'urllib.parse' # <_frozen_importlib_external.SourceFileLoader object at 0x1033622f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/__pycache__/_parseaddr.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/_parseaddr.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/_parseaddr.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/calendar.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/calendar.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/calendar.cpython-310.pyc'
import 'calendar' # <_frozen_importlib_external.SourceFileLoader object at 0x1033a28c0>
import 'email._parseaddr' # <_frozen_importlib_external.SourceFileLoader object at
0x1033a2e60>
import 'email.utils' # <_frozen_importlib_external.SourceFileLoader object at 0x103360580>
import 'email._policybase' # <_frozen_importlib_external.SourceFileLoader object at
0x1033229b0>
import 'email.feedparser' # <_frozen_importlib_external.SourceFileLoader object at
0x103321960>
import 'email.parser' # <_frozen_importlib_external.SourceFileLoader object at 0x103321510>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/message.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/message.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/message.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/uu.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/uu.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/uu.cpython-310.pyc'
import 'uu' # <_frozen_importlib_external.SourceFileLoader object at 0x103430bb0>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/_encoded_words.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/_encoded_words.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/_encoded_words.cpython-310.pyc'
import 'email._encoded_words' # <_frozen_importlib_external.SourceFileLoader object at 0x103430df0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/iterators.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/iterators.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/iterators.cpython-310.pyc'
import 'email.iterators' # <_frozen_importlib_external.SourceFileLoader object at 0x103431240>
import 'email.message' # <_frozen_importlib_external.SourceFileLoader object at 0x103321e10>
import 'http.client' # <_frozen_importlib_external.SourceFileLoader object at 0x10308f460>
import 'pip._vendor.urllib3.packages.six.moves.http_client' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x103304460>
import 'pip._vendor.urllib3.exceptions' # <_frozen_importlib_external.SourceFileLoader object at 0x10308e6b0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/_version.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/_version.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/_version.cpython-310.pyc'  
import 'pip._vendor.urllib3._version' # <_frozen_importlib_external.SourceFileLoader object at  
0x10308e950>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connectionpool.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/connectionpool.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connectionpool.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connection.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/connection.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connection.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/connection.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/connection.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/connection.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/contrib/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/__init__.cpython-310.pyc'
```



```
import 'pip._vendor.urllib3.contrib' # <_frozen_importlib_external.SourceFileLoader object at
0x103433370>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/contrib/__pycache__/_appengine_environ.cpython-310.pyc
matches /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/contrib/_appengine_environ.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/contrib/__pycache__/_appengine_environ.cpython-310.pyc'
import 'pip._vendor.urllib3.contrib._appengine_environ' #
<_frozen_importlib_external.SourceFileLoader object at 0x103433520>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/wait.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/wait.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/wait.cpython-310.pyc'
import 'pip._vendor.urllib3.util.wait' # <_frozen_importlib_external.SourceFileLoader object at
0x1034336a0>
import 'pip._vendor.urllib3.util.connection' # <_frozen_importlib_external.SourceFileLoader
object at 0x103433070>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/request.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/request.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/request.cpython-310.pyc'
import 'pip._vendor.urllib3.util.request' # <_frozen_importlib_external.SourceFileLoader object at
0x1034339a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/response.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/response.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/response.cpython-310.pyc'
```

```
import 'pip._vendor.urllib3.util.response' # <_frozen_importlib_external.SourceFileLoader object
at 0x103433a30>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/retry.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/retry.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/retry.cpython-310.pyc'
import 'pip._vendor.urllib3.util.retry' # <_frozen_importlib_external.SourceFileLoader object at
0x103433af0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/ssl_.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/ssl_.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/ssl_.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/hmac.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/hmac.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/hmac.cpython-310.pyc'
# extension module '_hashlib' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_hashlib.cpython-310-darwin.so'
# extension module '_hashlib' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_hashlib.cpython-310-darwin.so'
import '_hashlib' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1034691b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/hashlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/hashlib.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/hashlib.cpython-310.pyc'
# extension module '_blake2' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_blake2.cpython-310-darwin.so'
# extension module '_blake2' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_blake2.cpython-310-darwin.so'
import '_blake2' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103469a80>
import 'hashlib' # <_frozen_importlib_external.SourceFileLoader object at 0x103469660>
import 'hmac' # <_frozen_importlib_external.SourceFileLoader object at 0x103468b50>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/url.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/url.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/url.cpython-310.pyc'
import 'pip._vendor.urllib3.util.url' # <_frozen_importlib_external.SourceFileLoader object at
0x103469780>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/ssltransport.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/ssltransport.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/ssltransport.cpython-310.pyc'
import 'pip._vendor.urllib3.util.ssltransport' # <_frozen_importlib_external.SourceFileLoader
object at 0x10346aec0>
import 'pip._vendor.urllib3.util.ssl_' # <_frozen_importlib_external.SourceFileLoader object at
0x103468700>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/timeout.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/timeout.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/timeout.cpython-310.pyc'
import 'pip._vendor.urllib3.util.timeout' # <_frozen_importlib_external.SourceFileLoader object at
0x103468250>
import 'pip._vendor.urllib3.util' # <_frozen_importlib_external.SourceFileLoader object at
0x103432da0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/proxy.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/proxy.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/proxy.cpython-310.pyc'
import 'pip._vendor.urllib3.util.proxy' # <_frozen_importlib_external.SourceFileLoader object at
0x103432dd0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/_collections.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/_collections.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/_collections.cpython-310.pyc'
import 'pip._vendor.urllib3._collections' # <_frozen_importlib_external.SourceFileLoader object at
0x10346a860>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/ssl_match_hostname.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/ssl_match_hostname.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/ssl_match_hostname.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/ipaddress.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/ipaddress.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/ipaddress.cpython-310.pyc'
import 'ipaddress' # <_frozen_importlib_external.SourceFileLoader object at 0x10346b310>
import 'pip._vendor.urllib3.util.ssl_match_hostname' #
<_frozen_importlib_external.SourceFileLoader object at 0x10346b130>
import 'pip._vendor.urllib3.connection' # <_frozen_importlib_external.SourceFileLoader object at
0x1034324a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/queue.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/queue.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/queue.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/heapq.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/heapq.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/heapq.cpython-310.pyc'
# extension module '_heapq' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_heapq.cpython-310-darwin.so'
```

```
# extension module '_heapq' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_heapq.cpython-310-darwin.so'
import '_heapq' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1034d0130>
import 'heapq' # <_frozen_importlib_external.SourceFileLoader object at 0x1034b7be0>
# extension module '_queue' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_queue.cpython-310-darwin.so'
# extension module '_queue' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_queue.cpython-310-darwin.so'
import '_queue' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1034b7f10>
import 'queue' # <_frozen_importlib_external.SourceFileLoader object at 0x103432b00>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/request.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/request.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/request.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/filepost.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/filepost.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/filepost.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/fields.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/fields.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/fields.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/mimetypes.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/mimetypes.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/mimetypes.cpython-310.pyc'
import 'mimetypes' # <_frozen_importlib_external.SourceFileLoader object at 0x1034d0b80>
import 'pip._vendor.urllib3.fields' # <_frozen_importlib_external.SourceFileLoader object at
0x1034d05e0>
import 'pip._vendor.urllib3.filepost' # <_frozen_importlib_external.SourceFileLoader object at
0x1034d0250>
import 'pip._vendor.urllib3.packages.six.moves.urllib' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x103304460>
import 'pip._vendor.urllib3.packages.six.moves.urllib.parse' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x103304460>
import 'pip._vendor.urllib3.request' # <_frozen_importlib_external.SourceFileLoader object at
0x1034b7c70>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/response.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/response.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/response.cpython-310.pyc'
import 'pip._vendor.urllib3.response' # <_frozen_importlib_external.SourceFileLoader object at
0x1034d09a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/queue.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/queue.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/queue.cpython-310.pyc'
import 'pip._vendor.urllib3.util.queue' # <_frozen_importlib_external.SourceFileLoader object at
0x1034d18a0>
import 'pip._vendor.urllib3.connectionpool' # <_frozen_importlib_external.SourceFileLoader
object at 0x10308ea70>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/poolmanager.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/poolmanager.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/poolmanager.cpython-310.pyc'  
import 'pip._vendor.urllib3.poolmanager' # <_frozen_importlib_external.SourceFileLoader object  
at 0x1034d1a50>  
  
import 'pip._vendor.urllib3' # <_frozen_importlib_external.SourceFileLoader object at  
0x10308e1a0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/exceptions.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/exceptions.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/exceptions.cpython-310.pyc'  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/compat.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/compat.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/compat.cpython-310.pyc'  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/__init__.cpython-310.pyc'  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/enums.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/enums.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/enums.cpython-310.pyc'
```



```
import 'pip._vendor.chardet.enums' # <_frozen_importlib_external.SourceFileLoader object at
0x1034d30d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/universaldetector.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/universaldetector.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/universaldetector.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetgroupprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/charsetgroupprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetgroupprober.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/charsetprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetprober.cpython-310.pyc'
import 'pip._vendor.chardet.charsetprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x1034d2470>
import 'pip._vendor.chardet.charsetgroupprober' #
<_frozen_importlib_external.SourceFileLoader object at 0x1034d2890>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/escprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/escprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/escprober.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/codingstatemachine.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/codingstatemachine.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/codingstatemachine.cpython-310.pyc'  
import 'pip._vendor.chardet.codingstatemachine' #  
<_frozen_importlib_external.SourceFileLoader object at 0x10350c460>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/escsm.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/escsm.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/escsm.cpython-310.pyc'  
import 'pip._vendor.chardet.escsm' # <_frozen_importlib_external.SourceFileLoader object at  
0x10350c790>  
import 'pip._vendor.chardet.escprober' # <_frozen_importlib_external.SourceFileLoader object at  
0x10350c100>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/latin1prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/latin1prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/latin1prober.cpython-310.pyc'  
import 'pip._vendor.chardet.latin1prober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x10350c7c0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/mbcsgroupprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/mbcsgroupprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/mbcsgroupprober.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/big5prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/big5prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/big5prober.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/chardistribution.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/chardistribution.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/chardistribution.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/big5freq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/big5freq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/big5freq.cpython-310.pyc'
import 'pip._vendor.chardet.big5freq' # <_frozen_importlib_external.SourceFileLoader object at
0x10350d5d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euckrfreq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euckrfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euckrfreq.cpython-310.pyc'
import 'pip._vendor.chardet.euckrfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x10350d690>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euctwfreq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euctwfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euctwfreq.cpython-310.pyc'
import 'pip._vendor.chardet.euctwfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x10350d720>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/gb2312freq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/gb2312freq.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/gb2312freq.cpython-310.pyc'
import 'pip._vendor.chardet.gb2312freq' # <_frozen_importlib_external.SourceFileLoader object
at 0x10350d7b0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/__pycache__/jisfreq.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/jisfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/jisfreq.cpython-310.pyc'
import 'pip._vendor.chardet.jisfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x10350d840>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/johabfreq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/johabfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/johabfreq.cpython-310.pyc'
import 'pip._vendor.chardet.johabfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x10350d8d0>
import 'pip._vendor.chardet.chardistribution' # <_frozen_importlib_external.SourceFileLoader
object at 0x10350d180>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/mbcharsetprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/mbcharsetprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/mbcharsetprober.cpython-310.pyc'
import 'pip._vendor.chardet.mbcharsetprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x10350dc30>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/mbcssm.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/mbcssm.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/mbcssm.cpython-310.pyc'  
import 'pip._vendor.chardet.mbcsm' # <_frozen_importlib_external.SourceFileLoader object at  
0x10350dff0>  
  
import 'pip._vendor.chardet.big5prober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x10350cdf0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/cp949prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/cp949prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/cp949prober.cpython-310.pyc'  
import 'pip._vendor.chardet.cp949prober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x10350df90>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/eucjpprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/eucjpprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/eucjpprober.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/__pycache__/jpcntx.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/jpcntx.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/jpcntx.cpython-310.pyc'  
import 'pip._vendor.chardet.jpcntx' # <_frozen_importlib_external.SourceFileLoader object at  
0x10350e530>  
  
import 'pip._vendor.chardet.eucjpprober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x10350e200>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/euckrprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euckrprober.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/euckrprober.cpython-310.pyc'  
import 'pip._vendor.chardet.euckrprober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x10350e950>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/euctwprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euctwprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/euctwprober.cpython-310.pyc'  
import 'pip._vendor.chardet.euctwprober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x10350eb60>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/gb2312prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/gb2312prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/gb2312prober.cpython-310.pyc'  
import 'pip._vendor.chardet.gb2312prober' # <_frozen_importlib_external.SourceFileLoader  
object at 0x10350eda0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/johabprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/johabprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/johabprober.cpython-310.pyc'  
import 'pip._vendor.chardet.johabprober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x10350efe0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/sjisprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/sjisprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/sjisprober.cpython-310.pyc'
```

```
import 'pip._vendor.chardet.sjisprober' # <_frozen_importlib_external.SourceFileLoader object at
0x10350f220>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/utf8prober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/utf8prober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/utf8prober.cpython-310.pyc'
import 'pip._vendor.chardet.utf8prober' # <_frozen_importlib_external.SourceFileLoader object
at 0x10350f580>
import 'pip._vendor.chardet.mbcsgroupprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x10350ca60>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/sbcsgroupprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/sbcsgroupprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/sbcsgroupprober.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/hebrewprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/hebrewprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/hebrewprober.cpython-310.pyc'
import 'pip._vendor.chardet.hebrewprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x10350f8b0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/langbulgarianmodel.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langbulgarianmodel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/langbulgarianmodel.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/sbcharsetprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/sbcharsetprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/sbcharsetprober.cpython-310.pyc'  
import 'pip._vendor.chardet.sbcharsetprober' # <_frozen_importlib_external.SourceFileLoader  
object at 0x10350fc70>  
import 'pip._vendor.chardet.langbulgarianmodel' #  
<_frozen_importlib_external.SourceFileLoader object at 0x10350fb50>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langgreekmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langgreekmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langgreekmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langgreekmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1035e8be0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langhebrewmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langhebrewmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langhebrewmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langhebrewmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1035e8b50>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langrussianmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langrussianmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langrussianmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langrussianmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1035e8ac0>
```



```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langthaimodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langthaimodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langthaimodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langthaimodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1033a0280>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langturkishmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langturkishmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langturkishmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langturkishmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1033a0040>  
  
import 'pip._vendor.chardet.sbcsgroupprober' # <_frozen_importlib_external.SourceFileLoader  
object at 0x10350f760>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/utf1632prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/utf1632prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/utf1632prober.cpython-310.pyc'  
import 'pip._vendor.chardet.utf1632prober' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1033a0070>  
  
import 'pip._vendor.chardet.universaldetector' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1034d2d40>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/version.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/version.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/version.cpython-310.pyc'
```

```
import 'pip._vendor.chardet.version' # <_frozen_importlib_external.SourceFileLoader object at 0x103363670>
```

```
import 'pip._vendor.chardet' # <_frozen_importlib_external.SourceFileLoader object at 0x1034d33a0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/__init__.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/__init__.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/decoder.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/decoder.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/decoder.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/scanner.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/scanner.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/scanner.cpython-310.pyc'
```

```
# extension module '_json' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_json.cpython-310-darwin.so'
# extension module '_json' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_json.cpython-310-darwin.so'
import '_json' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1033634f0>
import 'json.scanner' # <_frozen_importlib_external.SourceFileLoader object at 0x103363430>
import 'json.decoder' # <_frozen_importlib_external.SourceFileLoader object at 0x103363a00>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/__pycache__/encoder.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/encoder.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/json/__pycache__/encoder.cpython-310.pyc'
import 'json.encoder' # <_frozen_importlib_external.SourceFileLoader object at 0x103363940>
import 'json' # <_frozen_importlib_external.SourceFileLoader object at 0x1034d2a10>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__pycache__/cookiejar.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/cookiejar.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/cookiejar.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/copy.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/copy.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/copy.cpython-310.pyc'
import 'copy' # <_frozen_importlib_external.SourceFileLoader object at 0x1035e88b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/request.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/request.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/request.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/tempfile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/tempfile.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/tempfile.cpython-310.pyc'
import 'tempfile' # <_frozen_importlib_external.SourceFileLoader object at 0x1035ea320>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/error.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/error.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/error.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/response.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/response.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/response.cpython-310.pyc'
import 'urllib.response' # <_frozen_importlib_external.SourceFileLoader object at 0x1035eb700>
import 'urllib.error' # <_frozen_importlib_external.SourceFileLoader object at 0x1035eb2e0>
# extension module '_scproxy' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_scproxy.cpython-310-darwin.so'
# extension module '_scproxy' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_scproxy.cpython-310-darwin.so'
import '_scproxy' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103668250>
import 'urllib.request' # <_frozen_importlib_external.SourceFileLoader object at 0x1035e85b0>
import 'http.cookiejar' # <_frozen_importlib_external.SourceFileLoader object at 0x103363130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__pycache__/cookies.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/cookies.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/cookies.cpython-310.pyc'
```

```
import 'http.cookies' # <_frozen_importlib_external.SourceFileLoader object at 0x1035e93c0>
import 'pip._vendor.requests.compat' # <_frozen_importlib_external.SourceFileLoader object at
0x1034d3970>
import 'pip._vendor.requests.exceptions' # <_frozen_importlib_external.SourceFileLoader object
at 0x1034d36d0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/compat.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/compat.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/compat.cpython-310.pyc'
import 'pip._internal.utils.compat' # <_frozen_importlib_external.SourceFileLoader object at
0x103668eb0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/packages.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/packages.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/packages.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/package_data.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/package_data.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/package_data.cpython-310.pyc'
import 'pip._vendor.idna.package_data' # <_frozen_importlib_external.SourceFileLoader object
at 0x103668e80>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/core.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/core.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/idna/__pycache__/core.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/idnadata.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/idnadata.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/idna/__pycache__/idnadata.cpython-310.pyc'  
import 'pip._vendor.idna.idnadata' # <_frozen_importlib_external.SourceFileLoader object at  
0x1036695a0>  
  
# extension module 'unicodedata' loaded from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/unicodedata.cpython-310-darwin.so'  
# extension module 'unicodedata' executed from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/unicodedata.cpython-310-darwin.so'  
import 'unicodedata' # <_frozen_importlib_external.ExtensionFileLoader object at  
0x103669660>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/intranges.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/intranges.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/idna/__pycache__/intranges.cpython-310.pyc'  
import 'pip._vendor.idna.intranges' # <_frozen_importlib_external.SourceFileLoader object at  
0x103669720>  
  
import 'pip._vendor.idna.core' # <_frozen_importlib_external.SourceFileLoader object at  
0x103668f40>  
  
import 'pip._vendor.idna' # <_frozen_importlib_external.SourceFileLoader object at  
0x103668b50>  
  
import 'pip._vendor.requests.packages' # <_frozen_importlib_external.SourceFileLoader object  
at 0x103668df0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/utils.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/utils.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/utils.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/zipfile.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/zipfile.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/zipfile.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/pathlib.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/pathlib.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/pathlib.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/ntpath.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/ntpath.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/ntpath.cpython-310.pyc'  
import 'ntpath' # <_frozen_importlib_external.SourceFileLoader object at 0x1036c5840>  
import 'pathlib' # <_frozen_importlib_external.SourceFileLoader object at 0x10366bb50>  
import 'zipfile' # <_frozen_importlib_external.SourceFileLoader object at 0x10366a0e0>
```



```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/certs.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/certs.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/certs.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/core.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/core.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/core.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/resources.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/resources.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/resources.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_common.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/_common.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_common.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/importlib/__pycache__/abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/abc.cpython-310.pyc'
import 'importlib.abc' # <_frozen_importlib_external.SourceFileLoader object at 0x1036c7b50>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/__pycache__/_adapters.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/_adapters.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/_adapters.cpython-310.pyc'
import 'importlib._adapters' # <_frozen_importlib_external.SourceFileLoader object at
0x1037007f0>
import 'importlib._common' # <_frozen_importlib_external.SourceFileLoader object at
0x1036c7640>
import 'importlib.resources' # <_frozen_importlib_external.SourceFileLoader object at
0x1036c6f50>
import 'pip._vendor.certifi.core' # <_frozen_importlib_external.SourceFileLoader object at
0x1036c6b60>
import 'pip._vendor.certifi' # <_frozen_importlib_external.SourceFileLoader object at
0x1036c6920>
import 'pip._vendor.requests.certs' # <_frozen_importlib_external.SourceFileLoader object at
0x10366a950>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/__version__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__version__.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__version__.cpython-310.pyc'  
import 'pip._vendor.requests.__version__' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1036c6830>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__internal_utils.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/_internal_utils.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__internal_utils.cpython-310.pyc'  
import 'pip._vendor.requests._internal_utils' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1036c6b30>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/cookies.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/cookies.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/cookies.cpython-310.pyc'  
import 'pip._vendor.requests.cookies' # <_frozen_importlib_external.SourceFileLoader object at  
0x1036c6d70>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/structures.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/structures.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/structures.cpython-310.pyc'  
import 'pip._vendor.requests.structures' # <_frozen_importlib_external.SourceFileLoader object  
at 0x103701ba0>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/importlib/__pycache__/readers.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/importlib/readers.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/readers.cpython-310.pyc'
import 'importlib.readers' # <_frozen_importlib_external.SourceFileLoader object at
0x103702110>
import 'pip._vendor.requests.utils' # <_frozen_importlib_external.SourceFileLoader object at
0x103668be0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/api.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/api.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/api.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/sessions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/sessions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/sessions.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/adapters.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/adapters.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/adapters.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/auth.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/auth.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/auth.cpython-310.pyc'
import 'pip._vendor.requests.auth' # <_frozen_importlib_external.SourceFileLoader object at
0x103703d90>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/models.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/models.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/models.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/idna.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/idna.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/idna.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/stringprep.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/stringprep.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/stringprep.cpython-310.pyc'
import 'stringprep' # <_frozen_importlib_external.SourceFileLoader object at 0x103735390>
import 'encodings.idna' # <_frozen_importlib_external.SourceFileLoader object at
0x103735000>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/hooks.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/hooks.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/hooks.cpython-310.pyc'
import 'pip._vendor.requests.hooks' # <_frozen_importlib_external.SourceFileLoader object at
0x1037356f0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/status_codes.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/status_codes.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/status_codes.cpython-310.pyc'  
import 'pip._vendor.requests.status_codes' # <_frozen_importlib_external.SourceFileLoader  
object at 0x103735840>  
import 'pip._vendor.requests.models' # <_frozen_importlib_external.SourceFileLoader object at  
0x103734340>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/socks.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/contrib/socks.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/socks.cpython-310.pyc'  
# destroy pip._vendor.urllib3.contrib.socks  
import 'pip._vendor.requests.adapters' # <_frozen_importlib_external.SourceFileLoader object at  
0x103703430>  
import 'pip._vendor.requests.sessions' # <_frozen_importlib_external.SourceFileLoader object at  
0x103702b30>  
import 'pip._vendor.requests.api' # <_frozen_importlib_external.SourceFileLoader object at  
0x1037028c0>  
import 'pip._vendor.requests' # <_frozen_importlib_external.SourceFileLoader object at  
0x10308de40>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/__init__.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/__extension__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__extension__.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/_pycache__/_extension.cpython-310.pyc'
import 'pip._vendor.rich._extension' # <_frozen_importlib_external.SourceFileLoader object at
0x103736050>
import 'pip._vendor.rich' # <_frozen_importlib_external.SourceFileLoader object at
0x1037032b0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_pycache__/console.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/console.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/_pycache__/console.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_pycache__/inspect.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/inspect.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/_pycache__/inspect.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_pycache__/ast.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/ast.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/_pycache__/ast.cpython-310.pyc'
import '_ast' # <class '_frozen_importlib.BuiltinImporter'>
import 'ast' # <_frozen_importlib_external.SourceFileLoader object at 0x10378e440>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
ython3.10/__pycache__/dis.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/dis.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/dis.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/opcode.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/opcode.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/opcode.cpython-310.pyc'
# extension module '_opcode' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_opcode.cpython-310-darwin.so'
# extension module '_opcode' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_opcode.cpython-310-darwin.so'
import '_opcode' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1037d1120>
import 'opcode' # <_frozen_importlib_external.SourceFileLoader object at 0x1037d0eb0>
import 'dis' # <_frozen_importlib_external.SourceFileLoader object at 0x10378ebf0>
import 'inspect' # <_frozen_importlib_external.SourceFileLoader object at 0x10378c130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/dataclasses.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/dataclasses.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/dataclasses.cpython-310.pyc'
import 'dataclasses' # <_frozen_importlib_external.SourceFileLoader object at 0x10378d9c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/getpass.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/getpass.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/getpass.cpython-310.pyc'
# extension module 'termios' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/termios.cpython-310-darwin.so'
# extension module 'termios' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/termios.cpython-310-darwin.so'
import 'termios' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103808ca0>
import 'getpass' # <_frozen_importlib_external.SourceFileLoader object at 0x1037d3a30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/html/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/html/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/html/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/html/__pycache__/entities.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/html/entities.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/html/__pycache__/entities.cpython-310.pyc'
import 'html.entities' # <_frozen_importlib_external.SourceFileLoader object at 0x103808f40>
import 'html' # <_frozen_importlib_external.SourceFileLoader object at 0x103808c70>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/errors.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/errors.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/errors.cpython-310.pyc'
import 'pip._vendor.rich.errors' # <_frozen_importlib_external.SourceFileLoader object at
0x103808f70>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/themes.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/themes.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/themes.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/default_styles.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/default_styles.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/default_styles.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/style.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/style.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/style.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/color.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/color.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/color.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/colorsys.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/colorsys.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/colorsys.cpython-310.pyc'
import 'colorsys' # <_frozen_importlib_external.SourceFileLoader object at 0x10380ad70>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_palettes.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_palettes.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_palettes.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/palette.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/palette.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/palette.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/color_triplet.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/color_triplet.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/color_triplet.cpython-310.pyc'
import 'pip._vendor.rich.color_triplet' # <_frozen_importlib_external.SourceFileLoader object at
0x10380b580>
import 'pip._vendor.rich.palette' # <_frozen_importlib_external.SourceFileLoader object at
0x10380b040>
import 'pip._vendor.rich._palettes' # <_frozen_importlib_external.SourceFileLoader object at
0x10380aef0>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/repr.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/repr.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/repr.cpython-310.pyc'
import 'pip._vendor.rich.repr' # <_frozen_importlib_external.SourceFileLoader object at 0x10380bdf0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/terminal_theme.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/terminal_theme.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/terminal_theme.cpython-310.pyc'
import 'pip._vendor.rich.terminal_theme' # <_frozen_importlib_external.SourceFileLoader object at 0x10380bd90>

import 'pip._vendor.rich.color' # <_frozen_importlib_external.SourceFileLoader object at 0x10380a3e0>

import 'pip._vendor.rich.style' # <_frozen_importlib_external.SourceFileLoader object at 0x103809750>

import 'pip._vendor.rich.default_styles' # <_frozen_importlib_external.SourceFileLoader object at 0x103809300>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/theme.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/theme.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/theme.cpython-310.pyc'
import 'pip._vendor.rich.theme' # <_frozen_importlib_external.SourceFileLoader object at 0x1039d56c0>

import 'pip._vendor.rich.themes' # <_frozen_importlib_external.SourceFileLoader object at 0x1038090f0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_emoji_replace.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_emoji_replace.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_emoji_replace.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_emoji_codes.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_emoji_codes.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_emoji_codes.cpython-310.pyc'
import 'pip._vendor.rich._emoji_codes' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d5a80>
import 'pip._vendor.rich._emoji_replace' # <_frozen_importlib_external.SourceFileLoader object
at 0x1039d5930>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_export_format.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_export_format.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_export_format.cpython-310.pyc'
import 'pip._vendor.rich._export_format' # <_frozen_importlib_external.SourceFileLoader object
at 0x1039d5cc0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_log_render.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_log_render.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_log_render.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_text.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_text.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_text.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_loop.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_loop.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_loop.cpython-310.pyc'
import 'pip._vendor.rich._loop' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d6dd0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_pick.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_pick.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_pick.cpython-310.pyc'
import 'pip._vendor.rich._pick' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d7160>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_wrap.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_wrap.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_wrap.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/cells.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/cells.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/cells.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_cell_widths.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_cell_widths.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_cell_widths.cpython-310.pyc'
import 'pip._vendor.rich._cell_widths' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d7910>
import 'pip._vendor.rich.cells' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d7460>
import 'pip._vendor.rich._wrap' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d7280>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/align.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/align.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/align.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/constrain.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/constrain.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/constrain.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/jupyter.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/jupyter.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/jupyter.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/segment.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/segment.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/segment.cpython-310.pyc'
import 'pip._vendor.rich.segment' # <_frozen_importlib_external.SourceFileLoader object at 0x103a8c670>
import 'pip._vendor.rich.jupyter' # <_frozen_importlib_external.SourceFileLoader object at 0x103a8c1f0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/measure.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/measure.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/measure.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/protocol.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/protocol.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/protocol.cpython-310.pyc'
import 'pip._vendor.rich.protocol' # <_frozen_importlib_external.SourceFileLoader object at 0x103a8e260>
```

```
import 'pip._vendor.rich.measure' # <_frozen_importlib_external.SourceFileLoader object at
0x103a8e560>
import 'pip._vendor.rich.constrain' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d7ee0>
import 'pip._vendor.rich.align' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d7b50>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/containers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/containers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/containers.cpython-310.pyc'
import 'pip._vendor.rich.containers' # <_frozen_importlib_external.SourceFileLoader object at
0x103a8ed40>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/control.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/control.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/control.cpython-310.pyc'
import 'pip._vendor.rich.control' # <_frozen_importlib_external.SourceFileLoader object at
0x103a8f3a0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/emoji.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/emoji.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/emoji.cpython-310.pyc'
import 'pip._vendor.rich.emoji' # <_frozen_importlib_external.SourceFileLoader object at
0x103a8fee0>
import 'pip._vendor.rich.text' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d5db0>
import 'pip._vendor.rich._log_render' # <_frozen_importlib_external.SourceFileLoader object at
0x1039d5ab0>
```



```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/highlighter.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/highlighter.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/highlighter.cpython-310.pyc'  
import 'pip._vendor.rich.highlighter' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ac4fd0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/markup.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/markup.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/markup.cpython-310.pyc'  
import 'pip._vendor.rich.markup' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ac5210>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/pager.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/pager.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/pager.cpython-310.pyc'  
import 'pip._vendor.rich.pager' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ac5ae0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/pretty.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/pretty.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/pretty.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/abc.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/abc.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/abc.cpython-310.pyc'  
import 'pip._vendor.rich.abc' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ac6650>
```

```
import 'pip._vendor.rich.pretty' # <_frozen_importlib_external.SourceFileLoader object at
0x103ac5870>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/region.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/region.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/region.cpython-310.pyc'
import 'pip._vendor.rich.region' # <_frozen_importlib_external.SourceFileLoader object at
0x103ac7640>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/scope.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/scope.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/scope.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/panel.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/panel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/panel.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/box.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/box.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/box.cpython-310.pyc'
import 'pip._vendor.rich.box' # <_frozen_importlib_external.SourceFileLoader object at
0x103ac72e0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/padding.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/padding.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/padding.cpython-310.pyc'
import 'pip._vendor.rich.padding' # <_frozen_importlib_external.SourceFileLoader object at
0x103b0c610>
import 'pip._vendor.rich.panel' # <_frozen_importlib_external.SourceFileLoader object at
0x103ac78e0>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/table.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/table.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/table.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_ratio.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_ratio.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_ratio.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/fractions.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/fractions.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/fractions.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/decimal.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/decimal.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/decimal.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/numbers.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/numbers.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/numbers.cpython-310.pyc'
import 'numbers' # <_frozen_importlib_external.SourceFileLoader object at 0x103b0e800>
# extension module '_decimal' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_decimal.cpython-310-darwin.so'
# extension module '_decimal' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_decimal.cpython-310-darwin.so'
import '_decimal' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103b0e590>
import 'decimal' # <_frozen_importlib_external.SourceFileLoader object at 0x103b0e380>
import 'fractions' # <_frozen_importlib_external.SourceFileLoader object at 0x103b0d960>
import 'pip._vendor.rich._ratio' # <_frozen_importlib_external.SourceFileLoader object at
0x103b0d4e0>
import 'pip._vendor.rich.table' # <_frozen_importlib_external.SourceFileLoader object at
0x103b0c880>
import 'pip._vendor.rich.scope' # <_frozen_importlib_external.SourceFileLoader object at
0x103ac7c40>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/screen.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/screen.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/screen.cpython-310.pyc'
import 'pip._vendor.rich.screen' # <_frozen_importlib_external.SourceFileLoader object at
0x103ac7520>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/styled.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/styled.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/styled.cpython-310.pyc'
```

```
import 'pip._vendor.rich.styled' # <_frozen_importlib_external.SourceFileLoader object at
0x103b4aa70>
import 'pip._vendor.rich.console' # <_frozen_importlib_external.SourceFileLoader object at
0x1037361a0>
import 'pip._internal.exceptions' # <_frozen_importlib_external.SourceFileLoader object at
0x103053a90>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/appdirs.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/appdirs.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/appdirs.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/api.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/api.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/api.cpython-310.pyc'
import 'pip._vendor.platformdirs.api' # <_frozen_importlib_external.SourceFileLoader object at
0x103b4ad10>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/version.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/version.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/version.cpython-310.pyc'
import 'pip._vendor.platformdirs.version' # <_frozen_importlib_external.SourceFileLoader object
at 0x103b4b0d0>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/macos.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/macos.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/macos.cpython-310.pyc'
import 'pip._vendor.platformdirs.macos' # <_frozen_importlib_external.SourceFileLoader object
at 0x103b4b1c0>

import 'pip._vendor.platformdirs' # <_frozen_importlib_external.SourceFileLoader object at
0x103b48c40>

import 'pip._internal.utils.appdirs' # <_frozen_importlib_external.SourceFileLoader object at
0x10308d990>

# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/logging.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/logging.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/logging.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/__pycache__/handlers.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/handlers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/logging/__pycache__/handlers.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/pickle.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/pickle.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/pickle.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_compat_pickle.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_compat_pickle.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_compat_pickle.cpython-310.pyc'
import '_compat_pickle' # <_frozen_importlib_external.SourceFileLoader object at 0x103c56bf0>
# extension module '_pickle' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_pickle.cpython-310-darwin.so'
# extension module '_pickle' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_pickle.cpython-310-darwin.so'
import '_pickle' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103c56d40>
import 'pickle' # <_frozen_importlib_external.SourceFileLoader object at 0x103c54700>
import 'logging.handlers' # <_frozen_importlib_external.SourceFileLoader object at
0x103b499f0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/logging.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/logging.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/logging.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/traceback.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/traceback.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/traceback.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.pygments' # <_frozen_importlib_external.SourceFileLoader object at
0x103c57d00>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/lexers/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/__init__.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/_mapping.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/lexers/_mapping.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/_mapping.cpython-310.pyc'
import 'pip._vendor.pygments.lexers._mapping' # <_frozen_importlib_external.SourceFileLoader
object at 0x103c94340>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/modeline.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/modeline.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/modeline.cpython-310.pyc'
import 'pip._vendor.pygments.modeline' # <_frozen_importlib_external.SourceFileLoader object
at 0x103cd64a0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/plugin.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/plugin.py
```



```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/plugin.cpython-310.pyc'
import 'pip._vendor.pygments.plugin' # <_frozen_importlib_external.SourceFileLoader object at
0x103cd65c0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/__pycache__/util.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/util.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/util.cpython-310.pyc'
import 'pip._vendor.pygments.util' # <_frozen_importlib_external.SourceFileLoader object at
0x103cd67d0>
import 'pip._vendor.pygments.lexers' # <_frozen_importlib_external.SourceFileLoader object at
0x103c57e20>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/token.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/token.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/token.cpython-310.pyc'
import 'pip._vendor.pygments.token' # <_frozen_importlib_external.SourceFileLoader object at
0x103cd6650>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/columns.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/columns.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/columns.cpython-310.pyc'
import 'pip._vendor.rich.columns' # <_frozen_importlib_external.SourceFileLoader object at
0x103cd6ef0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/syntax.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/syntax.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/syntax.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/lexer.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/lexer.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/lexer.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/filter.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/filter.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/filter.cpython-310.pyc'  
import 'pip._vendor.pygments.filter' # <_frozen_importlib_external.SourceFileLoader object at  
0x103d0cee0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/filters/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/filters/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/filters/__pycache__/__init__.cpython-310.pyc'  
import 'pip._vendor.pygments.filters' # <_frozen_importlib_external.SourceFileLoader object at  
0x103d0d2a0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/regexopt.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/regexopt.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/regexopt.cpython-310.pyc'  
import 'pip._vendor.pygments.regexopt' # <_frozen_importlib_external.SourceFileLoader object  
at 0x103d0d750>  
import 'pip._vendor.pygments.lexer' # <_frozen_importlib_external.SourceFileLoader object at  
0x103cd7ee0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/style.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/style.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/style.cpython-310.pyc'  
import 'pip._vendor.pygments.style' # <_frozen_importlib_external.SourceFileLoader object at  
0x103d0c880>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/styles/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/styles/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/styles/__pycache__/__init__.cpython-310.pyc'  
import 'pip._vendor.pygments.styles' # <_frozen_importlib_external.SourceFileLoader object at  
0x103d0e110>  
  
import 'pip._vendor.rich.syntax' # <_frozen_importlib_external.SourceFileLoader object at  
0x103cd7490>  
  
import 'pip._vendor.rich.traceback' # <_frozen_importlib_external.SourceFileLoader object at  
0x103c570d0>  
  
import 'pip._vendor.rich.logging' # <_frozen_importlib_external.SourceFileLoader object at  
0x103c54760>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/deprecation.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/deprecation.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/deprecation.cpython-310.pyc'  
import 'pip._internal.utils.deprecation' # <_frozen_importlib_external.SourceFileLoader object at  
0x103d0f5e0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/misc.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/misc.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/misc.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/wrappers.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/wrappers.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/wrappers.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/compat.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/compat.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/compat.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/__init__.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tomli/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/parser.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/parser.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tomli/__pycache__/parser.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/re.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/re.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tomli/__pycache__/re.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/_types.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/_types.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/_types.cpython-310.pyc'
import 'pip._vendor.tomli._types' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5e080>
import 'pip._vendor.tomli._re' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5dd50>
import 'pip._vendor.tomli._parser' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5d4e0>
import 'pip._vendor.tomli' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5d2a0>
import 'pip._vendor.pep517.compat' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5cfa0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/in_process/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/in_process/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/in_process/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.pep517.in_process' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5d240>
import 'pip._vendor.pep517.wrappers' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5c760>
import 'pip._vendor.pep517' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5c4f0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/__init__.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/concurrent/__pycache__/__init__.cpython-310.pyc'
import 'concurrent' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5f370>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/concurrent/futures/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/__pycache__/_base.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/_base.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/concurrent/futures/__pycache__/_base.cpython-310.pyc'
import 'concurrent.futures._base' # <_frozen_importlib_external.SourceFileLoader object at
0x103d5f7f0>
import 'concurrent.futures' # <_frozen_importlib_external.SourceFileLoader object at
0x103d5f520>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/retry.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/retry.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/retry.cpython-310.pyc'
import 'pip._vendor.tenacity.retry' # <_frozen_importlib_external.SourceFileLoader object at 0x103d5f9a0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/nap.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/nap.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/nap.cpython-310.pyc'
import 'pip._vendor.tenacity.nap' # <_frozen_importlib_external.SourceFileLoader object at 0x103d91990>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/stop.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/stop.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/stop.cpython-310.pyc'
import 'pip._vendor.tenacity.stop' # <_frozen_importlib_external.SourceFileLoader object at 0x103d91c30>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/wait.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/wait.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/wait.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/_utils.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/_utils.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/_utils.cpython-310.pyc'
import 'pip._vendor.tenacity._utils' # <_frozen_importlib_external.SourceFileLoader object at 0x103d92b60>

import 'pip._vendor.tenacity.wait' # <_frozen_importlib_external.SourceFileLoader object at 0x103d922f0>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/tenacity/__pycache__/before.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/before.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/tenacity/__pycache__/before.cpython-310.pyc'
import 'pip._vendor.tenacity.before' # <_frozen_importlib_external.SourceFileLoader object at
0x103d92ec0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/after.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/after.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/tenacity/__pycache__/after.cpython-310.pyc'
import 'pip._vendor.tenacity.after' # <_frozen_importlib_external.SourceFileLoader object at
0x103d931c0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/tenacity/__pycache__/before_sleep.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/before_sleep.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/tenacity/__pycache__/before_sleep.cpython-310.pyc'
import 'pip._vendor.tenacity.before_sleep' # <_frozen_importlib_external.SourceFileLoader
object at 0x103d93310>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/tenacity/__pycache__/_asyncio.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/_asyncio.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/tenacity/__pycache__/_asyncio.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__init__.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_events.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/constants.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/constants.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/constants.cpython-310.pyc'
import 'asyncio.constants' # <_frozen_importlib_external.SourceFileLoader object at
0x103db60e0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/coroutines.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/coroutines.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/coroutines.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_futures.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_futures.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_futures.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/format_helpers.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/format_helpers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/format_helpers.cpython-310.pyc'
import 'asyncio.format_helpers' # <_frozen_importlib_external.SourceFileLoader object at
0x103db6c80>
import 'asyncio.base_futures' # <_frozen_importlib_external.SourceFileLoader object at
0x103db6980>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/log.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/log.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/log.cpython-310.pyc'
import 'asyncio.log' # <_frozen_importlib_external.SourceFileLoader object at 0x103db6da0>
```

```
import 'asyncio.coroutines' # <_frozen_importlib_external.SourceFileLoader object at
0x103db62c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/events.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/contextvars.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/contextvars.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/contextvars.cpython-310.pyc'
# extension module '_contextvars' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_contextvars.cpython-310-darwin.so'
# extension module '_contextvars' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_contextvars.cpython-310-darwin.so'
import '_contextvars' # <_frozen_importlib_external.ExtensionFileLoader object at
0x103dec370>
import 'contextvars' # <_frozen_importlib_external.SourceFileLoader object at 0x103dec1f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/exceptions.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/exceptions.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/exceptions.cpython-310.pyc'
import 'asyncio.exceptions' # <_frozen_importlib_external.SourceFileLoader object at
0x103dec790>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_tasks.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_tasks.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_tasks.cpython-310.pyc'
import 'asyncio.base_tasks' # <_frozen_importlib_external.SourceFileLoader object at
0x103decbe0>
# extension module '_asyncio' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_asyncio.cpython-310-darwin.so'
# extension module '_asyncio' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_asyncio.cpython-310-darwin.so'
import '_asyncio' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103dec5b0>
import 'asyncio.events' # <_frozen_importlib_external.SourceFileLoader object at 0x103db6dd0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/futures.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/futures.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/futures.cpython-310.pyc'
import 'asyncio.futures' # <_frozen_importlib_external.SourceFileLoader object at 0x103decc40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/protocols.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/protocols.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/protocols.cpython-310.pyc'
import 'asyncio.protocols' # <_frozen_importlib_external.SourceFileLoader object at
0x103ded330>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/sslproto.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/sslproto.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/sslproto.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/transports.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/transports.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/transports.cpython-310.pyc'
```

```
import 'asyncio.transports' # <_frozen_importlib_external.SourceFileLoader object at
0x103dee230>
import 'asyncio.sslproto' # <_frozen_importlib_external.SourceFileLoader object at
0x103ded480>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/staggered.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/staggered.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/staggered.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/locks.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/locks.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/locks.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/mixins.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/mixins.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/mixins.cpython-310.pyc'
import 'asyncio.mixins' # <_frozen_importlib_external.SourceFileLoader object at 0x103def850>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/tasks.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/tasks.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/tasks.cpython-310.pyc'
import 'asyncio.tasks' # <_frozen_importlib_external.SourceFileLoader object at 0x103def9a0>
import 'asyncio.locks' # <_frozen_importlib_external.SourceFileLoader object at 0x103deeeef0>
import 'asyncio.staggered' # <_frozen_importlib_external.SourceFileLoader object at
0x103deecb0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/trsock.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/trsock.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/trsock.cpython-310.pyc'
import 'asyncio.trsock' # <_frozen_importlib_external.SourceFileLoader object at 0x103e289d0>
import 'asyncio.base_events' # <_frozen_importlib_external.SourceFileLoader object at
0x103db4850>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/runners.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/runners.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/runners.cpython-310.pyc'
import 'asyncio.runners' # <_frozen_importlib_external.SourceFileLoader object at
0x103db5ed0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/queues.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/queues.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/queues.cpython-310.pyc'
import 'asyncio.queues' # <_frozen_importlib_external.SourceFileLoader object at
0x103e28d30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/streams.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/streams.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/streams.cpython-310.pyc'
import 'asyncio.streams' # <_frozen_importlib_external.SourceFileLoader object at
0x103e29300>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/subprocess.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/subprocess.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/subprocess.cpython-310.pyc'
import 'asyncio.subprocess' # <_frozen_importlib_external.SourceFileLoader object at
0x103e29e40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/threads.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/threads.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/threads.cpython-310.pyc'
import 'asyncio.threads' # <_frozen_importlib_external.SourceFileLoader object at
0x103e2a2c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/unix_events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/unix_events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/unix_events.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_subprocess.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_subprocess.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_subprocess.cpython-310.pyc'
import 'asyncio.base_subprocess' # <_frozen_importlib_external.SourceFileLoader object at
0x103e2b820>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/selector_events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/selector_events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/selector_events.cpython-310.pyc'
import 'asyncio.selector_events' # <_frozen_importlib_external.SourceFileLoader object at
0x103e70100>
import 'asyncio.unix_events' # <_frozen_importlib_external.SourceFileLoader object at
0x103e2a380>
import 'asyncio' # <_frozen_importlib_external.SourceFileLoader object at 0x103db4610>
import 'pip._vendor.tenacity._asyncio' # <_frozen_importlib_external.SourceFileLoader object at
0x103db41c0>
import 'pip._vendor.tenacity' # <_frozen_importlib_external.SourceFileLoader object at
0x103d5d1b0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/locations/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/__init__.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/__init__.cpython-310.pyc'  
import 'pip._internal.models' # <_frozen_importlib_external.SourceFileLoader object at  
0x103e716f0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/scheme.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/scheme.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/scheme.cpython-310.pyc'  
import 'pip._internal.models.scheme' # <_frozen_importlib_external.SourceFileLoader object at  
0x103e71750>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/virtualenv.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/virtualenv.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/virtualenv.cpython-310.pyc'  
import 'pip._internal.utils.virtualenv' # <_frozen_importlib_external.SourceFileLoader object at  
0x103e71840>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/locations/__pycache__/sysconfig.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/locations/_sysconfig.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/locations/__pycache__/sysconfig.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/locations/__pycache__/base.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/locations/base.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/locations/__pycache__/base.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/_pycache__/_sysconfigdata__darwin_darwin.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/_sysconfigdata__darwin_darwin.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/_pycache__/_sysconfigdata__darwin_darwin.cpython-310.pyc'
import '_sysconfigdata__darwin_darwin' # <_frozen_importlib_external.SourceFileLoader object
at 0x103e71f30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/_pycache__/_osx_support.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/_osx_support.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/_pycache__/_osx_support.cpython-310.pyc'
import '_osx_support' # <_frozen_importlib_external.SourceFileLoader object at 0x103e71fc0>
import 'pip._internal.locations.base' # <_frozen_importlib_external.SourceFileLoader object at
0x103e71d50>
import 'pip._internal.locations._sysconfig' # <_frozen_importlib_external.SourceFileLoader object
at 0x103e71ae0>
import 'pip._internal.locations' # <_frozen_importlib_external.SourceFileLoader object at
0x103d5efe0>
import 'pip._internal.utils.misc' # <_frozen_importlib_external.SourceFileLoader object at
0x103d0f910>
import 'pip._internal.utils.logging' # <_frozen_importlib_external.SourceFileLoader object at
0x103b492a0>
import 'pip._internal.configuration' # <_frozen_importlib_external.SourceFileLoader object at
0x1030531f0>
```

```
import 'pip._internal.cli.parser' # <_frozen_importlib_external.SourceFileLoader object at
0x103023f40>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/format_control.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/format_control.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/format_control.cpython-310.pyc'
import 'pip._internal.models.format_control' # <_frozen_importlib_external.SourceFileLoader
object at 0x103e72d40>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/__pycache__/index.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/index.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/index.cpython-310.pyc'
import 'pip._internal.models.index' # <_frozen_importlib_external.SourceFileLoader object at
0x103e72fb0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/target_python.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/target_python.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/target_python.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/compatibility_tags.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/compatibility_tags.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/compatibility_tags.cpython-310.pyc'
import 'pip._internal.utils.compatibility_tags' # <_frozen_importlib_external.SourceFileLoader
object at 0x103e73310>
import 'pip._internal.models.target_python' # <_frozen_importlib_external.SourceFileLoader
object at 0x103e73160>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/hashes.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/hashes.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/hashes.cpython-310.pyc'
import 'pip._internal.utils.hashes' # <_frozen_importlib_external.SourceFileLoader object at 0x103e73b80>

import 'pip._internal.cli.cmdoptions' # <_frozen_importlib_external.SourceFileLoader object at 0x102f8d2a0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__pycache__/__init__.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/base_command.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/base_command.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/base_command.cpython-310.pyc'

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/logging/__pycache__/config.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/logging/config.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/logging/__pycache__/config.cpython-310.pyc'

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/socketserver.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/socketserver.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/socketserver.cpython-310.pyc'
import 'socketserver' # <_frozen_importlib_external.SourceFileLoader object at 0x103ed1660>
import 'logging.config' # <_frozen_importlib_external.SourceFileLoader object at 0x103ed0cd0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/command_context.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/command_context.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/command_context.cpython-310.pyc'
import 'pip._internal.cli.command_context' # <_frozen_importlib_external.SourceFileLoader
object at 0x103ed2650>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/filesystem.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/filesystem.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/filesystem.cpython-310.pyc'
import 'pip._internal.utils.filesystem' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed28c0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/temp_dir.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/temp_dir.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/temp_dir.cpython-310.pyc'
import 'pip._internal.utils.temp_dir' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed2e60>
import 'pip._internal.cli.base_command' # <_frozen_importlib_external.SourceFileLoader object
at 0x103ed0790>
```

```
import 'pip._internal.commands' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed0610>
import 'pip._internal.cli.main_parser' # <_frozen_importlib_external.SourceFileLoader object at
0x102f3ab00>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/base.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/base.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/base.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/csv.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/csv.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/csv.cpython-310.pyc'
# extension module '_csv' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_csv.cpython-310-darwin.so'
# extension module '_csv' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_csv.cpython-310-darwin.so'
import '_csv' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103f0d690>
import 'csv' # <_frozen_importlib_external.SourceFileLoader object at 0x103f0cf40>
```



```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/requirements.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/requirements.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/requirements.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/__pycache__/util.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/util.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/util.cpython-310.pyc'
import 'pip._vendor.pyparsing.util' # <_frozen_importlib_external.SourceFileLoader object at
0x103f0e500>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/exceptions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/exceptions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/exceptions.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/unicode.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc'
import 'pip._vendor.pyparsing.unicode' # <_frozen_importlib_external.SourceFileLoader object at
0x103f0f400>
import 'pip._vendor.pyparsing.exceptions' # <_frozen_importlib_external.SourceFileLoader
object at 0x103f0ed70>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/actions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc'
import 'pip._vendor.pyparsing.actions' # <_frozen_importlib_external.SourceFileLoader object at
0x103f0f190>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/core.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/core.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/core.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/results.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/results.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/results.cpython-310.pyc'

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/pprint.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/pprint.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/pprint.cpython-310.pyc'
import 'pprint' # <_frozen_importlib_external.SourceFileLoader object at 0x103fb9270>
import 'pip._vendor.pyparsing.results' # <_frozen_importlib_external.SourceFileLoader object at
0x103fb8460>
import 'pip._vendor.pyparsing.core' # <_frozen_importlib_external.SourceFileLoader object at
0x103f3c8b0>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/helpers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc'
import 'pip._vendor.pyparsing.helpers' # <_frozen_importlib_external.SourceFileLoader object at
0x103f3e380>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/testing.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/testing.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/testing.cpython-310.pyc'
import 'pip._vendor.pyparsing.testing' # <_frozen_importlib_external.SourceFileLoader object at
0x103ff3a30>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/common.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/common.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/common.cpython-310.pyc'
import 'pip._vendor.pyparsing.common' # <_frozen_importlib_external.SourceFileLoader object
at 0x103ff3e20>

import 'pip._vendor.pyparsing' # <_frozen_importlib_external.SourceFileLoader object at
0x103f0db70>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/markers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/markers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/markers.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/specifiers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/specifiers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/specifiers.cpython-310.pyc'
import 'pip._vendor.packaging.specifiers' # <_frozen_importlib_external.SourceFileLoader object
at 0x10411be80>
import 'pip._vendor.packaging.markers' # <_frozen_importlib_external.SourceFileLoader object
at 0x10411b520>
import 'pip._vendor.packaging.requirements' # <_frozen_importlib_external.SourceFileLoader
object at 0x103f0d810>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/direct_url.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/direct_url.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/direct_url.cpython-310.pyc'
import 'pip._internal.models.direct_url' # <_frozen_importlib_external.SourceFileLoader object at
0x104151780>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/egg_link.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/egg_link.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/egg_link.cpython-310.pyc'
import 'pip._internal.utils.egg_link' # <_frozen_importlib_external.SourceFileLoader object at
0x10419c6a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/packaging.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/packaging.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/packaging.cpython-310.pyc'
```

```
import 'pip._internal.utils.packaging' # <_frozen_importlib_external.SourceFileLoader object at 0x10419c820>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/urls.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/urls.py  
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/urls.cpython-310.pyc'
```

```
import 'pip._internal.utils.urls' # <_frozen_importlib_external.SourceFileLoader object at 0x10419cb20>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/__pycache__/_json.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/_json.py  
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/__pycache__/_json.cpython-310.pyc'
```

```
import 'pip._internal.metadata._json' # <_frozen_importlib_external.SourceFileLoader object at 0x10419cc70>
```

```
import 'pip._internal.metadata.base' # <_frozen_importlib_external.SourceFileLoader object at 0x103ed3820>
```

```
import 'pip._internal.metadata' # <_frozen_importlib_external.SourceFileLoader object at 0x103ed3d60>
```

```
import 'pip._internal.cli.autocompletion' # <_frozen_importlib_external.SourceFileLoader object at 0x102f3a470>
```

```
import 'pip._internal.cli.main' # <_frozen_importlib_external.SourceFileLoader object at 0x1028bf2e0>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__pycache__/install.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/install.py  
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__pycache__/install.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/cache.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cache.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/__pycache__/cache.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/__pycache__/link.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/link.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/link.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/filetypes.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/filetypes.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/filetypes.cpython-310.pyc'  
import 'pip._internal.utils.filetypes' # <_frozen_importlib_external.SourceFileLoader object at  
0x10419f1f0>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/models.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/models.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/models.cpython-310.pyc'  
import 'pip._internal.utils.models' # <_frozen_importlib_external.SourceFileLoader object at  
0x10419f340>  
import 'pip._internal.models.link' # <_frozen_importlib_external.SourceFileLoader object at  
0x10419e860>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/wheel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/wheel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/wheel.cpython-310.pyc'  
import 'pip._internal.models.wheel' # <_frozen_importlib_external.SourceFileLoader object at  
0x10419fe50>  
import 'pip._internal.cache' # <_frozen_importlib_external.SourceFileLoader object at  
0x10419e170>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/req_command.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/req_command.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/req_command.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/index/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/index/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/index/__pycache__/__init__.cpython-310.pyc'
import 'pip._internal.index' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c8880>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/index/__pycache__/collector.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/index/collector.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/index/__pycache__/collector.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/__pycache__/__init__.cpython-310.pyc'
import 'xml' # <_frozen_importlib_external.SourceFileLoader object at 0x1041c9900>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/etree/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/etree/__init__.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/etree/__pycache__/__init__.cpython-310.pyc'
import 'xml.etree' # <_frozen_importlib_external.SourceFileLoader object at 0x1041c9990>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/etree/__pycache__/ElementTree.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/etree/ElementTree.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/etree/__pycache__/ElementTree.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/etree/__pycache__/ElementPath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/etree/ElementPath.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/etree/__pycache__/ElementPath.cpython-310.pyc'
import 'xml.etree.ElementPath' # <_frozen_importlib_external.SourceFileLoader object at
0x1041cb460>
# extension module 'pyexpat' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/pyexpat.cpython-310-darwin.so'
# extension module 'pyexpat' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/pyexpat.cpython-310-darwin.so'
import 'pyexpat' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1041cbf40>
```



```
# extension module '_elementtree' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_elementtree.cpython-310-darwin.so'
# extension module '_elementtree' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_elementtree.cpython-310-darwin.so'
import '_elementtree' # <_frozen_importlib_external.ExtensionFileLoader object at
0x1041cbd00>
import 'xml.etree.ElementTree' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c99f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/html/__pycache__/parser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/html/parser.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/html/__pycache__/parser.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/markupbase.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_markupbase.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/markupbase.cpython-310.pyc'
import '_markupbase' # <_frozen_importlib_external.SourceFileLoader object at 0x1042042e0>
import 'html.parser' # <_frozen_importlib_external.SourceFileLoader object at 0x1041cbbe0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/search_scope.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/search_scope.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/models/__pycache__/search_scope.cpython-310.pyc'  
import 'pip._internal.models.search_scope' # <_frozen_importlib_external.SourceFileLoader  
object at 0x104204a90>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/network/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/network/__pycache__/__init__.cpython-310.pyc'  
import 'pip._internal.network' # <_frozen_importlib_external.SourceFileLoader object at  
0x1042048b0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/network/__pycache__/session.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/session.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/network/__pycache__/session.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/wrapper.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/wrapper.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/wrapper.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/adapter.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/adapter.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/adapter.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/controller.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/controller.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/controller.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/cache.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/cache.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/cache.cpython-310.pyc'  
import 'pip._vendor.cachecontrol.cache' # <_frozen_importlib_external.SourceFileLoader object  
at 0x104205db0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/serialize.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/serialize.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/serialize.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/msgpack/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/msgpack/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/msgpack/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/msgpack/__pycache__/exceptions.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/msgpack/exceptions.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/msgpack/__pycache__/exceptions.cpython-310.pyc'  
import 'pip._vendor.msgpack.exceptions' # <_frozen_importlib_external.SourceFileLoader object  
at 0x104206b00>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/msgpack/__pycache__/ext.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/msgpack/ext.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/msgpack/__pycache__/ext.cpython-310.pyc'  
import 'pip._vendor.msgpack.ext' # <_frozen_importlib_external.SourceFileLoader object at  
0x104206ce0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/msgpack/__pycache__/fallback.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/msgpack/fallback.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/msgpack/__pycache__/fallback.cpython-310.pyc'  
import 'pip._vendor.msgpack.fallback' # <_frozen_importlib_external.SourceFileLoader object at  
0x104207610>  
  
import 'pip._vendor.msgpack' # <_frozen_importlib_external.SourceFileLoader object at  
0x104206800>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/compat.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/compat.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/compat.cpython-310.pyc'  
import 'pip._vendor.cachecontrol.compat' # <_frozen_importlib_external.SourceFileLoader object  
at 0x1042073a0>  
  
import 'pip._vendor.cachecontrol.serialize' # <_frozen_importlib_external.SourceFileLoader  
object at 0x104206170>  
  
import 'pip._vendor.cachecontrol.controller' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1042059f0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/filewrapper.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/filewrapper.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/cachecontrol/__pycache__/filewrapper.cpython-310.pyc'  
# extension module 'mmap' loaded from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/mmap.cpython-310-darwin.so'  
# extension module 'mmap' executed from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/mmap.cpython-310-darwin.so'  
import 'mmap' # <_frozen_importlib_external.ExtensionFileLoader object at 0x104238b20>  
import 'pip._vendor.cachecontrol.filewrapper' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1042065f0>  
import 'pip._vendor.cachecontrol.adapter' # <_frozen_importlib_external.SourceFileLoader  
object at 0x104205660>  
import 'pip._vendor.cachecontrol.wrapper' # <_frozen_importlib_external.SourceFileLoader  
object at 0x104205510>  
import 'pip._vendor.cachecontrol' # <_frozen_importlib_external.SourceFileLoader object at  
0x104205270>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/__pycache__/auth.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/auth.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/network/__pycache__/auth.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/__pycache__/__init__.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/vcs/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/__pycache__/bazaar.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/bazaar.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/vcs/__pycache__/bazaar.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utis/__pycache__/subprocess.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/subprocess.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utis/__pycache__/subprocess.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/shlex.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/shlex.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/shlex.cpython-310.pyc'
import 'shlex' # <_frozen_importlib_external.SourceFileLoader object at 0x104238f10>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/spinners.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/spinners.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/spinners.cpython-310.pyc'
import 'pip._internal.cli.spinners' # <_frozen_importlib_external.SourceFileLoader object at
0x104239420>
import 'pip._internal.utis.subprocess' # <_frozen_importlib_external.SourceFileLoader object at
0x1042389d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/vcs/__pycache__/versioncontrol.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/versioncontrol.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/vcs/__pycache__/versioncontrol.cpython-310.pyc'
```

```
import 'pip._internal.vcs.versioncontrol' # <_frozen_importlib_external.SourceFileLoader object
at 0x104239ba0>
import 'pip._internal.vcs.bazaar' # <_frozen_importlib_external.SourceFileLoader object at
0x104238af0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/__pycache__/git.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/git.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/vcs/__pycache__/git.cpython-310.pyc'
import 'pip._internal.vcs.git' # <_frozen_importlib_external.SourceFileLoader object at
0x10423b430>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/__pycache__/mercurial.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/mercurial.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/vcs/__pycache__/mercurial.cpython-310.pyc'
import 'pip._internal.vcs.mercurial' # <_frozen_importlib_external.SourceFileLoader object at
0x10423bd00>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/vcs/__pycache__/subversion.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/vcs/subversion.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/vcs/__pycache__/subversion.cpython-310.pyc'
import 'pip._internal.vcs.subversion' # <_frozen_importlib_external.SourceFileLoader object at
0x1042c8250>
import 'pip._internal.vcs' # <_frozen_importlib_external.SourceFileLoader object at
0x104238550>
import 'pip._internal.network.auth' # <_frozen_importlib_external.SourceFileLoader object at
0x104205870>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/network/__pycache__/cache.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/cache.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/network/__pycache__/cache.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/cachecontrol/caches/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/caches/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/cachecontrol/caches/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/cachecontrol/caches/__pycache__/file_cache.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/caches/file_cache.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/cachecontrol/caches/__pycache__/file_cache.cpython-310.pyc'
import 'pip._vendor.cachecontrol.caches.file_cache' #
<_frozen_importlib_external.SourceFileLoader object at 0x1042c8eb0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/cachecontrol/caches/__pycache__/redis_cache.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/cachecontrol/caches/redis_cache.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/cachecontrol/caches/__pycache__/redis_cache.cpython-310.pyc'
import 'pip._vendor.cachecontrol.caches.redis_cache' #
<_frozen_importlib_external.SourceFileLoader object at 0x1042c9240>
import 'pip._vendor.cachecontrol.caches' # <_frozen_importlib_external.SourceFileLoader object
at 0x1042c8c40>
import 'pip._internal.network.cache' # <_frozen_importlib_external.SourceFileLoader object at
0x1042c88e0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/glibc.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/glibc.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/glibc.cpython-310.pyc'
```



```
import 'pip._internal.utils.glibc' # <_frozen_importlib_external.SourceFileLoader object at
0x1042c9480>
import 'pip._internal.network.session' # <_frozen_importlib_external.SourceFileLoader object at
0x104204910>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/__pycache__/utils.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/utils.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/network/__pycache__/utils.cpython-310.pyc'
import 'pip._internal.network.utils' # <_frozen_importlib_external.SourceFileLoader object at
0x1042c99c0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/index/__pycache__/sources.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/index/sources.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/index/__pycache__/sources.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/candidate.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/candidate.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/candidate.cpython-310.pyc'
import 'pip._internal.models.candidate' # <_frozen_importlib_external.SourceFileLoader object at
0x1042c9f60>
import 'pip._internal.index.sources' # <_frozen_importlib_external.SourceFileLoader object at
0x1042c9a50>
import 'pip._internal.index.collector' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c8940>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/index/__pycache__/package_finder.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/index/package_finder.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/index/__pycache__/package_finder.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/selection_prefs.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/selection_prefs.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/selection_prefs.cpython-310.pyc'
import 'pip._internal.models.selection_prefs' # <_frozen_importlib_external.SourceFileLoader
object at 0x1042cb760>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/__pycache__/req_file.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/req_file.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_file.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_file.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/req_file.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_file.cpython-310.pyc'
import 'pip._internal.req.req_file' # <_frozen_importlib_external.SourceFileLoader object at
0x1042f0460>
import 'pip._internal.req.req_file' # <_frozen_importlib_external.SourceFileLoader object at
0x1042cbd60>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_install.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/req_install.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_install.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/uuid.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/uuid.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/uuid.cpython-310.pyc'
# extension module '_uuid' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_uuid.cpython-310-darwin.so'
# extension module '_uuid' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_uuid.cpython-310-darwin.so'
import '_uuid' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1042f2500>
import 'uuid' # <_frozen_importlib_external.SourceFileLoader object at 0x1042f1210>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/build_env.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/build_env.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/build_env.cpython-310.pyc'
import 'pip._internal.build_env' # <_frozen_importlib_external.SourceFileLoader object at
0x1042f2590>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/__pycache__/__init__.cpython-310.pyc'
```

```
import 'pip._internal.operations' # <_frozen_importlib_external.SourceFileLoader object at
0x1042f2e00>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/build/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/__init__.cpython-310.pyc'
import 'pip._internal.operations.build' # <_frozen_importlib_external.SourceFileLoader object at
0x1042f2e60>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/metadata.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/build/metadata.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/metadata.cpython-310.pyc'
import 'pip._internal.operations.build.metadata' # <_frozen_importlib_external.SourceFileLoader
object at 0x1042f2ec0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/metadata_editable.cpython-310.pyc
matches /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/metadata_editable.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/metadata_editable.cpython-310.pyc'
import 'pip._internal.operations.build.metadata_editable' #
<_frozen_importlib_external.SourceFileLoader object at 0x1042f2f50>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/metadata_legacy.cpython-310.pyc
matches /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/metadata_legacy.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/metadata_legacy.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/setuptools_build.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/setuptools_build.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/setuptools_build.cpython-310.pyc'  
import 'pip._internal.utils.setuptools_build' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1042f3160>  
  
import 'pip._internal.operations.build.metadata_legacy' #  
<_frozen_importlib_external.SourceFileLoader object at 0x1042f2fe0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/operations/install/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/install/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/operations/install/__pycache__/__init__.cpython-310.pyc'  
import 'pip._internal.operations.install' # <_frozen_importlib_external.SourceFileLoader object at  
0x1042f3400>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/operations/install/__pycache__/editable_legacy.cpython-310.pyc  
matches /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/operations/install/editable_legacy.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/operations/install/__pycache__/editable_legacy.cpython-310.pyc'  
import 'pip._internal.operations.install.editable_legacy' #  
<_frozen_importlib_external.SourceFileLoader object at 0x1042f3460>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/operations/install/__pycache__/legacy.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/install/legacy.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/operations/install/__pycache__/legacy.cpython-310.pyc'
```

```
import 'pip._internal.operations.install.legacy' # <_frozen_importlib_external.SourceFileLoader
object at 0x1042f3580>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/install/__pycache__/wheel.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/install/wheel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/install/__pycache__/wheel.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/compileall.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/compileall.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/compileall.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/py_compile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/py_compile.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/py_compile.cpython-310.pyc'
import 'py_compile' # <_frozen_importlib_external.SourceFileLoader object at 0x10432c9a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/filecmp.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/filecmp.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/filecmp.cpython-310.pyc'
import 'filecmp' # <_frozen_importlib_external.SourceFileLoader object at 0x10432ce50>
import 'compileall' # <_frozen_importlib_external.SourceFileLoader object at 0x10432c5b0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/distlib/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.distlib' # <_frozen_importlib_external.SourceFileLoader object at
0x10432d330>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/__pycache__/scripts.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/scripts.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/distlib/__pycache__/scripts.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/__pycache__/compat.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/compat.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/distlib/__pycache__/compat.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xmlrpc/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xmlrpc/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xmlrpc/__pycache__/__init__.cpython-310.pyc'
import 'xmlrpc' # <_frozen_importlib_external.SourceFileLoader object at 0x10432f430>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/xmlrpc/__pycache__/client.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/xmlrpc/client.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xmlrpc/__pycache__/client.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/xml/parsers/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/xml/parsers/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/parsers/__pycache__/__init__.cpython-310.pyc'
import 'xml.parsers' # <_frozen_importlib_external.SourceFileLoader object at 0x1043589d0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/xml/parsers/__pycache__/expat.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/xml/parsers/expat.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/parsers/__pycache__/expat.cpython-310.pyc'
import 'xml.parsers.expat' # <_frozen_importlib_external.SourceFileLoader object at
0x104358b80>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/gzip.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/gzip.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/gzip.cpython-310.pyc'
import 'gzip' # <_frozen_importlib_external.SourceFileLoader object at 0x104358be0>
import 'xmlrpc.client' # <_frozen_importlib_external.SourceFileLoader object at 0x10432f4f0>
import 'pip._vendor.distlib.compat' # <_frozen_importlib_external.SourceFileLoader object at
0x10432d960>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/distlib/__pycache__/resources.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/resources.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/distlib/__pycache__/resources.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/pkgutil.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/pkgutil.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/pkgutil.cpython-310.pyc'
import 'pkgutil' # <_frozen_importlib_external.SourceFileLoader object at 0x10432e980>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/__pycache__/util.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/distlib/util.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/distlib/__pycache__/util.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/tarfile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/tarfile.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/tarfile.cpython-310.pyc'
import 'pwd' # <class '_frozen_importlib.BuiltinImporter'>
# extension module 'grp' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/grp.cpython-310-darwin.so'
# extension module 'grp' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/grp.cpython-310-darwin.so'
import 'grp' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1043d0850>
import 'tarfile' # <_frozen_importlib_external.SourceFileLoader object at 0x10435ab30>
import 'pip._vendor.distlib.util' # <_frozen_importlib_external.SourceFileLoader object at
0x104359c00>
import 'pip._vendor.distlib.resources' # <_frozen_importlib_external.SourceFileLoader object at
0x10432dc60>
import 'pip._vendor.distlib.scripts' # <_frozen_importlib_external.SourceFileLoader object at
0x10432d2d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/unpacking.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/unpacking.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/unpacking.cpython-310.pyc'
import 'pip._internal.utils.unpacking' # <_frozen_importlib_external.SourceFileLoader object at
0x10432ddb0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/wheel.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/wheel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/wheel.cpython-310.pyc'
```

```
import 'pip._internal.utils.wheel' # <_frozen_importlib_external.SourceFileLoader object at
0x1043d1120>
import 'pip._internal.operations.install.wheel' # <_frozen_importlib_external.SourceFileLoader
object at 0x1042f3790>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/pyproject.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/pyproject.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/pyproject.cpython-310.pyc'
import 'pip._internal.pyproject' # <_frozen_importlib_external.SourceFileLoader object at
0x1042f3d00>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_uninstall.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/req_uninstall.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_uninstall.cpython-310.pyc'
import 'pip._internal.req.req_uninstall' # <_frozen_importlib_external.SourceFileLoader object at
0x1043d1fc0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/direct_url_helpers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/direct_url_helpers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/direct_url_helpers.cpython-310.pyc'
import 'pip._internal.utils.direct_url_helpers' # <_frozen_importlib_external.SourceFileLoader
object at 0x1043d25c0>
import 'pip._internal.req.req_install' # <_frozen_importlib_external.SourceFileLoader object at
0x1042f0880>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/__pycache__/req_set.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/req_set.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/req_set.cpython-310.pyc'
```

```
import 'pip._internal.req.req_set' # <_frozen_importlib_external.SourceFileLoader object at
0x1043d28c0>
import 'pip._internal.req' # <_frozen_importlib_external.SourceFileLoader object at
0x1042cb910>
import 'pip._internal.index.package_finder' # <_frozen_importlib_external.SourceFileLoader
object at 0x1041c8eb0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/build_tracker.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/build/build_tracker.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/build_tracker.cpython-310.pyc'
import 'pip._internal.operations.build.build_tracker' #
<_frozen_importlib_external.SourceFileLoader object at 0x1043d3160>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/__pycache__/prepare.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/prepare.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/__pycache__/prepare.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/distributions/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/distributions/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/distributions/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/distributions/__pycache__/base.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/distributions/base.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/distributions/__pycache__/base.cpython-310.pyc'
import 'pip._internal.distributions.base' # <_frozen_importlib_external.SourceFileLoader object at
0x1043d38e0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/distributions/__pycache__/sdist.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/distributions/sdist.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/distributions/__pycache__/sdist.cpython-310.pyc'  
import 'pip._internal.distributions.sdist' # <_frozen_importlib_external.SourceFileLoader object at  
0x1043d3bb0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/distributions/__pycache__/wheel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/distributions/wheel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/distributions/__pycache__/wheel.cpython-310.pyc'  
import 'pip._internal.distributions.wheel' # <_frozen_importlib_external.SourceFileLoader object  
at 0x1043d3ee0>  
  
import 'pip._internal.distributions' # <_frozen_importlib_external.SourceFileLoader object at  
0x1043d36a0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/distributions/__pycache__/installed.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/distributions/installed.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/distributions/__pycache__/installed.cpython-310.pyc'  
import 'pip._internal.distributions.installed' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1043d3f70>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/network/__pycache__/download.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/download.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/network/__pycache__/download.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/cli/__pycache__/progressBars.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/progressBars.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/cli/__pycache__/progressBars.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/progress.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/progress.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/progress.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/filesize.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/filesize.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/filesize.cpython-310.pyc'  
import 'pip._vendor.rich.filesize' # <_frozen_importlib_external.SourceFileLoader object at  
0x10440a170>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/live.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/live.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/live.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/file_proxy.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/file_proxy.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/file_proxy.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/ansi.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/ansi.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/ansi.cpython-310.pyc'  
import 'pip._vendor.rich.ansi' # <_frozen_importlib_external.SourceFileLoader object at  
0x10440b100>
```

```
import 'pip._vendor.rich.file_proxy' # <_frozen_importlib_external.SourceFileLoader object at
0x10440acb0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/live_render.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/live_render.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/live_render.cpython-310.pyc'
import 'pip._vendor.rich.live_render' # <_frozen_importlib_external.SourceFileLoader object at
0x10440bc10>
import 'pip._vendor.rich.live' # <_frozen_importlib_external.SourceFileLoader object at
0x10440a2f0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/progress_bar.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/progress_bar.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/progress_bar.cpython-310.pyc'
import 'pip._vendor.rich.progress_bar' # <_frozen_importlib_external.SourceFileLoader object at
0x10440ba30>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/spinner.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/spinner.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/spinner.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_spinners.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_spinners.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_spinners.cpython-310.pyc'
import 'pip._vendor.rich._spinners' # <_frozen_importlib_external.SourceFileLoader object at
0x10440bdc0>
import 'pip._vendor.rich.spinner' # <_frozen_importlib_external.SourceFileLoader object at
0x10440b700>
```

```
import 'pip._vendor.rich.progress' # <_frozen_importlib_external.SourceFileLoader object at
0x104408670>
import 'pip._internal.cli.progress_bars' # <_frozen_importlib_external.SourceFileLoader object at
0x104408400>
import 'pip._internal.network.download' # <_frozen_importlib_external.SourceFileLoader object
at 0x1044080d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/network/__pycache__/lazy_wheel.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/network/lazy_wheel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/network/__pycache__/lazy_wheel.cpython-310.pyc'
import 'pip._internal.network.lazy_wheel' # <_frozen_importlib_external.SourceFileLoader object
at 0x10444acb0>
import 'pip._internal.operations.prepare' # <_frozen_importlib_external.SourceFileLoader object
at 0x1043d34c0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/constructors.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/req/constructors.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/req/__pycache__/constructors.cpython-310.pyc'
import 'pip._internal.req.constructors' # <_frozen_importlib_external.SourceFileLoader object at
0x10444a3b0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/__pycache__/__init__.cpython-310.pyc'
import 'pip._internal.resolution' # <_frozen_importlib_external.SourceFileLoader object at
0x104449de0>
```



```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/__pycache__/base.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/base.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/__pycache__/base.cpython-310.pyc'
import 'pip._internal.resolution.base' # <_frozen_importlib_external.SourceFileLoader object at
0x104449d80>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/self_outdated_check.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/self_outdated_check.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/self_outdated_check.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/entrypoints.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/entrypoints.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/entrypoints.cpython-310.pyc'
import 'pip._internal.utils.entrypoints' # <_frozen_importlib_external.SourceFileLoader object at
0x104449480>

import 'pip._internal.self_outdated_check' # <_frozen_importlib_external.SourceFileLoader
object at 0x104448eb0>

import 'pip._internal.cli.req_command' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c80a0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/installation_report.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/installation_report.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/installation_report.cpython-310.pyc'
import 'pip._internal.models.installation_report' # <_frozen_importlib_external.SourceFileLoader
object at 0x10444b1f0>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/__pycache__/check.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/check.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/__pycache__/check.cpython-310.pyc'
import 'pip._internal.operations.check' # <_frozen_importlib_external.SourceFileLoader object at
0x10444ab00>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/distutils_args.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/distutils_args.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/distutils_args.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/getopt.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/getopt.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/getopt.cpython-310.pyc'
import 'getopt' # <_frozen_importlib_external.SourceFileLoader object at 0x104449b40>
import 'pip._internal.utils.distutils_args' # <_frozen_importlib_external.SourceFileLoader object at
0x10444a5c0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/wheel_builder.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/wheel_builder.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/wheel_builder.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/wheel.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/build/wheel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/wheel.cpython-310.pyc'
import 'pip._internal.operations.build.wheel' # <_frozen_importlib_external.SourceFileLoader
object at 0x10444bc10>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/wheel_editable.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/build/wheel_editable.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/wheel_editable.cpython-310.pyc'
import 'pip._internal.operations.build.wheel_editable' #
<_frozen_importlib_external.SourceFileLoader object at 0x104449ea0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/wheel_legacy.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/operations/build/wheel_legacy.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/operations/build/__pycache__/wheel_legacy.cpython-310.pyc'
import 'pip._internal.operations.build.wheel_legacy' #
<_frozen_importlib_external.SourceFileLoader object at 0x10444ad70>

import 'pip._internal.wheel_builder' # <_frozen_importlib_external.SourceFileLoader object at
0x10444b2b0>

import 'pip._internal.commands.install' # <_frozen_importlib_external.SourceFileLoader object at
0x10419ddb0>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/plistlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/plistlib.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/plistlib.cpython-310.pyc'
import 'plistlib' # <_frozen_importlib_external.SourceFileLoader object at 0x104485c30>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/pkg_resources.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/pkg_resources.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/pkg_resources.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pkg_resources/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pkg_resources/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pkg_resources/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/__pycache__/six.cpython-310.pyc
matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/six.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/__pycache__/six.cpython-310.pyc'
import 'pip._vendor.six' # <_frozen_importlib_external.SourceFileLoader object at
0x1044d26b0>
import 'pip._vendor.six.moves' # <pip._vendor.six._SixMetaPathImporter object at
0x1044d3a60>
import 'pip._vendor.six.moves.urllib' # <pip._vendor.six._SixMetaPathImporter object at
0x1044d3a60>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pkg_resources/__pycache__/py31compat.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pkg_resources/py31compat.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pkg_resources/__pycache__/py31compat.cpython-310.pyc'
```

```
import 'pip._vendor.pkg_resources.py31compat' #
<_frozen_importlib_external.SourceFileLoader object at 0x1044d2fb0>
import 'pip._vendor.pkg_resources' # <_frozen_importlib_external.SourceFileLoader object at
0x104487280>
import 'pip._internal.metadata.pkg_resources' # <_frozen_importlib_external.SourceFileLoader
object at 0x104486b00>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/resolvelib/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/__init__.cpython-310.pyc'
import 'pip._internal.resolution.resolvelib' # <_frozen_importlib_external.SourceFileLoader object
at 0x10452d4e0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/resolver.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/resolvelib/resolver.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/resolver.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/resolvelib/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/providers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/resolvelib/providers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/providers.cpython-310.pyc'
import 'pip._vendor.resolvelib.providers' # <_frozen_importlib_external.SourceFileLoader object
at 0x10452dc00>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/reporters.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/resolvelib/reporters.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/reporters.cpython-310.pyc'
import 'pip._vendor.resolvelib.reporters' # <_frozen_importlib_external.SourceFileLoader object
at 0x10452df60>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/resolvers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/resolvelib/resolvers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/resolvers.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/structs.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/resolvelib/structs.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/__pycache__/structs.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/compat/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/resolvelib/compat/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/compat/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.resolvelib.compat' # <_frozen_importlib_external.SourceFileLoader object at
0x10452f070>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/compat/__pycache__/collections_abc.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/resolvelib/compat/collections_abc.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/resolvelib/compat/__pycache__/collections_abc.cpython-310.pyc'
```

```
import 'pip._vendor.resolvelib.compat.collections_abc' #
<_frozen_importlib_external.SourceFileLoader object at 0x10452f220>
import 'pip._vendor.resolvelib.structs' # <_frozen_importlib_external.SourceFileLoader object at
0x10452e7a0>
import 'pip._vendor.resolvelib.resolvers' # <_frozen_importlib_external.SourceFileLoader object
at 0x10452e0b0>
import 'pip._vendor.resolvelib' # <_frozen_importlib_external.SourceFileLoader object at
0x10452c9a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/provider.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/resolvelib/provider.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/provider.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/base.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/resolvelib/base.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/base.cpython-310.pyc'
import 'pip._internal.resolution.resolvelib.base' # <_frozen_importlib_external.SourceFileLoader
object at 0x10455c430>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/candidates.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/resolvelib/candidates.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/candidates.cpython-310.pyc'
import 'pip._internal.resolution.resolvelib.candidates' #
<_frozen_importlib_external.SourceFileLoader object at 0x10455cd30>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/resolution/resolvelib/__pycache__/factory.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/resolvelib/factory.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/__pycache__/factory.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/__pycache__/found_candidates.cpython-310.pyc  
matches /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/found_candidates.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/__pycache__/found_candidates.cpython-310.pyc'  
import 'pip._internal.resolution.resolvelib.found_candidates' #  
<_frozen_importlib_external.SourceFileLoader object at 0x10455e440>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/__pycache__/requirements.cpython-310.pyc  
matches /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/requirements.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/__pycache__/requirements.cpython-310.pyc'  
import 'pip._internal.resolution.resolvelib.requirements' #  
<_frozen_importlib_external.SourceFileLoader object at 0x10455eaa0>  
import 'pip._internal.resolution.resolvelib.factory' #  
<_frozen_importlib_external.SourceFileLoader object at 0x104484f10>  
import 'pip._internal.resolution.resolvelib.provider' #  
<_frozen_importlib_external.SourceFileLoader object at 0x10452e3e0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/__pycache__/reporter.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/resolution/resolvelib/reporter.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/resolution/resolvelib/__pycache__/reporter.cpython-310.pyc'  
import 'pip._internal.resolution.resolvelib.reporter' #  
<_frozen_importlib_external.SourceFileLoader object at 0x10455fe20>
```



```
import 'pip._internal.resolution.resolvelib.resolver' #
<_frozen_importlib_external.SourceFileLoader object at 0x10452d450>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/netrc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/netrc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/netrc.cpython-310.pyc'
import 'netrc' # <_frozen_importlib_external.SourceFileLoader object at 0x10419d9c0>
Collecting manim
  Using cached manim-0.16.0.post0-py3-none-any.whl (528 kB)
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/cp437.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/cp437.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/cp437.cpython-310.pyc'
import 'encodings.cp437' # <_frozen_importlib_external.SourceFileLoader object at
0x104632e30>
Collecting watchdog<3.0.0,>=2.1.6
  Using cached watchdog-2.1.9-cp310-cp310-macosx_11_0_arm64.whl (88 kB)
Collecting moderngl-window<3.0.0,>=2.3.0
  Using cached moderngl_window-2.4.1-py3-none-any.whl (365 kB)
Requirement already satisfied: scipy<2.0.0,>=1.7.3 in /opt/homebrew/lib/python3.10/site-
packages (from manim) (1.9.1)
```

Requirement already satisfied: pycairo<2.0,>=1.19 in /opt/homebrew/lib/python3.10/site-packages (from manim) (1.21.0)

Collecting Pillow<10.0,>=9.1

Using cached Pillow-9.2.0-cp310-cp310-macosx_11_0_arm64.whl (2.8 MB)

Collecting mapbox-earcut<0.13.0,>=0.12.10

Using cached mapbox_earcut-0.12.11-cp310-cp310-macosx_12_0_arm64.whl

Collecting networkx<3.0,>=2.5

Using cached networkx-2.8.6-py3-none-any.whl (2.0 MB)

Collecting rich!=12.0.0,>=6.0

Using cached rich-12.5.1-py3-none-any.whl (235 kB)

Collecting requests<3.0.0,>=2.26.0

Using cached requests-2.28.1-py3-none-any.whl (62 kB)

Collecting click-default-group<2.0.0,>=1.2.2

Using cached click_default_group-1.2.2-py3-none-any.whl

Collecting cloup<0.14.0,>=0.13.0

Using cached cloup-0.13.1-py2.py3-none-any.whl (51 kB)

Collecting colour<0.2.0,>=0.1.5

Using cached colour-0.1.5-py2.py3-none-any.whl (23 kB)

Collecting tqdm<5.0.0,>=4.62.3

Using cached tqdm-4.64.1-py2.py3-none-any.whl (78 kB)

Collecting skia-pathops<0.8.0,>=0.7.0

Using cached skia_pathops-0.7.2-cp310-cp310-macosx_10_9_universal2.whl (2.9 MB)

Collecting srt<4.0.0,>=3.5.0

Using cached srt-3.5.2-py3-none-any.whl

Collecting decorator<6.0.0,>=5.0.7

Using cached decorator-5.1.1-py3-none-any.whl (9.1 kB)

Collecting pydub<0.26.0,>=0.25.1

Using cached pydub-0.25.1-py2.py3-none-any.whl (32 kB)

Collecting isosurfaces==0.1.0

Using cached isosurfaces-0.1.0-py3-none-any.whl (10 kB)

Collecting manimpango<0.5.0,>=0.4.0.post0
Using cached ManimPango-0.4.1.tar.gz (4.1 MB)
Installing build dependencies ... done
Getting requirements to build wheel ... done
Preparing metadata (pyproject.toml) ... done
Collecting Pygments<3.0.0,>=2.10.0
Using cached Pygments-2.13.0-py3-none-any.whl (1.1 MB)
Collecting screeninfo<0.9,>=0.8
Using cached screeninfo-0.8-py3-none-any.whl (14 kB)
Requirement already satisfied: numpy<2.0,>=1.19 in /opt/homebrew/lib/python3.10/site-packages (from manim) (1.23.2)
Collecting moderngl<6.0.0,>=5.6.3
Using cached moderngl-5.6.4-cp310-cp310-macosx_10_9_universal2.whl (234 kB)
Collecting click>=7.2
Using cached click-8.1.3-py3-none-any.whl (96 kB)
Collecting glcontext<3,>=2
Using cached glcontext-2.3.6-cp310-cp310-macosx_10_9_universal2.whl (12 kB)
Collecting pyrr<1,>=0.10.3
Using cached pyrr-0.10.3-py3-none-any.whl (46 kB)
Collecting pyglet<2,>=1.5.8
Using cached pyglet-1.5.26-py3-none-any.whl (1.1 MB)
Collecting charset-normalizer<3,>=2
Using cached charset_normalizer-2.1.1-py3-none-any.whl (39 kB)
Collecting urllib3<1.27,>=1.21.1
Using cached urllib3-1.26.12-py2.py3-none-any.whl (140 kB)
Collecting idna<4,>=2.5
Using cached idna-3.3-py3-none-any.whl (61 kB)
Collecting certifi>=2017.4.17
Using cached certifi-2022.6.15-py3-none-any.whl (160 kB)
Collecting commonmark<0.10.0,>=0.9.0

Using cached commonmark-0.9.1-py2.py3-none-any.whl (51 kB)

Collecting pyobjc-framework-Cocoa

Using cached pyobjc_framework_Cocoa-8.5-cp310-cp310-macosx_10_9_universal2.whl (388 kB)

Collecting Cython

Using cached Cython-0.29.32-py2.py3-none-any.whl (986 kB)

Collecting multipledispatch

Using cached multipledispatch-0.6.0-py3-none-any.whl (11 kB)

Collecting pyobjc-core>=8.5

Using cached pyobjc_core-8.5-cp310-cp310-macosx_10_9_universal2.whl (578 kB)

Collecting six

Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)

Building wheels for collected packages: manimpango

Building wheel for manimpango (pyproject.toml) ... error

error: subprocess-exited-with-error

× Building wheel for manimpango (pyproject.toml) did not run successfully.

| exit code: 1

└─> [1901 lines of output]

```
import _frozen_importlib # frozen
import _imp # builtin
import '_thread' # <class '_frozen_importlib.BuiltinImporter'>
import '_warnings' # <class '_frozen_importlib.BuiltinImporter'>
import '_weakref' # <class '_frozen_importlib.BuiltinImporter'>
import '_io' # <class '_frozen_importlib.BuiltinImporter'>
import 'marshal' # <class '_frozen_importlib.BuiltinImporter'>
import 'posix' # <class '_frozen_importlib.BuiltinImporter'>
import '_frozen_importlib_external' # <class '_frozen_importlib.FrozenImporter'>
# installing zipimport hook
import 'time' # <class '_frozen_importlib.BuiltinImporter'>
```

```
import 'zipimport' # <class '_frozen_importlib.FrozenImporter'>
# installed zipimport hook
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/codecs.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/codecs.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/codecs.cpython-310.pyc'
import '_codecs' # <class '_frozen_importlib.BuiltinImporter'>
import 'codecs' # <_frozen_importlib_external.SourceFileLoader object at 0x100487340>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/__pycache__/aliases.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/aliases.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/__pycache__/aliases.cpython-310.pyc'
import 'encodings.aliases' # <_frozen_importlib_external.SourceFileLoader object at 0x1004d8910>
```

```
import 'encodings' # <_frozen_importlib_external.SourceFileLoader object at 0x1004871c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/__pycache__/utf_8.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/utf_8.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/encodings/__pycache__/utf_8.cpython-310.pyc'
import 'encodings.utf_8' # <_frozen_importlib_external.SourceFileLoader object at 0x100487070>
import '_signal' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/io.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/io.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/io.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/abc.cpython-310.pyc'
import '_abc' # <class '_frozen_importlib.BuiltinImporter'>
import 'abc' # <_frozen_importlib_external.SourceFileLoader object at 0x1004d8c40>
```

```
import 'io' # <_frozen_importlib_external.SourceFileLoader object at 0x1004d8a30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/site.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/site.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/os.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/os.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/os.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/stat.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/stat.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/stat.cpython-310.pyc'
import '_stat' # <class '_frozen_importlib.BuiltinImporter'>
import 'stat' # <_frozen_importlib_external.SourceFileLoader object at 0x1004dae60>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/_collections_abc.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_collections_abc.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_collections_abc.cpython-310.pyc'
    import '_collections_abc' # <_frozen_importlib_external.SourceFileLoader object at
0x1004db1c0>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/posixpath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/posixpath.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/posixpath.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/genericpath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/genericpath.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/genericpath.cpython-310.pyc'
    import 'genericpath' # <_frozen_importlib_external.SourceFileLoader object at 0x1005119f0>
    import 'posixpath' # <_frozen_importlib_external.SourceFileLoader object at 0x1004db250>
    import 'os' # <_frozen_importlib_external.SourceFileLoader object at 0x1004d9a80>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_sitebuiltins.cpython-310.pyc matches
```



```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_sitebuiltins.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/_sitebuiltins.cpython-310.pyc'
```

```
import '_sitebuiltins' # <_frozen_importlib_external.SourceFileLoader object at
```

```
0x1004dab60>
```

```
Processing user site-packages
```

```
Processing global site-packages
```

```
Adding directory:
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages'
```

```
Processing .pth file:
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/distutils-precedence.pth'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__pycache__/__init__.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__pycache__/__init__.cpython-310.pyc'
```

```
import '_distutils_hack' # <_frozen_importlib_external.SourceFileLoader object at
```

```
0x100512aa0>
```

```
Processing .pth file:
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/homebrew-pybind11.pth'
```

```
Adding directory: '/opt/homebrew/Cellar/pybind11/2.10.0/libexec/lib/python3.10/site-packages'
```

```
# /private/var/folders/jk/dcgdp4z93bb829263c9t4ln00000gn/T/pip-build-env-uwld3fen/site/__pycache__/sitecustomize.cpython-310.pyc matches
/private/var/folders/jk/dcgdp4z93bb829263c9t4ln00000gn/T/pip-build-env-uwld3fen/site/sitecustomize.py

# code object from '/private/var/folders/jk/dcgdp4z93bb829263c9t4ln00000gn/T/pip-build-env-uwld3fen/site/__pycache__/sitecustomize.cpython-310.pyc'
Adding directory: '/opt/homebrew/lib/python3.10/site-packages'
Processing .pth file: '/opt/homebrew/lib/python3.10/site-packages/distutils-precedence.pth'
Processing .pth file: '/opt/homebrew/lib/python3.10/site-packages/homebrew-pybind11.pth'
Adding directory: '/opt/homebrew/Cellar/pybind11/2.10.0/libexec/lib/python3.10/site-packages'
Adding directory: '/opt/homebrew/lib/python3.10/site-packages'
Processing .pth file: '/opt/homebrew/lib/python3.10/site-packages/distutils-precedence.pth'
Processing .pth file: '/opt/homebrew/lib/python3.10/site-packages/homebrew-pybind11.pth'
Adding directory: '/opt/homebrew/Cellar/pybind11/2.10.0/libexec/lib/python3.10/site-packages'

Traceback (most recent call last):
  File
"/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site.py", line 549, in execsitecustomize
    import sitecustomize
  File "<frozen importlib._bootstrap>", line 1027, in _find_and_load
  File "<frozen importlib._bootstrap>", line 1006, in _find_and_load_unlocked
  File "<frozen importlib._bootstrap>", line 688, in _load_unlocked
  File "<frozen importlib._bootstrap_external>", line 883, in exec_module
  File "<frozen importlib._bootstrap>", line 241, in _call_with_frames_removed
  File "/private/var/folders/jk/dcgdp4z93bb829263c9t4ln00000gn/T/pip-build-env-uwld3fen/site/sitecustomize.py", line 22, in <module>
    assert not path in sys.path
AssertionError
```

```
# destroy sitecustomize
import 'site' # <_frozen_importlib_external.SourceFileLoader object at 0x1004d9450>
Python 3.10.6 (main, Aug 30 2022, 04:58:14) [Clang 13.1.6 (clang-1316.0.21.2.5)] on darwin
Type "help", "copyright", "credits" or "license" for more information.
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/glob.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/glob.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/glob.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/contextlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/contextlib.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/contextlib.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/__pycache__/__init__.cpython-310.pyc'
import 'itertools' # <class '_frozen_importlib.BuiltinImporter'>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/keyword.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/keyword.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/keyword.cpython-310.pyc'
import 'keyword' # <_frozen_importlib_external.SourceFileLoader object at 0x100555030>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/operator.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/operator.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/operator.cpython-310.pyc'
import '_operator' # <class '_frozen_importlib.BuiltinImporter'>
import 'operator' # <_frozen_importlib_external.SourceFileLoader object at 0x100554f70>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/replib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/replib.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/replib.cpython-310.pyc'
import 'replib' # <_frozen_importlib_external.SourceFileLoader object at 0x100554d60>
import '_collections' # <class '_frozen_importlib.BuiltinImporter'>
import 'collections' # <_frozen_importlib_external.SourceFileLoader object at 0x1005612a0>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/functools.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/functools.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/functools.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/types.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/types.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/types.cpython-310.pyc'
import 'types' # <_frozen_importlib_external.SourceFileLoader object at 0x10054b3d0>
import '_functools' # <class '_frozen_importlib.BuiltinImporter'>
import 'functools' # <_frozen_importlib_external.SourceFileLoader object at 0x100554850>
import 'contextlib' # <_frozen_importlib_external.SourceFileLoader object at 0x1005621a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/re.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/re.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/re.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/enum.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/enum.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/enum.cpython-310.pyc'
    import 'enum' # <_frozen_importlib_external.SourceFileLoader object at 0x1005495d0>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/sre_compile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/sre_compile.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_compile.cpython-310.pyc'
    import '_sre' # <class '_frozen_importlib.BuiltinImporter'>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/sre_parse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/sre_parse.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_parse.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/sre_constants.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/sre_constants.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_constants.cpython-310.pyc'
import 'sre_constants' # <_frozen_importlib_external.SourceFileLoader object at
0x10054df90>
import 'sre_parse' # <_frozen_importlib_external.SourceFileLoader object at 0x10054f040>
import 'sre_compile' # <_frozen_importlib_external.SourceFileLoader object at
0x10054f910>
import '_locale' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/copyreg.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/copyreg.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/copyreg.cpython-310.pyc'
import 'copyreg' # <_frozen_importlib_external.SourceFileLoader object at 0x100513f40>
import 're' # <_frozen_importlib_external.SourceFileLoader object at 0x100561ae0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/fnmatch.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/fnmatch.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/fnmatch.cpython-310.pyc'
import 'fnmatch' # <_frozen_importlib_external.SourceFileLoader object at 0x1005493c0>
import 'glob' # <_frozen_importlib_external.SourceFileLoader object at 0x1005625f0>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/warnings.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/warnings.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/warnings.cpython-310.pyc'
import 'warnings' # <_frozen_importlib_external.SourceFileLoader object at 0x100513370>
import 'importlib' # <_frozen_importlib_external.SourceFileLoader object at 0x1005137f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/json/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/__pycache__/decoder.cpython-310.pyc matches
```



```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/decoder.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/json/__pycache__/decoder.cpython-310.pyc'
    #
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/__pycache__/scanner.cpython-310.pyc matches
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/scanner.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/json/__pycache__/scanner.cpython-310.pyc'
    # extension module '_json' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_json.cpython-310-darwin.so'
    # extension module '_json' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_json.cpython-310-darwin.so'
    import '_json' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10056a4a0>
    import 'json.scanner' # <_frozen_importlib_external.SourceFileLoader object at
0x10056a290>
    import 'json.decoder' # <_frozen_importlib_external.SourceFileLoader object at
0x1005126b0>
    #
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/__pycache__/encoder.cpython-310.pyc matches
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/encoder.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/json/__pycache__/encoder.cpython-310.pyc'
import 'json.encoder' # <_frozen_importlib_external.SourceFileLoader object at
0x10056a0e0>
import 'json' # <_frozen_importlib_external.SourceFileLoader object at 0x1005136d0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/shutil.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/shutil.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/shutil.cpython-310.pyc'
import 'errno' # <class '_frozen_importlib.BuiltinImporter'>
# extension module 'zlib' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/zlib.cpython-310-darwin.so'
# extension module 'zlib' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/zlib.cpython-310-darwin.so'
import 'zlib' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10056b3d0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/bz2.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/bz2.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/bz2.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_compression.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_compression.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_compression.cpython-310.pyc'
import '_compression' # <_frozen_importlib_external.SourceFileLoader object at
0x10056bd00>
# extension module '_bz2' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bz2.cpython-310-darwin.so'
# extension module '_bz2' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bz2.cpython-310-darwin.so'
import '_bz2' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100644250>
import 'bz2' # <_frozen_importlib_external.SourceFileLoader object at 0x10056b4f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_lzma.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/lzma.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_lzma.cpython-310.pyc'
# extension module '_lzma' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_lzma.cpython-310-darwin.so'
```

```
# extension module '_lzma' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_lzma.cpython-310-darwin.so'
import '_lzma' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100644910>
import 'lzma' # <_frozen_importlib_external.SourceFileLoader object at 0x1006442b0>
import 'shutil' # <_frozen_importlib_external.SourceFileLoader object at 0x10056a650>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/traceback.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/traceback.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/traceback.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/linecache.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/linecache.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/linecache.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/tokenize.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/tokenize.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/tokenize.cpython-310.pyc'
```

```
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/token.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/token.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/token.cpython-310.pyc'  
import 'token' # <_frozen_importlib_external.SourceFileLoader object at 0x1006463e0>  
import 'tokenize' # <_frozen_importlib_external.SourceFileLoader object at 0x100645b40>  
import 'linecache' # <_frozen_importlib_external.SourceFileLoader object at 0x1006458d0>  
import 'traceback' # <_frozen_importlib_external.SourceFileLoader object at 0x100645360>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/__init__.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/__pycache__/__init__.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/_distutils_hack/__pycache__/override.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/_distutils_hack/override.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/_distutils_hack/__pycache__/override.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/importlib/__pycache__/abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/abc.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/abc.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/__pycache__/machinery.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/machinery.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/machinery.cpython-310.pyc'
    import 'importlib.machinery' # <_frozen_importlib_external.SourceFileLoader object at
0x10067c430>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/__pycache__/_abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/_abc.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/_abc.cpython-310.pyc'
    import 'importlib._abc' # <_frozen_importlib_external.SourceFileLoader object at
0x10067c700>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/typing.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/typing.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/typing.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/__pycache__/abc.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/abc.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/__pycache__/abc.cpython-310.pyc'
```

```
import 'collections.abc' # <_frozen_importlib_external.SourceFileLoader object at 0x10067ed70>
```

```
import 'typing' # <_frozen_importlib_external.SourceFileLoader object at 0x10067c880>
```

```
import 'importlib.abc' # <_frozen_importlib_external.SourceFileLoader object at 0x1006477c0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/util.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/util.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/util.cpython-310.pyc'
```

```
import 'importlib.util' # <_frozen_importlib_external.SourceFileLoader object at 0x1006479d0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/site-packages/setuptools/_distutils/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_distutils/__init__.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/__init__.cpython-310.pyc'
    import 'setuptools._distutils' # <_frozen_importlib_external.SourceFileLoader object at
0x100ac56f0>
    import 'distutils' #
<_distutils_hack.DistutilsMetaFinder.spec_for_distutils.<locals>.DistutilsLoader object at
0x100647520>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_distutils/__pycache__/core.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_distutils/core.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/core.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_distutils/__pycache__/debug.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_distutils/debug.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/debug.cpython-310.pyc'
    import 'distutils.debug' # <_frozen_importlib_external.SourceFileLoader object at
0x100ac5900>
```



```
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/_pycache_/errors.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/errors.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/_distutils/_pycache_/errors.cpython-310.pyc'
```

```
import 'distutils.errors' # <_frozen_importlib_external.SourceFileLoader object at  
0x100ac5990>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/_pycache_/dist.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/dist.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/_distutils/_pycache_/dist.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/_pycache_/__init__.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/email/_pycache_/__init__.cpython-310.pyc'
```

```
import 'email' # <_frozen_importlib_external.SourceFileLoader object at 0x100ac6b30>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/_pycache_/fancy_getopt.cpython-310.pyc
```

matches

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_distutils/fancy_getopt.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_distutils/__pycache__/fancy_getopt.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/string.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/string.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/string.cpython-310.pyc'
```

```
import '_string' # <class '_frozen_importlib.BuiltinImporter'>
```

```
import 'string' # <_frozen_importlib_external.SourceFileLoader object at 0x100ac72b0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/getopt.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/getopt.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/getopt.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/gettext.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/gettext.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/gettext.cpython-310.pyc'
import 'gettext' # <_frozen_importlib_external.SourceFileLoader object at 0x100ac7d90>
import 'getopt' # <_frozen_importlib_external.SourceFileLoader object at 0x100ac78e0>
import 'distutils.fancy_getopt' # <_frozen_importlib_external.SourceFileLoader object at
0x100ac6c80>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/util.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/util.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/subprocess.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/subprocess.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/subprocess.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/signal.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/signal.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/signal.cpython-310.pyc'
import 'signal' # <_frozen_importlib_external.SourceFileLoader object at 0x100b19b10>
#
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/threading.cpython-310.pyc matches
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/threading.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/threading.cpython-310.pyc'
#
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_weakrefset.cpython-310.pyc matches
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_weakrefset.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_weakrefset.cpython-310.pyc'
import '_weakrefset' # <_frozen_importlib_external.SourceFileLoader object at
0x100b1bcd0>
import 'threading' # <_frozen_importlib_external.SourceFileLoader object at 0x100b19f60>
# extension module 'fcntl' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/fcntl.cpython-310-darwin.so'
# extension module 'fcntl' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/fcntl.cpython-310-darwin.so'
import 'fcntl' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100b1b7c0>
```

```
# extension module '_posixsubprocess' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_posixsubprocess.cpython-310-darwin.so'
```

```
# extension module '_posixsubprocess' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_posixsubprocess.cpython-310-darwin.so'
```

```
import '_posixsubprocess' # <_frozen_importlib_external.ExtensionFileLoader object at
0x100b1b040>
```

```
# extension module 'select' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/select.cpython-310-darwin.so'
```

```
# extension module 'select' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/select.cpython-310-darwin.so'
```

```
import 'select' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100b588e0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/selectors.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/selectors.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/selectors.cpython-310.pyc'
```

```
# extension module 'math' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/math.cpython-310-darwin.so'
```

```
# extension module 'math' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/math.cpython-310-darwin.so'
```

```
import 'math' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100b59210>
```

```
import 'selectors' # <_frozen_importlib_external.SourceFileLoader object at 0x100b589a0>
import 'subprocess' # <_frozen_importlib_external.SourceFileLoader object at
0x100b18c40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sysconfig.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sysconfig.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sysconfig.cpython-310.pyc'
import 'sysconfig' # <_frozen_importlib_external.SourceFileLoader object at 0x100b19210>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/dep_util.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/dep_util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/dep_util.cpython-310.pyc'
import 'distutils.dep_util' # <_frozen_importlib_external.SourceFileLoader object at
0x100b59ed0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/spawn.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/spawn.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/spawn.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/log.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/log.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/log.cpython-310.pyc'
import 'distutils.log' # <_frozen_importlib_external.SourceFileLoader object at 0x100b5a170>
import 'distutils.spawn' # <_frozen_importlib_external.SourceFileLoader object at
0x100b59f30>
import 'distutils.util' # <_frozen_importlib_external.SourceFileLoader object at 0x100ac7bb0>
import 'distutils.dist' # <_frozen_importlib_external.SourceFileLoader object at
0x100ac5db0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/cmd.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/cmd.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/cmd.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/dir_util.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/dir_util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/dir_util.cpython-310.pyc'
```

```
import 'distutils.dir_util' # <_frozen_importlib_external.SourceFileLoader object at
0x100b5a9b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/file_util.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/file_util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/file_util.cpython-310.pyc'
import 'distutils.file_util' # <_frozen_importlib_external.SourceFileLoader object at
0x100b5ab90>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/archive_util.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/archive_util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/archive_util.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/zipfile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/zipfile.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/zipfile.cpython-310.pyc'
```



```
# extension module 'binascii' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/binascii.cpython-310-darwin.so'

# extension module 'binascii' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/binascii.cpython-310-darwin.so'

import 'binascii' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100ba0b50>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/struct.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/struct.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/struct.cpython-310.pyc'

# extension module '_struct' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_struct.cpython-310-darwin.so'

# extension module '_struct' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_struct.cpython-310-darwin.so'

import '_struct' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100ba0e50>
import 'struct' # <_frozen_importlib_external.SourceFileLoader object at 0x100ba0c40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/pathlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/pathlib.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/pathlib.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/ntpath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/ntpath.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/ntpath.cpython-310.pyc'
import 'ntpath' # <_frozen_importlib_external.SourceFileLoader object at 0x100ba2ad0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/__init__.cpython-310.pyc'
import 'urllib' # <_frozen_importlib_external.SourceFileLoader object at 0x100ba34c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/parse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/parse.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/parse.cpython-310.pyc'
import 'urllib.parse' # <_frozen_importlib_external.SourceFileLoader object at 0x100ba3460>
```

```
import 'pathlib' # <_frozen_importlib_external.SourceFileLoader object at 0x100ba0ee0>
import 'zipfile' # <_frozen_importlib_external.SourceFileLoader object at 0x100b5b0a0>
import 'pwd' # <class '_frozen_importlib.BuiltinImporter'>
# extension module 'grp' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/grp.cpython-310-darwin.so'
# extension module 'grp' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/grp.cpython-310-darwin.so'
import 'grp' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100ba0580>
import 'distutils.archive_util' # <_frozen_importlib_external.SourceFileLoader object at
0x100b5ad10>
import 'distutils.cmd' # <_frozen_importlib_external.SourceFileLoader object at
0x100ac69b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/_pycache_/config.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/config.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/_pycache_/config.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_pycache_/configparser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/configparser.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/_pycache_/configparser.cpython-310.pyc'
```

```
import 'configparser' # <_frozen_importlib_external.SourceFileLoader object at
0x100bf85b0>
import 'distutils.config' # <_frozen_importlib_external.SourceFileLoader object at
0x100b5b610>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/_pycache_/extension.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/extension.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/_pycache_/extension.cpython-310.pyc'
import 'distutils.extension' # <_frozen_importlib_external.SourceFileLoader object at
0x100bf8430>
import 'distutils.core' # <_frozen_importlib_external.SourceFileLoader object at
0x100ac56c0>
import '_distutils_hack.override' # <_frozen_importlib_external.SourceFileLoader object at
0x100647460>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_pycache__/_deprecation_warning.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_deprecation_warning.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_pycache__/_deprecation_warning.cpython-310.pyc'
import 'setuptools._deprecation_warning' # <_frozen_importlib_external.SourceFileLoader
object at 0x100647250>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/version.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/version.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/version.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/pkgutil.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/pkgutil.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/pkgutil.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/weakref.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/weakref.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/weakref.cpython-310.pyc'
import 'weakref' # <_frozen_importlib_external.SourceFileLoader object at 0x100c42fe0>
import 'pkgutil' # <_frozen_importlib_external.SourceFileLoader object at 0x100c42830>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/platform.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/platform.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/platform.cpython-310.pyc'
import 'platform' # <_frozen_importlib_external.SourceFileLoader object at 0x100c8c160>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/plistlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/plistlib.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/plistlib.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/datetime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/datetime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/datetime.cpython-310.pyc'
```

```
# extension module '_datetime' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_datetime.cpython-310-darwin.so'

# extension module '_datetime' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_datetime.cpython-310-darwin.so'

import '_datetime' # <_frozen_importlib_external.ExtensionFileLoader object at
0x100cd0850>

import 'datetime' # <_frozen_importlib_external.SourceFileLoader object at 0x100c8e260>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/__init__.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/__pycache__/__init__.cpython-310.pyc'

import 'xml' # <_frozen_importlib_external.SourceFileLoader object at 0x100c8e440>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/parsers/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/parsers/__init__.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/parsers/__pycache__/__init__.cpython-310.pyc'

import 'xml.parsers' # <_frozen_importlib_external.SourceFileLoader object at 0x100c8fcd0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/parsers/__pycache__/expat.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/xml/parsers/expat.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/xml/parsers/__pycache__/expat.cpython-310.pyc'
    # extension module 'pyexpat' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/pyexpat.cpython-310-darwin.so'
    # extension module 'pyexpat' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/pyexpat.cpython-310-darwin.so'
    import 'pyexpat' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100cd0d30>
    import 'xml.parsers.expat' # <_frozen_importlib_external.SourceFileLoader object at
0x100c8e2c0>
    import 'plistlib' # <_frozen_importlib_external.SourceFileLoader object at 0x100c8cf40>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/parser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/parser.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/parser.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/feedparser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/feedparser.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/feedparser.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/errors.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/errors.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/errors.cpython-310.pyc'
import 'email.errors' # <_frozen_importlib_external.SourceFileLoader object at 0x100c8f550>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/_policybase.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/_policybase.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/_policybase.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/header.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/header.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/header.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
ython3.10/email/__pycache__/quoprimime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/quoprimime.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/quoprimime.cpython-310.pyc'
    import 'email.quoprimime' # <_frozen_importlib_external.SourceFileLoader object at
0x100cd1240>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/base64mime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/base64mime.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/base64mime.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/base64.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/base64.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/base64.cpython-310.pyc'
    import 'base64' # <_frozen_importlib_external.SourceFileLoader object at 0x100cd19c0>
    import 'email.base64mime' # <_frozen_importlib_external.SourceFileLoader object at
0x100cd1750>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/charset.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/charset.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/charset.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/encoders.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/encoders.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/encoders.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/quopri.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/quopri.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/quopri.cpython-310.pyc'
```

```
import 'quopri' # <_frozen_importlib_external.SourceFileLoader object at 0x100cd2d70>
```

```
import 'email.encoders' # <_frozen_importlib_external.SourceFileLoader object at 0x100cd29e0>
```

```
import 'email.charset' # <_frozen_importlib_external.SourceFileLoader object at 0x100cd2560>
```

```
import 'email.header' # <_frozen_importlib_external.SourceFileLoader object at 0x100cd0640>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
ython3.10/email/__pycache__/utils.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/utils.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/utils.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/random.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/random.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/random.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/bisect.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/bisect.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/bisect.cpython-310.pyc'
    # extension module '_bisect' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bisect.cpython-310-darwin.so'
    # extension module '_bisect' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bisect.cpython-310-darwin.so'
    import '_bisect' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100d203d0>
    import 'bisect' # <_frozen_importlib_external.SourceFileLoader object at 0x100d201c0>
```

```
# extension module '_random' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_random.cpython-310-darwin.so'
# extension module '_random' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_random.cpython-310-darwin.so'
import '_random' # <_frozen_importlib_external.ExtensionFileLoader object at
0x100d20310>
# extension module '_sha512' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_sha512.cpython-310-darwin.so'
# extension module '_sha512' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_sha512.cpython-310-darwin.so'
import '_sha512' # <_frozen_importlib_external.ExtensionFileLoader object at
0x100d20430>
import 'random' # <_frozen_importlib_external.SourceFileLoader object at 0x100cd35b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/socket.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/socket.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/socket.cpython-310.pyc'
# extension module '_socket' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_socket.cpython-310-darwin.so'
```

```
# extension module '_socket' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_socket.cpython-310-darwin.so'
import '_socket' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100d21000>
# extension module 'array' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/array.cpython-310-darwin.so'
# extension module 'array' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/array.cpython-310-darwin.so'
import 'array' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100d219f0>
import 'socket' # <_frozen_importlib_external.SourceFileLoader object at 0x100d20580>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/_parseaddr.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/_parseaddr.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/_parseaddr.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/calendar.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/calendar.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/calendar.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
ython3.10/__pycache__/locale.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/locale.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/locale.cpython-310.pyc'
    import 'locale' # <_frozen_importlib_external.SourceFileLoader object at 0x100d23130>
    import 'calendar' # <_frozen_importlib_external.SourceFileLoader object at 0x100d21e10>
    import 'email._parseaddr' # <_frozen_importlib_external.SourceFileLoader object at
0x100d21840>
    import 'email.utils' # <_frozen_importlib_external.SourceFileLoader object at 0x100cd33a0>
    import 'email._policybase' # <_frozen_importlib_external.SourceFileLoader object at
0x100c8ee00>
    import 'email.feedparser' # <_frozen_importlib_external.SourceFileLoader object at
0x100c8fbb0>
    import 'email.parser' # <_frozen_importlib_external.SourceFileLoader object at
0x100c8fe50>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/tempfile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/tempfile.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/tempfile.cpython-310.pyc'
    import 'tempfile' # <_frozen_importlib_external.SourceFileLoader object at 0x100c8ee90>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/textwrap.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/textwrap.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/textwrap.cpython-310.pyc'
    import 'textwrap' # <_frozen_importlib_external.SourceFileLoader object at 0x100d80850>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/inspect.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/inspect.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/inspect.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/ast.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/ast.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/ast.cpython-310.pyc'
    import '_ast' # <class '_frozen_importlib.BuiltinImporter'>
    import 'ast' # <_frozen_importlib_external.SourceFileLoader object at 0x100d83010>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/dis.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/dis.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/dis.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/opcode.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/opcode.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/opcode.cpython-310.pyc'
# extension module '_opcode' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_opcode.cpython-310-darwin.so'
# extension module '_opcode' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_opcode.cpython-310-darwin.so'
import '_opcode' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100eb81c0>
import 'opcode' # <_frozen_importlib_external.SourceFileLoader object at 0x100dc7f10>
import 'dis' # <_frozen_importlib_external.SourceFileLoader object at 0x100d837c0>
import 'inspect' # <_frozen_importlib_external.SourceFileLoader object at 0x100d81600>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/extern/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/extern/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/extern/__pycache__/__init__.cpython-310.pyc'
```

```
import 'pkg_resources.extern' # <_frozen_importlib_external.SourceFileLoader object at
0x100ebab90>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/__pycache__/__init__.cpython-310.pyc'
import 'pkg_resources._vendor' # <_frozen_importlib_external.SourceFileLoader object at
0x100eb9e10>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/jaraco/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/jaraco/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/jaraco/__pycache__/__init__.cpython-310.pyc'
import 'pkg_resources._vendor.jaraco' # <_frozen_importlib_external.SourceFileLoader
object at 0x100eb9c90>
import 'pkg_resources.extern.jaraco' # <pkg_resources.extern.VendorImporter object at
0x100eba8c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/jaraco/text/__pycache__/__init__.cpython-
310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/jaraco/text/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/jaraco/text/__pycache__/__init__.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/resources.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/resources.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/resources.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_common.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/_common.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_common.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_adapters.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/_adapters.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_adapters.cpython-310.pyc'
```

```
import 'importlib._adapters' # <_frozen_importlib_external.SourceFileLoader object at 0x100ee0b20>
```

```
import 'importlib._common' # <_frozen_importlib_external.SourceFileLoader object at 0x100ee0610>
```

```
import 'importlib.resources' # <_frozen_importlib_external.SourceFileLoader object at 0x100ebbee0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/jaraco/__pycache__/functools.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/jaraco/functools.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/jaraco/__pycache__/functools.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/more_itertools/__pycache__/__init__.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/more_itertools/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/more_itertools/__pycache__/__init__.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/more_itertools/__pycache__/more.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/more_itertools/more.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/more_itertools/__pycache__/more.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/heapq.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/heapq.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/heapq.cpython-310.pyc'
```

```
# extension module '_heapq' loaded from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_heapq.cpython-310-darwin.so'
```

```
# extension module '_heapq' executed from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_heapq.cpython-310-darwin.so'
```

```
import '_heapq' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100f00dc0>
```

```
import 'heapq' # <_frozen_importlib_external.SourceFileLoader object at 0x100f008b0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/queue.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/queue.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/queue.cpython-310.pyc'
```

```
# extension module '_queue' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_queue.cpython-310-darwin.so'

# extension module '_queue' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_queue.cpython-310-darwin.so'

import '_queue' # <_frozen_importlib_external.ExtensionFileLoader object at 0x100f01360>
import 'queue' # <_frozen_importlib_external.SourceFileLoader object at 0x100f00be0>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/more_itertools/__pycache__/recipes.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/more_itertools/recipes.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/more_itertools/__pycache__/recipes.cpython-
310.pyc'

import 'pkg_resources._vendor.more_itertools.recipes' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f01480>
import 'pkg_resources._vendor.more_itertools.more' #
<_frozen_importlib_external.SourceFileLoader object at 0x100ee2350>
import 'pkg_resources._vendor.more_itertools' #
<_frozen_importlib_external.SourceFileLoader object at 0x100ee20e0>
import 'pkg_resources.extern.more_itertools' # <pkg_resources.extern.VendorImporter
object at 0x100eba8c0>
import 'pkg_resources.extern.jaraco.functools' #
<_frozen_importlib_external.SourceFileLoader object at 0x100ee1690>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/site-packages/pkg_resources/_vendor/jaraco/__pycache__/context.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/pkg_resources/_vendor/jaraco/context.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/jaraco/__pycache__/context.cpython-310.pyc'
    import 'pkg_resources.extern.jaraco.context' #
<_frozen_importlib_external.SourceFileLoader object at 0x100ee3a30>
    import 'pkg_resources.extern.jaraco.text' # <_frozen_importlib_external.SourceFileLoader
object at 0x100ebaaa0>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/pkg_resources/_vendor/__pycache__/appdirs.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/pkg_resources/_vendor/appdirs.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/__pycache__/appdirs.cpython-310.pyc'
    import 'pkg_resources._vendor.appdirs' # <_frozen_importlib_external.SourceFileLoader
object at 0x100f02e90>
    import 'pkg_resources.extern.appdirs' # <pkg_resources.extern.VendorImporter object at
0x100eba8c0>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/__init__.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/pkg_resources/_vendor/packaging/__init__.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/__init__.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/__about__.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__about__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/__about__.cpython-
310.pyc'
import 'pkg_resources._vendor.packaging.__about__' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f033a0>
import 'pkg_resources._vendor.packaging' # <_frozen_importlib_external.SourceFileLoader
object at 0x100f031c0>
import 'pkg_resources.extern.packaging' # <pkg_resources.extern.VendorImporter object at
0x100eba8c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/version.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/version.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/version.cpython-
310.pyc'
```



```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/_structures.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/_structures.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/_structures.cpython-
310.pyc'
import 'pkg_resources.extern.packaging._structures' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f03a60>
import 'pkg_resources.extern.packaging.version' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f030a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/specifiers.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/specifiers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/specifiers.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/utils.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/utils.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/utils.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/tags.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/tags.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/tags.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/logging/__pycache__/__init__.cpython-310.pyc'
import 'atexit' # <class '_frozen_importlib.BuiltinImporter'>
import 'logging' # <_frozen_importlib_external.SourceFileLoader object at 0x100f4a1a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/_manylinux.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/_manylinux.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/_manylinux.cpython-
310.pyc'
import 'pkg_resources._vendor.packaging._manylinux' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f4be50>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/_musllinux.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/_musllinux.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/_musllinux.cpython-
310.pyc'
import 'pkg_resources._vendor.packaging._musllinux' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f81120>
import 'pkg_resources.extern.packaging.tags' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f498d0>
import 'pkg_resources.extern.packaging.utils' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f495d0>
import 'pkg_resources.extern.packaging.specifiers' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f48c10>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/requirements.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/requirements.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-
packages/pkg_resources/_vendor/packaging/__pycache__/requirements.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/__init__.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/pyparsing/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/__init__.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/util.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/pyparsing/util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/util.cpython-310.pyc'
import 'pkg_resources._vendor.pyparsing.util' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f82ec0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/exceptions.cpython-
310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/exceptions.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/exceptions.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/unicode.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc'
```

```
import 'pkg_resources._vendor.pyparsing.unicode' #
```

```
<_frozen_importlib_external.SourceFileLoader object at 0x100f83ee0>
```

```
import 'pkg_resources._vendor.pyparsing.exceptions' #
```

```
<_frozen_importlib_external.SourceFileLoader object at 0x100f83730>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/actions.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc'
```

```
import 'pkg_resources._vendor.pyparsing.actions' #
<_frozen_importlib_external.SourceFileLoader object at 0x100fec340>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/core.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/core.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/core.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/copy.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/copy.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/copy.cpython-310.pyc'
import 'copy' # <_frozen_importlib_external.SourceFileLoader object at 0x101050dc0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/results.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/results.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
```

```
python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/results.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/pprint.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/pprint.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/pprint.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/dataclasses.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/dataclasses.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/dataclasses.cpython-310.pyc'
import 'dataclasses' # <_frozen_importlib_external.SourceFileLoader object at 0x1010526b0>
import 'pprint' # <_frozen_importlib_external.SourceFileLoader object at 0x101051f00>
import 'pkg_resources._vendor.pyparsing.results' #
<_frozen_importlib_external.SourceFileLoader object at 0x101051150>
import 'pkg_resources._vendor.pyparsing.core' #
<_frozen_importlib_external.SourceFileLoader object at 0x100fed210>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/helpers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/html/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/html/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/html/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/html/__pycache__/entities.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/html/entities.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/html/__pycache__/entities.cpython-310.pyc'
import 'html.entities' # <_frozen_importlib_external.SourceFileLoader object at 0x10114cbe0>
import 'html' # <_frozen_importlib_external.SourceFileLoader object at 0x10114c910>
import 'pkg_resources._vendor.pyparsing.helpers' #
<_frozen_importlib_external.SourceFileLoader object at 0x100fec80>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/testing.cpython-
```


310.pyc matches

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/testing.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/testing.cpython-310.pyc'
```

```
import 'pkg_resources._vendor.pyparsing.testing' #
```

```
<_frozen_importlib_external.SourceFileLoader object at 0x10114ddb0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/common.cpython-
```

310.pyc matches

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/common.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/pyparsing/__pycache__/common.cpython-310.pyc'
```

```
import 'pkg_resources._vendor.pyparsing.common' #
```

```
<_frozen_importlib_external.SourceFileLoader object at 0x10114e260>
```

```
import 'pkg_resources._vendor.pyparsing' # <_frozen_importlib_external.SourceFileLoader object at 0x100f82530>
```

```
import 'pkg_resources.extern.pyparsing' # <pkg_resources.extern.VendorImporter object at 0x100eba8c0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/markers.cpython-
```

310.pyc matches

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/pkg_resources/_vendor/packaging/markers.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/pkg_resources/_vendor/packaging/__pycache__/markers.cpython-
310.pyc'
    import 'pkg_resources.extern.packaging.markers' #
<_frozen_importlib_external.SourceFileLoader object at 0x10114e590>
    import 'pkg_resources.extern.packaging.requirements' #
<_frozen_importlib_external.SourceFileLoader object at 0x100f821d0>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_osx_support.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_osx_support.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_osx_support.cpython-310.pyc'
    import '_osx_support' # <_frozen_importlib_external.SourceFileLoader object at
0x10122a260>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_sysconfigdata__darwin_darwin.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_sysconfigdata__darwin_darwin.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_sysconfigdata__darwin_darwin.cpython-310.pyc'
    import '_sysconfigdata__darwin_darwin' # <_frozen_importlib_external.SourceFileLoader
object at 0x101280af0>
```

```
import 'pkg_resources' # <_frozen_importlib_external.SourceFileLoader object at
0x100bfb370>

import 'setuptools.version' # <_frozen_importlib_external.SourceFileLoader object at
0x100bf9b40>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/extension.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/extension.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/extension.cpython-310.pyc'

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/monkey.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/monkey.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/monkey.cpython-310.pyc'

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/filelist.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/filelist.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/filelist.cpython-310.pyc'

import 'distutils.filelist' # <_frozen_importlib_external.SourceFileLoader object at
0x1012c2560>
```

```
import 'setuptools.monkey' # <_frozen_importlib_external.SourceFileLoader object at
0x101281bd0>

import 'setuptools.extension' # <_frozen_importlib_external.SourceFileLoader object at
0x101281d80>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/dist.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/dist.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/dist.cpython-310.pyc'

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/numbers.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/numbers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/numbers.cpython-310.pyc'

import 'numbers' # <_frozen_importlib_external.SourceFileLoader object at 0x1012c19c0>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/command/__pycache__/__init__.cpython-310.pyc'
```

```
import 'distutils.command' # <_frozen_importlib_external.SourceFileLoader object at
0x1012c1de0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/extern/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/extern/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/extern/__pycache__/__init__.cpython-310.pyc'
import 'setuptools.extern' # <_frozen_importlib_external.SourceFileLoader object at
0x1012c0f70>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/__pycache__/__init__.cpython-310.pyc'
import 'setuptools._vendor' # <_frozen_importlib_external.SourceFileLoader object at
0x1012c2c80>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__init__.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/__about__.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__about__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/__about__.cpython-
310.pyc'
import 'setuptools._vendor.packaging.__about__' #
<_frozen_importlib_external.SourceFileLoader object at 0x101282890>
import 'setuptools._vendor.packaging' # <_frozen_importlib_external.SourceFileLoader
object at 0x101281de0>
import 'setuptools.extern.packaging' # <setuptools.extern.VendorImporter object at
0x1012c0b20>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/__pycache__/ordered_set.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/ordered_set.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/__pycache__/ordered_set.cpython-310.pyc'
import 'setuptools._vendor.ordered_set' # <_frozen_importlib_external.SourceFileLoader
object at 0x1012c2a70>
```

```
import 'setuptools.extern.ordered_set' # <setuptools.extern.VendorImporter object at
0x1012c0b20>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/more_itertools/__pycache__/__init__.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/more_itertools/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/more_itertools/__pycache__/__init__.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/more_itertools/__pycache__/more.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/more_itertools/more.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/more_itertools/__pycache__/more.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/more_itertools/__pycache__/recipes.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/more_itertools/recipes.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
```

```
python3.10/site-packages/setuptools/_vendor/more_itertools/__pycache__/recipes.cpython-310.pyc'
    import 'setuptools._vendor.more_itertools.recipes' #
<_frozen_importlib_external.SourceFileLoader object at 0x101304940>
    import 'setuptools._vendor.more_itertools.more' #
<_frozen_importlib_external.SourceFileLoader object at 0x1012c3340>
    import 'setuptools._vendor.more_itertools' # <_frozen_importlib_external.SourceFileLoader object at 0x1012c3190>
    import 'setuptools.extern.more_itertools' # <setuptools.extern.VendorImporter object at 0x1012c0b20>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/__pycache__/_importlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_importlib.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/__pycache__/_importlib.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/metadata/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/metadata/__init__.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/metadata/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/csv.cpython-310.pyc matches
```



```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/csv.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/csv.cpython-310.pyc'
    # extension module '_csv' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_csv.cpython-310-darwin.so'
    # extension module '_csv' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_csv.cpython-310-darwin.so'
    import '_csv' # <_frozen_importlib_external.ExtensionFileLoader object at 0x101307d90>
    import 'csv' # <_frozen_importlib_external.SourceFileLoader object at 0x101307640>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/metadata/__pycache__/_adapters.cpython-310.pyc matches
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/metadata/_adapters.py'
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/metadata/__pycache__/_adapters.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/message.cpython-310.pyc matches
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/message.py'
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/message.cpython-310.pyc'
```

```
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/uu.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/uu.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/uu.cpython-310.pyc'  
import 'uu' # <_frozen_importlib_external.SourceFileLoader object at 0x101341900>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/__pycache__/_encoded_words.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/_encoded_words.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/email/__pycache__/_encoded_words.cpython-310.pyc'  
import 'email._encoded_words' # <_frozen_importlib_external.SourceFileLoader object at  
0x101341b40>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/__pycache__/iterators.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/email/iterators.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/email/__pycache__/iterators.cpython-310.pyc'  
import 'email.iterators' # <_frozen_importlib_external.SourceFileLoader object at  
0x101341f90>
```

```
import 'email.message' # <_frozen_importlib_external.SourceFileLoader object at
0x101340460>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/__pycache__/_text.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/_text.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/metadata/__pycache__/_text.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/__pycache__/_functools.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/_functools.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/metadata/__pycache__/_functools.cpython-310.pyc'
import 'importlib.metadata._functools' # <_frozen_importlib_external.SourceFileLoader object
at 0x101342650>
import 'importlib.metadata._text' # <_frozen_importlib_external.SourceFileLoader object at
0x101342260>
import 'importlib.metadata._adapters' # <_frozen_importlib_external.SourceFileLoader object
at 0x101307e80>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/__pycache__/_meta.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/_meta.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/metadata/__pycache__/_meta.cpython-310.pyc'
import 'importlib.metadata._meta' # <_frozen_importlib_external.SourceFileLoader object at
0x101342a10>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/__pycache__/_collections.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/_collections.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/metadata/__pycache__/_collections.cpython-310.pyc'
import 'importlib.metadata._collections' # <_frozen_importlib_external.SourceFileLoader
object at 0x101342da0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/__pycache__/_itertools.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/metadata/_itertools.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/metadata/__pycache__/_itertools.cpython-310.pyc'
import 'importlib.metadata._itertools' # <_frozen_importlib_external.SourceFileLoader object
at 0x101343790>
import 'importlib.metadata' # <_frozen_importlib_external.SourceFileLoader object at
0x101304550>
import 'setuptools._importlib' # <_frozen_importlib_external.SourceFileLoader object at
0x1012c30a0>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/command/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/command/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/command/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/__pycache__/bdist.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/bdist.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/command/__pycache__/bdist.cpython-310.pyc'
import 'distutils.command.bdist' # <_frozen_importlib_external.SourceFileLoader object at
0x101364760>
import 'setuptools.command' # <_frozen_importlib_external.SourceFileLoader object at
0x101306a40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/windows_support.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/windows_support.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/windows_support.cpython-310.pyc'
```

```
import 'setuptools.windows_support' # <_frozen_importlib_external.SourceFileLoader object
at 0x101364880>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/config/__pycache__/__init__.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/__pycache__/setupcfg.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/setupcfg.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/config/__pycache__/setupcfg.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/requirements.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/requirements.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/requirements.cpython-
310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/__init__.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/util.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/util.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/util.cpython-310.pyc'
import 'setuptools._vendor.pyparsing.util' # <_frozen_importlib_external.SourceFileLoader
object at 0x1013669b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/exceptions.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/exceptions.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/exceptions.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/unicode.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc'
    import 'setuptools._vendor.pyparsing.unicode' #
<_frozen_importlib_external.SourceFileLoader object at 0x101367880>
    import 'setuptools._vendor.pyparsing.exceptions' #
<_frozen_importlib_external.SourceFileLoader object at 0x1013671c0>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/actions.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc'
    import 'setuptools._vendor.pyparsing.actions' #
<_frozen_importlib_external.SourceFileLoader object at 0x101367610>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/core.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_vendor/pyparsing/core.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/core.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/results.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/pyparsing/results.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/results.cpython-310.pyc'
import 'setuptools._vendor.pyparsing.results' #
<_frozen_importlib_external.SourceFileLoader object at 0x101414850>
import 'setuptools._vendor.pyparsing.core' # <_frozen_importlib_external.SourceFileLoader
object at 0x10139cca0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/pyparsing/helpers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc'
import 'setuptools._vendor.pyparsing.helpers' #
<_frozen_importlib_external.SourceFileLoader object at 0x10139e770>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/testing.cpython-310.pyc
```

matches

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_vendor/pyparsing/testing.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/testing.cpython-310.pyc'
```

```
import 'setuptools._vendor.pyparsing.testing' #
```

```
<_frozen_importlib_external.SourceFileLoader object at 0x1014469e0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/common.cpython-310.pyc
```

matches

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_vendor/pyparsing/common.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_vendor/pyparsing/__pycache__/common.cpython-310.pyc'
```

```
310.pyc'
```

```
import 'setuptools._vendor.pyparsing.common' #
```

```
<_frozen_importlib_external.SourceFileLoader object at 0x101446dd0>
```

```
import 'setuptools._vendor.pyparsing' # <_frozen_importlib_external.SourceFileLoader object at 0x101366020>
```

```
import 'setuptools.extern.pyparsing' # <setuptools.extern.VendorImporter object at 0x1012c0b20>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/markers.cpython-310.pyc
```

matches

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/setuptools/_vendor/packaging/markers.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/markers.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/specifiers.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/specifiers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/specifiers.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/utils.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/utils.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/utils.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/tags.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/tags.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/tags.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/_manylinux.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/_manylinux.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/_manylinux.cpython-
310.pyc'
import 'setuptools._vendor.packaging._manylinux' #
<_frozen_importlib_external.SourceFileLoader object at 0x101590610>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/_musllinux.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/_musllinux.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/_musllinux.cpython-
310.pyc'
import 'setuptools._vendor.packaging._musllinux' #
<_frozen_importlib_external.SourceFileLoader object at 0x101591150>
import 'setuptools.extern.packaging.tags' # <_frozen_importlib_external.SourceFileLoader
object at 0x101553d30>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/version.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/version.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/version.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/__pycache__/_structures.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/packaging/_structures.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/packaging/__pycache__/_structures.cpython-
310.pyc'
    import 'setuptools.extern.packaging._structures' #
<_frozen_importlib_external.SourceFileLoader object at 0x101591e70>
    import 'setuptools.extern.packaging.version' # <_frozen_importlib_external.SourceFileLoader
object at 0x1015914e0>
    import 'setuptools.extern.packaging.utils' # <_frozen_importlib_external.SourceFileLoader
object at 0x101553af0>
    import 'setuptools.extern.packaging.specifiers' #
<_frozen_importlib_external.SourceFileLoader object at 0x101552d40>
    import 'setuptools.extern.packaging.markers' #
<_frozen_importlib_external.SourceFileLoader object at 0x1014470a0>
```

```
import 'setuptools.extern.packaging.requirements' #
<_frozen_importlib_external.SourceFileLoader object at 0x101365b70>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/__pycache__/expand.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/expand.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/config/__pycache__/expand.cpython-310.pyc'
import 'setuptools.config.expand' # <_frozen_importlib_external.SourceFileLoader object at
0x101592680>
import 'setuptools.config.setupcfg' # <_frozen_importlib_external.SourceFileLoader object at
0x101364cd0>
import 'setuptools.config' # <_frozen_importlib_external.SourceFileLoader object at
0x101364970>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/__pycache__/pyprojecttoml.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/pyprojecttoml.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/config/__pycache__/pyprojecttoml.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/errors.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/errors.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/errors.cpython-310.pyc'
import 'setuptools.errors' # <_frozen_importlib_external.SourceFileLoader object at
0x1015cf4c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/__pycache__/_apply_pyprojecttoml.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/config/_apply_pyprojecttoml.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/config/__pycache__/_apply_pyprojecttoml.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/headerregistry.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/headerregistry.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/headerregistry.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/_header_value_parser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/_header_value_parser.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/_header_value_parser.cpython-310.pyc'
import 'email._header_value_parser' # <_frozen_importlib_external.SourceFileLoader object
at 0x101608ee0>
import 'email.headerregistry' # <_frozen_importlib_external.SourceFileLoader object at
0x1015cff40>
import 'setuptools.config._apply_pyprojecttoml' #
<_frozen_importlib_external.SourceFileLoader object at 0x1015cf5b0>
import 'setuptools.config.pyprojecttoml' # <_frozen_importlib_external.SourceFileLoader
object at 0x1015cee60>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/discovery.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/discovery.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/discovery.cpython-310.pyc'
import 'setuptools.discovery' # <_frozen_importlib_external.SourceFileLoader object at
0x10160ba30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/_reqs.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_reqs.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/_reqs.cpython-310.pyc'
```



```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/jaraco/__pycache__/__init__.cpython-310.pyc'
import 'setuptools._vendor.jaraco' # <_frozen_importlib_external.SourceFileLoader object at
0x10164cd30>
import 'setuptools.extern.jaraco' # <setuptools.extern.VendorImporter object at
0x1012c0b20>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/text/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/text/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/jaraco/text/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/__pycache__/functools.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/functools.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/jaraco/__pycache__/functools.cpython-310.pyc'
import 'setuptools.extern.jaraco.functools' # <_frozen_importlib_external.SourceFileLoader
object at 0x10164de70>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/__pycache__/context.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/jaraco/context.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/jaraco/__pycache__/context.cpython-310.pyc'
import 'setuptools.extern.jaraco.context' # <_frozen_importlib_external.SourceFileLoader
object at 0x10164eb00>
```

```
import 'setuptools.extern.jaraco.text' # <_frozen_importlib_external.SourceFileLoader object
at 0x10164cb50>
```

```
import 'setuptools._reqs' # <_frozen_importlib_external.SourceFileLoader object at
0x10160bd90>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/__pycache__/_entry_points.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_entry_points.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/_entry_points.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/site-packages/setuptools/__pycache__/_itertools.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_itertools.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/_itertools.cpython-310.pyc'
    import 'setuptools._itertools' # <_frozen_importlib_external.SourceFileLoader object at
0x10164fca0>
    import 'setuptools._entry_points' # <_frozen_importlib_external.SourceFileLoader object at
0x10164f6a0>
    import 'setuptools.dist' # <_frozen_importlib_external.SourceFileLoader object at
0x101283100>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/__pycache__/_depends.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/depends.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/_depends.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/__pycache__/_imp.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/_imp.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/_imp.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/site-packages/setuptools/__pycache__/py34compat.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/py34compat.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/py34compat.cpython-310.pyc'
```

```
import 'setuptools.py34compat' # <_frozen_importlib_external.SourceFileLoader object at
0x10167c520>
```

```
import 'setuptools._imp' # <_frozen_importlib_external.SourceFileLoader object at
0x10167c370>
```

```
import 'setuptools.depends' # <_frozen_importlib_external.SourceFileLoader object at
0x10164ffa0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/__pycache__/logging.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/logging.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/logging.cpython-310.pyc'
```

```
import 'setuptools.logging' # <_frozen_importlib_external.SourceFileLoader object at
0x10167c400>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/__pycache__/msvc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/msvc.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/msvc.cpython-310.pyc'
```

```
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/_pycache_/msvc9compiler.cpython-310.pyc  
matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/msvc9compiler.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/_distutils/_pycache_/msvc9compiler.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/_pycache_/ccompiler.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_distutils/ccompiler.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/_distutils/_pycache_/ccompiler.cpython-310.pyc'  
import 'distutils.ccompiler' # <_frozen_importlib_external.SourceFileLoader object at  
0x10167d960>  
# destroy distutils.msvc9compiler  
import 'setuptools.msvc' # <_frozen_importlib_external.SourceFileLoader object at  
0x10167c580>  
import 'setuptools' # <_frozen_importlib_external.SourceFileLoader object at 0x100646980>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/_pycache_/build_meta.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/site-packages/setuptools/build_meta.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/__pycache__/build_meta.cpython-310.pyc'
import 'setuptools.build_meta' # <_frozen_importlib_external.SourceFileLoader object at
0x100647130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/argparse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/argparse.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/argparse.cpython-310.pyc'
import 'argparse' # <_frozen_importlib_external.SourceFileLoader object at 0x1016cf040>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/shlex.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/shlex.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/shlex.cpython-310.pyc'
import 'shlex' # <_frozen_importlib_external.SourceFileLoader object at 0x1016ce500>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/__init__.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/tomli/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/__pycache__/__parser.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/_parser.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/tomli/__pycache__/__parser.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/__future__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__future__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/__future__.cpython-310.pyc'
import '__future__' # <_frozen_importlib_external.SourceFileLoader object at 0x1016bb8b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/__pycache__/__re.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/_re.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/tomli/__pycache__/__re.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/__pycache__/_types.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_vendor/tomli/_types.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_vendor/tomli/__pycache__/_types.cpython-310.pyc'
import 'setuptools._vendor.tomli._types' # <_frozen_importlib_external.SourceFileLoader
object at 0x1016bbe80>
import 'setuptools._vendor.tomli._re' # <_frozen_importlib_external.SourceFileLoader object
at 0x1016bbc70>
import 'setuptools._vendor.tomli._parser' # <_frozen_importlib_external.SourceFileLoader
object at 0x1016c03d0>
import 'setuptools._vendor.tomli' # <_frozen_importlib_external.SourceFileLoader object at
0x1016c06d0>
import 'setuptools.extern.tomli' # <setuptools.extern.VendorImporter object at
0x1012c0b20>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/__pycache__/__init__.cpython-310.pyc'
import 'wheel' # <_frozen_importlib_external.SourceFileLoader object at 0x1016c05e0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```



```
python3.10/site-packages/wheel/__pycache__/bdist_wheel.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/wheel/bdist_wheel.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/__pycache__/bdist_wheel.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/wheel/__pycache__/pkginfo.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/wheel/pkginfo.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/__pycache__/pkginfo.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/__pycache__/generator.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/generator.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/generator.cpython-310.pyc'
    import 'email.generator' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b8340>
    import 'wheel.pkginfo' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b8190>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/wheel/__pycache__/macosx_libfile.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/wheel/macosx_libfile.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/wheel/__pycache__/macosx_libfile.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/ctypes/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/ctypes/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/ctypes/__pycache__/__init__.cpython-310.pyc'
# extension module '_ctypes' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_ctypes.cpython-310-darwin.so'
# extension module '_ctypes' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_ctypes.cpython-310-darwin.so'
import '_ctypes' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1016b7520>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/ctypes/__pycache__/_endian.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/ctypes/_endian.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/ctypes/__pycache__/_endian.cpython-310.pyc'
import 'ctypes._endian' # <_frozen_importlib_external.SourceFileLoader object at 0x1016b5d50>
```

```
import 'ctypes' # <_frozen_importlib_external.SourceFileLoader object at 0x1016bbdf0>
import 'wheel.macosx_libfile' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b8bb0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/__pycache__/metadata.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/metadata.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/__pycache__/metadata.cpython-310.pyc'
import 'wheel.metadata' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b7ac0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/vendored/__pycache__/__init__.cpython-310.pyc'
import 'wheel.vendored' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b5f60>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/packaging/__pycache__/__init__.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/packaging/__init__.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/vendored/packaging/__pycache__/__init__.cpython-310.pyc'
import 'wheel.vendored.packaging' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b5c30>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/packaging/__pycache__/tags.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/packaging/tags.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/vendored/packaging/__pycache__/tags.cpython-310.pyc'

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/packaging/__pycache__/_typing.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/vendored/packaging/_typing.py

# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/vendored/packaging/__pycache__/_typing.cpython-310.pyc'
import 'wheel.vendored.packaging._typing' # <_frozen_importlib_external.SourceFileLoader
object at 0x1016b51e0>

import 'wheel.vendored.packaging.tags' # <_frozen_importlib_external.SourceFileLoader
object at 0x1016b5b10>

#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/__pycache__/wheelfile.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/wheel/wheelfile.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/__pycache__/wheelfile.cpython-310.pyc'
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/hashlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/hashlib.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/hashlib.cpython-310.pyc'
    # extension module '_hashlib' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_hashlib.cpython-310-darwin.so'
    # extension module '_hashlib' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_hashlib.cpython-310-darwin.so'
    import '_hashlib' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1016b4070>
    # extension module '_blake2' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_blake2.cpython-310-darwin.so'
    # extension module '_blake2' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_blake2.cpython-310-darwin.so'
    import '_blake2' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10167fa90>
    import 'hashlib' # <_frozen_importlib_external.SourceFileLoader object at 0x1016b4e50>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/site-packages/wheel/cli/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/wheel/cli/__init__.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/cli/__pycache__/__init__.cpython-310.pyc'
    import 'wheel.cli' # <_frozen_importlib_external.SourceFileLoader object at 0x1016b4280>
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/wheel/__pycache__/util.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/wheel/util.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/wheel/__pycache__/util.cpython-310.pyc'
    import 'wheel.util' # <_frozen_importlib_external.SourceFileLoader object at 0x10167f4c0>
    import 'wheel.elffile' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b4490>
    import 'wheel.bdist_wheel' # <_frozen_importlib_external.SourceFileLoader object at
0x1016c0730>
    running bdist_wheel
    #
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/command/__pycache__/build.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/site-packages/setuptools/command/build.py
    # code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/command/__pycache__/build.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/__pycache__/build.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/build.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/command/__pycache__/build.cpython-310.pyc'
import 'distutils.command.build' # <_frozen_importlib_external.SourceFileLoader object at
0x10167ead0>
import 'setuptools.command.build' # <_frozen_importlib_external.SourceFileLoader object at
0x1016b4be0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/__pycache__/build_scripts.cpython-
310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/build_scripts.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/command/__pycache__/build_scripts.cpython-
310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/sysconfig.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/sysconfig.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/sysconfig.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/py39compat.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/py39compat.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/py39compat.cpython-310.pyc'
import 'distutils.py39compat' # <_frozen_importlib_external.SourceFileLoader object at
0x1016d15a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/__pycache__/_functools.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/_functools.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/__pycache__/_functools.cpython-310.pyc'
import 'distutils._functools' # <_frozen_importlib_external.SourceFileLoader object at
0x1016d18a0>
import 'distutils.sysconfig' # <_frozen_importlib_external.SourceFileLoader object at
0x10167e800>
import 'distutils.command.build_scripts' # <_frozen_importlib_external.SourceFileLoader
object at 0x10167e680>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```



```
python3.10/site-packages/setuptools/command/__pycache__/build_ext.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
python3.10/site-packages/setuptools/command/build_ext.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/command/__pycache__/build_ext.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
python3.10/site-packages/setuptools/_distutils/command/__pycache__/build_ext.cpython-310.pyc  
matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
python3.10/site-packages/setuptools/_distutils/command/build_ext.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/_distutils/command/__pycache__/build_ext.cpython-  
310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
python3.10/site-packages/setuptools/_distutils/command/__pycache__/py37compat.cpython-  
310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
python3.10/site-packages/setuptools/_distutils/command/py37compat.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/site-packages/setuptools/_distutils/command/__pycache__/py37compat.cpython-  
310.pyc'
```

```
import 'distutils.command.py37compat' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1016d2500>
```

```
import 'distutils.command.build_ext' # <_frozen_importlib_external.SourceFileLoader object  
at 0x1016d2d10>
```

```
import 'setuptools.command.build_ext' # <_frozen_importlib_external.SourceFileLoader
object at 0x1016d1960>
running build
running build_py
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/command/__pycache__/build_py.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/command/build_py.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/command/__pycache__/build_py.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/__pycache__/build_py.cpython-310.pyc
matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/site-packages/setuptools/_distutils/command/build_py.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/command/__pycache__/build_py.cpython-
310.pyc'
import 'distutils.command.build_py' # <_frozen_importlib_external.SourceFileLoader object
at 0x1016d3910>
import 'setuptools.command.build_py' # <_frozen_importlib_external.SourceFileLoader
object at 0x1016d1540>
creating build
creating build/lib.macosx-12-arm64-cpython-310
creating build/lib.macosx-12-arm64-cpython-310/manimpango
copying manimpango/_version.py -> build/lib.macosx-12-arm64-cpython-310/manimpango
```

copying manimpango/___init___py -> build/lib.macosx-12-arm64-cpython-310/manimpango

copying manimpango/utills.py -> build/lib.macosx-12-arm64-cpython-310/manimpango

copying manimpango/cmanimpango.pxd -> build/lib.macosx-12-arm64-cpython-

310/manimpango

copying manimpango/cairo.pxd -> build/lib.macosx-12-arm64-cpython-310/manimpango

copying manimpango/register_font.pxd -> build/lib.macosx-12-arm64-cpython-

310/manimpango

copying manimpango/pango.pxd -> build/lib.macosx-12-arm64-cpython-310/manimpango

copying manimpango/glib.pxd -> build/lib.macosx-12-arm64-cpython-310/manimpango

copying manimpango/enums.pyx -> build/lib.macosx-12-arm64-cpython-310/manimpango

copying manimpango/register_font.pyx -> build/lib.macosx-12-arm64-cpython-

310/manimpango

copying manimpango/cmanimpango.pyx -> build/lib.macosx-12-arm64-cpython-

310/manimpango

running build_ext

#

/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p

ython3.10/site-packages/setuptools/_distutils/_pycache_/unixccompiler.cpython-310.pyc

matches

/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p

ython3.10/site-packages/setuptools/_distutils/unixccompiler.py

code object from

'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/

python3.10/site-packages/setuptools/_distutils/_pycache_/unixccompiler.cpython-310.pyc'

#

/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p

ython3.10/site-packages/setuptools/_distutils/_pycache_/__macos_compat.cpython-310.pyc

matches

/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p

ython3.10/site-packages/setuptools/_distutils/_macos_compat.py

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages/setuptools/_distutils/_pycache__/_macos_compat.cpython-310.pyc'
import 'distutils._macos_compat' # <_frozen_importlib_external.SourceFileLoader object at
0x1016d3460>

import 'distutils.unixccompiler' # <_frozen_importlib_external.SourceFileLoader object at
0x1016d30d0>

building 'manimpango.cmanimpango' extension
creating build/temp.macosx-12-arm64-cpython-310
creating build/temp.macosx-12-arm64-cpython-310/manimpango
clang -Wno-unused-result -Wsign-compare -Wunreachable-code -fno-common -dynamic -
DNDEBUG -g -fwrapv -O3 -Wall -isysroot
/Library/Developer/CommandLineTools/SDKs/MacOSX12.sdk -
/opt/homebrew/Cellar/pango/1.50.9/include/pango-1.0 -
/opt/homebrew/Cellar/harfbuzz/5.1.0/include/harfbuzz -
/opt/homebrew/Cellar/pango/1.50.9/include/pango-1.0 -
/opt/homebrew/Cellar/glib/2.72.3_1/include -/opt/homebrew/Cellar/fribidi/1.0.12/include/fribidi -
/opt/homebrew/Cellar/harfbuzz/5.1.0/include/harfbuzz -
/opt/homebrew/Cellar/graphite2/1.3.14/include -
/opt/homebrew/Cellar/cairo/1.16.0_5/include/cairo -/opt/homebrew/Cellar/glib/2.72.3_1/include
-/opt/homebrew/Cellar/glib/2.72.3_1/include/glib-2.0 -
/opt/homebrew/Cellar/glib/2.72.3_1/lib/glib-2.0/include -/opt/homebrew/opt/gettext/include -
/opt/homebrew/Cellar/pcre/8.45/include -/opt/homebrew/Cellar/pixman/0.40.0/include/pixman-1
-/opt/homebrew/Cellar/fontconfig/2.14.0/include -/opt/homebrew/opt/freetype/include/freetype2
-/opt/homebrew/Cellar/libpng/1.6.37/include/libpng16 -/opt/homebrew/Cellar/libxcb/1.15/include
-/opt/homebrew/Cellar/libxrender/0.9.10/include -/opt/homebrew/Cellar/libxext/1.3.4/include -
/opt/homebrew/Cellar/libx11/1.8.1/include -/opt/homebrew/Cellar/libxcb/1.15/include -
/opt/homebrew/Cellar/libxau/1.0.10/include -/opt/homebrew/Cellar/libxdmcp/1.1.3/include -
/opt/homebrew/Cellar/xorgproto/2022.2/include -
/Library/Developer/CommandLineTools/SDKs/MacOSX12.sdk/usr/include/ffi -
```

/opt/homebrew/Cellar/pango/1.50.9/include/pango-1.0 -
/opt/homebrew/Cellar/harfbuzz/5.1.0/include/harfbuzz -
/opt/homebrew/Cellar/pango/1.50.9/include/pango-1.0 -
/opt/homebrew/Cellar/glib/2.72.3_1/include -/opt/homebrew/Cellar/fribidi/1.0.12/include/fribidi -
/opt/homebrew/Cellar/cairo/1.16.0_5/include/cairo -
/opt/homebrew/Cellar/pixman/0.40.0/include/pixman-1 -
/opt/homebrew/Cellar/libpng/1.6.37/include/libpng16 -/opt/homebrew/Cellar/libxcb/1.15/include
-/opt/homebrew/Cellar/libxrender/0.9.10/include -/opt/homebrew/Cellar/libxext/1.3.4/include -
/opt/homebrew/Cellar/libx11/1.8.1/include -/opt/homebrew/Cellar/libxcb/1.15/include -
/opt/homebrew/Cellar/libxau/1.0.10/include -/opt/homebrew/Cellar/libxdmcp/1.1.3/include -
/opt/homebrew/Cellar/glib/2.72.3_1/include -
/opt/homebrew/Cellar/harfbuzz/5.1.0/include/harfbuzz -
/opt/homebrew/Cellar/graphite2/1.3.14/include -
/opt/homebrew/Cellar/glib/2.72.3_1/include/glib-2.0 -/opt/homebrew/Cellar/glib/2.72.3_1/lib/glib-
2.0/include -/opt/homebrew/opt/gettext/include -/opt/homebrew/Cellar/pcre/8.45/include -
/opt/homebrew/Cellar/fontconfig/2.14.0/include -/opt/homebrew/opt/freetype/include/freetype2 -
/opt/homebrew/Cellar/xorgproto/2022.2/include -
/Library/Developer/CommandLineTools/SDKs/MacOSX12.sdk/usr/include/ffi -
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/incl
ude/python3.10 -c manimpango/cmanimpango.c -o build/temp.macosx-12-arm64-cpython-
310/manimpango/cmanimpango.o

clang: error: no such file or directory: 'manimpango/cmanimpango.c'

clang: error: no input files

error: command '/usr/bin/clang' failed with exit code 1

clear builtins._

clear sys.path

clear sys.argv

clear sys.ps1

clear sys.ps2

clear sys.last_type

```
# clear sys.last_value
# clear sys.last_traceback
# clear sys.path_hooks
# clear sys.path_importer_cache
# clear sys.meta_path
# clear sys.__interactivehook__
# restore sys.stdin
# restore sys.stdout
# restore sys.stderr
# cleanup[2] removing sys
# cleanup[2] removing builtins
# cleanup[2] removing _frozen_importlib
# cleanup[2] removing _imp
# cleanup[2] removing _thread
# cleanup[2] removing _warnings
# cleanup[2] removing _weakref
# cleanup[2] removing _io
# cleanup[2] removing marshal
# cleanup[2] removing posix
# cleanup[2] removing _frozen_importlib_external
# cleanup[2] removing time
# cleanup[2] removing zipimport
# cleanup[2] removing _codecs
# cleanup[2] removing codecs
# cleanup[2] removing encodings.aliases
# cleanup[2] removing encodings
# cleanup[2] removing encodings.utf_8
# cleanup[2] removing _signal
# cleanup[2] removing _abc
# cleanup[2] removing abc
```

```
# cleanup[2] removing io
# cleanup[2] removing __main__
# destroy __main__
# cleanup[2] removing _stat
# cleanup[2] removing stat
# cleanup[2] removing _collections_abc
# cleanup[2] removing genericpath
# cleanup[2] removing posixpath
# cleanup[2] removing os.path
# cleanup[2] removing os
# cleanup[2] removing _sitebuiltins
# cleanup[2] removing _distutils_hack
# cleanup[2] removing site
# destroy site
# cleanup[2] removing itertools
# cleanup[2] removing keyword
# cleanup[2] removing _operator
# cleanup[2] removing operator
# cleanup[2] removing reprlib
# destroy reprlib
# cleanup[2] removing _collections
# cleanup[2] removing collections
# cleanup[2] removing types
# cleanup[2] removing _functools
# cleanup[2] removing functools
# cleanup[2] removing contextlib
# cleanup[2] removing enum
# cleanup[2] removing _sre
# cleanup[2] removing sre_constants
# destroy sre_constants
```

```
# cleanup[2] removing sre_parse
# cleanup[2] removing sre_compile
# cleanup[2] removing _locale
# cleanup[2] removing copyreg
# cleanup[2] removing re
# cleanup[2] removing fnmatch
# cleanup[2] removing glob
# cleanup[2] removing importlib._bootstrap
# cleanup[2] removing importlib._bootstrap_external
# cleanup[2] removing warnings
# cleanup[2] removing importlib
# cleanup[2] removing _json
# cleanup[2] removing json.scanner
# cleanup[2] removing json.decoder
# cleanup[2] removing json.encoder
# cleanup[2] removing json
# cleanup[2] removing errno
# cleanup[2] removing zlib
# cleanup[2] removing _compression
# cleanup[2] removing _bz2
# cleanup[2] removing bz2
# cleanup[2] removing _lzma
# cleanup[2] removing lzma
# cleanup[2] removing shutil
# cleanup[2] removing token
# cleanup[2] removing tokenize
# cleanup[2] removing linecache
# cleanup[2] removing traceback
# cleanup[2] removing importlib.machinery
# cleanup[2] removing importlib._abc
```



```
# cleanup[2] removing collections.abc
# cleanup[2] removing typing
# cleanup[2] removing importlib.abc
# cleanup[2] removing importlib.util
# cleanup[2] removing setuptools._distutils
# cleanup[2] removing distutils
# cleanup[2] removing distutils.debug
# cleanup[2] removing distutils.errors
# cleanup[2] removing email
# cleanup[2] removing _string
# cleanup[2] removing string
# cleanup[2] removing gettext
# destroy gettext
# cleanup[2] removing getopt
# cleanup[2] removing distutils.fancy_getopt
# cleanup[2] removing signal
# cleanup[2] removing _weakrefset
# destroy _weakrefset
# cleanup[2] removing threading
# cleanup[2] removing fcntl
# cleanup[2] removing _posixsubprocess
# cleanup[2] removing select
# cleanup[2] removing math
# cleanup[2] removing selectors
# cleanup[2] removing subprocess
# cleanup[2] removing sysconfig
# cleanup[2] removing distutils.dep_util
# cleanup[2] removing distutils.log
# cleanup[2] removing distutils.spawn
# cleanup[2] removing distutils.util
```

```
# cleanup[2] removing distutils.dist
# cleanup[2] removing distutils.dir_util
# cleanup[2] removing distutils.file_util
# cleanup[2] removing binascii
# cleanup[2] removing _struct
# cleanup[2] removing struct
# cleanup[2] removing ntpath
# cleanup[2] removing urllib
# cleanup[2] removing urllib.parse
# cleanup[2] removing pathlib
# cleanup[2] removing zipfile
# cleanup[2] removing pwd
# cleanup[2] removing grp
# cleanup[2] removing distutils.archive_util
# cleanup[2] removing distutils.cmd
# cleanup[2] removing configparser
# destroy configparser
# cleanup[2] removing distutils.config
# cleanup[2] removing distutils.extension
# cleanup[2] removing distutils.core
# cleanup[2] removing _distutils_hack.override
# cleanup[2] removing setuptools._deprecation_warning
# cleanup[2] removing weakref
# cleanup[2] removing pkgutil
# cleanup[2] removing platform
# cleanup[2] removing _datetime
# cleanup[2] removing datetime
# cleanup[2] removing xml
# destroy xml
# cleanup[2] removing xml.parsers
```

```
# destroy xml.parsers
# cleanup[2] removing pyexpat.errors
# cleanup[2] removing pyexpat.model
# cleanup[2] removing pyexpat
# cleanup[2] removing xml.parsers.expat.model
# cleanup[2] removing xml.parsers.expat.errors
# cleanup[2] removing xml.parsers.expat
# destroy xml.parsers.expat
# cleanup[2] removing plistlib
# cleanup[2] removing email.errors
# cleanup[2] removing email.quoprimime
# cleanup[2] removing base64
# cleanup[2] removing email.base64mime
# cleanup[2] removing quopri
# cleanup[2] removing email.encoders
# cleanup[2] removing email.charset
# cleanup[2] removing email.header
# cleanup[2] removing _bisect
# cleanup[2] removing bisect
# destroy bisect
# cleanup[2] removing _random
# cleanup[2] removing _sha512
# cleanup[2] removing random
# cleanup[2] removing _socket
# cleanup[2] removing array
# cleanup[2] removing socket
# cleanup[2] removing locale
# cleanup[2] removing calendar
# cleanup[2] removing email._parseaddr
# cleanup[2] removing email.utils
```

```
# cleanup[2] removing email._policybase
# cleanup[2] removing email.feedparser
# cleanup[2] removing email.parser
# cleanup[2] removing tempfile
# cleanup[2] removing textwrap
# cleanup[2] removing _ast
# destroy _ast
# cleanup[2] removing ast
# cleanup[2] removing _opcode
# cleanup[2] removing opcode
# destroy opcode
# cleanup[2] removing dis
# cleanup[2] removing inspect
# cleanup[2] removing pkg_resources.extern
# cleanup[2] removing pkg_resources._vendor
# cleanup[2] removing pkg_resources._vendor.jaraco
# cleanup[2] removing pkg_resources.extern.jaraco
# cleanup[2] removing importlib._adapters
# cleanup[2] removing importlib._common
# cleanup[2] removing importlib.resources
# cleanup[2] removing _heapq
# cleanup[2] removing heapq
# destroy heapq
# cleanup[2] removing _queue
# cleanup[2] removing queue
# destroy queue
# cleanup[2] removing pkg_resources._vendor.more_itertools.recipes
# cleanup[2] removing pkg_resources._vendor.more_itertools.more
# cleanup[2] removing pkg_resources._vendor.more_itertools
# cleanup[2] removing pkg_resources.extern.more_itertools
```

```
# cleanup[2] removing pkg_resources.extern.jaraco.functools
# cleanup[2] removing pkg_resources.extern.jaraco.context
# cleanup[2] removing pkg_resources.extern.jaraco.text
# cleanup[2] removing pkg_resources._vendor.appdirs
# cleanup[2] removing pkg_resources.extern.appdirs
# cleanup[2] removing pkg_resources._vendor.packaging.__about__
# cleanup[2] removing pkg_resources._vendor.packaging
# cleanup[2] removing pkg_resources.extern.packaging
# cleanup[2] removing pkg_resources.extern.packaging._structures
# cleanup[2] removing pkg_resources.extern.packaging.version
# cleanup[2] removing atexit
# cleanup[2] removing logging
# cleanup[2] removing pkg_resources._vendor.packaging._manylinux
# cleanup[2] removing pkg_resources._vendor.packaging._musllinux
# cleanup[2] removing pkg_resources.extern.packaging.tags
# cleanup[2] removing pkg_resources.extern.packaging.utils
# cleanup[2] removing pkg_resources.extern.packaging.specifiers
# cleanup[2] removing pkg_resources._vendor.pyparsing.util
# cleanup[2] removing pkg_resources._vendor.pyparsing.unicode
# destroy pkg_resources._vendor.pyparsing.unicode
# cleanup[2] removing pkg_resources._vendor.pyparsing.exceptions
# cleanup[2] removing pkg_resources._vendor.pyparsing.actions
# cleanup[2] removing copy
# cleanup[2] removing dataclasses
# cleanup[2] removing pprint
# cleanup[2] removing pkg_resources._vendor.pyparsing.results
# cleanup[2] removing pkg_resources._vendor.pyparsing.core
# cleanup[2] removing html.entities
# cleanup[2] removing html
# cleanup[2] removing pkg_resources._vendor.pyparsing.helpers
```

```
# cleanup[2] removing pkg_resources._vendor.pyparsing.testing
# destroy pkg_resources._vendor.pyparsing.testing
# cleanup[2] removing pkg_resources._vendor.pyparsing.common
# destroy pkg_resources._vendor.pyparsing.common
# cleanup[2] removing pkg_resources._vendor.pyparsing
# cleanup[2] removing pkg_resources.extern.pyparsing
# cleanup[2] removing pkg_resources.extern.packaging.markers
# cleanup[2] removing pkg_resources.extern.packaging.requirements
# cleanup[2] removing _osx_support
# destroy _osx_support
# cleanup[2] removing _sysconfigdata__darwin_darwin
# destroy _sysconfigdata__darwin_darwin
# cleanup[2] removing pkg_resources
# cleanup[2] removing setuptools.version
# cleanup[2] removing distutils.filelist
# cleanup[2] removing setuptools.monkey
# cleanup[2] removing setuptools.extension
# cleanup[2] removing numbers
# cleanup[2] removing distutils.command
# cleanup[2] removing setuptools.extern
# cleanup[2] removing setuptools._vendor
# cleanup[2] removing setuptools._vendor.packaging.__about__
# cleanup[2] removing setuptools._vendor.packaging
# cleanup[2] removing setuptools.extern.packaging
# cleanup[2] removing setuptools._vendor.ordered_set
# cleanup[2] removing setuptools.extern.ordered_set
# cleanup[2] removing setuptools._vendor.more_itertools.recipes
# cleanup[2] removing setuptools._vendor.more_itertools.more
# cleanup[2] removing setuptools._vendor.more_itertools
# cleanup[2] removing setuptools.extern.more_itertools
```

```
# cleanup[2] removing _csv
# cleanup[2] removing csv
# cleanup[2] removing uu
# cleanup[2] removing email._encoded_words
# cleanup[2] removing email.iterators
# cleanup[2] removing email.message
# cleanup[2] removing importlib.metadata._functools
# cleanup[2] removing importlib.metadata._text
# cleanup[2] removing importlib.metadata._adapters
# cleanup[2] removing importlib.metadata._meta
# cleanup[2] removing importlib.metadata._collections
# cleanup[2] removing importlib.metadata._itertools
# cleanup[2] removing importlib.metadata
# cleanup[2] removing setuptools._importlib
# cleanup[2] removing distutils.command.bdist
# cleanup[2] removing setuptools.command
# cleanup[2] removing setuptools.windows_support
# cleanup[2] removing setuptools._vendor.pyparsing.util
# cleanup[2] removing setuptools._vendor.pyparsing.unicode
# destroy setuptools._vendor.pyparsing.unicode
# cleanup[2] removing setuptools._vendor.pyparsing.exceptions
# cleanup[2] removing setuptools._vendor.pyparsing.actions
# cleanup[2] removing setuptools._vendor.pyparsing.results
# cleanup[2] removing setuptools._vendor.pyparsing.core
# cleanup[2] removing setuptools._vendor.pyparsing.helpers
# cleanup[2] removing setuptools._vendor.pyparsing.testing
# destroy setuptools._vendor.pyparsing.testing
# cleanup[2] removing setuptools._vendor.pyparsing.common
# destroy setuptools._vendor.pyparsing.common
# cleanup[2] removing setuptools._vendor.pyparsing
```

```
# cleanup[2] removing setuptools.extern.pyparsing
# cleanup[2] removing setuptools._vendor.packaging._manylinux
# cleanup[2] removing setuptools._vendor.packaging._musllinux
# cleanup[2] removing setuptools.extern.packaging.tags
# cleanup[2] removing setuptools.extern.packaging._structures
# cleanup[2] removing setuptools.extern.packaging.version
# cleanup[2] removing setuptools.extern.packaging.utils
# cleanup[2] removing setuptools.extern.packaging.specifiers
# cleanup[2] removing setuptools.extern.packaging.markers
# cleanup[2] removing setuptools.extern.packaging.requirements
# cleanup[2] removing setuptools.config.expand
# cleanup[2] removing setuptools.config.setupcfg
# cleanup[2] removing setuptools.config
# cleanup[2] removing setuptools.errors
# cleanup[2] removing email._header_value_parser
# cleanup[2] removing email.headerregistry
# cleanup[2] removing setuptools.config._apply_pyprojecttoml
# cleanup[2] removing setuptools.config.pyprojecttoml
# cleanup[2] removing setuptools.discovery
# cleanup[2] removing setuptools._vendor.jaraco
# cleanup[2] removing setuptools.extern.jaraco
# cleanup[2] removing setuptools.extern.jaraco.functools
# cleanup[2] removing setuptools.extern.jaraco.context
# cleanup[2] removing setuptools.extern.jaraco.text
# cleanup[2] removing setuptools._reqs
# cleanup[2] removing setuptools._itertools
# cleanup[2] removing setuptools._entry_points
# cleanup[2] removing setuptools.dist
# cleanup[2] removing setuptools.py34compat
# cleanup[2] removing setuptools._imp
```



```
# cleanup[2] removing setuptools.depends
# cleanup[2] removing setuptools.logging
# cleanup[2] removing distutils.compiler
# cleanup[2] removing setuptools.msvc
# cleanup[2] removing setuptools
# cleanup[2] removing setuptools.build_meta
# cleanup[2] removing argparse
# cleanup[2] removing shlex
# cleanup[2] removing __future__
# destroy __future__
# cleanup[2] removing setuptools._vendor.tomli._types
# cleanup[2] removing setuptools._vendor.tomli._re
# cleanup[2] removing setuptools._vendor.tomli._parser
# cleanup[2] removing setuptools._vendor.tomli
# cleanup[2] removing setuptools.extern.tomli
# cleanup[2] removing wheel
# destroy wheel
# cleanup[2] removing email.generator
# cleanup[2] removing wheel.pkginfo
# destroy wheel.pkginfo
# cleanup[2] removing _ctypes
# cleanup[2] removing ctypes._endian
# cleanup[2] removing ctypes
# cleanup[2] removing wheel.macosx_libfile
# destroy wheel.macosx_libfile
# cleanup[2] removing wheel.metadata
# destroy wheel.metadata
# cleanup[2] removing wheel.vendored
# destroy wheel.vendored
# cleanup[2] removing wheel.vendored.packaging
```

```
# destroy wheel.vendored.packaging
# cleanup[2] removing wheel.vendored.packaging._typing
# destroy wheel.vendored.packaging._typing
# cleanup[2] removing wheel.vendored.packaging.tags
# cleanup[2] removing _hashlib
# cleanup[2] removing _blake2
# cleanup[2] removing hashlib
# cleanup[2] removing wheel.cli
# destroy wheel.cli
# cleanup[2] removing wheel.util
# destroy wheel.util
# cleanup[2] removing wheel.wheelfile
# destroy wheel.wheelfile
# cleanup[2] removing wheel.bdist_wheel
# destroy wheel.bdist_wheel
# cleanup[2] removing distutils.command.build
# cleanup[2] removing setuptools.command.build
# cleanup[2] removing distutils.py39compat
# cleanup[2] removing distutils._functools
# cleanup[2] removing distutils.sysconfig
# cleanup[2] removing distutils.command.build_scripts
# cleanup[2] removing distutils.command.py37compat
# cleanup[2] removing distutils.command.build_ext
# cleanup[2] removing setuptools.command.build_ext
# cleanup[2] removing distutils.command.build_py
# cleanup[2] removing setuptools.command.build_py
# cleanup[2] removing distutils._macos_compat
# cleanup[2] removing distutils.unixccompiler
# destroy _sitebuiltins
# destroy argparse
```

```
# cleanup[3] wiping distutils.unixccompiler
# destroy shlex
# cleanup[3] wiping distutils._macos_compat
# cleanup[3] wiping setuptools.command.build_py
# cleanup[3] wiping distutils.command.build_py
# destroy glob
# cleanup[3] wiping setuptools.command.build_ext
# cleanup[3] wiping distutils.command.build_ext
# cleanup[3] wiping distutils.command.py37compat
# cleanup[3] wiping distutils.command.build_scripts
# cleanup[3] wiping distutils.sysconfig
# cleanup[3] wiping distutils._functools
# cleanup[3] wiping distutils.py39compat
# cleanup[3] wiping setuptools.command.build
# cleanup[3] wiping distutils.command.build
# cleanup[3] wiping hashlib
# cleanup[3] wiping _blake2
# cleanup[3] wiping _hashlib
# cleanup[3] wiping wheel.vendored.packaging.tags
# cleanup[3] wiping ctypes
# destroy ctypes._endian
# cleanup[3] wiping _ctypes
# cleanup[3] wiping email.generator
# cleanup[3] wiping setuptools.extern.tomli
# destroy setuptools._vendor.tomli._types
# destroy setuptools._vendor.tomli._re
# destroy setuptools._vendor.tomli._parser
# cleanup[3] wiping setuptools._vendor.tomli
# cleanup[3] wiping setuptools.build_meta
# cleanup[3] wiping setuptools
```

```
# destroy setuptools._deprecation_warning
# destroy setuptools._vendor
# destroy setuptools._importlib
# destroy setuptools._itertools
# destroy setuptools.version
# destroy setuptools.extension
# destroy setuptools.extern
# destroy setuptools.command
# destroy setuptools.command.build
# destroy setuptools.command.build_ext
# destroy setuptools.command.build_py
# destroy setuptools.config
# destroy setuptools.errors
# destroy setuptools.discovery
# destroy setuptools.dist
# destroy setuptools.py34compat
# destroy setuptools.depends
# destroy setuptools.logging
# destroy setuptools.msvc
# destroy setuptools.build_meta
# cleanup[3] wiping distutils.compiler
# cleanup[3] wiping setuptools._imp
# cleanup[3] wiping setuptools._entry_points
# cleanup[3] wiping setuptools._reqs
# cleanup[3] wiping setuptools.extern.jaraco.text
# cleanup[3] wiping setuptools.extern.jaraco.context
# cleanup[3] wiping setuptools.extern.jaraco.functools
# cleanup[3] wiping setuptools.extern.jaraco
# destroy setuptools.extern.jaraco.functools
# destroy setuptools.extern.jaraco.context
```

```
# destroy setuptools.extern.jaraco.text
# cleanup[3] wiping setuptools._vendor.jaraco
# cleanup[3] wiping setuptools.config.pyprojecttoml
# cleanup[3] wiping setuptools.config._apply_pyprojecttoml
# cleanup[3] wiping email.headerregistry
# cleanup[3] wiping email._header_value_parser
# cleanup[3] wiping setuptools.config.setupcfg
# cleanup[3] wiping setuptools.config.expand
# cleanup[3] wiping setuptools.extern.packaging.requirements
# cleanup[3] wiping setuptools.extern.packaging.markers
# cleanup[3] wiping setuptools.extern.packaging.specifiers
# cleanup[3] wiping setuptools.extern.packaging.utils
# cleanup[3] wiping setuptools.extern.packaging.version
# cleanup[3] wiping setuptools.extern.packaging._structures
# cleanup[3] wiping setuptools.extern.packaging.tags
# cleanup[3] wiping setuptools._vendor.packaging._musllinux
# cleanup[3] wiping setuptools._vendor.packaging._manylinux
# cleanup[3] wiping setuptools.extern.pyparsing
# destroy setuptools._vendor.pyparsing.util
# destroy setuptools._vendor.pyparsing.exceptions
# destroy setuptools._vendor.pyparsing.actions
# destroy setuptools._vendor.pyparsing.results
# destroy setuptools._vendor.pyparsing.core
# destroy setuptools._vendor.pyparsing.helpers
# cleanup[3] wiping setuptools._vendor.pyparsing
# cleanup[3] wiping setuptools.windows_support
# cleanup[3] wiping distutils.command.bdist
# cleanup[3] wiping importlib.metadata
# destroy importlib.metadata._functools
# destroy importlib.metadata._text
```

```
# destroy importlib.metadata._adapters
# destroy importlib.metadata._meta
# destroy importlib.metadata._collections
# destroy importlib.metadata._itertools
# cleanup[3] wiping email.message
# destroy uu
# destroy quopri
# cleanup[3] wiping email.iterators
# cleanup[3] wiping email._encoded_words
# cleanup[3] wiping csv
# cleanup[3] wiping _csv
# cleanup[3] wiping setuptools.extern.more_itertools
# destroy setuptools._vendor.more_itertools.recipes
# destroy setuptools._vendor.more_itertools.more
# cleanup[3] wiping setuptools._vendor.more_itertools
# cleanup[3] wiping setuptools.extern.ordered_set
# cleanup[3] wiping setuptools._vendor.ordered_set
# cleanup[3] wiping setuptools.extern.packaging
# destroy setuptools._vendor.packaging._manylinux
# destroy setuptools._vendor.packaging._musllinux
# destroy setuptools.extern.packaging._structures
# destroy setuptools._vendor.packaging.__about__
# destroy setuptools.extern.packaging.tags
# destroy setuptools.extern.packaging.utils
# destroy setuptools.extern.packaging.specifiers
# destroy setuptools.extern.packaging.markers
# destroy setuptools.extern.packaging.requirements
# cleanup[3] wiping setuptools._vendor.packaging
# cleanup[3] wiping distutils.command
# destroy distutils.command.bdist
```

```
# destroy distutils.command.build
# destroy distutils.command.build_scripts
# destroy distutils.command.py37compat
# destroy distutils.command.build_ext
# destroy distutils.command.build_py
# cleanup[3] wiping numbers
# cleanup[3] wiping setuptools.monkey
# cleanup[3] wiping distutils.filelist
# cleanup[3] wiping pkg_resources
# destroy pkg_resources._vendor
# destroy pkgutil
# destroy plistlib
# destroy pkg_resources.extern
# cleanup[3] wiping pkg_resources.extern.packaging.requirements
# cleanup[3] wiping pkg_resources.extern.packaging.markers
# cleanup[3] wiping pkg_resources.extern.pyparsing
# destroy pkg_resources._vendor.pyparsing.util
# destroy pkg_resources._vendor.pyparsing.exceptions
# destroy pkg_resources._vendor.pyparsing.actions
# destroy pkg_resources._vendor.pyparsing.results
# destroy pkg_resources._vendor.pyparsing.core
# destroy pkg_resources._vendor.pyparsing.helpers
# cleanup[3] wiping pkg_resources._vendor.pyparsing
# cleanup[3] wiping html
# destroy html.entities
# cleanup[3] wiping pprint
# destroy dataclasses
# cleanup[3] wiping copy
# cleanup[3] wiping pkg_resources.extern.packaging.specifiers
# cleanup[3] wiping pkg_resources.extern.packaging.utils
```

```
# cleanup[3] wiping pkg_resources.extern.packaging.tags
# cleanup[3] wiping pkg_resources._vendor.packaging._musllinux
# cleanup[3] wiping pkg_resources._vendor.packaging._manylinux
# cleanup[3] wiping logging
# cleanup[3] wiping atexit
# destroy atexit

# cleanup[3] wiping pkg_resources.extern.packaging.version
# cleanup[3] wiping pkg_resources.extern.packaging._structures
# cleanup[3] wiping pkg_resources.extern.packaging
# destroy pkg_resources.extern.packaging._structures
# destroy pkg_resources._vendor.packaging._manylinux
# destroy pkg_resources._vendor.packaging._musllinux
# destroy pkg_resources._vendor.packaging.__about__
# destroy pkg_resources.extern.packaging.version
# destroy pkg_resources.extern.packaging.tags
# destroy pkg_resources.extern.packaging.utils
# destroy pkg_resources.extern.packaging.specifiers
# destroy pkg_resources.extern.packaging.markers
# destroy pkg_resources.extern.packaging.requirements
# cleanup[3] wiping pkg_resources._vendor.packaging
# cleanup[3] wiping pkg_resources.extern.appdirs
# cleanup[3] wiping pkg_resources._vendor.appdirs
# cleanup[3] wiping pkg_resources.extern.jaraco.text
# cleanup[3] wiping pkg_resources.extern.jaraco.context
# cleanup[3] wiping pkg_resources.extern.jaraco.functools
# cleanup[3] wiping pkg_resources.extern.more_itertools
# destroy pkg_resources._vendor.more_itertools.recipes
# destroy pkg_resources._vendor.more_itertools.more
# cleanup[3] wiping pkg_resources._vendor.more_itertools
# cleanup[3] wiping _queue
```



```
# cleanup[3] wiping _heapq
# cleanup[3] wiping importlib.resources
# cleanup[3] wiping importlib._common
# destroy tempfile
# cleanup[3] wiping importlib._adapters
# cleanup[3] wiping pkg_resources.extern.jaraco
# destroy pkg_resources.extern.jaraco.functools
# destroy pkg_resources.extern.jaraco.context
# destroy pkg_resources.extern.jaraco.text
# cleanup[3] wiping pkg_resources._vendor.jaraco
# cleanup[3] wiping inspect
# destroy ast
# destroy token
# cleanup[3] wiping dis
# cleanup[3] wiping _opcode
# destroy _opcode
# cleanup[3] wiping textwrap
# cleanup[3] wiping email.parser
# cleanup[3] wiping email.feedparser
# cleanup[3] wiping email._policybase
# cleanup[3] wiping email.utils
# destroy random
# destroy socket
# destroy urllib
# destroy urllib.parse
# cleanup[3] wiping email._parseaddr
# destroy calendar
# cleanup[3] wiping locale
# destroy encodings
# cleanup[3] wiping array
```

```
# cleanup[3] wiping _socket
# cleanup[3] wiping _sha512
# cleanup[3] wiping _random
# cleanup[3] wiping _bisect
# cleanup[3] wiping email.header
# cleanup[3] wiping email.charset
# cleanup[3] wiping email.encoders
# cleanup[3] wiping email.base64mime
# cleanup[3] wiping base64
# cleanup[3] wiping email.quoprimime
# cleanup[3] wiping email.errors
# cleanup[3] wiping xml.parsers.expat.errors
# cleanup[3] wiping xml.parsers.expat.model
# cleanup[3] wiping pyexpat
# destroy pyexpat.errors
# destroy pyexpat.model
# cleanup[3] wiping datetime
# cleanup[3] wiping _datetime
# cleanup[3] wiping platform
# cleanup[3] wiping weakref
# cleanup[3] wiping _distutils_hack.override
# cleanup[3] wiping distutils.core
# cleanup[3] wiping distutils.extension
# cleanup[3] wiping distutils.config
# cleanup[3] wiping distutils.cmd
# cleanup[3] wiping distutils.archive_util
# destroy zipfile
# cleanup[3] wiping grp
# destroy grp
# cleanup[3] wiping pwd
```

```
# destroy pwd
# cleanup[3] wiping pathlib
# cleanup[3] wiping ntpath
# cleanup[3] wiping struct
# cleanup[3] wiping _struct
# cleanup[3] wiping binascii
# cleanup[3] wiping distutils.file_util
# cleanup[3] wiping distutils.dir_util
# cleanup[3] wiping distutils.dist
# cleanup[3] wiping distutils.util
# destroy sysconfig
# cleanup[3] wiping distutils.spawn
# cleanup[3] wiping distutils.log
# cleanup[3] wiping distutils.dep_util
# cleanup[3] wiping subprocess
# destroy signal
# cleanup[3] wiping selectors
# cleanup[3] wiping math
# cleanup[3] wiping select
# cleanup[3] wiping _posixsubprocess
# destroy _posixsubprocess
# cleanup[3] wiping fcntl
# destroy fcntl
# cleanup[3] wiping threading
# cleanup[3] wiping distutils.fancy_getopt
# destroy getopt
# cleanup[3] wiping string
# cleanup[3] wiping _string
# destroy _string
# cleanup[3] wiping email
```

destroy email._parseaddr
destroy email._policybase
destroy email._encoded_words
destroy email._header_value_parser
destroy email.errors
destroy email.quoprimime
destroy email.base64mime
destroy email.encoders
destroy email.charset
destroy email.header
destroy email.utils
destroy email.feedparser
destroy email.parser
destroy email.iterators
destroy email.message
destroy email.headerregistry
destroy email.generator
cleanup[3] wiping distutils.errors
cleanup[3] wiping distutils.debug
cleanup[3] wiping distutils
destroy distutils._functools
destroy distutils._macos_compat
destroy distutils.debug
destroy distutils.errors
destroy distutils.fancy_getopt
destroy distutils.dep_util
destroy distutils.spawn
destroy distutils.util
destroy distutils.dist
destroy distutils.dir_util

```
# destroy distutils.file_util
# destroy distutils.archive_util
# destroy distutils.cmd
# destroy distutils.config
# destroy distutils.extension
# destroy distutils.core
# destroy distutils.filelist
# destroy distutils.command
# destroy distutils.ccompiler
# destroy distutils.py39compat
# destroy distutils.sysconfig
# destroy distutils.unixccompiler
# cleanup[3] wiping setuptools._distutils
# cleanup[3] wiping importlib.util
# cleanup[3] wiping importlib.abc
# cleanup[3] wiping typing
# cleanup[3] wiping collections.abc
# cleanup[3] wiping importlib._abc
# cleanup[3] wiping importlib.machinery
# cleanup[3] wiping traceback
# destroy linecache
# cleanup[3] wiping tokenize
# cleanup[3] wiping shutil
# cleanup[3] wiping lzma
# cleanup[3] wiping _lzma
# cleanup[3] wiping bz2
# destroy _compression
# cleanup[3] wiping _bz2
# cleanup[3] wiping zlib
# cleanup[3] wiping errno
```

```
# cleanup[3] wiping json
# destroy json.decoder
# destroy json.encoder
# cleanup[3] wiping json.scanner
# cleanup[3] wiping _json
# cleanup[3] wiping importlib
# destroy importlib._abc
# destroy importlib._adapters
# destroy importlib._common
# destroy importlib.machinery
# destroy importlib.abc
# destroy importlib.util
# cleanup[3] wiping warnings
# cleanup[3] wiping importlib._bootstrap_external
# cleanup[3] wiping importlib._bootstrap
# cleanup[3] wiping fnmatch
# cleanup[3] wiping re
# destroy sre_compile
# destroy copyreg
# cleanup[3] wiping _locale
# destroy _locale
# cleanup[3] wiping sre_parse
# cleanup[3] wiping _sre
# cleanup[3] wiping enum
# cleanup[3] wiping contextlib
# cleanup[3] wiping functools
# cleanup[3] wiping _functools
# cleanup[3] wiping types
# cleanup[3] wiping collections
# destroy _collections_abc
```

```
# cleanup[3] wiping _collections
# destroy _collections
# cleanup[3] wiping operator
# cleanup[3] wiping _operator
# cleanup[3] wiping keyword
# cleanup[3] wiping itertools
# cleanup[3] wiping _distutils_hack
# destroy _distutils_hack.override
# cleanup[3] wiping os
# cleanup[3] wiping os.path
# destroy genericpath
# cleanup[3] wiping posixpath
# cleanup[3] wiping stat
# cleanup[3] wiping _stat
# destroy _stat
# cleanup[3] wiping io
# cleanup[3] wiping abc
# cleanup[3] wiping _abc
# cleanup[3] wiping _signal
# cleanup[3] wiping encodings.utf_8
# cleanup[3] wiping encodings.aliases
# cleanup[3] wiping codecs
# cleanup[3] wiping _codecs
# cleanup[3] wiping zipimport
# destroy _frozen_importlib_external
# cleanup[3] wiping time
# cleanup[3] wiping posix
# cleanup[3] wiping marshal
# cleanup[3] wiping _io
# cleanup[3] wiping _weakref
```

```
# cleanup[3] wiping _warnings
# cleanup[3] wiping _thread
# cleanup[3] wiping _imp
# destroy _imp
# cleanup[3] wiping _frozen_importlib
# cleanup[3] wiping sys
# cleanup[3] wiping builtins
# destroy _datetime
# destroy setuptools._vendor.more_itertools
# destroy setuptools._vendor.pyparsing
# destroy setuptools._vendor.jaraco
# destroy setuptools._vendor.tomli
# destroy pkg_resources._vendor.jaraco
# destroy pkg_resources._vendor.more_itertools
# destroy pkg_resources._vendor.appdirs
# destroy pkg_resources._vendor.packaging
# destroy pkg_resources._vendor.pyparsing
# destroy _weakref
# destroy _struct
# destroy sre_parse
# destroy tokenize
# destroy _sre
# destroy logging
# destroy setuptools.monkey
# destroy operator
# destroy collections.abc
# destroy _functools
# destroy pprint
# destroy html
# destroy string
```


destroy traceback
destroy typing
destroy weakref
destroy pathlib
destroy bz2
destroy lzma
destroy email
destroy copy
destroy inspect
destroy keyword
destroy abc
destroy _thread
destroy ntpath
destroy posixpath
destroy collections
destroy zlib
destroy _signal
destroy threading
destroy types
destroy _heapq
destroy importlib.resources
destroy setuptools.config.expand
destroy setuptools.config._apply_pyprojecttoml
destroy _distutils_hack
destroy numbers
destroy setuptools._vendor.packaging
destroy setuptools._vendor.ordered_set
destroy importlib.metadata
destroy setuptools
destroy setuptools.windows_support

```
# destroy setuptools.config.setupcfg
# destroy setuptools.config.pyprojecttoml
# destroy setuptools._reqs
# destroy setuptools._entry_points
# destroy marshal
# destroy dis
# destroy setuptools.extern.packaging.version
# destroy setuptools._imp
# destroy json
# destroy io
# destroy platform
# destroy subprocess
# destroy importlib
# destroy zipimport
# destroy enum
# destroy struct
# destroy _csv
# destroy _bz2
# destroy _lzma
# destroy select
# destroy _queue
# destroy datetime
# destroy locale
# destroy _socket
# destroy selectors
# destroy errno
# destroy binascii
# destroy contextlib
# destroy fnmatch
# destroy pyexpat
```

destroy functools
destroy itertools
destroy array
destroy json.scanner
destroy _json
destroy setuptools._distutils
destroy shutil
destroy warnings
destroy wheel.vendored.packaging.tags
destroy ctypes
destroy textwrap
destroy pkg_resources
destroy _hashlib
destroy csv
destroy hashlib
destroy re
destroy stat
destroy time
destroy distutils.log
destroy base64
destroy io
destroy _blake2
destroy _frozen_importlib
destroy codecs
destroy encodings.aliases
destroy encodings.utf_8
destroy _codecs
destroy _warnings
destroy math
destroy _bisect

```
# destroy os
# destroy builtins
# destroy _random
# destroy _operator
# destroy _sha512
# destroy sys
# destroy _abc
# destroy posix
# clear sys.audit hooks
[end of output]
```

note: This error originates from a subprocess, and is likely not a problem with pip.

ERROR: Failed building wheel for manimpango

Failed to build manimpango

ERROR: Could not build wheels for manimpango, which is required to install pyproject.toml-based projects

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_pycache__/_strptime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_strptime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_pycache__/_strptime.cpython-310.pyc'
import '_strptime' # <_frozen_importlib_external.SourceFileLoader object at 0x105c0fdc0>
# clear builtins._
# clear sys.path
# clear sys.argv
# clear sys.ps1
# clear sys.ps2
```

```
# clear sys.last_type
# clear sys.last_value
# clear sys.last_traceback
# clear sys.path_hooks
# clear sys.path_importer_cache
# clear sys.meta_path
# clear sys.__interactivehook__
# restore sys.stdin
# restore sys.stdout
# restore sys.stderr
# cleanup[2] removing sys
# cleanup[2] removing builtins
# cleanup[2] removing _frozen_importlib
# cleanup[2] removing _imp
# cleanup[2] removing _thread
# cleanup[2] removing _warnings
# cleanup[2] removing _weakref
# cleanup[2] removing _io
# cleanup[2] removing marshal
# cleanup[2] removing posix
# cleanup[2] removing _frozen_importlib_external
# cleanup[2] removing time
# cleanup[2] removing zipimport
# cleanup[2] removing _codecs
# cleanup[2] removing codecs
# cleanup[2] removing encodings.aliases
# cleanup[2] removing encodings
# cleanup[2] removing encodings.utf_8
# cleanup[2] removing _signal
# cleanup[2] removing _abc
```

```
# cleanup[2] removing abc
# cleanup[2] removing io
# cleanup[2] removing __main__
# destroy __main__
# cleanup[2] removing _stat
# cleanup[2] removing stat
# cleanup[2] removing _collections_abc
# cleanup[2] removing genericpath
# cleanup[2] removing posixpath
# cleanup[2] removing os.path
# cleanup[2] removing os
# cleanup[2] removing _sitebuiltins
# cleanup[2] removing _distutils_hack
# destroy _distutils_hack
# cleanup[2] removing types
# cleanup[2] removing enum
# cleanup[2] removing _sre
# cleanup[2] removing sre_constants
# destroy sre_constants
# cleanup[2] removing sre_parse
# cleanup[2] removing sre_compile
# cleanup[2] removing itertools
# cleanup[2] removing keyword
# cleanup[2] removing _operator
# cleanup[2] removing operator
# cleanup[2] removing reprlib
# cleanup[2] removing _collections
# cleanup[2] removing collections
# cleanup[2] removing _functools
# cleanup[2] removing functools
```

```
# cleanup[2] removing _locale
# cleanup[2] removing copyreg
# cleanup[2] removing re
# cleanup[2] removing sitecustomize
# destroy sitecustomize
# cleanup[2] removing site
# cleanup[2] removing token
# cleanup[2] removing tokenize
# cleanup[2] removing linecache
# cleanup[2] removing traceback
# cleanup[2] removing collections.abc
# cleanup[2] removing contextlib
# cleanup[2] removing typing
# cleanup[2] removing pip
# cleanup[2] removing pip._internal.utils
# cleanup[2] removing _socket
# cleanup[2] removing _ssl
# cleanup[2] removing math
# cleanup[2] removing select
# cleanup[2] removing selectors
# cleanup[2] removing errno
# cleanup[2] removing array
# cleanup[2] removing socket
# cleanup[2] removing _struct
# cleanup[2] removing struct
# cleanup[2] removing binascii
# cleanup[2] removing base64
# cleanup[2] removing warnings
# cleanup[2] removing ssl
# cleanup[2] removing pip._internal.utils.inject_securetransport
```

```
# cleanup[2] removing _weakrefset
# destroy _weakrefset
# cleanup[2] removing weakref
# cleanup[2] removing _string
# cleanup[2] removing string
# cleanup[2] removing threading
# cleanup[2] removing atexit
# cleanup[2] removing logging
# cleanup[2] removing pip._internal.utils._log
# cleanup[2] removing pip._internal
# cleanup[2] removing pip._internal.cli
# cleanup[2] removing locale
# cleanup[2] removing textwrap
# cleanup[2] removing gettext
# destroy gettext
# cleanup[2] removing optparse
# cleanup[2] removing importlib._bootstrap
# cleanup[2] removing importlib._bootstrap_external
# cleanup[2] removing importlib
# cleanup[2] removing importlib._abc
# cleanup[2] removing importlib.util
# cleanup[2] removing __future__
# destroy __future__
# cleanup[2] removing fnmatch
# cleanup[2] removing glob
# cleanup[2] removing pip._vendor
# cleanup[2] removing pip._vendor.packaging.__about__
# cleanup[2] removing pip._vendor.packaging
# cleanup[2] removing signal
# cleanup[2] removing fcntl
```



```
# cleanup[2] removing _posixsubprocess
# cleanup[2] removing subprocess
# cleanup[2] removing platform
# cleanup[2] removing sysconfig
# cleanup[2] removing importlib.machinery
# cleanup[2] removing pip._vendor.packaging._manylinux
# cleanup[2] removing pip._vendor.packaging._musllinux
# cleanup[2] removing pip._vendor.packaging.tags
# cleanup[2] removing pip._vendor.packaging._structures
# cleanup[2] removing pip._vendor.packaging.version
# cleanup[2] removing pip._vendor.packaging.utils
# cleanup[2] removing zlib
# cleanup[2] removing _compression
# cleanup[2] removing _bz2
# cleanup[2] removing bz2
# cleanup[2] removing _lzma
# cleanup[2] removing lzma
# cleanup[2] removing shutil
# cleanup[2] removing pip._internal.cli.status_codes
# cleanup[2] removing configparser
# cleanup[2] removing pip._vendor.urllib3.packages
# cleanup[2] removing pip._vendor.urllib3.packages.six
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves
# cleanup[2] removing http
# cleanup[2] removing email
# cleanup[2] removing email.errors
# cleanup[2] removing email.quoprimime
# cleanup[2] removing email.base64mime
# cleanup[2] removing quopri
# cleanup[2] removing email.encoders
```

```
# cleanup[2] removing email.charset
# cleanup[2] removing email.header
# cleanup[2] removing _bisect
# cleanup[2] removing bisect
# cleanup[2] removing _random
# cleanup[2] removing _sha512
# cleanup[2] removing random
# cleanup[2] removing _datetime
# cleanup[2] removing datetime
# cleanup[2] removing urllib
# cleanup[2] removing urllib.parse
# cleanup[2] removing calendar
# cleanup[2] removing email._parseaddr
# cleanup[2] removing email.utils
# cleanup[2] removing email._policybase
# cleanup[2] removing email.feedparser
# cleanup[2] removing email.parser
# cleanup[2] removing uu
# cleanup[2] removing email._encoded_words
# cleanup[2] removing email.iterators
# cleanup[2] removing email.message
# cleanup[2] removing http.client
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves.http_client
# cleanup[2] removing pip._vendor.urllib3.exceptions
# cleanup[2] removing pip._vendor.urllib3._version
# cleanup[2] removing pip._vendor.urllib3.contrib
# cleanup[2] removing pip._vendor.urllib3.contrib._appengine_environ
# cleanup[2] removing pip._vendor.urllib3.util.wait
# cleanup[2] removing pip._vendor.urllib3.util.connection
# cleanup[2] removing pip._vendor.urllib3.util.request
```

```
# cleanup[2] removing pip._vendor.urllib3.util.response
# cleanup[2] removing pip._vendor.urllib3.util.retry
# cleanup[2] removing _hashlib
# cleanup[2] removing _blake2
# cleanup[2] removing hashlib
# cleanup[2] removing hmac
# cleanup[2] removing pip._vendor.urllib3.util.url
# cleanup[2] removing pip._vendor.urllib3.util.ssltransport
# cleanup[2] removing pip._vendor.urllib3.util.ssl_
# cleanup[2] removing pip._vendor.urllib3.util.timeout
# cleanup[2] removing pip._vendor.urllib3.util
# cleanup[2] removing pip._vendor.urllib3.util.proxy
# cleanup[2] removing pip._vendor.urllib3._collections
# cleanup[2] removing ipaddress
# cleanup[2] removing pip._vendor.urllib3.util.ssl_match_hostname
# cleanup[2] removing pip._vendor.urllib3.connection
# cleanup[2] removing _heapq
# cleanup[2] removing heapq
# cleanup[2] removing _queue
# cleanup[2] removing queue
# cleanup[2] removing mimetypes
# cleanup[2] removing pip._vendor.urllib3.fields
# cleanup[2] removing pip._vendor.urllib3.filepost
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves.urllib
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves.urllib.parse
# cleanup[2] removing pip._vendor.urllib3.request
# cleanup[2] removing pip._vendor.urllib3.response
# cleanup[2] removing pip._vendor.urllib3.util.queue
# cleanup[2] removing pip._vendor.urllib3.connectionpool
# cleanup[2] removing pip._vendor.urllib3.poolmanager
```

```
# cleanup[2] removing pip._vendor.urllib3
# cleanup[2] removing pip._vendor.chardet.enums
# cleanup[2] removing pip._vendor.chardet.charsetprober
# cleanup[2] removing pip._vendor.chardet.charsetgroupprober
# cleanup[2] removing pip._vendor.chardet.codingstatemachine
# cleanup[2] removing pip._vendor.chardet.escsm
# cleanup[2] removing pip._vendor.chardet.escprober
# cleanup[2] removing pip._vendor.chardet.latin1prober
# cleanup[2] removing pip._vendor.chardet.big5freq
# cleanup[2] removing pip._vendor.chardet.euckrfreq
# cleanup[2] removing pip._vendor.chardet.euctwfreq
# cleanup[2] removing pip._vendor.chardet.gb2312freq
# cleanup[2] removing pip._vendor.chardet.jisfreq
# cleanup[2] removing pip._vendor.chardet.johabfreq
# cleanup[2] removing pip._vendor.chardet.chardistribution
# cleanup[2] removing pip._vendor.chardet.mbcharsetprober
# cleanup[2] removing pip._vendor.chardet.mbcssm
# cleanup[2] removing pip._vendor.chardet.big5prober
# cleanup[2] removing pip._vendor.chardet.cp949prober
# cleanup[2] removing pip._vendor.chardet.jpctx
# cleanup[2] removing pip._vendor.chardet.eucjpprober
# cleanup[2] removing pip._vendor.chardet.euckrprober
# cleanup[2] removing pip._vendor.chardet.euctwprober
# cleanup[2] removing pip._vendor.chardet.gb2312prober
# cleanup[2] removing pip._vendor.chardet.johabprober
# cleanup[2] removing pip._vendor.chardet.sjisprober
# cleanup[2] removing pip._vendor.chardet.utf8prober
# cleanup[2] removing pip._vendor.chardet.mbcsgroupprober
# cleanup[2] removing pip._vendor.chardet.hebrewprober
# cleanup[2] removing pip._vendor.chardet.sbcharsetprober
```

```
# cleanup[2] removing pip._vendor.chardet.langbulgarianmodel
# cleanup[2] removing pip._vendor.chardet.langgreekmodel
# cleanup[2] removing pip._vendor.chardet.langhebrewmodel
# cleanup[2] removing pip._vendor.chardet.langrussianmodel
# cleanup[2] removing pip._vendor.chardet.langthaimodel
# cleanup[2] removing pip._vendor.chardet.langturkishmodel
# cleanup[2] removing pip._vendor.chardet.sbcsgroupprober
# cleanup[2] removing pip._vendor.chardet.utf1632prober
# cleanup[2] removing pip._vendor.chardet.universaldetector
# cleanup[2] removing pip._vendor.chardet.version
# cleanup[2] removing pip._vendor.chardet
# cleanup[2] removing _json
# cleanup[2] removing json.scanner
# cleanup[2] removing json.decoder
# cleanup[2] removing json.encoder
# cleanup[2] removing json
# cleanup[2] removing copy
# cleanup[2] removing tempfile
# cleanup[2] removing urllib.response
# cleanup[2] removing urllib.error
# cleanup[2] removing _scproxy
# cleanup[2] removing urllib.request
# cleanup[2] removing http.cookiejar
# cleanup[2] removing http.cookies
# cleanup[2] removing pip._vendor.requests.compat
# cleanup[2] removing pip._vendor.requests.exceptions
# cleanup[2] removing pip._internal.utils.compat
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves
```

```
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves.http_client
# cleanup[2] removing pip._vendor.requests.packages.urllib3.exceptions
# cleanup[2] removing pip._vendor.requests.packages.urllib3._version
# cleanup[2] removing pip._vendor.requests.packages.urllib3.contrib
# cleanup[2] removing pip._vendor.requests.packages.urllib3.contrib._appengine_environ
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.wait
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.connection
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.request
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.response
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.retry
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.url
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.ssltransport
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.ssl_
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.timeout
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.proxy
# cleanup[2] removing pip._vendor.requests.packages.urllib3._collections
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.ssl_match_hostname
# cleanup[2] removing pip._vendor.requests.packages.urllib3.connection
# cleanup[2] removing pip._vendor.requests.packages.urllib3.fields
# cleanup[2] removing pip._vendor.requests.packages.urllib3.filepost
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves.urllib
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves.urllib.parse
# cleanup[2] removing pip._vendor.requests.packages.urllib3.request
# cleanup[2] removing pip._vendor.requests.packages.urllib3.response
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.queue
# cleanup[2] removing pip._vendor.requests.packages.urllib3.connectionpool
# cleanup[2] removing pip._vendor.requests.packages.urllib3.poolmanager
# cleanup[2] removing pip._vendor.requests.packages.urllib3
# cleanup[2] removing pip._vendor.idna.package_data
```

```
# cleanup[2] removing pip._vendor.idna.idnadata
# cleanup[2] removing unicodedata
# cleanup[2] removing pip._vendor.idna.intranges
# cleanup[2] removing pip._vendor.idna.core
# cleanup[2] removing pip._vendor.idna
# cleanup[2] removing pip._vendor.requests.packages.idna.package_data
# cleanup[2] removing pip._vendor.requests.packages.idna.idnadata
# cleanup[2] removing pip._vendor.requests.packages.idna.intranges
# cleanup[2] removing pip._vendor.requests.packages.idna.core
# cleanup[2] removing pip._vendor.requests.packages.idna
# cleanup[2] removing pip._vendor.requests.packages.chardet.enums
# cleanup[2] removing pip._vendor.requests.packages.chardet.charsetprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.charsetgroupprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.codingstatemachine
# cleanup[2] removing pip._vendor.requests.packages.chardet.escsm
# cleanup[2] removing pip._vendor.requests.packages.chardet.escprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.latin1prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.big5freq
# cleanup[2] removing pip._vendor.requests.packages.chardet.euckrfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.euctwfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.gb2312freq
# cleanup[2] removing pip._vendor.requests.packages.chardet.jisfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.johabfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.chardistribution
# cleanup[2] removing pip._vendor.requests.packages.chardet.mbcharsetprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.mbcsm
# cleanup[2] removing pip._vendor.requests.packages.chardet.big5prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.cp949prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.jpcntx
# cleanup[2] removing pip._vendor.requests.packages.chardet.eucjpprober
```

```
# cleanup[2] removing pip._vendor.requests.packages.chardet.euckrprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.euctwprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.gb2312prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.johabprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.sjisprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.utf8prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.mbcsgroupprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.hebrewprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.sbcharsetprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.langbulgarianmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langgreekmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langhebrewmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langrussianmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langthaimodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langturkishmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.sbcsgroupprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.utf1632prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.universaldetector
# cleanup[2] removing pip._vendor.requests.packages.chardet.version
# cleanup[2] removing pip._vendor.requests.packages.chardet
# cleanup[2] removing pip._vendor.requests.packages
# cleanup[2] removing ntpath
# cleanup[2] removing pathlib
# cleanup[2] removing zipfile
# cleanup[2] removing importlib.abc
# cleanup[2] removing importlib._adapters
# cleanup[2] removing importlib._common
# cleanup[2] removing importlib.resources
# cleanup[2] removing pip._vendor.certifi.core
# cleanup[2] removing pip._vendor.certifi
```



```
# cleanup[2] removing pip._vendor.requests.certs
# cleanup[2] removing pip._vendor.requests.__version__
# destroy pip._vendor.requests.__version__
# cleanup[2] removing pip._vendor.requests._internal_utils
# cleanup[2] removing pip._vendor.requests.cookies
# cleanup[2] removing pip._vendor.requests.structures
# cleanup[2] removing importlib.readers
# cleanup[2] removing pip._vendor.requests.utils
# cleanup[2] removing pip._vendor.requests.auth
# cleanup[2] removing stringprep
# cleanup[2] removing encodings.idna
# cleanup[2] removing pip._vendor.requests.hooks
# cleanup[2] removing pip._vendor.requests.status_codes
# cleanup[2] removing pip._vendor.requests.models
# cleanup[2] removing pip._vendor.requests.adapters
# cleanup[2] removing pip._vendor.requests.sessions
# cleanup[2] removing pip._vendor.requests.api
# cleanup[2] removing pip._vendor.requests
# cleanup[2] removing pip._vendor.rich._extension
# cleanup[2] removing pip._vendor.rich
# cleanup[2] removing _ast
# destroy _ast
# cleanup[2] removing ast
# cleanup[2] removing _opcode
# cleanup[2] removing opcode
# destroy opcode
# cleanup[2] removing dis
# cleanup[2] removing inspect
# cleanup[2] removing dataclasses
# cleanup[2] removing termios
```

```
# cleanup[2] removing getpass
# cleanup[2] removing html.entities
# cleanup[2] removing html
# cleanup[2] removing pip._vendor.rich.errors
# cleanup[2] removing colorsys
# destroy colorsys
# cleanup[2] removing pip._vendor.rich.color_triplet
# cleanup[2] removing pip._vendor.rich.palette
# cleanup[2] removing pip._vendor.rich._palettes
# cleanup[2] removing pip._vendor.rich.repr
# cleanup[2] removing pip._vendor.rich.terminal_theme
# cleanup[2] removing pip._vendor.rich.color
# cleanup[2] removing pip._vendor.rich.style
# cleanup[2] removing pip._vendor.rich.default_styles
# cleanup[2] removing pip._vendor.rich.theme
# cleanup[2] removing pip._vendor.rich.themes
# cleanup[2] removing pip._vendor.rich._emoji_codes
# cleanup[2] removing pip._vendor.rich._emoji_replace
# cleanup[2] removing pip._vendor.rich._export_format
# cleanup[2] removing pip._vendor.rich._loop
# cleanup[2] removing pip._vendor.rich._pick
# cleanup[2] removing pip._vendor.rich._cell_widths
# cleanup[2] removing pip._vendor.rich.cells
# cleanup[2] removing pip._vendor.rich._wrap
# cleanup[2] removing pip._vendor.rich.segment
# cleanup[2] removing pip._vendor.rich.jupyter
# cleanup[2] removing pip._vendor.rich.protocol
# cleanup[2] removing pip._vendor.rich.measure
# cleanup[2] removing pip._vendor.rich.constrain
# cleanup[2] removing pip._vendor.rich.align
```

```
# cleanup[2] removing pip._vendor.rich.containers
# cleanup[2] removing pip._vendor.rich.control
# cleanup[2] removing pip._vendor.rich.emoji
# cleanup[2] removing pip._vendor.rich.text
# cleanup[2] removing pip._vendor.rich._log_render
# cleanup[2] removing pip._vendor.rich.highlighter
# cleanup[2] removing pip._vendor.rich.markup
# cleanup[2] removing pip._vendor.rich.pager
# cleanup[2] removing pip._vendor.rich.abc
# cleanup[2] removing pip._vendor.rich.pretty
# cleanup[2] removing pip._vendor.rich.region
# cleanup[2] removing pip._vendor.rich.box
# cleanup[2] removing pip._vendor.rich.padding
# cleanup[2] removing pip._vendor.rich.panel
# cleanup[2] removing numbers
# cleanup[2] removing _decimal
# cleanup[2] removing decimal
# destroy decimal
# cleanup[2] removing fractions
# destroy fractions
# cleanup[2] removing pip._vendor.rich._ratio
# cleanup[2] removing pip._vendor.rich.table
# cleanup[2] removing pip._vendor.rich.scope
# cleanup[2] removing pip._vendor.rich.screen
# cleanup[2] removing pip._vendor.rich.styled
# cleanup[2] removing pip._vendor.rich.console
# cleanup[2] removing pip._internal.exceptions
# cleanup[2] removing pip._vendor.platformdirs.api
# cleanup[2] removing pip._vendor.platformdirs.version
# cleanup[2] removing pip._vendor.platformdirs.macos
```

```
# cleanup[2] removing pip._vendor.platformdirs
# cleanup[2] removing pip._internal.utils.appdirs
# cleanup[2] removing _compat_pickle
# cleanup[2] removing _pickle
# cleanup[2] removing pickle
# cleanup[2] removing logging.handlers
# cleanup[2] removing pip._vendor.pygments
# cleanup[2] removing pip._vendor.pygments.lexers._mapping
# cleanup[2] removing pip._vendor.pygments.modeline
# cleanup[2] removing pip._vendor.pygments.plugin
# cleanup[2] removing pip._vendor.pygments.util
# cleanup[2] removing pip._vendor.pygments.lexers
# cleanup[2] removing pip._vendor.pygments.token
# cleanup[2] removing pip._vendor.rich.columns
# cleanup[2] removing pip._vendor.pygments.filter
# cleanup[2] removing pip._vendor.pygments.filters
# cleanup[2] removing pip._vendor.pygments.regexopt
# cleanup[2] removing pip._vendor.pygments.lexer
# cleanup[2] removing pip._vendor.pygments.style
# cleanup[2] removing pip._vendor.pygments.styles
# cleanup[2] removing pip._vendor.rich.syntax
# cleanup[2] removing pip._vendor.rich.traceback
# cleanup[2] removing pip._vendor.rich.logging
# cleanup[2] removing pip._internal.utils.deprecation
# cleanup[2] removing pip._vendor.tomli._types
# cleanup[2] removing pip._vendor.tomli._re
# cleanup[2] removing pip._vendor.tomli._parser
# cleanup[2] removing pip._vendor.tomli
# cleanup[2] removing pip._vendor.pep517.compat
# cleanup[2] removing pip._vendor.pep517.in_process
```

```
# cleanup[2] removing pip._vendor.pep517.wrappers
# cleanup[2] removing pip._vendor.pep517
# cleanup[2] removing concurrent
# cleanup[2] removing concurrent.futures._base
# cleanup[2] removing concurrent.futures
# cleanup[2] removing pip._vendor.tenacity.retry
# destroy pip._vendor.tenacity.retry
# cleanup[2] removing pip._vendor.tenacity.nap
# cleanup[2] removing pip._vendor.tenacity.stop
# cleanup[2] removing pip._vendor.tenacity._utils
# cleanup[2] removing pip._vendor.tenacity.wait
# cleanup[2] removing pip._vendor.tenacity.before
# cleanup[2] removing pip._vendor.tenacity.after
# cleanup[2] removing pip._vendor.tenacity.before_sleep
# cleanup[2] removing asyncio.constants
# cleanup[2] removing asyncio.format_helpers
# cleanup[2] removing asyncio.base_futures
# cleanup[2] removing asyncio.log
# cleanup[2] removing asyncio.coroutines
# cleanup[2] removing _contextvars
# cleanup[2] removing contextvars
# cleanup[2] removing asyncio.exceptions
# cleanup[2] removing asyncio.base_tasks
# cleanup[2] removing _asyncio
# cleanup[2] removing asyncio.events
# cleanup[2] removing asyncio.futures
# cleanup[2] removing asyncio.protocols
# cleanup[2] removing asyncio.transports
# cleanup[2] removing asyncio.sslproto
# cleanup[2] removing asyncio.mixins
```

```
# cleanup[2] removing asyncio.tasks
# cleanup[2] removing asyncio.locks
# cleanup[2] removing asyncio.staggered
# cleanup[2] removing asyncio.trsock
# cleanup[2] removing asyncio.base_events
# cleanup[2] removing asyncio.runners
# cleanup[2] removing asyncio.queues
# cleanup[2] removing asyncio.streams
# cleanup[2] removing asyncio.subprocess
# cleanup[2] removing asyncio.threads
# cleanup[2] removing asyncio.base_subprocess
# cleanup[2] removing asyncio.selector_events
# cleanup[2] removing asyncio.unix_events
# cleanup[2] removing asyncio
# cleanup[2] removing pip._vendor.tenacity._asyncio
# cleanup[2] removing pip._vendor.tenacity
# cleanup[2] removing pip._internal.models
# cleanup[2] removing pip._internal.models.scheme
# cleanup[2] removing pip._internal.utils.virtualenv
# cleanup[2] removing _sysconfigdata__darwin_darwin
# destroy _sysconfigdata__darwin_darwin
# cleanup[2] removing _osx_support
# destroy _osx_support
# cleanup[2] removing pip._internal.locations.base
# cleanup[2] removing pip._internal.locations._sysconfig
# cleanup[2] removing pip._internal.locations
# cleanup[2] removing pip._internal.utils.misc
# cleanup[2] removing pip._internal.utils.logging
# cleanup[2] removing pip._internal.configuration
# cleanup[2] removing pip._internal.cli.parser
```

```
# cleanup[2] removing pip._internal.models.format_control
# cleanup[2] removing pip._internal.models.index
# cleanup[2] removing pip._internal.utils.compatibility_tags
# cleanup[2] removing pip._internal.models.target_python
# cleanup[2] removing pip._internal.utils.hashes
# cleanup[2] removing pip._internal.cli.cmdoptions
# cleanup[2] removing socketserver
# destroy socketserver
# cleanup[2] removing logging.config
# cleanup[2] removing pip._internal.cli.command_context
# cleanup[2] removing pip._internal.utils.filesystem
# cleanup[2] removing pip._internal.utils.temp_dir
# cleanup[2] removing pip._internal.cli.base_command
# cleanup[2] removing pip._internal.commands
# cleanup[2] removing pip._internal.cli.main_parser
# cleanup[2] removing _csv
# cleanup[2] removing csv
# cleanup[2] removing pip._vendor.pyparsing.util
# cleanup[2] removing pip._vendor.pyparsing.unicode
# destroy pip._vendor.pyparsing.unicode
# cleanup[2] removing pip._vendor.pyparsing.exceptions
# cleanup[2] removing pip._vendor.pyparsing.actions
# cleanup[2] removing pprint
# cleanup[2] removing pip._vendor.pyparsing.results
# cleanup[2] removing pip._vendor.pyparsing.core
# cleanup[2] removing pip._vendor.pyparsing.helpers
# cleanup[2] removing pip._vendor.pyparsing.testing
# destroy pip._vendor.pyparsing.testing
# cleanup[2] removing pip._vendor.pyparsing.common
# destroy pip._vendor.pyparsing.common
```

```
# cleanup[2] removing pip._vendor.pyparsing
# cleanup[2] removing pip._vendor.packaging.specifiers
# cleanup[2] removing pip._vendor.packaging.markers
# cleanup[2] removing pip._vendor.packaging.requirements
# cleanup[2] removing pip._internal.models.direct_url
# cleanup[2] removing pip._internal.utils.egg_link
# cleanup[2] removing pip._internal.utils.packaging
# cleanup[2] removing pip._internal.utils.urls
# cleanup[2] removing pip._internal.metadata._json
# cleanup[2] removing pip._internal.metadata.base
# cleanup[2] removing pip._internal.metadata
# cleanup[2] removing pip._internal.cli.autocompletion
# cleanup[2] removing pip._internal.cli.main
# cleanup[2] removing pip._internal.utils.filetypes
# cleanup[2] removing pip._internal.utils.models
# cleanup[2] removing pip._internal.models.link
# cleanup[2] removing pip._internal.models.wheel
# cleanup[2] removing pip._internal.cache
# cleanup[2] removing pip._internal.index
# cleanup[2] removing xml
# cleanup[2] removing xml.etree
# cleanup[2] removing xml.etree.ElementPath
# cleanup[2] removing pyexpat.errors
# cleanup[2] removing pyexpat.model
# cleanup[2] removing pyexpat
# cleanup[2] removing _elementtree
# cleanup[2] removing xml.etree.ElementTree
# cleanup[2] removing _markupbase
# cleanup[2] removing html.parser
# cleanup[2] removing pip._internal.models.search_scope
```



```
# cleanup[2] removing pip._internal.network
# cleanup[2] removing pip._vendor.cachecontrol.cache
# cleanup[2] removing pip._vendor.msgpack.exceptions
# cleanup[2] removing pip._vendor.msgpack.ext
# cleanup[2] removing pip._vendor.msgpack.fallback
# cleanup[2] removing pip._vendor.msgpack
# cleanup[2] removing pip._vendor.cachecontrol.compat
# cleanup[2] removing pip._vendor.cachecontrol.serialize
# cleanup[2] removing pip._vendor.cachecontrol.controller
# cleanup[2] removing mmap
# cleanup[2] removing pip._vendor.cachecontrol.filewrapper
# cleanup[2] removing pip._vendor.cachecontrol.adapter
# cleanup[2] removing pip._vendor.cachecontrol.wrapper
# cleanup[2] removing pip._vendor.cachecontrol
# cleanup[2] removing shlex
# cleanup[2] removing pip._internal.cli.spinners
# cleanup[2] removing pip._internal.utils.subprocess
# cleanup[2] removing pip._internal.vcs.versioncontrol
# cleanup[2] removing pip._internal.vcs.bazaar
# cleanup[2] removing pip._internal.vcs.git
# cleanup[2] removing pip._internal.vcs.mercurial
# cleanup[2] removing pip._internal.vcs.subversion
# cleanup[2] removing pip._internal.vcs
# cleanup[2] removing pip._internal.network.auth
# cleanup[2] removing pip._vendor.cachecontrol.caches.file_cache
# cleanup[2] removing pip._vendor.cachecontrol.caches.redis_cache
# cleanup[2] removing pip._vendor.cachecontrol.caches
# cleanup[2] removing pip._internal.network.cache
# cleanup[2] removing pip._internal.utils.glibc
# cleanup[2] removing pip._internal.network.session
```

```
# cleanup[2] removing pip._internal.network.utils
# cleanup[2] removing pip._internal.models.candidate
# cleanup[2] removing pip._internal.index.sources
# cleanup[2] removing pip._internal.index.collector
# cleanup[2] removing pip._internal.models.selection_prefs
# cleanup[2] removing pip._internal.utils.encoding
# cleanup[2] removing pip._internal.req.req_file
# cleanup[2] removing _uuid
# cleanup[2] removing uuid
# cleanup[2] removing pip._internal.build_env
# cleanup[2] removing pip._internal.operations
# cleanup[2] removing pip._internal.operations.build
# cleanup[2] removing pip._internal.operations.build.metadata
# cleanup[2] removing pip._internal.operations.build.metadata_editable
# cleanup[2] removing pip._internal.utils.setuptools_build
# cleanup[2] removing pip._internal.operations.build.metadata_legacy
# cleanup[2] removing pip._internal.operations.install
# cleanup[2] removing pip._internal.operations.install.editable_legacy
# cleanup[2] removing pip._internal.operations.install.legacy
# cleanup[2] removing py_compile
# cleanup[2] removing filecmp
# cleanup[2] removing compileall
# cleanup[2] removing pip._vendor.distlib
# cleanup[2] removing xmlrpc
# destroy xmlrpc
# cleanup[2] removing xml.parsers
# cleanup[2] removing xml.parsers.expat.model
# cleanup[2] removing xml.parsers.expat.errors
# cleanup[2] removing xml.parsers.expat
# cleanup[2] removing gzip
```

```
# cleanup[2] removing xmlrpc.client
# cleanup[2] removing pip._vendor.distlib.compat
# cleanup[2] removing pkgutil
# cleanup[2] removing pwd
# cleanup[2] removing grp
# cleanup[2] removing tarfile
# cleanup[2] removing pip._vendor.distlib.util
# cleanup[2] removing pip._vendor.distlib.resources
# cleanup[2] removing pip._vendor.distlib.scripts
# cleanup[2] removing pip._internal.utils.unpacking
# cleanup[2] removing pip._internal.utils.wheel
# cleanup[2] removing pip._internal.operations.install.wheel
# cleanup[2] removing pip._internal.pyproject
# cleanup[2] removing pip._internal.req.req_uninstall
# cleanup[2] removing pip._internal.utils.direct_url_helpers
# cleanup[2] removing pip._internal.req.req_install
# cleanup[2] removing pip._internal.req.req_set
# cleanup[2] removing pip._internal.req
# cleanup[2] removing pip._internal.index.package_finder
# cleanup[2] removing pip._internal.operations.build.build_tracker
# cleanup[2] removing pip._internal.distributions.base
# cleanup[2] removing pip._internal.distributions.sdist
# cleanup[2] removing pip._internal.distributions.wheel
# cleanup[2] removing pip._internal.distributions
# cleanup[2] removing pip._internal.distributions.installed
# cleanup[2] removing pip._vendor.rich.filesize
# cleanup[2] removing pip._vendor.rich.ansi
# cleanup[2] removing pip._vendor.rich.file_proxy
# cleanup[2] removing pip._vendor.rich.live_render
# cleanup[2] removing pip._vendor.rich.live
```

```
# cleanup[2] removing pip._vendor.rich.progress_bar
# cleanup[2] removing pip._vendor.rich._spinners
# cleanup[2] removing pip._vendor.rich.spinner
# cleanup[2] removing pip._vendor.rich.progress
# cleanup[2] removing pip._internal.cli.progress_bars
# cleanup[2] removing pip._internal.network.download
# cleanup[2] removing pip._internal.network.lazy_wheel
# cleanup[2] removing pip._internal.operations.prepare
# cleanup[2] removing pip._internal.req.constructors
# cleanup[2] removing pip._internal.resolution
# cleanup[2] removing pip._internal.resolution.base
# cleanup[2] removing pip._internal.utils.entrypoints
# cleanup[2] removing pip._internal.self_outdated_check
# cleanup[2] removing pip._internal.cli.req_command
# cleanup[2] removing pip._internal.models.installation_report
# cleanup[2] removing pip._internal.operations.check
# cleanup[2] removing getopt
# destroy getopt
# cleanup[2] removing pip._internal.utils.distutils_args
# cleanup[2] removing pip._internal.operations.build.wheel
# cleanup[2] removing pip._internal.operations.build.wheel_editable
# cleanup[2] removing pip._internal.operations.build.wheel_legacy
# cleanup[2] removing pip._internal.wheel_builder
# cleanup[2] removing pip._internal.commands.install
# cleanup[2] removing plistlib
# cleanup[2] removing pip._vendor.six
# cleanup[2] removing pip._vendor.six.moves
# cleanup[2] removing pip._vendor.six.moves.urllib
# cleanup[2] removing pip._vendor.pkg_resources.py31compat
# cleanup[2] removing pip._vendor.pkg_resources
```

```
# cleanup[2] removing pip._internal.metadata.pkg_resources
# cleanup[2] removing pip._internal.resolution.resolvelib
# cleanup[2] removing pip._vendor.resolvelib.providers
# cleanup[2] removing pip._vendor.resolvelib.reporters
# cleanup[2] removing pip._vendor.resolvelib.compat
# cleanup[2] removing pip._vendor.resolvelib.compat.collections_abc
# cleanup[2] removing pip._vendor.resolvelib.structs
# cleanup[2] removing pip._vendor.resolvelib.resolvers
# cleanup[2] removing pip._vendor.resolvelib
# cleanup[2] removing pip._internal.resolution.resolvelib.base
# cleanup[2] removing pip._internal.resolution.resolvelib.candidates
# cleanup[2] removing pip._internal.resolution.resolvelib.found_candidates
# cleanup[2] removing pip._internal.resolution.resolvelib.requirements
# cleanup[2] removing pip._internal.resolution.resolvelib.factory
# cleanup[2] removing pip._internal.resolution.resolvelib.provider
# cleanup[2] removing pip._internal.resolution.resolvelib.reporter
# cleanup[2] removing pip._internal.resolution.resolvelib.resolver
# cleanup[2] removing netrc
# destroy netrc
# cleanup[2] removing encodings.cp437
# cleanup[2] removing _strptime
# cleanup[3] wiping _strptime
# cleanup[3] wiping encodings.cp437
# cleanup[3] wiping pip._internal.resolution.resolvelib.resolver
# cleanup[3] wiping pip._internal.resolution.resolvelib.reporter
# cleanup[3] wiping pip._internal.resolution.resolvelib.provider
# cleanup[3] wiping pip._internal.resolution.resolvelib.factory
# cleanup[3] wiping pip._internal.resolution.resolvelib.requirements
# cleanup[3] wiping pip._internal.resolution.resolvelib.found_candidates
# cleanup[3] wiping pip._internal.resolution.resolvelib.candidates
```

```
# cleanup[3] wiping pip._internal.resolution.resolvelib.base
# cleanup[3] wiping pip._vendor.resolvelib
# destroy pip._vendor.resolvelib.providers
# destroy pip._vendor.resolvelib.reporters
# destroy pip._vendor.resolvelib.compat
# destroy pip._vendor.resolvelib.structs
# destroy pip._vendor.resolvelib.resolvers
# cleanup[3] wiping pip._vendor.resolvelib.compat.collections_abc
# cleanup[3] wiping pip._internal.resolution.resolvelib
# destroy pip._internal.resolution.resolvelib.base
# destroy pip._internal.resolution.resolvelib.candidates
# destroy pip._internal.resolution.resolvelib.found_candidates
# destroy pip._internal.resolution.resolvelib.requirements
# destroy pip._internal.resolution.resolvelib.factory
# destroy pip._internal.resolution.resolvelib.provider
# destroy pip._internal.resolution.resolvelib.reporter
# destroy pip._internal.resolution.resolvelib.resolver
# cleanup[3] wiping pip._internal.metadata.pkg_resources
# cleanup[3] wiping pip._vendor.pkg_resources
# destroy plistlib
# destroy pip._vendor.pkg_resources.py31compat
# cleanup[3] wiping pip._vendor.six.moves.urllib
# cleanup[3] wiping pip._vendor.six.moves
# cleanup[3] wiping pip._vendor.six
# cleanup[3] wiping pip._internal.commands.install
# cleanup[3] wiping pip._internal.wheel_builder
# cleanup[3] wiping pip._internal.operations.build.wheel_legacy
# cleanup[3] wiping pip._internal.operations.build.wheel_editable
# cleanup[3] wiping pip._internal.operations.build.wheel
# cleanup[3] wiping pip._internal.utils.distutils_args
```

```
# cleanup[3] wiping pip._internal.operations.check
# cleanup[3] wiping pip._internal.models.installation_report
# cleanup[3] wiping pip._internal.cli.req_command
# cleanup[3] wiping pip._internal.self_outdated_check
# cleanup[3] wiping pip._internal.utils.entrypoints
# cleanup[3] wiping pip._internal.resolution.base
# cleanup[3] wiping pip._internal.resolution
# destroy pip._internal.resolution.base
# destroy pip._internal.resolution.resolvelib
# cleanup[3] wiping pip._internal.req.constructors
# cleanup[3] wiping pip._internal.operations.prepare
# cleanup[3] wiping pip._internal.network.lazy_wheel
# cleanup[3] wiping pip._internal.network.download
# cleanup[3] wiping pip._internal.cli.progress_bars
# cleanup[3] wiping pip._vendor.rich.progress
# cleanup[3] wiping pip._vendor.rich.spinner
# cleanup[3] wiping pip._vendor.rich._spinners
# cleanup[3] wiping pip._vendor.rich.progress_bar
# cleanup[3] wiping pip._vendor.rich.live
# cleanup[3] wiping pip._vendor.rich.live_render
# cleanup[3] wiping pip._vendor.rich.file_proxy
# cleanup[3] wiping pip._vendor.rich.ansi
# cleanup[3] wiping pip._vendor.rich.filesize
# cleanup[3] wiping pip._internal.distributions.installed
# cleanup[3] wiping pip._internal.distributions
# destroy pip._internal.distributions.base
# destroy pip._internal.distributions.sdist
# destroy pip._internal.distributions.wheel
# destroy pip._internal.distributions.installed
# cleanup[3] wiping pip._internal.operations.build.build_tracker
```

```
# cleanup[3] wiping pip._internal.index.package_finder
# cleanup[3] wiping pip._internal.req
# destroy pip._internal.req.req_file
# destroy pip._internal.req.req_uninstall
# destroy pip._internal.req.req_install
# destroy pip._internal.req.req_set
# destroy pip._internal.req.constructors
# cleanup[3] wiping pip._internal.utils.direct_url_helpers
# cleanup[3] wiping pip._internal.pyproject
# cleanup[3] wiping pip._internal.operations.install.wheel
# destroy compileall
# cleanup[3] wiping pip._internal.utils.wheel
# cleanup[3] wiping pip._internal.utils.unpacking
# cleanup[3] wiping pip._vendor.distlib.scripts
# cleanup[3] wiping pip._vendor.distlib.resources
# destroy __dummy__
# destroy pkgutil
# cleanup[3] wiping pip._vendor.distlib.util
# destroy tarfile
# cleanup[3] wiping grp
# cleanup[3] wiping pwd
# cleanup[3] wiping pip._vendor.distlib.compat
# destroy xmlrpc.client
# cleanup[3] wiping gzip
# cleanup[3] wiping xml.parsers.expat
# cleanup[3] wiping xml.parsers.expat.errors
# cleanup[3] wiping xml.parsers.expat.model
# cleanup[3] wiping xml.parsers
# cleanup[3] wiping pip._vendor.distlib
# destroy pip._vendor.distlib.compat
```



```
# destroy pip._vendor.distlib.util
# destroy pip._vendor.distlib.resources
# destroy pip._vendor.distlib.scripts
# cleanup[3] wiping filecmp
# cleanup[3] wiping py_compile
# cleanup[3] wiping pip._internal.operations.install.legacy
# cleanup[3] wiping pip._internal.operations.install.editable_legacy
# cleanup[3] wiping pip._internal.operations.install
# destroy pip._internal.operations.install.editable_legacy
# destroy pip._internal.operations.install.legacy
# destroy pip._internal.operations.install.wheel
# cleanup[3] wiping pip._internal.operations.build.metadata_legacy
# cleanup[3] wiping pip._internal.utils.setuptools_build
# cleanup[3] wiping pip._internal.operations.build.metadata_editable
# cleanup[3] wiping pip._internal.operations.build.metadata
# cleanup[3] wiping pip._internal.operations.build
# destroy pip._internal.operations.build.metadata
# destroy pip._internal.operations.build.metadata_editable
# destroy pip._internal.operations.build.metadata_legacy
# destroy pip._internal.operations.build.build_tracker
# destroy pip._internal.operations.build.wheel
# destroy pip._internal.operations.build.wheel_editable
# destroy pip._internal.operations.build.wheel_legacy
# cleanup[3] wiping pip._internal.operations
# destroy pip._internal.operations.build
# destroy pip._internal.operations.install
# destroy pip._internal.operations.prepare
# destroy pip._internal.operations.check
# cleanup[3] wiping pip._internal.build_env
# cleanup[3] wiping uuid
```

```
# cleanup[3] wiping _uuid
# destroy _uuid
# cleanup[3] wiping pip._internal.utils.encoding
# cleanup[3] wiping pip._internal.models.selection_prefs
# cleanup[3] wiping pip._internal.index.collector
# destroy xml
# destroy xml.etree
# destroy xml.etree.ElementTree
# destroy xml.parsers
# cleanup[3] wiping pip._internal.index.sources
# cleanup[3] wiping pip._internal.models.candidate
# cleanup[3] wiping pip._internal.network.utils
# cleanup[3] wiping pip._internal.network.session
# cleanup[3] wiping pip._internal.utils.glibc
# cleanup[3] wiping pip._internal.network.cache
# cleanup[3] wiping pip._vendor.cachecontrol.caches
# destroy pip._vendor.cachecontrol.caches.file_cache
# destroy pip._vendor.cachecontrol.caches.redis_cache
# cleanup[3] wiping pip._internal.network.auth
# cleanup[3] wiping pip._internal.vcs
# destroy pip._internal.vcs.versioncontrol
# destroy pip._internal.vcs.bazaar
# destroy pip._internal.vcs.git
# destroy pip._internal.vcs.mercurial
# destroy pip._internal.vcs.subversion
# cleanup[3] wiping pip._internal.utils.subprocess
# cleanup[3] wiping pip._internal.cli.spinners
# cleanup[3] wiping shlex
# cleanup[3] wiping pip._vendor.cachecontrol
# destroy pip._vendor.cachecontrol.cache
```

```
# destroy pip._vendor.cachecontrol.compat
# destroy pip._vendor.cachecontrol.serialize
# destroy pip._vendor.cachecontrol.controller
# destroy pip._vendor.cachecontrol.filewrapper
# destroy pip._vendor.cachecontrol.adapter
# destroy pip._vendor.cachecontrol.wrapper
# destroy pip._vendor.cachecontrol.caches
# cleanup[3] wiping mmap
# cleanup[3] wiping pip._vendor.msgpack
# destroy pip._vendor.msgpack.exceptions
# destroy pip._vendor.msgpack.ext
# destroy pip._vendor.msgpack.fallback
# cleanup[3] wiping pip._internal.network
# destroy pip._internal.network.auth
# destroy pip._internal.network.cache
# destroy pip._internal.network.session
# destroy pip._internal.network.utils
# destroy pip._internal.network.download
# destroy pip._internal.network.lazy_wheel
# cleanup[3] wiping pip._internal.models.search_scope
# cleanup[3] wiping html.parser
# destroy _markupbase
# cleanup[3] wiping _elementtree
# cleanup[3] wiping pyexpat
# destroy pyexpat.errors
# destroy pyexpat.model
# cleanup[3] wiping xml.etree.ElementPath
# cleanup[3] wiping pip._internal.index
# destroy pip._internal.index.sources
# destroy pip._internal.index.collector
```

```
# destroy pip._internal.index.package_finder
# cleanup[3] wiping pip._internal.cache
# cleanup[3] wiping pip._internal.models.wheel
# cleanup[3] wiping pip._internal.models.link
# cleanup[3] wiping pip._internal.utils.models
# cleanup[3] wiping pip._internal.utils.filetypes
# cleanup[3] wiping pip._internal.cli.main
# cleanup[3] wiping pip._internal.cli.autocompletion
# cleanup[3] wiping pip._internal.metadata
# destroy pip._internal.metadata._json
# destroy pip._internal.metadata.base
# destroy pip._internal.metadata.pkg_resources
# cleanup[3] wiping pip._internal.utils.urls
# cleanup[3] wiping pip._internal.utils.packaging
# cleanup[3] wiping pip._internal.utils.egg_link
# cleanup[3] wiping pip._internal.models.direct_url
# cleanup[3] wiping pip._vendor.packaging.requirements
# cleanup[3] wiping pip._vendor.packaging.markers
# cleanup[3] wiping pip._vendor.packaging.specifiers
# cleanup[3] wiping pip._vendor.pyparsing
# destroy pip._vendor.pyparsing.util
# destroy pip._vendor.pyparsing.exceptions
# destroy pip._vendor.pyparsing.actions
# destroy pip._vendor.pyparsing.results
# destroy pip._vendor.pyparsing.core
# destroy pip._vendor.pyparsing.helpers
# cleanup[3] wiping pprint
# cleanup[3] wiping csv
# cleanup[3] wiping _csv
# cleanup[3] wiping pip._internal.cli.main_parser
```

```
# cleanup[3] wiping pip._internal.commands
# destroy pip._internal.commands.install
# cleanup[3] wiping pip._internal.cli.base_command
# cleanup[3] wiping pip._internal.utils.temp_dir
# cleanup[3] wiping pip._internal.utils.filesystem
# cleanup[3] wiping pip._internal.cli.command_context
# cleanup[3] wiping logging.config
# cleanup[3] wiping pip._internal.cli.cmdoptions
# cleanup[3] wiping pip._internal.utils.hashes
# cleanup[3] wiping pip._internal.models.target_python
# cleanup[3] wiping pip._internal.utils.compatibility_tags
# cleanup[3] wiping pip._internal.models.index
# cleanup[3] wiping pip._internal.models.format_control
# cleanup[3] wiping pip._internal.cli.parser
# cleanup[3] wiping pip._internal.configuration
# cleanup[3] wiping pip._internal.utils.logging
# cleanup[3] wiping pip._internal.utils.misc
# destroy getpass
# cleanup[3] wiping pip._internal.locations
# destroy pip._internal.locations._sysconfig
# destroy pip._internal.locations.base
# cleanup[3] wiping pip._internal.utils.virtualenv
# cleanup[3] wiping pip._internal.models.scheme
# cleanup[3] wiping pip._internal.models
# destroy pip._internal.models.scheme
# destroy pip._internal.models.format_control
# destroy pip._internal.models.index
# destroy pip._internal.models.target_python
# destroy pip._internal.models.direct_url
# destroy pip._internal.models.link
```

```
# destroy pip._internal.models.wheel
# destroy pip._internal.models.search_scope
# destroy pip._internal.models.candidate
# destroy pip._internal.models.selection_prefs
# destroy pip._internal.models.installation_report
# cleanup[3] wiping pip._vendor.tenacity
# destroy pip._vendor.tenacity._asyncio
# destroy pip._vendor.tenacity.nap
# destroy pip._vendor.tenacity.stop
# destroy pip._vendor.tenacity.wait
# destroy pip._vendor.tenacity.before
# destroy pip._vendor.tenacity.after
# destroy pip._vendor.tenacity.before_sleep
# cleanup[3] wiping asyncio
# destroy asyncio.log
# destroy asyncio.runners
# destroy asyncio.queues
# destroy asyncio.subprocess
# destroy asyncio.threads
# destroy asyncio.unix_events
# cleanup[3] wiping asyncio.selector_events
# cleanup[3] wiping asyncio.base_subprocess
# cleanup[3] wiping asyncio.streams
# cleanup[3] wiping asyncio.base_events
# destroy asyncio.sslproto
# destroy asyncio.staggered
# destroy asyncio.trsock
# cleanup[3] wiping asyncio.locks
# cleanup[3] wiping asyncio.tasks
# destroy asyncio.base_tasks
```

```
# cleanup[3] wiping asyncio.mixins
# cleanup[3] wiping asyncio.transports
# cleanup[3] wiping asyncio.protocols
# cleanup[3] wiping asyncio.futures
# destroy concurrent
# destroy concurrent.futures
# cleanup[3] wiping asyncio.events
# cleanup[3] wiping _asyncio
# cleanup[3] wiping asyncio.exceptions
# cleanup[3] wiping contextvars
# cleanup[3] wiping _contextvars
# destroy _contextvars
# cleanup[3] wiping asyncio.coroutines
# cleanup[3] wiping asyncio.base_futures
# destroy asyncio.format_helpers
# cleanup[3] wiping asyncio.constants
# cleanup[3] wiping pip._vendor.tenacity._utils
# cleanup[3] wiping concurrent.futures._base
# cleanup[3] wiping pip._vendor.pep517
# destroy pip._vendor.pep517.in_process
# destroy pip._vendor.pep517.wrappers
# cleanup[3] wiping pip._vendor.pep517.compat
# cleanup[3] wiping pip._vendor.tomli
# destroy pip._vendor.tomli._types
# destroy pip._vendor.tomli._re
# destroy pip._vendor.tomli._parser
# cleanup[3] wiping pip._internal.utils.deprecation
# cleanup[3] wiping pip._vendor.rich.logging
# cleanup[3] wiping pip._vendor.rich.traceback
# cleanup[3] wiping pip._vendor.rich.syntax
```

```
# cleanup[3] wiping pip._vendor.pygments.styles
# cleanup[3] wiping pip._vendor.pygments.style
# cleanup[3] wiping pip._vendor.pygments.lexer
# cleanup[3] wiping pip._vendor.pygments.regexopt
# cleanup[3] wiping pip._vendor.pygments.filters
# cleanup[3] wiping pip._vendor.pygments.filter
# cleanup[3] wiping pip._vendor.rich.columns
# cleanup[3] wiping pip._vendor.pygments.token
# cleanup[3] wiping pip._vendor.pygments.lexers
# cleanup[3] wiping pip._vendor.pygments.util
# cleanup[3] wiping pip._vendor.pygments.plugin
# cleanup[3] wiping pip._vendor.pygments.modeline
# cleanup[3] wiping pip._vendor.pygments.lexers._mapping
# cleanup[3] wiping pip._vendor.pygments
# destroy pip._vendor.pygments.modeline
# destroy pip._vendor.pygments.plugin
# destroy pip._vendor.pygments.util
# destroy pip._vendor.pygments.token
# destroy pip._vendor.pygments.filter
# destroy pip._vendor.pygments.filters
# destroy pip._vendor.pygments.regexopt
# destroy pip._vendor.pygments.lexer
# destroy pip._vendor.pygments.style
# destroy pip._vendor.pygments.styles
# cleanup[3] wiping logging.handlers
# cleanup[3] wiping pickle
# destroy _compat_pickle
# cleanup[3] wiping _pickle
# cleanup[3] wiping pip._internal.utils.appdirs
# cleanup[3] wiping pip._vendor.platformdirs
```



```
# destroy pip._vendor.platformdirs.api
# destroy pip._vendor.platformdirs.version
# destroy pip._vendor.platformdirs.macos
# cleanup[3] wiping pip._internal.exceptions
# cleanup[3] wiping pip._vendor.rich.console
# cleanup[3] wiping pip._vendor.rich.styled
# cleanup[3] wiping pip._vendor.rich.screen
# cleanup[3] wiping pip._vendor.rich.scope
# cleanup[3] wiping pip._vendor.rich.table
# cleanup[3] wiping pip._vendor.rich._ratio
# cleanup[3] wiping _decimal
# cleanup[3] wiping numbers
# cleanup[3] wiping pip._vendor.rich.panel
# cleanup[3] wiping pip._vendor.rich.padding
# cleanup[3] wiping pip._vendor.rich.box
# cleanup[3] wiping pip._vendor.rich.region
# cleanup[3] wiping pip._vendor.rich.pretty
# destroy dataclasses
# cleanup[3] wiping pip._vendor.rich.abc
# cleanup[3] wiping pip._vendor.rich.pager
# cleanup[3] wiping pip._vendor.rich.markup
# cleanup[3] wiping pip._vendor.rich.highlighter
# cleanup[3] wiping pip._vendor.rich._log_render
# cleanup[3] wiping pip._vendor.rich.text
# cleanup[3] wiping pip._vendor.rich.emoji
# cleanup[3] wiping pip._vendor.rich.control
# cleanup[3] wiping pip._vendor.rich.containers
# cleanup[3] wiping pip._vendor.rich.align
# cleanup[3] wiping pip._vendor.rich.constrain
# cleanup[3] wiping pip._vendor.rich.measure
```

```
# cleanup[3] wiping pip._vendor.rich.protocol
# cleanup[3] wiping pip._vendor.rich.jupyter
# cleanup[3] wiping pip._vendor.rich.segment
# cleanup[3] wiping pip._vendor.rich._wrap
# cleanup[3] wiping pip._vendor.rich.cells
# cleanup[3] wiping pip._vendor.rich._cell_widths
# cleanup[3] wiping pip._vendor.rich._pick
# cleanup[3] wiping pip._vendor.rich._loop
# cleanup[3] wiping pip._vendor.rich._export_format
# cleanup[3] wiping pip._vendor.rich._emoji_replace
# cleanup[3] wiping pip._vendor.rich._emoji_codes
# cleanup[3] wiping pip._vendor.rich.themes
# cleanup[3] wiping pip._vendor.rich.theme
# cleanup[3] wiping pip._vendor.rich.default_styles
# cleanup[3] wiping pip._vendor.rich.style
# cleanup[3] wiping pip._vendor.rich.color
# cleanup[3] wiping pip._vendor.rich.terminal_theme
# cleanup[3] wiping pip._vendor.rich.repr
# cleanup[3] wiping pip._vendor.rich._palettes
# cleanup[3] wiping pip._vendor.rich.palette
# cleanup[3] wiping pip._vendor.rich.color_triplet
# cleanup[3] wiping pip._vendor.rich.errors
# cleanup[3] wiping html
# destroy html.entities
# destroy html.parser
# cleanup[3] wiping termios
# cleanup[3] wiping inspect
# destroy ast
# destroy dis
# destroy token
```

```
# cleanup[3] wiping _opcode
# cleanup[3] wiping pip._vendor.rich
# destroy pip._vendor.rich._extension
# destroy pip._vendor.rich._palettes
# destroy pip._vendor.rich._emoji_codes
# destroy pip._vendor.rich._emoji_replace
# destroy pip._vendor.rich._export_format
# destroy pip._vendor.rich._loop
# destroy pip._vendor.rich._pick
# destroy pip._vendor.rich._cell_widths
# destroy pip._vendor.rich._wrap
# destroy pip._vendor.rich._log_render
# destroy pip._vendor.rich._ratio
# destroy pip._vendor.rich._spinners
# destroy pip._vendor.rich.errors
# destroy pip._vendor.rich.color_triplet
# destroy pip._vendor.rich.palette
# destroy pip._vendor.rich.repr
# destroy pip._vendor.rich.terminal_theme
# destroy pip._vendor.rich.color
# destroy pip._vendor.rich.style
# destroy pip._vendor.rich.default_styles
# destroy pip._vendor.rich.theme
# destroy pip._vendor.rich.themes
# destroy pip._vendor.rich.cells
# destroy pip._vendor.rich.segment
# destroy pip._vendor.rich.jupyter
# destroy pip._vendor.rich.protocol
# destroy pip._vendor.rich.measure
# destroy pip._vendor.rich.constrain
```

```
# destroy pip._vendor.rich.align
# destroy pip._vendor.rich.containers
# destroy pip._vendor.rich.control
# destroy pip._vendor.rich.emoji
# destroy pip._vendor.rich.text
# destroy pip._vendor.rich.highlighter
# destroy pip._vendor.rich.markup
# destroy pip._vendor.rich.pager
# destroy pip._vendor.rich.abc
# destroy pip._vendor.rich.pretty
# destroy pip._vendor.rich.region
# destroy pip._vendor.rich.box
# destroy pip._vendor.rich.padding
# destroy pip._vendor.rich.panel
# destroy pip._vendor.rich.table
# destroy pip._vendor.rich.scope
# destroy pip._vendor.rich.screen
# destroy pip._vendor.rich.styled
# destroy pip._vendor.rich.console
# destroy pip._vendor.rich.columns
# destroy pip._vendor.rich.syntax
# destroy pip._vendor.rich.traceback
# destroy pip._vendor.rich.logging
# destroy pip._vendor.rich.filesize
# destroy pip._vendor.rich.ansi
# destroy pip._vendor.rich.file_proxy
# destroy pip._vendor.rich.live_render
# destroy pip._vendor.rich.live
# destroy pip._vendor.rich.progress_bar
# destroy pip._vendor.rich.spinner
```

```
# destroy pip._vendor.rich.progress
# cleanup[3] wiping pip._vendor.requests
# destroy pip._vendor.requests._internal_utils
# destroy pip._vendor.requests.compat
# destroy pip._vendor.requests.exceptions
# destroy pip._vendor.requests.packages
# destroy pip._vendor.requests.cookies
# destroy pip._vendor.requests.structures
# destroy pip._vendor.requests.utils
# destroy pip._vendor.requests.auth
# destroy pip._vendor.requests.hooks
# destroy pip._vendor.requests.status_codes
# destroy pip._vendor.requests.models
# destroy pip._vendor.requests.adapters
# destroy pip._vendor.requests.api
# cleanup[3] wiping pip._vendor.requests.sessions
# cleanup[3] wiping encodings.idna
# destroy stringprep
# cleanup[3] wiping importlib.readers
# cleanup[3] wiping pip._vendor.requests.certs
# cleanup[3] wiping pip._vendor.certifi
# destroy pip._vendor.certifi.core
# cleanup[3] wiping importlib.resources
# cleanup[3] wiping importlib._common
# cleanup[3] wiping importlib._adapters
# cleanup[3] wiping importlib.abc
# cleanup[3] wiping zipfile
# destroy bz2
# destroy lzma
# cleanup[3] wiping pathlib
```

```
# cleanup[3] wiping ntpath
# cleanup[3] wiping pip._vendor.requests.packages.chardet
# destroy pip._vendor.chardet.enums
# destroy pip._vendor.chardet.charsetprober
# destroy pip._vendor.chardet.charsetgroupprober
# destroy pip._vendor.chardet.codingstatemachine
# destroy pip._vendor.chardet.esccsm
# destroy pip._vendor.chardet.escprober
# destroy pip._vendor.chardet.latin1prober
# destroy pip._vendor.chardet.big5freq
# destroy pip._vendor.chardet.euckrfreq
# destroy pip._vendor.chardet.euctwfreq
# destroy pip._vendor.chardet.gb2312freq
# destroy pip._vendor.chardet.jisfreq
# destroy pip._vendor.chardet.johabfreq
# destroy pip._vendor.chardet.chardistribution
# destroy pip._vendor.chardet.mbcharsetprober
# destroy pip._vendor.chardet.mbcssm
# destroy pip._vendor.chardet.big5prober
# destroy pip._vendor.chardet.cp949prober
# destroy pip._vendor.chardet.jpcntx
# destroy pip._vendor.chardet.eucjpprober
# destroy pip._vendor.chardet.euckrprober
# destroy pip._vendor.chardet.euctwprober
# destroy pip._vendor.chardet.gb2312prober
# destroy pip._vendor.chardet.johabprober
# destroy pip._vendor.chardet.sjisprober
# destroy pip._vendor.chardet.utf8prober
# destroy pip._vendor.chardet.mbcsgroupprober
# destroy pip._vendor.chardet.hebrewprober
```

```
# destroy pip._vendor.chardet.sbcharsetprober
# destroy pip._vendor.chardet.langbulgarianmodel
# destroy pip._vendor.chardet.langgreekmodel
# destroy pip._vendor.chardet.langhebrewmodel
# destroy pip._vendor.chardet.langrussianmodel
# destroy pip._vendor.chardet.langthaimodel
# destroy pip._vendor.chardet.langturkishmodel
# destroy pip._vendor.chardet.sbcsgroupprober
# destroy pip._vendor.chardet.utf1632prober
# destroy pip._vendor.chardet.universaldetector
# destroy pip._vendor.chardet.version
# cleanup[3] wiping pip._vendor.requests.packages.idna
# destroy pip._vendor.idna.package_data
# destroy pip._vendor.idna.intranges
# destroy pip._vendor.idna.core
# cleanup[3] wiping pip._vendor.requests.packages.idna.idnadata
# cleanup[3] wiping pip._vendor.idna
# cleanup[3] wiping unicodedata
# cleanup[3] wiping pip._vendor.idna.idnadata
# cleanup[3] wiping pip._vendor.requests.packages.urllib3
# destroy pip._vendor.urllib3._version
# destroy pip._vendor.urllib3._collections
# destroy pip._vendor.urllib3.packages
# destroy pip._vendor.urllib3.exceptions
# destroy pip._vendor.urllib3.contrib
# destroy pip._vendor.urllib3.util
# destroy pip._vendor.urllib3.util.wait
# destroy pip._vendor.urllib3.util.request
# destroy pip._vendor.urllib3.util.response
# destroy pip._vendor.urllib3.util.retry
```

```
# destroy pip._vendor.urllib3.util.url
# destroy pip._vendor.urllib3.util.ssltransport
# destroy pip._vendor.urllib3.util.ssl_
# destroy pip._vendor.urllib3.util.timeout
# destroy pip._vendor.urllib3.util.proxy
# destroy pip._vendor.urllib3.util.ssl_match_hostname
# destroy pip._vendor.urllib3.util.queue
# destroy pip._vendor.urllib3.connection
# destroy pip._vendor.urllib3.fields
# destroy pip._vendor.urllib3.filepost
# destroy pip._vendor.urllib3.request
# destroy pip._vendor.urllib3.response
# destroy pip._vendor.urllib3.connectionpool
# destroy pip._vendor.urllib3.poolmanager
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves.urllib.parse
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves.urllib
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.util.connection
# destroy pip._vendor.urllib3.contrib._appengine_environ
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves.http_client
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six
# cleanup[3] wiping pip._internal.utils.compat
# cleanup[3] wiping http.cookies
# cleanup[3] wiping http.cookiejar
# cleanup[3] wiping urllib.request
# cleanup[3] wiping _scproxy
# destroy _scproxy
# cleanup[3] wiping urllib.error
# cleanup[3] wiping urllib.response
# cleanup[3] wiping tempfile
```



```
# cleanup[3] wiping copy
# cleanup[3] wiping json
# destroy json.decoder
# destroy json.encoder
# cleanup[3] wiping json.scanner
# cleanup[3] wiping _json
# cleanup[3] wiping pip._vendor.chardet
# cleanup[3] wiping pip._vendor.urllib3
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves.urllib.parse
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves.urllib
# cleanup[3] wiping mimetypes
# cleanup[3] wiping queue
# cleanup[3] wiping _queue
# cleanup[3] wiping heapq
# cleanup[3] wiping _heapq
# cleanup[3] wiping ipaddress
# cleanup[3] wiping hmac
# cleanup[3] wiping hashlib
# cleanup[3] wiping _blake2
# cleanup[3] wiping _hashlib
# cleanup[3] wiping pip._vendor.urllib3.util.connection
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves.http_client
# cleanup[3] wiping http.client
# cleanup[3] wiping email.message
# destroy uu
# destroy quopri
# cleanup[3] wiping email.iterators
# cleanup[3] wiping email._encoded_words
# cleanup[3] wiping email.parser
# cleanup[3] wiping email.feedparser
```

```
# cleanup[3] wiping email._policybase
# cleanup[3] wiping email.utils
# cleanup[3] wiping email._parseaddr
# cleanup[3] wiping calendar
# destroy locale
# cleanup[3] wiping urllib.parse
# cleanup[3] wiping urllib
# destroy urllib.parse
# destroy urllib.response
# destroy urllib.error
# destroy urllib.request
# cleanup[3] wiping datetime
# cleanup[3] wiping _datetime
# cleanup[3] wiping random
# cleanup[3] wiping _sha512
# cleanup[3] wiping _random
# cleanup[3] wiping bisect
# cleanup[3] wiping _bisect
# destroy _bisect
# cleanup[3] wiping email.header
# cleanup[3] wiping email.charset
# cleanup[3] wiping email.encoders
# cleanup[3] wiping email.base64mime
# cleanup[3] wiping email.quoprimime
# cleanup[3] wiping email.errors
# cleanup[3] wiping email
# destroy email._parseaddr
# destroy email._policybase
# destroy email._encoded_words
# destroy email.errors
```

```
# destroy email.quoprimime
# destroy email.base64mime
# destroy email.encoders
# destroy email.charset
# destroy email.header
# destroy email.utils
# destroy email.feedparser
# destroy email.parser
# destroy email.iterators
# destroy email.message
# cleanup[3] wiping http
# destroy http.cookies
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves
# cleanup[3] wiping pip._vendor.urllib3.packages.six
# cleanup[3] wiping configparser
# cleanup[3] wiping pip._internal.cli.status_codes
# cleanup[3] wiping shutil
# cleanup[3] wiping _lzma
# cleanup[3] wiping _bz2
# cleanup[3] wiping _compression
# cleanup[3] wiping zlib
# cleanup[3] wiping pip._vendor.packaging.utils
# cleanup[3] wiping pip._vendor.packaging.version
# cleanup[3] wiping pip._vendor.packaging._structures
# cleanup[3] wiping pip._vendor.packaging.tags
# destroy platform
# cleanup[3] wiping pip._vendor.packaging._musllinux
# cleanup[3] wiping pip._vendor.packaging._manylinux
# cleanup[3] wiping importlib.machinery
# cleanup[3] wiping sysconfig
```

```
# cleanup[3] wiping subprocess
# cleanup[3] wiping _posixsubprocess
# destroy _posixsubprocess
# cleanup[3] wiping fcntl
# destroy fcntl
# cleanup[3] wiping signal
# cleanup[3] wiping pip._vendor.packaging
# destroy pip._vendor.packaging._manylinux
# destroy pip._vendor.packaging._musllinux
# destroy pip._vendor.packaging._structures
# destroy pip._vendor.packaging.__about__
# destroy pip._vendor.packaging.tags
# destroy pip._vendor.packaging.version
# destroy pip._vendor.packaging.utils
# destroy pip._vendor.packaging.specifiers
# destroy pip._vendor.packaging.markers
# destroy pip._vendor.packaging.requirements
# cleanup[3] wiping pip._vendor
# destroy glob
# destroy pip._vendor.packaging
# destroy pip._vendor.urllib3
# destroy pip._vendor.idna
# destroy pip._vendor.certifi
# destroy pip._vendor.requests
# destroy pip._vendor.rich
# destroy pip._vendor.platformdirs
# destroy pip._vendor.pygments
# destroy pip._vendor.tomli
# destroy pip._vendor.pep517
# destroy pip._vendor.tenacity
```

```
# destroy pip._vendor.pyparsing
# destroy pip._vendor.cachecontrol
# destroy pip._vendor.distlib
# destroy pip._vendor.pkg_resources
# destroy pip._vendor.resolvelib
# cleanup[3] wiping fnmatch
# cleanup[3] wiping importlib.util
# cleanup[3] wiping importlib._abc
# cleanup[3] wiping importlib
# destroy importlib._abc
# destroy importlib._adapters
# destroy importlib._common
# destroy importlib.util
# destroy importlib.machinery
# destroy importlib.abc
# destroy importlib.readers
# cleanup[3] wiping importlib._bootstrap_external
# cleanup[3] wiping importlib._bootstrap
# cleanup[3] wiping optparse
# destroy textwrap
# cleanup[3] wiping pip._internal.cli
# destroy pip._internal.cli.status_codes
# destroy pip._internal.cli.parser
# destroy pip._internal.cli.command_context
# destroy pip._internal.cli.base_command
# destroy pip._internal.cli.main_parser
# destroy pip._internal.cli.autocompletion
# destroy pip._internal.cli.main
# destroy pip._internal.cli.spinners
# destroy pip._internal.cli.progressBars
```

```
# destroy pip._internal.cli.req_command
# cleanup[3] wiping pip._internal
# destroy pip._internal.utils
# destroy pip._internal.utils.inject_securetransport
# destroy pip._internal.utils._log
# destroy pip._internal.utils.compat
# destroy pip._internal.utils.deprecation
# destroy pip._internal.utils.virtualenv
# destroy pip._internal.utils.misc
# destroy pip._internal.utils.logging
# destroy pip._internal.utils.compatibility_tags
# destroy pip._internal.utils.hashes
# destroy pip._internal.utils.filesystem
# destroy pip._internal.utils.temp_dir
# destroy pip._internal.utils.egg_link
# destroy pip._internal.utils.packaging
# destroy pip._internal.utils.urls
# destroy pip._internal.utils.filetypes
# destroy pip._internal.utils.models
# destroy pip._internal.utils.subprocess
# destroy pip._internal.utils.glibc
# destroy pip._internal.utils.encoding
# destroy pip._internal.utils.setuptools_build
# destroy pip._internal.utils.unpacking
# destroy pip._internal.utils.wheel
# destroy pip._internal.utils.direct_url_helpers
# destroy pip._internal.utils.entrypoints
# destroy pip._internal.utils.distutils_args
# destroy pip
# destroy pip._internal.cli
```

```
# destroy pip._internal.exceptions
# destroy pip._internal.models
# destroy pip._internal.locations
# destroy pip._internal.configuration
# destroy pip._internal.commands
# destroy pip._internal.metadata
# destroy pip._internal.cache
# destroy pip._internal.index
# destroy pip._internal.network
# destroy pip._internal.vcs
# destroy pip._internal.build_env
# destroy pip._internal.operations
# destroy pip._internal.pyproject
# destroy pip._internal.req
# destroy pip._internal.distributions
# destroy pip._internal.resolution
# destroy pip._internal.self_outdated_check
# destroy pip._internal.wheel_builder
# cleanup[3] wiping logging
# destroy weakref
# destroy logging.handlers
# destroy logging.config
# cleanup[3] wiping atexit
# destroy atexit
# cleanup[3] wiping threading
# cleanup[3] wiping string
# cleanup[3] wiping _string
# destroy _string
# cleanup[3] wiping ssl
# cleanup[3] wiping warnings
```

```
# cleanup[3] wiping base64
# cleanup[3] wiping binascii
# cleanup[3] wiping struct
# cleanup[3] wiping _struct
# cleanup[3] wiping socket
# cleanup[3] wiping array
# cleanup[3] wiping errno
# cleanup[3] wiping selectors
# cleanup[3] wiping select
# cleanup[3] wiping math
# cleanup[3] wiping _ssl
# cleanup[3] wiping _socket
# cleanup[3] wiping typing
# cleanup[3] wiping contextlib
# cleanup[3] wiping collections.abc
# cleanup[3] wiping traceback
# cleanup[3] wiping linecache
# destroy tokenize
# cleanup[3] wiping site
# destroy _sitebuiltins
# cleanup[3] wiping re
# destroy sre_compile
# destroy copyreg
# cleanup[3] wiping _locale
# cleanup[3] wiping functools
# cleanup[3] wiping _functools
# cleanup[3] wiping collections
# destroy collections.abc
# cleanup[3] wiping _collections
# destroy _collections
```



```
# cleanup[3] wiping reprlib
# cleanup[3] wiping operator
# cleanup[3] wiping _operator
# cleanup[3] wiping keyword
# cleanup[3] wiping itertools
# cleanup[3] wiping sre_parse
# cleanup[3] wiping _sre
# cleanup[3] wiping enum
# cleanup[3] wiping types
# cleanup[3] wiping os
# cleanup[3] wiping os.path
# destroy genericpath
# cleanup[3] wiping posixpath
# cleanup[3] wiping _collections_abc
# cleanup[3] wiping stat
# cleanup[3] wiping _stat
# destroy _stat
# cleanup[3] wiping io
# cleanup[3] wiping abc
# cleanup[3] wiping _abc
# cleanup[3] wiping _signal
# destroy _signal
# cleanup[3] wiping encodings.utf_8
# cleanup[3] wiping encodings
# destroy encodings.aliases
# destroy encodings.utf_8
# destroy encodings.idna
# destroy encodings.cp437
# cleanup[3] wiping codecs
# cleanup[3] wiping _codecs
```

```
# cleanup[3] wiping zipimport
# destroy _frozen_importlib_external
# cleanup[3] wiping time
# cleanup[3] wiping posix
# cleanup[3] wiping marshal
# destroy marshal
# cleanup[3] wiping _io
# cleanup[3] wiping _weakref
# cleanup[3] wiping _warnings
# cleanup[3] wiping _thread
# cleanup[3] wiping _imp
# destroy _imp
# cleanup[3] wiping _frozen_importlib
# cleanup[3] wiping sys
# cleanup[3] wiping builtins
# destroy pip._vendor.six.moves.urllib
# destroy pip._vendor.six.moves
# destroy pip._vendor.urllib3.packages.six.moves.urllib
# destroy pip._vendor.urllib3.packages.six.moves
# destroy _asyncio
# destroy asyncio
# destroy _pickle
# destroy decimal
# destroy _datetime
# destroy _socket
# destroy reprlib
# destroy linecache
# destroy asyncio.base_futures
# destroy heapq
# destroy asyncio.locks
```

```
# destroy asyncio.mixins
# destroy _heapq
# destroy asyncio.protocols
# destroy asyncio.streams
# destroy contextvars
# destroy signal
# destroy asyncio.base_events
# destroy asyncio.base_subprocess
# destroy asyncio.constants
# destroy asyncio.coroutines
# destroy asyncio.events
# destroy asyncio.exceptions
# destroy asyncio.futures
# destroy asyncio.selector_events
# destroy asyncio.tasks
# destroy asyncio.transports
# destroy xml.etree.ElementPath
# destroy _elementtree
# destroy _collections_abc
# destroy _locale
# destroy _weakref
# destroy _functools
# destroy _warnings
# destroy _sha512
# destroy concurrent.futures._base
# destroy array
# destroy _ssl
# destroy _opcode
# destroy _sre
# destroy sre_parse
```

```
# destroy pip._vendor.six.moves.urllib_parse
# destroy pip._vendor.six.moves.urllib.error
# destroy pip._vendor.six.moves.urllib.request
# destroy pip._vendor.six.moves.urllib.response
# destroy pip._vendor.six.moves.urllib.robotparser
# destroy pip._vendor.urllib3.packages.six.moves.urllib_parse
# destroy pip._vendor.urllib3.packages.six.moves.urllib.error
# destroy pip._vendor.urllib3.packages.six.moves.urllib.request
# destroy pip._vendor.urllib3.packages.six.moves.urllib.response
# destroy pip._vendor.urllib3.packages.six.moves.urllib.robotparser
# destroy _queue
# destroy selectors
# destroy ntpath
# destroy posixpath
# destroy posix
# destroy _compression
# destroy inspect
# destroy keyword
# destroy csv
# destroy uuid
# destroy optparse
# destroy shlex
# destroy pip._internal.cli.cmdoptions
# destroy _bz2
# destroy _lzma
# destroy pprint
# destroy subprocess
# destroy termios
# destroy site
# destroy pip._internal.utils.appdirs
```

destroy html
destroy _blake2
destroy random
destroy pip._vendor.tenacity._utils
destroy pip._vendor.requests.sessions
destroy encodings
destroy pip._vendor.chardet
destroy http.cookiejar
destroy tempfile
destroy zipfile
destroy pip._vendor.requests.certs
destroy _operator
destroy math
destroy numbers
destroy threading
destroy pip._vendor.pep517.compat
destroy abc
destroy json.scanner
destroy _json
destroy sysconfig
destroy py_compile
destroy filecmp
destroy pip._vendor.urllib3.util.connection
destroy mimetypes
destroy queue
destroy functools
destroy io
destroy shutil
destroy pwd
destroy grp

```
# destroy importlib.resources
# destroy pip._vendor.pygments.lexers._mapping
# destroy pip._vendor.pygments.lexers
# destroy pip._vendor.pygments.lexers
# destroy _csv
# destroy http.client
# destroy email
# destroy mmap
# destroy _thread
# destroy configparser
# destroy contextlib
# destroy fnmatch
# destroy stat
# destroy http
# destroy xml.parsers.expat
# destroy gzip
# destroy pip._internal
# destroy pip._vendor
# destroy select
# destroy socket
# destroy hmac
# destroy pip._vendor.urllib3.packages.six
# destroy _hashlib
# destroy ssl
# destroy ipaddress
# destroy importlib
# destroy zipimport
# destroy binascii
# destroy codecs
# destroy enum
```

destroy pyexpat
destroy errno
destroy pip._vendor.six
destroy calendar
destroy time
destroy hashlib
destroy logging
destroy pathlib
destroy urllib
destroy string
destroy copy
destroy warnings
destroy traceback
destroy types
destroy datetime
destroy pip._vendor.idna.idnadata
destroy bisect
destroy unicodedata
destroy re
destroy struct
destroy _struct
destroy base64
destroy io
destroy json
destroy zlib
destroy pip._vendor.msgpack
destroy pickle
destroy itertools
destroy pip._vendor.resolvelib.compat.collections_abc
destroy collections

```
# destroy operator
# destroy os
# destroy typing
# destroy _frozen_importlib
# destroy _codecs
# destroy _random
# destroy sys
# clear sys.audit hooks
matthewkokin@Matthews-MacBook-Pro-2 ~ %
```