

```
matthewkokin@Matthews-MacBook-Pro-2 ~ % export PYTHONVERBOSE=1
matthewkokin@Matthews-MacBook-Pro-2 ~ % pip3
import _frozen_importlib # frozen
import _imp # builtin
import '_thread' # <class '_frozen_importlib.BuiltinImporter'>
import '_warnings' # <class '_frozen_importlib.BuiltinImporter'>
import '_weakref' # <class '_frozen_importlib.BuiltinImporter'>
import '_io' # <class '_frozen_importlib.BuiltinImporter'>
import 'marshal' # <class '_frozen_importlib.BuiltinImporter'>
import 'posix' # <class '_frozen_importlib.BuiltinImporter'>
import '_frozen_importlib_external' # <class '_frozen_importlib.FrozenImporter'>
# installing zipimport hook
import 'time' # <class '_frozen_importlib.BuiltinImporter'>
import 'zipimport' # <class '_frozen_importlib.FrozenImporter'>
# installed zipimport hook
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/codecs.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/codecs.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/codecs.cpython-310.pyc'
import '_codecs' # <class '_frozen_importlib.BuiltinImporter'>
import 'codecs' # <_frozen_importlib_external.SourceFileLoader object at 0x102acb2b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/aliases.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/aliases.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/aliases.cpython-310.pyc'
import 'encodings.aliases' # <_frozen_importlib_external.SourceFileLoader object at
0x102b1c880>
import 'encodings' # <_frozen_importlib_external.SourceFileLoader object at 0x102acb130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/__pycache__/utf_8.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/encodings/utf_8.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/encodings/__pycache__/utf_8.cpython-310.pyc'
import 'encodings.utf_8' # <_frozen_importlib_external.SourceFileLoader object at
0x102acb010>
import '_signal' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/io.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/io.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/io.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/abc.cpython-310.pyc'
import '_abc' # <class '_frozen_importlib.BuiltinImporter'>
import 'abc' # <_frozen_importlib_external.SourceFileLoader object at 0x102b1cbb0>
import 'io' # <_frozen_importlib_external.SourceFileLoader object at 0x102b1c9a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/site.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/site.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/os.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/os.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/os.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/stat.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/stat.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/stat.cpython-310.pyc'
import '_stat' # <class '_frozen_importlib.BuiltinImporter'>
import 'stat' # <_frozen_importlib_external.SourceFileLoader object at 0x102b1edd0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_collections_abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_collections_abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_collections_abc.cpython-310.pyc'
import '_collections_abc' # <_frozen_importlib_external.SourceFileLoader object at
0x102b1f130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/posixpath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/posixpath.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/posixpath.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/genericpath.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/genericpath.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/genericpath.cpython-310.pyc'
import 'genericpath' # <_frozen_importlib_external.SourceFileLoader object at 0x102b55960>
import 'posixpath' # <_frozen_importlib_external.SourceFileLoader object at 0x102b1f1c0>
import 'os' # <_frozen_importlib_external.SourceFileLoader object at 0x102b1d9f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_sitebuiltins.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_sitebuiltins.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_sitebuiltins.cpython-310.pyc'
import '_sitebuiltins' # <_frozen_importlib_external.SourceFileLoader object at 0x102b1ead0>
Processing user site-packages
Processing global site-packages
Adding directory:
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/site-packages'
```

Processing .pth file:

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/distutils-precedence.pth'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__pycache__/__init__.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/_distutils_hack/__pycache__/__init__.cpython-310.pyc'
```

```
import '_distutils_hack' # <_frozen_importlib_external.SourceFileLoader object at 0x102b56a10>
```

Processing .pth file:

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/site-packages/homebrew-pybind11.pth'
```

```
Adding directory: '/opt/homebrew/Cellar/pybind11/2.10.0/libexec/lib/python3.10/site-packages'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/sitecustomize.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/sitecustomize.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/sitecustomize.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/re.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/re.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/re.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/enum.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/enum.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/enum.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/types.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/types.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/types.cpython-310.pyc'
import 'types' # <_frozen_importlib_external.SourceFileLoader object at 0x102ba0760>
import 'enum' # <_frozen_importlib_external.SourceFileLoader object at 0x102b57550>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sre_compile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sre_compile.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_compile.cpython-310.pyc'
import '_sre' # <class '_frozen_importlib.BuiltinImporter'>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sre_parse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sre_parse.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_parse.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sre_constants.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sre_constants.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sre_constants.cpython-310.pyc'
import 'sre_constants' # <_frozen_importlib_external.SourceFileLoader object at 0x102ba21d0>
import 'sre_parse' # <_frozen_importlib_external.SourceFileLoader object at 0x102ba19c0>
import 'sre_compile' # <_frozen_importlib_external.SourceFileLoader object at 0x102ba1120>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/functools.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/functools.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/functools.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/collections/__pycache__/__init__.cpython-310.pyc matches
```



```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/collections/__pycache__/__init__.cpython-310.pyc'
import 'itertools' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/keyword.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/keyword.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/keyword.cpython-310.pyc'
import 'keyword' # <_frozen_importlib_external.SourceFileLoader object at 0x102bdf1f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/operator.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/operator.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/operator.cpython-310.pyc'
import '_operator' # <class '_frozen_importlib.BuiltinImporter'>
import 'operator' # <_frozen_importlib_external.SourceFileLoader object at 0x102bdf2b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/reprlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/reprlib.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/reprlib.cpython-310.pyc'
import 'reprlib' # <_frozen_importlib_external.SourceFileLoader object at 0x102bdf4c0>
import '_collections' # <class '_frozen_importlib.BuiltinImporter'>
import 'collections' # <_frozen_importlib_external.SourceFileLoader object at 0x102bdce20>
import '_functools' # <class '_frozen_importlib.BuiltinImporter'>
import 'functools' # <_frozen_importlib_external.SourceFileLoader object at 0x102ba3a90>
import '_locale' # <class '_frozen_importlib.BuiltinImporter'>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/copyreg.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/copyreg.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/copyreg.cpython-310.pyc'
import 'copyreg' # <_frozen_importlib_external.SourceFileLoader object at 0x102bdf850>
import 're' # <_frozen_importlib_external.SourceFileLoader object at 0x102b55db0>
import 'sitecustomize' # <_frozen_importlib_external.SourceFileLoader object at 0x102b561d0>
import 'site' # <_frozen_importlib_external.SourceFileLoader object at 0x102b1d3c0>
Python 3.10.6 (main, Aug 30 2022, 04:58:14) [Clang 13.1.6 (clang-1316.0.21.2.5)] on darwin
Type "help", "copyright", "credits" or "license" for more information.
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/traceback.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/traceback.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/traceback.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/linecache.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/linecache.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/linecache.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/tokenize.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/tokenize.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/tokenize.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/token.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/token.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/token.cpython-310.pyc'
import 'token' # <_frozen_importlib_external.SourceFileLoader object at 0x102c11d20>
import 'tokenize' # <_frozen_importlib_external.SourceFileLoader object at 0x102c11870>
import 'linecache' # <_frozen_importlib_external.SourceFileLoader object at 0x102c11690>
```

```
import 'traceback' # <_frozen_importlib_external.SourceFileLoader object at 0x102c11090>
# /opt/homebrew/lib/python3.10/site-packages/pip/__pycache__/__init__.cpython-310.pyc
matches /opt/homebrew/lib/python3.10/site-packages/pip/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/typing.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/typing.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/typing.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/collections/__pycache__/abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/collections/abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/collections/__pycache__/abc.cpython-310.pyc'
import 'collections.abc' # <_frozen_importlib_external.SourceFileLoader object at 0x102c6c7c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/contextlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/contextlib.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/contextlib.cpython-310.pyc'
```

```
import 'contextlib' # <_frozen_importlib_external.SourceFileLoader object at 0x102c6c8b0>
import 'typing' # <_frozen_importlib_external.SourceFileLoader object at 0x102c116c0>
import 'pip' # <_frozen_importlib_external.SourceFileLoader object at 0x102bdcc40>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/__pycache__/__init__.cpython-310.pyc'
import 'pip._internal.utis' # <_frozen_importlib_external.SourceFileLoader object at 0x102c13820>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/__pycache__/inject_securetransport.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/inject_securetransport.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utis/__pycache__/inject_securetransport.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/ssl.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/ssl.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/ssl.cpython-310.pyc'
# extension module '_ssl' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_ssl.cpython-310-darwin.so'
```

```
# extension module '_socket' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_socket.cpython-310-darwin.so'
# extension module '_socket' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_socket.cpython-310-darwin.so'
import '_socket' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102ca9d20>
# extension module '_ssl' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_ssl.cpython-310-darwin.so'
import '_ssl' # <_frozen_importlib_external.ExtensionFileLoader object at 0x102ca98a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_socket.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/socket.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_socket.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_selectors.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/selectors.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_selectors.cpython-310.pyc'
# extension module 'math' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/math.cpython-310-darwin.so'
```

```
# extension module 'math' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/math.cpython-310-darwin.so'
import 'math' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1031f4e50>
# extension module 'select' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/select.cpython-310-darwin.so'
# extension module 'select' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/select.cpython-310-darwin.so'
import 'select' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1031f4f10>
import 'selectors' # <_frozen_importlib_external.SourceFileLoader object at 0x1031f4400>
import 'errno' # <class '_frozen_importlib.BuiltinImporter'>
# extension module 'array' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/array.cpython-310-darwin.so'
# extension module 'array' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/array.cpython-310-darwin.so'
import 'array' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1031f5f30>
import 'socket' # <_frozen_importlib_external.SourceFileLoader object at 0x102cab820>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/base64.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/base64.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/base64.cpython-310.pyc'
```

```
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/struct.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/struct.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/struct.cpython-310.pyc'  
# extension module '_struct' loaded from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/_struct.cpython-310-darwin.so'  
# extension module '_struct' executed from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/_struct.cpython-310-darwin.so'  
import '_struct' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1031f6c80>  
import 'struct' # <_frozen_importlib_external.SourceFileLoader object at 0x1031f6a70>  
# extension module 'binascii' loaded from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/binascii.cpython-310-darwin.so'  
# extension module 'binascii' executed from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/lib-dynload/binascii.cpython-310-darwin.so'  
import 'binascii' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1031f6d10>  
import 'base64' # <_frozen_importlib_external.SourceFileLoader object at 0x102cabe50>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/warnings.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/warnings.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/warnings.cpython-310.pyc'
import 'warnings' # <_frozen_importlib_external.SourceFileLoader object at 0x1031f6ce0>
import 'ssl' # <_frozen_importlib_external.SourceFileLoader object at 0x102ca8100>
import 'pip._internal.utils.inject_securetransport' # <_frozen_importlib_external.SourceFileLoader
object at 0x102c136d0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/_log.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/_log.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/_log.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/logging/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/logging/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/weakref.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/weakref.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/weakref.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/weakrefset.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/_weakrefset.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/_weakrefset.cpython-310.pyc'
import '_weakrefset' # <_frozen_importlib_external.SourceFileLoader object at 0x103232e60>
import 'weakref' # <_frozen_importlib_external.SourceFileLoader object at 0x103232170>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/string.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/string.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/string.cpython-310.pyc'
import '_string' # <class '_frozen_importlib.BuiltinImporter'>
import 'string' # <_frozen_importlib_external.SourceFileLoader object at 0x103233850>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/threading.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/threading.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/threading.cpython-310.pyc'
import 'threading' # <_frozen_importlib_external.SourceFileLoader object at 0x103233e80>
import 'atexit' # <class '_frozen_importlib.BuiltinImporter'>
import 'logging' # <_frozen_importlib_external.SourceFileLoader object at 0x103230220>
import 'pip._internal.utils._log' # <_frozen_importlib_external.SourceFileLoader object at 0x102ca82b0>
```

```
import 'pip._internal' # <_frozen_importlib_external.SourceFileLoader object at 0x102c13250>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/__init__.cpython-310.pyc'
import 'pip._internal.cli' # <_frozen_importlib_external.SourceFileLoader object at 0x102c12ce0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/main.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/main.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/main.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/locale.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/locale.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/locale.cpython-310.pyc'
import 'locale' # <_frozen_importlib_external.SourceFileLoader object at 0x103230af0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/autocompletion.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/autocompletion.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/autocompletion.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/optparse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/optparse.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/optparse.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/textwrap.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/textwrap.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/textwrap.cpython-310.pyc'
import 'textwrap' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c41c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/gettext.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/gettext.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/gettext.cpython-310.pyc'
import 'gettext' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c4fd0>
import 'optparse' # <_frozen_importlib_external.SourceFileLoader object at 0x1032727a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/main_parser.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/main_parser.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/main_parser.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/cmdoptions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/cmdoptions.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/cmdoptions.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/__init__.cpython-310.pyc'
import 'importlib' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c5cf0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/util.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/util.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/util.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/__abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/_abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/__abc.cpython-310.pyc'
import 'importlib._abc' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c65f0>
import 'importlib.util' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c5f00>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/__future__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__future__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/__future__.cpython-310.pyc'
import '__future__' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c6a10>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/glob.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/glob.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/glob.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/fnmatch.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/fnmatch.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/fnmatch.cpython-310.pyc'
import 'fnmatch' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c7580>
```

```
import 'glob' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c6fb0>
import 'pip._vendor' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c68f0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__about__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/__about__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/__about__.cpython-310.pyc'
import 'pip._vendor.packaging.__about__' # <_frozen_importlib_external.SourceFileLoader
object at 0x1032c78e0>
import 'pip._vendor.packaging' # <_frozen_importlib_external.SourceFileLoader object at
0x1032c73d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/utils.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/utils.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/utils.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/tags.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/tags.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/tags.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/platform.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/platform.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/platform.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/subprocess.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/subprocess.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/subprocess.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/signal.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/signal.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/signal.cpython-310.pyc'
import 'signal' # <_frozen_importlib_external.SourceFileLoader object at 0x103315ae0>
# extension module 'fcntl' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/fcntl.cpython-310-darwin.so'
# extension module 'fcntl' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/fcntl.cpython-310-darwin.so'
import 'fcntl' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103315f30>
```



```
# extension module '_posixsubprocess' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_posixsubprocess.cpython-310-darwin.so'
# extension module '_posixsubprocess' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_posixsubprocess.cpython-310-darwin.so'
import '_posixsubprocess' # <_frozen_importlib_external.ExtensionFileLoader object at
0x103315ff0>
import 'subprocess' # <_frozen_importlib_external.SourceFileLoader object at 0x103314d30>
import 'platform' # <_frozen_importlib_external.SourceFileLoader object at 0x103314130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/sysconfig.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/sysconfig.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/sysconfig.cpython-310.pyc'
import 'sysconfig' # <_frozen_importlib_external.SourceFileLoader object at 0x103316d40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/__pycache__/machinery.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/importlib/machinery.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/machinery.cpython-310.pyc'
import 'importlib.machinery' # <_frozen_importlib_external.SourceFileLoader object at
0x103317040>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/_manylinux.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/_manylinux.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/_manylinux.cpython-310.pyc'  
import 'pip._vendor.packaging._manylinux' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1033173a0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/_musllinux.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/_musllinux.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/_musllinux.cpython-310.pyc'  
import 'pip._vendor.packaging._musllinux' # <_frozen_importlib_external.SourceFileLoader  
object at 0x103317c70>  
  
import 'pip._vendor.packaging.tags' # <_frozen_importlib_external.SourceFileLoader object at  
0x1032c79d0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/version.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/version.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/version.cpython-310.pyc'  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/_structures.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/_structures.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/_structures.cpython-310.pyc'  
import 'pip._vendor.packaging._structures' # <_frozen_importlib_external.SourceFileLoader  
object at 0x103358d30>  
  
import 'pip._vendor.packaging.version' # <_frozen_importlib_external.SourceFileLoader object at  
0x103358100>
```

```
import 'pip._vendor.packaging.utils' # <_frozen_importlib_external.SourceFileLoader object at
0x1032c73a0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/parser.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/parser.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/parser.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/shutil.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/shutil.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/shutil.cpython-310.pyc'
# extension module 'zlib' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/zlib.cpython-310-darwin.so'
# extension module 'zlib' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/zlib.cpython-310-darwin.so'
import 'zlib' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103389420>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/bz2.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/bz2.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/bz2.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_compression.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_compression.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_compression.cpython-310.pyc'
import '_compression' # <_frozen_importlib_external.SourceFileLoader object at 0x103389d50>
# extension module '_bz2' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bz2.cpython-310-darwin.so'
# extension module '_bz2' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bz2.cpython-310-darwin.so'
import '_bz2' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10338a260>
import 'bz2' # <_frozen_importlib_external.SourceFileLoader object at 0x103389540>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/lzma.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/lzma.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/lzma.cpython-310.pyc'
# extension module '_lzma' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_lzma.cpython-310-darwin.so'
```

```
# extension module '_lzma' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_lzma.cpython-310-darwin.so'
import '_lzma' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10338a920>
import 'lzma' # <_frozen_importlib_external.SourceFileLoader object at 0x10338a2c0>
import 'shutil' # <_frozen_importlib_external.SourceFileLoader object at 0x103388640>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/status_codes.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/status_codes.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/status_codes.cpython-310.pyc'
import 'pip._internal.cli.status_codes' # <_frozen_importlib_external.SourceFileLoader object at
0x10338b370>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/configuration.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/configuration.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/configuration.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/configparser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/configparser.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/configparser.cpython-310.pyc'
import 'configparser' # <_frozen_importlib_external.SourceFileLoader object at 0x10338b5e0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/__pycache__/exceptions.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/exceptions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/__pycache__/exceptions.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/exceptions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/exceptions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/exceptions.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/packages/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/packages/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.urllib3.packages' # <_frozen_importlib_external.SourceFileLoader object at
0x1033c7070>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/packages/__pycache__/six.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/packages/six.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/packages/__pycache__/six.cpython-310.pyc'
import 'pip._vendor.urllib3.packages.six' # <_frozen_importlib_external.SourceFileLoader object
at 0x1033c7130>
import 'pip._vendor.urllib3.packages.six.moves' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x1036d0460>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/__init__.cpython-310.pyc'
import 'http' # <_frozen_importlib_external.SourceFileLoader object at 0x1033c79d0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__pycache__/client.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/client.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/client.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/__init__.cpython-310.pyc'
import 'email' # <_frozen_importlib_external.SourceFileLoader object at 0x1036ed3f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/parser.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/parser.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/parser.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/feedparser.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/feedparser.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/feedparser.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/errors.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/errors.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/errors.cpython-310.pyc'
import 'email.errors' # <_frozen_importlib_external.SourceFileLoader object at 0x1036edff0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/_policybase.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/_policybase.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/_policybase.cpython-310.pyc'
```



```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/header.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/header.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/header.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/quoprimime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/quoprimime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/quoprimime.cpython-310.pyc'
import 'email.quoprimime' # <_frozen_importlib_external.SourceFileLoader object at
0x1036efb20>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/base64mime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/base64mime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/base64mime.cpython-310.pyc'
import 'email.base64mime' # <_frozen_importlib_external.SourceFileLoader object at
0x1036effa0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/email/__pycache__/charset.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/charset.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/charset.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/__pycache__/encoders.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/encoders.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/encoders.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/quopri.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/quopri.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/quopri.cpython-310.pyc'
import 'quopri' # <_frozen_importlib_external.SourceFileLoader object at 0x10372caf0>
import 'email.encoders' # <_frozen_importlib_external.SourceFileLoader object at
0x10372c760>
import 'email.charset' # <_frozen_importlib_external.SourceFileLoader object at 0x10372c280>
import 'email.header' # <_frozen_importlib_external.SourceFileLoader object at 0x1036ef3a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/email/__pycache__/utils.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/utils.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/utils.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/random.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/random.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/random.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/bisect.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/bisect.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/bisect.cpython-310.pyc'
# extension module '_bisect' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bisect.cpython-310-darwin.so'
# extension module '_bisect' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_bisect.cpython-310-darwin.so'
import '_bisect' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10372e110>
import 'bisect' # <_frozen_importlib_external.SourceFileLoader object at 0x10372df00>
```

```
# extension module '_random' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_random.cpython-310-darwin.so'
# extension module '_random' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_random.cpython-310-darwin.so'
import '_random' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10372e0e0>
# extension module '_sha512' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_sha512.cpython-310-darwin.so'
# extension module '_sha512' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_sha512.cpython-310-darwin.so'
import '_sha512' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10372e170>
import 'random' # <_frozen_importlib_external.SourceFileLoader object at 0x10372d330>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/datetime.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/datetime.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/datetime.cpython-310.pyc'
# extension module '_datetime' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_datetime.cpython-310-darwin.so'
# extension module '_datetime' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_datetime.cpython-310-darwin.so'
import '_datetime' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10376c790>
```

```
import 'datetime' # <_frozen_importlib_external.SourceFileLoader object at 0x10372e2c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/__init__.cpython-310.pyc'
import 'urllib' # <_frozen_importlib_external.SourceFileLoader object at 0x10372e3e0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/parse.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/parse.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/parse.cpython-310.pyc'
import 'urllib.parse' # <_frozen_importlib_external.SourceFileLoader object at 0x10372e2f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/parseaddr.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/_parseaddr.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/parseaddr.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/calendar.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/calendar.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/calendar.cpython-310.pyc'
import 'calendar' # <_frozen_importlib_external.SourceFileLoader object at 0x10376e8c0>
import 'email._parseaddr' # <_frozen_importlib_external.SourceFileLoader object at
0x10376ee60>
import 'email.utils' # <_frozen_importlib_external.SourceFileLoader object at 0x10372c580>
import 'email._policybase' # <_frozen_importlib_external.SourceFileLoader object at
0x1036ee9b0>
import 'email.feedparser' # <_frozen_importlib_external.SourceFileLoader object at
0x1036ed960>
import 'email.parser' # <_frozen_importlib_external.SourceFileLoader object at 0x1036ed510>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/__pycache__/message.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/email/message.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/email/__pycache__/message.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/uu.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/uu.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/uu.cpython-310.pyc'
```

```
import 'uu' # <_frozen_importlib_external.SourceFileLoader object at 0x103810bb0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/_encoded_words.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/_encoded_words.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/_encoded_words.cpython-310.pyc'
import 'email._encoded_words' # <_frozen_importlib_external.SourceFileLoader object at 0x103810df0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/iterators.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/iterators.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/email/__pycache__/iterators.cpython-310.pyc'
import 'email.iterators' # <_frozen_importlib_external.SourceFileLoader object at 0x103811240>
import 'email.message' # <_frozen_importlib_external.SourceFileLoader object at 0x1036ede10>
import 'http.client' # <_frozen_importlib_external.SourceFileLoader object at 0x1033c7460>
import 'pip._vendor.urllib3.packages.six.moves.http_client' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x1036d0460>
import 'pip._vendor.urllib3.exceptions' # <_frozen_importlib_external.SourceFileLoader object at 0x1033c66b0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/_version.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/_version.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/_version.cpython-310.pyc'  
import 'pip._vendor.urllib3._version' # <_frozen_importlib_external.SourceFileLoader object at  
0x1033c6950>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connectionpool.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/connectionpool.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connectionpool.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connection.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/connection.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/connection.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/connection.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/connection.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/connection.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/contrib/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/__init__.cpython-310.pyc'
```



```
import 'pip._vendor.urllib3.contrib' # <_frozen_importlib_external.SourceFileLoader object at
0x103813370>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/contrib/__pycache__/_appengine_environ.cpython-310.pyc
matches /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/contrib/_appengine_environ.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/contrib/__pycache__/_appengine_environ.cpython-310.pyc'
import 'pip._vendor.urllib3.contrib._appengine_environ' #
<_frozen_importlib_external.SourceFileLoader object at 0x103813520>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/wait.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/wait.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/wait.cpython-310.pyc'
import 'pip._vendor.urllib3.util.wait' # <_frozen_importlib_external.SourceFileLoader object at
0x1038136a0>
import 'pip._vendor.urllib3.util.connection' # <_frozen_importlib_external.SourceFileLoader
object at 0x103813070>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/request.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/request.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/request.cpython-310.pyc'
import 'pip._vendor.urllib3.util.request' # <_frozen_importlib_external.SourceFileLoader object at
0x1038139a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/response.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/response.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/response.cpython-310.pyc'
```

```
import 'pip._vendor.urllib3.util.response' # <_frozen_importlib_external.SourceFileLoader object
at 0x103813a30>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/retry.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/retry.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/retry.cpython-310.pyc'
import 'pip._vendor.urllib3.util.retry' # <_frozen_importlib_external.SourceFileLoader object at
0x103813af0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/ssl_.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/ssl_.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/ssl_.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/hmac.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/hmac.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/hmac.cpython-310.pyc'
# extension module '_hashlib' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_hashlib.cpython-310-darwin.so'
# extension module '_hashlib' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_hashlib.cpython-310-darwin.so'
import '_hashlib' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1038451b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/hashlib.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/hashlib.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/hashlib.cpython-310.pyc'
# extension module '_blake2' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_blake2.cpython-310-darwin.so'
# extension module '_blake2' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/lib-dynload/_blake2.cpython-310-darwin.so'
import '_blake2' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103845a80>
import 'hashlib' # <_frozen_importlib_external.SourceFileLoader object at 0x103845660>
import 'hmac' # <_frozen_importlib_external.SourceFileLoader object at 0x103844b50>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/url.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/url.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/url.cpython-310.pyc'
import 'pip._vendor.urllib3.util.url' # <_frozen_importlib_external.SourceFileLoader object at 0x103845780>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/ssltransport.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/ssltransport.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/__pycache__/ssltransport.cpython-310.pyc'
import 'pip._vendor.urllib3.util.ssltransport' # <_frozen_importlib_external.SourceFileLoader object at 0x103846ec0>
import 'pip._vendor.urllib3.util.ssl_' # <_frozen_importlib_external.SourceFileLoader object at 0x103844700>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/timeout.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/timeout.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/timeout.cpython-310.pyc'  
import 'pip._vendor.urllib3.util.timeout' # <_frozen_importlib_external.SourceFileLoader object at  
0x103844250>  
  
import 'pip._vendor.urllib3.util' # <_frozen_importlib_external.SourceFileLoader object at  
0x103812da0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/proxy.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/proxy.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/proxy.cpython-310.pyc'  
import 'pip._vendor.urllib3.util.proxy' # <_frozen_importlib_external.SourceFileLoader object at  
0x103812dd0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/_collections.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/_collections.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/_collections.cpython-310.pyc'  
import 'pip._vendor.urllib3._collections' # <_frozen_importlib_external.SourceFileLoader object at  
0x103846860>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/ssl_match_hostname.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/ssl_match_hostname.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/util/__pycache__/ssl_match_hostname.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/ipaddress.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/ipaddress.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/ipaddress.cpython-310.pyc'
import 'ipaddress' # <_frozen_importlib_external.SourceFileLoader object at 0x103847310>
import 'pip._vendor.urllib3.util.ssl_match_hostname' #
<_frozen_importlib_external.SourceFileLoader object at 0x103847130>
import 'pip._vendor.urllib3.connection' # <_frozen_importlib_external.SourceFileLoader object at
0x1038124a0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/queue.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/queue.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/queue.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/heapq.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/heapq.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/heapq.cpython-310.pyc'
# extension module '_heapq' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_heapq.cpython-310-darwin.so'
```

```
# extension module '_heapq' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_heapq.cpython-310-darwin.so'
import '_heapq' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1038ac130>
import 'heapq' # <_frozen_importlib_external.SourceFileLoader object at 0x103893be0>
# extension module '_queue' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_queue.cpython-310-darwin.so'
# extension module '_queue' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_queue.cpython-310-darwin.so'
import '_queue' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103893f10>
import 'queue' # <_frozen_importlib_external.SourceFileLoader object at 0x103812b00>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/request.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/request.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/request.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/filepost.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/filepost.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/filepost.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/__pycache__/fields.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/fields.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/fields.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/mimetypes.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/mimetypes.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/mimetypes.cpython-310.pyc'
import 'mimetypes' # <_frozen_importlib_external.SourceFileLoader object at 0x1038acb80>
import 'pip._vendor.urllib3.fields' # <_frozen_importlib_external.SourceFileLoader object at
0x1038ac5e0>
import 'pip._vendor.urllib3.filepost' # <_frozen_importlib_external.SourceFileLoader object at
0x1038ac250>
import 'pip._vendor.urllib3.packages.six.moves.urllib' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x1036d0460>
import 'pip._vendor.urllib3.packages.six.moves.urllib.parse' #
<pip._vendor.urllib3.packages.six._SixMetaPathImporter object at 0x1036d0460>
import 'pip._vendor.urllib3.request' # <_frozen_importlib_external.SourceFileLoader object at
0x103893c70>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/response.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/response.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/__pycache__/response.cpython-310.pyc'
import 'pip._vendor.urllib3.response' # <_frozen_importlib_external.SourceFileLoader object at
0x1038ac9a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/queue.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/util/queue.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/urllib3/util/__pycache__/queue.cpython-310.pyc'
import 'pip._vendor.urllib3.util.queue' # <_frozen_importlib_external.SourceFileLoader object at
0x1038ad8a0>
import 'pip._vendor.urllib3.connectionpool' # <_frozen_importlib_external.SourceFileLoader
object at 0x1033c6a70>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/poolmanager.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/poolmanager.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/__pycache__/poolmanager.cpython-310.pyc'  
import 'pip._vendor.urllib3.poolmanager' # <_frozen_importlib_external.SourceFileLoader object  
at 0x1038ada50>  
  
import 'pip._vendor.urllib3' # <_frozen_importlib_external.SourceFileLoader object at  
0x1033c61a0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/exceptions.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/exceptions.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/exceptions.cpython-310.pyc'  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/compat.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/compat.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/compat.cpython-310.pyc'  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/__init__.cpython-310.pyc'  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/enums.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/enums.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/enums.cpython-310.pyc'
```



```
import 'pip._vendor.chardet.enums' # <_frozen_importlib_external.SourceFileLoader object at
0x1038af0d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/universaldetector.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/universaldetector.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/universaldetector.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetgroupprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/charsetgroupprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetgroupprober.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/charsetprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/charsetprober.cpython-310.pyc'
import 'pip._vendor.chardet.charsetprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x1038ae470>
import 'pip._vendor.chardet.charsetgroupprober' #
<_frozen_importlib_external.SourceFileLoader object at 0x1038ae890>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/escprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/escprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/escprober.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/codingstatemachine.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/codingstatemachine.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/codingstatemachine.cpython-310.pyc'  
import 'pip._vendor.chardet.codingstatemachine' #  
<_frozen_importlib_external.SourceFileLoader object at 0x1038e8460>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/escsm.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/escsm.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/escsm.cpython-310.pyc'  
import 'pip._vendor.chardet.escsm' # <_frozen_importlib_external.SourceFileLoader object at  
0x1038e8790>  
import 'pip._vendor.chardet.escprober' # <_frozen_importlib_external.SourceFileLoader object at  
0x1038e8100>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/latin1prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/latin1prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/latin1prober.cpython-310.pyc'  
import 'pip._vendor.chardet.latin1prober' # <_frozen_importlib_external.SourceFileLoader object  
at 0x1038e87c0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/mbcsgroupprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/mbcsgroupprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/mbcsgroupprober.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/big5prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/big5prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/big5prober.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/chardistribution.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/chardistribution.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/chardistribution.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/big5freq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/big5freq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/big5freq.cpython-310.pyc'
import 'pip._vendor.chardet.big5freq' # <_frozen_importlib_external.SourceFileLoader object at
0x1038e95d0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euckrfreq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euckrfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euckrfreq.cpython-310.pyc'
import 'pip._vendor.chardet.euckrfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x1038e9690>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euctwfreq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euctwfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euctwfreq.cpython-310.pyc'
import 'pip._vendor.chardet.euctwfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x1038e9720>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/gb2312freq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/gb2312freq.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/gb2312freq.cpython-310.pyc'
import 'pip._vendor.chardet.gb2312freq' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038e97b0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/__pycache__/jisfreq.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/jisfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/jisfreq.cpython-310.pyc'
import 'pip._vendor.chardet.jisfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x1038e9840>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/johabfreq.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/johabfreq.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/johabfreq.cpython-310.pyc'
import 'pip._vendor.chardet.johabfreq' # <_frozen_importlib_external.SourceFileLoader object at
0x1038e98d0>

import 'pip._vendor.chardet.chardistribution' # <_frozen_importlib_external.SourceFileLoader
object at 0x1038e9180>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/mbcharsetprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/mbcharsetprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/mbcharsetprober.cpython-310.pyc'
import 'pip._vendor.chardet.mbcharsetprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x1038e9c30>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/mbcssm.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/mbcssm.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/mbcssm.cpython-310.pyc'
import 'pip._vendor.chardet.mbcsm' # <_frozen_importlib_external.SourceFileLoader object at
0x1038e9ff0>
import 'pip._vendor.chardet.big5prober' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038e8df0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/cp949prober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/cp949prober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/cp949prober.cpython-310.pyc'
import 'pip._vendor.chardet.cp949prober' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038e9f90>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/eucjpprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/eucjpprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/eucjpprober.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/__pycache__/jpcntx.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/jpcntx.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/jpcntx.cpython-310.pyc'
import 'pip._vendor.chardet.jpcntx' # <_frozen_importlib_external.SourceFileLoader object at
0x1038ea530>
import 'pip._vendor.chardet.eucjpprober' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038ea200>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euckrprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euckrprober.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euckrprober.cpython-310.pyc'
import 'pip._vendor.chardet.euckrprober' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038ea950>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euctwprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/euctwprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/euctwprober.cpython-310.pyc'
import 'pip._vendor.chardet.euctwprober' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038eab60>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/gb2312prober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/gb2312prober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/gb2312prober.cpython-310.pyc'
import 'pip._vendor.chardet.gb2312prober' # <_frozen_importlib_external.SourceFileLoader
object at 0x1038eada0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/johabprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/johabprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/johabprober.cpython-310.pyc'
import 'pip._vendor.chardet.johabprober' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038eafe0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/sjisprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/sjisprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/sjisprober.cpython-310.pyc'
```

```
import 'pip._vendor.chardet.sjisprober' # <_frozen_importlib_external.SourceFileLoader object at
0x1038eb220>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/utf8prober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/utf8prober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/utf8prober.cpython-310.pyc'
import 'pip._vendor.chardet.utf8prober' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038eb580>
import 'pip._vendor.chardet.mbcsgroupprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x1038e8a60>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/sbcsgroupprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/sbcsgroupprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/sbcsgroupprober.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/hebrewprober.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/hebrewprober.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/hebrewprober.cpython-310.pyc'
import 'pip._vendor.chardet.hebrewprober' # <_frozen_importlib_external.SourceFileLoader
object at 0x1038eb8b0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/langbulgarianmodel.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langbulgarianmodel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/chardet/__pycache__/langbulgarianmodel.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/sbcharsetprober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/sbcharsetprober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/sbcharsetprober.cpython-310.pyc'  
import 'pip._vendor.chardet.sbcharsetprober' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1038ebc70>  
import 'pip._vendor.chardet.langbulgarianmodel' #  
<_frozen_importlib_external.SourceFileLoader object at 0x1038ebb50>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langgreekmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langgreekmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langgreekmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langgreekmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1039f8be0>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langhebrewmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langhebrewmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langhebrewmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langhebrewmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1039f8b50>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langrussianmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langrussianmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langrussianmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langrussianmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1039f8ac0>
```



```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langthaimodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langthaimodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langthaimodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langthaimodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x10376c280>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langturkishmodel.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/langturkishmodel.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/langturkishmodel.cpython-310.pyc'  
import 'pip._vendor.chardet.langturkishmodel' # <_frozen_importlib_external.SourceFileLoader  
object at 0x10376c040>  
  
import 'pip._vendor.chardet.sbcsgroupprober' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1038eb760>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/utf1632prober.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/utf1632prober.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/utf1632prober.cpython-310.pyc'  
import 'pip._vendor.chardet.utf1632prober' # <_frozen_importlib_external.SourceFileLoader  
object at 0x10376c070>  
  
import 'pip._vendor.chardet.universaldetector' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1038aed40>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/version.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/chardet/version.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/chardet/__pycache__/version.cpython-310.pyc'
```

```
import 'pip._vendor.chardet.version' # <_frozen_importlib_external.SourceFileLoader object at 0x10372f670>
```

```
import 'pip._vendor.chardet' # <_frozen_importlib_external.SourceFileLoader object at 0x1038af3a0>
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/__init__.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__init__.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/__init__.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/decoder.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/decoder.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/decoder.cpython-310.pyc'
```

```
#
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/scanner.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/scanner.py
```

```
# code object from
```

```
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/json/__pycache__/scanner.cpython-310.pyc'
```

```
# extension module '_json' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_json.cpython-310-darwin.so'
# extension module '_json' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_json.cpython-310-darwin.so'
import '_json' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10372f4f0>
import 'json.scanner' # <_frozen_importlib_external.SourceFileLoader object at 0x10372f430>
import 'json.decoder' # <_frozen_importlib_external.SourceFileLoader object at 0x10372fa00>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/__pycache__/encoder.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/json/encoder.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/json/__pycache__/encoder.cpython-310.pyc'
import 'json.encoder' # <_frozen_importlib_external.SourceFileLoader object at 0x10372f940>
import 'json' # <_frozen_importlib_external.SourceFileLoader object at 0x1038aea10>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__pycache__/cookiejar.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/cookiejar.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/cookiejar.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/copy.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/copy.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/copy.cpython-310.pyc'
import 'copy' # <_frozen_importlib_external.SourceFileLoader object at 0x1039f88b0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/request.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/request.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/request.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/tempfile.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/tempfile.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/tempfile.cpython-310.pyc'
import 'tempfile' # <_frozen_importlib_external.SourceFileLoader object at 0x1039fa320>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/error.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/error.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/error.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/__pycache__/response.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/urllib/response.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/urllib/__pycache__/response.cpython-310.pyc'
import 'urllib.response' # <_frozen_importlib_external.SourceFileLoader object at 0x1039fb700>
import 'urllib.error' # <_frozen_importlib_external.SourceFileLoader object at 0x1039fb2e0>
# extension module '_scproxy' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_scproxy.cpython-310-darwin.so'
# extension module '_scproxy' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_scproxy.cpython-310-darwin.so'
import '_scproxy' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103a78250>
import 'urllib.request' # <_frozen_importlib_external.SourceFileLoader object at 0x1039f85b0>
import 'http.cookiejar' # <_frozen_importlib_external.SourceFileLoader object at 0x10372f130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/__pycache__/cookies.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/http/cookies.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/http/__pycache__/cookies.cpython-310.pyc'
```

```
import 'http.cookies' # <_frozen_importlib_external.SourceFileLoader object at 0x1039f93c0>
import 'pip._vendor.requests.compat' # <_frozen_importlib_external.SourceFileLoader object at
0x1038af970>
import 'pip._vendor.requests.exceptions' # <_frozen_importlib_external.SourceFileLoader object
at 0x1038af6d0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/compat.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/compat.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/compat.cpython-310.pyc'
import 'pip._internal.utils.compat' # <_frozen_importlib_external.SourceFileLoader object at
0x103a78eb0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/packages.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/packages.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/packages.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/__init__.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/package_data.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/package_data.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/package_data.cpython-310.pyc'
import 'pip._vendor.idna.package_data' # <_frozen_importlib_external.SourceFileLoader object
at 0x103a78e80>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/core.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/core.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/core.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/idnadata.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/idnadata.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/idnadata.cpython-310.pyc'
import 'pip._vendor.idna.idnadata' # <_frozen_importlib_external.SourceFileLoader object at
0x103a795a0>
# extension module 'unicodedata' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/unicodedata.cpython-310-darwin.so'
# extension module 'unicodedata' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/unicodedata.cpython-310-darwin.so'
import 'unicodedata' # <_frozen_importlib_external.ExtensionFileLoader object at
0x103a79660>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/__pycache__/intranges.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/idna/intranges.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/idna/__pycache__/intranges.cpython-310.pyc'
import 'pip._vendor.idna.intranges' # <_frozen_importlib_external.SourceFileLoader object at
0x103a79720>
import 'pip._vendor.idna.core' # <_frozen_importlib_external.SourceFileLoader object at
0x103a78f40>
import 'pip._vendor.idna' # <_frozen_importlib_external.SourceFileLoader object at
0x103a78b50>
import 'pip._vendor.requests.packages' # <_frozen_importlib_external.SourceFileLoader object
at 0x103a78df0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/utils.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/utils.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/utils.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/zipfile.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/zipfile.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/zipfile.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/pathlib.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/pathlib.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/pathlib.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/ntpath.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/ntpath.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/ntpath.cpython-310.pyc'  
import 'ntpath' # <_frozen_importlib_external.SourceFileLoader object at 0x103ad5840>  
import 'pathlib' # <_frozen_importlib_external.SourceFileLoader object at 0x103a7bb50>  
import 'zipfile' # <_frozen_importlib_external.SourceFileLoader object at 0x103a7a0e0>
```



```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/certs.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/certs.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/certs.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/core.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/core.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/certifi/__pycache__/core.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/resources.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/resources.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/resources.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_common.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/_common.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/importlib/__pycache__/_common.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/importlib/__pycache__/abc.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/abc.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/abc.cpython-310.pyc'
import 'importlib.abc' # <_frozen_importlib_external.SourceFileLoader object at 0x103ad7b50>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/__pycache__/_adapters.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/importlib/_adapters.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/_adapters.cpython-310.pyc'
import 'importlib._adapters' # <_frozen_importlib_external.SourceFileLoader object at
0x103b107f0>
import 'importlib._common' # <_frozen_importlib_external.SourceFileLoader object at
0x103ad7640>
import 'importlib.resources' # <_frozen_importlib_external.SourceFileLoader object at
0x103ad6f50>
import 'pip._vendor.certifi.core' # <_frozen_importlib_external.SourceFileLoader object at
0x103ad6b60>
import 'pip._vendor.certifi' # <_frozen_importlib_external.SourceFileLoader object at
0x103ad6920>
import 'pip._vendor.requests.certs' # <_frozen_importlib_external.SourceFileLoader object at
0x103a7a950>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/__version__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__version__.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__version__.cpython-310.pyc'  
import 'pip._vendor.requests.__version__' # <_frozen_importlib_external.SourceFileLoader  
object at 0x103ad6830>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__internal_utils.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/_internal_utils.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/__internal_utils.cpython-310.pyc'  
import 'pip._vendor.requests._internal_utils' # <_frozen_importlib_external.SourceFileLoader  
object at 0x103ad6b30>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/cookies.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/cookies.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/cookies.cpython-310.pyc'  
import 'pip._vendor.requests.cookies' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ad6d70>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/structures.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/structures.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/structures.cpython-310.pyc'  
import 'pip._vendor.requests.structures' # <_frozen_importlib_external.SourceFileLoader object  
at 0x103b11ba0>  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/importlib/__pycache__/readers.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/importlib/readers.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/importlib/__pycache__/readers.cpython-310.pyc'
import 'importlib.readers' # <_frozen_importlib_external.SourceFileLoader object at
0x103b12110>
import 'pip._vendor.requests.utils' # <_frozen_importlib_external.SourceFileLoader object at
0x103a78be0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/api.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/api.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/api.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/sessions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/sessions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/sessions.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/adapters.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/adapters.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/adapters.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/__pycache__/auth.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/auth.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/auth.cpython-310.pyc'
import 'pip._vendor.requests.auth' # <_frozen_importlib_external.SourceFileLoader object at
0x103b13d90>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/requests/__pycache__/models.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/models.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/models.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/encodings/__pycache__/idna.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/encodings/idna.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/encodings/__pycache__/idna.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/stringprep.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/stringprep.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/__pycache__/stringprep.cpython-310.pyc'  
import 'stringprep' # <_frozen_importlib_external.SourceFileLoader object at 0x103b45390>  
import 'encodings.idna' # <_frozen_importlib_external.SourceFileLoader object at  
0x103b45000>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/hooks.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/hooks.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/hooks.cpython-310.pyc'  
import 'pip._vendor.requests.hooks' # <_frozen_importlib_external.SourceFileLoader object at  
0x103b456f0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/status_codes.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/requests/status_codes.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/requests/__pycache__/status_codes.cpython-310.pyc'  
import 'pip._vendor.requests.status_codes' # <_frozen_importlib_external.SourceFileLoader  
object at 0x103b45840>  
import 'pip._vendor.requests.models' # <_frozen_importlib_external.SourceFileLoader object at  
0x103b44340>  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/socks.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/urllib3/contrib/socks.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/urllib3/contrib/__pycache__/socks.cpython-310.pyc'  
# destroy pip._vendor.urllib3.contrib.socks  
import 'pip._vendor.requests.adapters' # <_frozen_importlib_external.SourceFileLoader object at  
0x103b13430>  
import 'pip._vendor.requests.sessions' # <_frozen_importlib_external.SourceFileLoader object at  
0x103b12b30>  
import 'pip._vendor.requests.api' # <_frozen_importlib_external.SourceFileLoader object at  
0x103b128c0>  
import 'pip._vendor.requests' # <_frozen_importlib_external.SourceFileLoader object at  
0x1033c5e40>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/__init__.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/__extension__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__extension.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/_pycache__/_extension.cpython-310.pyc'
import 'pip._vendor.rich._extension' # <_frozen_importlib_external.SourceFileLoader object at
0x103b46050>
import 'pip._vendor.rich' # <_frozen_importlib_external.SourceFileLoader object at
0x103b132b0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_pycache__/console.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/console.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/_pycache__/console.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_pycache__/inspect.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/inspect.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/_pycache__/inspect.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_pycache__/ast.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/ast.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/_pycache__/ast.cpython-310.pyc'
import '_ast' # <class '_frozen_importlib.BuiltinImporter'>
import 'ast' # <_frozen_importlib_external.SourceFileLoader object at 0x103b9e440>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
ython3.10/__pycache__/dis.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/dis.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/dis.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/opcode.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/opcode.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/opcode.cpython-310.pyc'
# extension module '_opcode' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_opcode.cpython-310-darwin.so'
# extension module '_opcode' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_opcode.cpython-310-darwin.so'
import '_opcode' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103be1120>
import 'opcode' # <_frozen_importlib_external.SourceFileLoader object at 0x103be0eb0>
import 'dis' # <_frozen_importlib_external.SourceFileLoader object at 0x103b9ebf0>
import 'inspect' # <_frozen_importlib_external.SourceFileLoader object at 0x103b9c130>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/dataclasses.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/dataclasses.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/dataclasses.cpython-310.pyc'
import 'dataclasses' # <_frozen_importlib_external.SourceFileLoader object at 0x103b9d9c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/getpass.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/getpass.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/getpass.cpython-310.pyc'
# extension module 'termios' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/termios.cpython-310-darwin.so'
# extension module 'termios' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/termios.cpython-310-darwin.so'
import 'termios' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103c1cca0>
import 'getpass' # <_frozen_importlib_external.SourceFileLoader object at 0x103be3a30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/html/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/html/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/html/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/html/__pycache__/entities.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/html/entities.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/html/__pycache__/entities.cpython-310.pyc'
import 'html.entities' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1cf40>
import 'html' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1cc70>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/errors.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/errors.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/errors.cpython-310.pyc'
import 'pip._vendor.rich.errors' # <_frozen_importlib_external.SourceFileLoader object at
0x103c1cf70>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/themes.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/themes.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/themes.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/default_styles.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/default_styles.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/default_styles.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/style.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/style.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/style.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/color.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/color.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/color.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/colorsys.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/colorsys.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/colorsys.cpython-310.pyc'
import 'colorsys' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1ed70>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_palettes.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_palettes.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_palettes.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/palette.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/palette.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/palette.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/color_triplet.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/color_triplet.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/color_triplet.cpython-310.pyc'
import 'pip._vendor.rich.color_triplet' # <_frozen_importlib_external.SourceFileLoader object at
0x103c1f580>
import 'pip._vendor.rich.palette' # <_frozen_importlib_external.SourceFileLoader object at
0x103c1f040>
import 'pip._vendor.rich._palettes' # <_frozen_importlib_external.SourceFileLoader object at
0x103c1eef0>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/repr.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/repr.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/repr.cpython-310.pyc'
import 'pip._vendor.rich.repr' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1fdf0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/terminal_theme.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/terminal_theme.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/terminal_theme.cpython-310.pyc'
import 'pip._vendor.rich.terminal_theme' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1fd90>

import 'pip._vendor.rich.color' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1e3e0>

import 'pip._vendor.rich.style' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1d750>

import 'pip._vendor.rich.default_styles' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1d300>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/theme.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/theme.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/theme.cpython-310.pyc'
import 'pip._vendor.rich.theme' # <_frozen_importlib_external.SourceFileLoader object at 0x103de56c0>

import 'pip._vendor.rich.themes' # <_frozen_importlib_external.SourceFileLoader object at 0x103c1d0f0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_emoji_replace.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_emoji_replace.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_emoji_replace.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_emoji_codes.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_emoji_codes.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_emoji_codes.cpython-310.pyc'
import 'pip._vendor.rich._emoji_codes' # <_frozen_importlib_external.SourceFileLoader object at
0x103de5a80>
import 'pip._vendor.rich._emoji_replace' # <_frozen_importlib_external.SourceFileLoader object
at 0x103de5930>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_export_format.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_export_format.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_export_format.cpython-310.pyc'
import 'pip._vendor.rich._export_format' # <_frozen_importlib_external.SourceFileLoader object
at 0x103de5cc0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_log_render.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_log_render.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_log_render.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_text.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_text.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/_text.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_loop.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_loop.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/_loop.cpython-310.pyc'  
import 'pip._vendor.rich._loop' # <_frozen_importlib_external.SourceFileLoader object at  
0x103de6dd0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_pick.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_pick.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/_pick.cpython-310.pyc'  
import 'pip._vendor.rich._pick' # <_frozen_importlib_external.SourceFileLoader object at  
0x103de7160>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_wrap.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_wrap.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/_wrap.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/cells.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/cells.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/cells.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/_cell_widths.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_cell_widths.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/_cell_widths.cpython-310.pyc'  
import 'pip._vendor.rich._cell_widths' # <_frozen_importlib_external.SourceFileLoader object at  
0x103de7910>  
  
import 'pip._vendor.rich.cells' # <_frozen_importlib_external.SourceFileLoader object at  
0x103de7460>  
  
import 'pip._vendor.rich._wrap' # <_frozen_importlib_external.SourceFileLoader object at  
0x103de7280>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/align.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/align.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/align.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/constrain.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/constrain.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/constrain.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/jupyter.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/jupyter.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/jupyter.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/segment.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/segment.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/segment.cpython-310.pyc'
import 'pip._vendor.rich.segment' # <_frozen_importlib_external.SourceFileLoader object at 0x103e9c670>
import 'pip._vendor.rich.jupyter' # <_frozen_importlib_external.SourceFileLoader object at 0x103e9c1f0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/measure.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/measure.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/measure.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/protocol.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/protocol.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/protocol.cpython-310.pyc'
import 'pip._vendor.rich.protocol' # <_frozen_importlib_external.SourceFileLoader object at 0x103e9e260>
```

```
import 'pip._vendor.rich.measure' # <_frozen_importlib_external.SourceFileLoader object at
0x103e9e560>
import 'pip._vendor.rich.constrain' # <_frozen_importlib_external.SourceFileLoader object at
0x103de7ee0>
import 'pip._vendor.rich.align' # <_frozen_importlib_external.SourceFileLoader object at
0x103de7b50>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/containers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/containers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/containers.cpython-310.pyc'
import 'pip._vendor.rich.containers' # <_frozen_importlib_external.SourceFileLoader object at
0x103e9ed40>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/control.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/control.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/control.cpython-310.pyc'
import 'pip._vendor.rich.control' # <_frozen_importlib_external.SourceFileLoader object at
0x103e9f3a0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/emoji.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/emoji.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/emoji.cpython-310.pyc'
import 'pip._vendor.rich.emoji' # <_frozen_importlib_external.SourceFileLoader object at
0x103e9fee0>
import 'pip._vendor.rich.text' # <_frozen_importlib_external.SourceFileLoader object at
0x103de5db0>
import 'pip._vendor.rich._log_render' # <_frozen_importlib_external.SourceFileLoader object at
0x103de5ab0>
```



```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/highlighter.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/highlighter.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/highlighter.cpython-310.pyc'  
import 'pip._vendor.rich.highlighter' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ed4fd0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/markup.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/markup.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/markup.cpython-310.pyc'  
import 'pip._vendor.rich.markup' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ed5210>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/pager.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/pager.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/pager.cpython-310.pyc'  
import 'pip._vendor.rich.pager' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ed5ae0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/pretty.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/pretty.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/pretty.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/abc.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/abc.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/abc.cpython-310.pyc'  
import 'pip._vendor.rich.abc' # <_frozen_importlib_external.SourceFileLoader object at  
0x103ed6650>
```

```
import 'pip._vendor.rich.pretty' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed5870>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/region.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/region.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/region.cpython-310.pyc'
import 'pip._vendor.rich.region' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed7640>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/scope.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/scope.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/scope.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/panel.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/panel.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/panel.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/box.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/box.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/box.cpython-310.pyc'
import 'pip._vendor.rich.box' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed72e0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/padding.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/padding.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/padding.cpython-310.pyc'
import 'pip._vendor.rich.padding' # <_frozen_importlib_external.SourceFileLoader object at
0x103f1c610>
import 'pip._vendor.rich.panel' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed78e0>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/table.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/table.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/table.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_ratio.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/_ratio.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/_ratio.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/fractions.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/fractions.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/fractions.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/decimal.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/decimal.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/decimal.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/numbers.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/numbers.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/numbers.cpython-310.pyc'
import 'numbers' # <_frozen_importlib_external.SourceFileLoader object at 0x103f1e800>
# extension module '_decimal' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_decimal.cpython-310-darwin.so'
# extension module '_decimal' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_decimal.cpython-310-darwin.so'
import '_decimal' # <_frozen_importlib_external.ExtensionFileLoader object at 0x103f1e590>
import 'decimal' # <_frozen_importlib_external.SourceFileLoader object at 0x103f1e380>
import 'fractions' # <_frozen_importlib_external.SourceFileLoader object at 0x103f1d960>
import 'pip._vendor.rich._ratio' # <_frozen_importlib_external.SourceFileLoader object at
0x103f1d4e0>
import 'pip._vendor.rich.table' # <_frozen_importlib_external.SourceFileLoader object at
0x103f1c880>
import 'pip._vendor.rich.scope' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed7c40>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/screen.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/screen.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/screen.cpython-310.pyc'
import 'pip._vendor.rich.screen' # <_frozen_importlib_external.SourceFileLoader object at
0x103ed7520>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/styled.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/styled.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/styled.cpython-310.pyc'
```

```
import 'pip._vendor.rich.styled' # <_frozen_importlib_external.SourceFileLoader object at
0x103f5aa70>
import 'pip._vendor.rich.console' # <_frozen_importlib_external.SourceFileLoader object at
0x103b461a0>
import 'pip._internal.exceptions' # <_frozen_importlib_external.SourceFileLoader object at
0x10338ba90>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/appdirs.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/appdirs.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/appdirs.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/api.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/api.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/api.cpython-310.pyc'
import 'pip._vendor.platformdirs.api' # <_frozen_importlib_external.SourceFileLoader object at
0x103f5ad10>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/version.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/version.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/platformdirs/__pycache__/version.cpython-310.pyc'
import 'pip._vendor.platformdirs.version' # <_frozen_importlib_external.SourceFileLoader object
at 0x103f5b0d0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/platformdirs/__pycache__/macos.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/platformdirs/macos.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/platformdirs/__pycache__/macos.cpython-310.pyc'  
import 'pip._vendor.platformdirs.macos' # <_frozen_importlib_external.SourceFileLoader object  
at 0x103f5b1c0>  
import 'pip._vendor.platformdirs' # <_frozen_importlib_external.SourceFileLoader object at  
0x103f58c40>  
import 'pip._internal.utils.appdirs' # <_frozen_importlib_external.SourceFileLoader object at  
0x1033c5990>  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/logging.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/logging.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/logging.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/logging/__pycache__/handlers.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/logging/handlers.py  
# code object from  
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/  
python3.10/logging/__pycache__/handlers.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/__pycache__/pickle.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/pickle.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/pickle.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/_compat_pickle.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/_compat_pickle.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_compat_pickle.cpython-310.pyc'
import '_compat_pickle' # <_frozen_importlib_external.SourceFileLoader object at 0x104066bf0>
# extension module '_pickle' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_pickle.cpython-310-darwin.so'
# extension module '_pickle' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_pickle.cpython-310-darwin.so'
import '_pickle' # <_frozen_importlib_external.ExtensionFileLoader object at 0x104066d40>
import 'pickle' # <_frozen_importlib_external.SourceFileLoader object at 0x104064700>
import 'logging.handlers' # <_frozen_importlib_external.SourceFileLoader object at
0x103f599f0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/logging.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/logging.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/logging.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/traceback.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/traceback.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/rich/__pycache__/traceback.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.pygments' # <_frozen_importlib_external.SourceFileLoader object at
0x104067d00>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/lexers/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/__init__.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/_mapping.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/lexers/_mapping.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/lexers/__pycache__/_mapping.cpython-310.pyc'
import 'pip._vendor.pygments.lexers._mapping' # <_frozen_importlib_external.SourceFileLoader
object at 0x1040a4340>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/modeline.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/modeline.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/modeline.cpython-310.pyc'
import 'pip._vendor.pygments.modeline' # <_frozen_importlib_external.SourceFileLoader object
at 0x1040e64a0>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/plugin.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/plugin.py
```



```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/plugin.cpython-310.pyc'  
import 'pip._vendor.pygments.plugin' # <_frozen_importlib_external.SourceFileLoader object at  
0x1040e65c0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/__pycache__/util.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/util.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/util.cpython-310.pyc'  
import 'pip._vendor.pygments.util' # <_frozen_importlib_external.SourceFileLoader object at  
0x1040e67d0>  
  
import 'pip._vendor.pygments.lexers' # <_frozen_importlib_external.SourceFileLoader object at  
0x104067e20>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/token.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/token.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/token.cpython-310.pyc'  
import 'pip._vendor.pygments.token' # <_frozen_importlib_external.SourceFileLoader object at  
0x1040e6650>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/columns.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/columns.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/columns.cpython-310.pyc'  
import 'pip._vendor.rich.columns' # <_frozen_importlib_external.SourceFileLoader object at  
0x1040e6ef0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/__pycache__/syntax.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/rich/syntax.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/rich/__pycache__/syntax.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/lexer.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/lexer.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/lexer.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/filter.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/filter.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/filter.cpython-310.pyc'
import 'pip._vendor.pygments.filter' # <_frozen_importlib_external.SourceFileLoader object at
0x10411cee0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/filters/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/filters/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/filters/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.pygments.filters' # <_frozen_importlib_external.SourceFileLoader object at
0x10411d2a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/regexopt.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/regexopt.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pygments/__pycache__/regexopt.cpython-310.pyc'
import 'pip._vendor.pygments.regexopt' # <_frozen_importlib_external.SourceFileLoader object
at 0x10411d750>
import 'pip._vendor.pygments.lexer' # <_frozen_importlib_external.SourceFileLoader object at
0x1040e7ee0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/style.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/style.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/__pycache__/style.cpython-310.pyc'  
import 'pip._vendor.pygments.style' # <_frozen_importlib_external.SourceFileLoader object at  
0x10411c880>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/styles/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pygments/styles/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pygments/styles/__pycache__/__init__.cpython-310.pyc'  
import 'pip._vendor.pygments.styles' # <_frozen_importlib_external.SourceFileLoader object at  
0x10411e110>  
  
import 'pip._vendor.rich.syntax' # <_frozen_importlib_external.SourceFileLoader object at  
0x1040e7490>  
  
import 'pip._vendor.rich.traceback' # <_frozen_importlib_external.SourceFileLoader object at  
0x1040670d0>  
  
import 'pip._vendor.rich.logging' # <_frozen_importlib_external.SourceFileLoader object at  
0x104064760>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/deprecation.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/deprecation.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/deprecation.cpython-310.pyc'  
import 'pip._internal.utils.deprecation' # <_frozen_importlib_external.SourceFileLoader object at  
0x10411f5e0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/misc.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/misc.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_internal/utils/__pycache__/misc.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/wrappers.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/wrappers.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/wrappers.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/compat.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/compat.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pep517/__pycache__/compat.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/__init__.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__init__.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tomli/__pycache__/__init__.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/parser.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/parser.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tomli/__pycache__/parser.cpython-310.pyc'  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/re.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/re.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tomli/__pycache__/re.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/_types.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/_types.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tomli/__pycache__/_types.cpython-310.pyc'
import 'pip._vendor.tomli._types' # <_frozen_importlib_external.SourceFileLoader object at 0x10416e080>
import 'pip._vendor.tomli._re' # <_frozen_importlib_external.SourceFileLoader object at 0x10416dd50>
import 'pip._vendor.tomli._parser' # <_frozen_importlib_external.SourceFileLoader object at 0x10416d4e0>
import 'pip._vendor.tomli' # <_frozen_importlib_external.SourceFileLoader object at 0x10416d2a0>
import 'pip._vendor.pep517.compat' # <_frozen_importlib_external.SourceFileLoader object at 0x10416cfa0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/in_process/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/in_process/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pep517/in_process/__pycache__/__init__.cpython-310.pyc'
import 'pip._vendor.pep517.in_process' # <_frozen_importlib_external.SourceFileLoader object at 0x10416d240>
import 'pip._vendor.pep517.wrappers' # <_frozen_importlib_external.SourceFileLoader object at 0x10416c760>
import 'pip._vendor.pep517' # <_frozen_importlib_external.SourceFileLoader object at 0x10416c4f0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/__init__.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/concurrent/__pycache__/__init__.cpython-310.pyc'
import 'concurrent' # <_frozen_importlib_external.SourceFileLoader object at 0x10416f370>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/__init__.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/concurrent/futures/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/__pycache__/_base.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/concurrent/futures/_base.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/concurrent/futures/__pycache__/_base.cpython-310.pyc'
import 'concurrent.futures._base' # <_frozen_importlib_external.SourceFileLoader object at
0x10416f7f0>
import 'concurrent.futures' # <_frozen_importlib_external.SourceFileLoader object at
0x10416f520>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/retry.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/retry.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/retry.cpython-310.pyc'
import 'pip._vendor.tenacity.retry' # <_frozen_importlib_external.SourceFileLoader object at 0x10416f9a0>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/nap.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/nap.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/nap.cpython-310.pyc'
import 'pip._vendor.tenacity.nap' # <_frozen_importlib_external.SourceFileLoader object at 0x1041a1990>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/stop.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/stop.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/stop.cpython-310.pyc'
import 'pip._vendor.tenacity.stop' # <_frozen_importlib_external.SourceFileLoader object at 0x1041a1c30>

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/wait.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/wait.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/wait.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/_utils.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/_utils.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/_utils.cpython-310.pyc'
import 'pip._vendor.tenacity._utils' # <_frozen_importlib_external.SourceFileLoader object at 0x1041a2b60>

import 'pip._vendor.tenacity.wait' # <_frozen_importlib_external.SourceFileLoader object at 0x1041a22f0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tenacity/__pycache__/before.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/before.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tenacity/__pycache__/before.cpython-310.pyc'  
import 'pip._vendor.tenacity.before' # <_frozen_importlib_external.SourceFileLoader object at  
0x1041a2ec0>  
  
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/__pycache__/after.cpython-  
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/after.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tenacity/__pycache__/after.cpython-310.pyc'  
import 'pip._vendor.tenacity.after' # <_frozen_importlib_external.SourceFileLoader object at  
0x1041a31c0>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tenacity/__pycache__/before_sleep.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/before_sleep.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tenacity/__pycache__/before_sleep.cpython-310.pyc'  
import 'pip._vendor.tenacity.before_sleep' # <_frozen_importlib_external.SourceFileLoader  
object at 0x1041a3310>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tenacity/__pycache__/_asyncio.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/tenacity/_asyncio.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/tenacity/__pycache__/_asyncio.cpython-310.pyc'  
#  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/asyncio/__pycache__/__init__.cpython-310.pyc matches  
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p  
ython3.10/asyncio/__init__.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/__init__.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_events.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/constants.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/constants.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/constants.cpython-310.pyc'
import 'asyncio.constants' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c60e0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/coroutines.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/coroutines.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/coroutines.cpython-310.pyc'
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_futures.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_futures.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_futures.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/format_helpers.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/format_helpers.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/format_helpers.cpython-310.pyc'
import 'asyncio.format_helpers' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c6c80>
import 'asyncio.base_futures' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c6980>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/log.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/log.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/log.cpython-310.pyc'
import 'asyncio.log' # <_frozen_importlib_external.SourceFileLoader object at 0x1041c6da0>
```

```
import 'asyncio.coroutines' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c62c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/events.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/contextvars.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/contextvars.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/contextvars.cpython-310.pyc'
# extension module '_contextvars' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_contextvars.cpython-310-darwin.so'
# extension module '_contextvars' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_contextvars.cpython-310-darwin.so'
import '_contextvars' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1041fc370>
import 'contextvars' # <_frozen_importlib_external.SourceFileLoader object at 0x1041fc1f0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/exceptions.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/exceptions.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/exceptions.cpython-310.pyc'
import 'asyncio.exceptions' # <_frozen_importlib_external.SourceFileLoader object at
0x1041fc790>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_tasks.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_tasks.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_tasks.cpython-310.pyc'
import 'asyncio.base_tasks' # <_frozen_importlib_external.SourceFileLoader object at
0x1041fcbe0>
# extension module '_asyncio' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_asyncio.cpython-310-darwin.so'
# extension module '_asyncio' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_asyncio.cpython-310-darwin.so'
import '_asyncio' # <_frozen_importlib_external.ExtensionFileLoader object at 0x1041fc5b0>
import 'asyncio.events' # <_frozen_importlib_external.SourceFileLoader object at 0x1041c6dd0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/futures.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/futures.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/futures.cpython-310.pyc'
import 'asyncio.futures' # <_frozen_importlib_external.SourceFileLoader object at 0x1041fcc40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/protocols.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/protocols.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/protocols.cpython-310.pyc'
import 'asyncio.protocols' # <_frozen_importlib_external.SourceFileLoader object at
0x1041fd330>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/sslproto.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/sslproto.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/sslproto.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/transports.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/transports.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/transports.cpython-310.pyc'
```

```
import 'asyncio.transports' # <_frozen_importlib_external.SourceFileLoader object at
0x1041fe230>
import 'asyncio.sslproto' # <_frozen_importlib_external.SourceFileLoader object at
0x1041fd480>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/staggered.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/staggered.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/staggered.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/locks.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/locks.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/locks.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/mixins.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/mixins.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/mixins.cpython-310.pyc'
import 'asyncio.mixins' # <_frozen_importlib_external.SourceFileLoader object at 0x1041ff850>
```

```
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/tasks.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/tasks.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/tasks.cpython-310.pyc'
import 'asyncio.tasks' # <_frozen_importlib_external.SourceFileLoader object at 0x1041ff9a0>
import 'asyncio.locks' # <_frozen_importlib_external.SourceFileLoader object at 0x1041feef0>
import 'asyncio.staggered' # <_frozen_importlib_external.SourceFileLoader object at
0x1041fecb0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/trsock.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/trsock.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/trsock.cpython-310.pyc'
import 'asyncio.trsock' # <_frozen_importlib_external.SourceFileLoader object at 0x1042389d0>
import 'asyncio.base_events' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c4850>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/runners.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/runners.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/runners.cpython-310.pyc'
import 'asyncio.runners' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c5ed0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/queues.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/queues.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/queues.cpython-310.pyc'
import 'asyncio.queues' # <_frozen_importlib_external.SourceFileLoader object at
0x104238d30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/streams.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/streams.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/streams.cpython-310.pyc'
import 'asyncio.streams' # <_frozen_importlib_external.SourceFileLoader object at
0x104239300>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/subprocess.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/subprocess.py
```



```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/subprocess.cpython-310.pyc'
import 'asyncio.subprocess' # <_frozen_importlib_external.SourceFileLoader object at
0x104239e40>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/threads.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/threads.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/threads.cpython-310.pyc'
import 'asyncio.threads' # <_frozen_importlib_external.SourceFileLoader object at
0x10423a2c0>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/unix_events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/unix_events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/unix_events.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/base_subprocess.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/base_subprocess.py
```

```
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/base_subprocess.cpython-310.pyc'
import 'asyncio.base_subprocess' # <_frozen_importlib_external.SourceFileLoader object at
0x10423b820>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/__pycache__/selector_events.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/asyncio/selector_events.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/asyncio/__pycache__/selector_events.cpython-310.pyc'
import 'asyncio.selector_events' # <_frozen_importlib_external.SourceFileLoader object at
0x104280100>
import 'asyncio.unix_events' # <_frozen_importlib_external.SourceFileLoader object at
0x10423a380>
import 'asyncio' # <_frozen_importlib_external.SourceFileLoader object at 0x1041c4610>
import 'pip._vendor.tenacity._asyncio' # <_frozen_importlib_external.SourceFileLoader object at
0x1041c41c0>
import 'pip._vendor.tenacity' # <_frozen_importlib_external.SourceFileLoader object at
0x10416d1b0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/locations/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/__init__.py
```

```
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/__init__.cpython-310.pyc'
import 'pip._internal.models' # <_frozen_importlib_external.SourceFileLoader object at
0x1042816f0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/scheme.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/scheme.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/scheme.cpython-310.pyc'
import 'pip._internal.models.scheme' # <_frozen_importlib_external.SourceFileLoader object at
0x104281750>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/virtualenv.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/virtualenv.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/virtualenv.cpython-310.pyc'
import 'pip._internal.utils.virtualenv' # <_frozen_importlib_external.SourceFileLoader object at
0x104281840>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/_sysconfig.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/locations/_sysconfig.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/_sysconfig.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/base.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/locations/base.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/locations/__pycache__/base.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
```

```
python3.10/__pycache__/_sysconfigdata__darwin_darwin.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/_sysconfigdata__darwin_darwin.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_sysconfigdata__darwin_darwin.cpython-310.pyc'
import '_sysconfigdata__darwin_darwin' # <_frozen_importlib_external.SourceFileLoader object
at 0x104281f30>
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/__pycache__/_osx_support.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
python3.10/_osx_support.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/_osx_support.cpython-310.pyc'
import '_osx_support' # <_frozen_importlib_external.SourceFileLoader object at 0x104281fc0>
import 'pip._internal.locations.base' # <_frozen_importlib_external.SourceFileLoader object at
0x104281d50>
import 'pip._internal.locations._sysconfig' # <_frozen_importlib_external.SourceFileLoader object
at 0x104281ae0>
import 'pip._internal.locations' # <_frozen_importlib_external.SourceFileLoader object at
0x10416efe0>
import 'pip._internal.utils.misc' # <_frozen_importlib_external.SourceFileLoader object at
0x10411f910>
import 'pip._internal.utils.logging' # <_frozen_importlib_external.SourceFileLoader object at
0x103f592a0>
import 'pip._internal.configuration' # <_frozen_importlib_external.SourceFileLoader object at
0x10338b1f0>
```

```
import 'pip._internal.cli.parser' # <_frozen_importlib_external.SourceFileLoader object at
0x10335bf40>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/format_control.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/format_control.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/format_control.cpython-310.pyc'
import 'pip._internal.models.format_control' # <_frozen_importlib_external.SourceFileLoader
object at 0x104282d40>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/__pycache__/index.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/index.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/index.cpython-310.pyc'
import 'pip._internal.models.index' # <_frozen_importlib_external.SourceFileLoader object at
0x104282fb0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/target_python.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/target_python.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/target_python.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/compatibility_tags.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/compatibility_tags.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/compatibility_tags.cpython-310.pyc'
import 'pip._internal.utils.compatibility_tags' # <_frozen_importlib_external.SourceFileLoader
object at 0x104283310>
import 'pip._internal.models.target_python' # <_frozen_importlib_external.SourceFileLoader
object at 0x104283160>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/hashes.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/hashes.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/hashes.cpython-310.pyc'
import 'pip._internal.utils.hashes' # <_frozen_importlib_external.SourceFileLoader object at 0x104283b80>
import 'pip._internal.cli.cmdoptions' # <_frozen_importlib_external.SourceFileLoader object at 0x1032c52a0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__pycache__/__init__.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/commands/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/base_command.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/base_command.py
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/__pycache__/base_command.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/logging/__pycache__/config.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/logging/config.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/logging/__pycache__/config.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/socketserver.cpython-310.pyc matches
```

```
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/socketserver.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/python3.10/__pycache__/socketserver.cpython-310.pyc'
import 'socketserver' # <_frozen_importlib_external.SourceFileLoader object at 0x1042dd660>
import 'logging.config' # <_frozen_importlib_external.SourceFileLoader object at 0x1042dccd0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/command_context.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/cli/command_context.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/cli/__pycache__/command_context.cpython-310.pyc'
import 'pip._internal.cli.command_context' # <_frozen_importlib_external.SourceFileLoader
object at 0x1042de650>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/filesystem.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/filesystem.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/filesystem.cpython-310.pyc'
import 'pip._internal.utils.filesystem' # <_frozen_importlib_external.SourceFileLoader object at
0x1042de8c0>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/temp_dir.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/temp_dir.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/temp_dir.cpython-310.pyc'
import 'pip._internal.utils.temp_dir' # <_frozen_importlib_external.SourceFileLoader object at
0x1042dee60>
import 'pip._internal.cli.base_command' # <_frozen_importlib_external.SourceFileLoader object
at 0x1042dc790>
```

```
import 'pip._internal.commands' # <_frozen_importlib_external.SourceFileLoader object at
0x1042dc610>
import 'pip._internal.cli.main_parser' # <_frozen_importlib_external.SourceFileLoader object at
0x103272b00>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/base.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/base.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/metadata/__pycache__/base.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/csv.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/csv.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/csv.cpython-310.pyc'
# extension module '_csv' loaded from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_csv.cpython-310-darwin.so'
# extension module '_csv' executed from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/lib-dynload/_csv.cpython-310-darwin.so'
import '_csv' # <_frozen_importlib_external.ExtensionFileLoader object at 0x10431d690>
import 'csv' # <_frozen_importlib_external.SourceFileLoader object at 0x10431cf40>
```



```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/requirements.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/requirements.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/requirements.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/__init__.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/__init__.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/__init__.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/__pycache__/util.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/util.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/util.cpython-310.pyc'
import 'pip._vendor.pyparsing.util' # <_frozen_importlib_external.SourceFileLoader object at
0x10431e500>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/exceptions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/exceptions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/exceptions.cpython-310.pyc'
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/unicode.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/unicode.cpython-310.pyc'
import 'pip._vendor.pyparsing.unicode' # <_frozen_importlib_external.SourceFileLoader object at
0x10431f400>
import 'pip._vendor.pyparsing.exceptions' # <_frozen_importlib_external.SourceFileLoader
object at 0x10431ed70>
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/actions.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/actions.cpython-310.pyc'
import 'pip._vendor.pyparsing.actions' # <_frozen_importlib_external.SourceFileLoader object at
0x10431f190>

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/core.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/core.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/core.cpython-310.pyc'

# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/results.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/results.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/pyparsing/__pycache__/results.cpython-310.pyc'
#
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/__pycache__/pprint.cpython-310.pyc matches
/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/p
ython3.10/pprint.py
# code object from
'/opt/homebrew/Cellar/python@3.10/3.10.6_2/Frameworks/Python.framework/Versions/3.10/lib/
python3.10/__pycache__/pprint.cpython-310.pyc'
import 'pprint' # <_frozen_importlib_external.SourceFileLoader object at 0x1043c9270>
import 'pip._vendor.pyparsing.results' # <_frozen_importlib_external.SourceFileLoader object at
0x1043c8460>
import 'pip._vendor.pyparsing.core' # <_frozen_importlib_external.SourceFileLoader object at
0x10434c8b0>
```

```
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/helpers.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pyparsing/__pycache__/helpers.cpython-310.pyc'  
import 'pip._vendor.pyparsing.helpers' # <_frozen_importlib_external.SourceFileLoader object at  
0x10434e380>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pyparsing/__pycache__/testing.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/testing.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pyparsing/__pycache__/testing.cpython-310.pyc'  
import 'pip._vendor.pyparsing.testing' # <_frozen_importlib_external.SourceFileLoader object at  
0x104403a30>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pyparsing/__pycache__/common.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/pyparsing/common.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/pyparsing/__pycache__/common.cpython-310.pyc'  
import 'pip._vendor.pyparsing.common' # <_frozen_importlib_external.SourceFileLoader object  
at 0x104403e20>  
  
import 'pip._vendor.pyparsing' # <_frozen_importlib_external.SourceFileLoader object at  
0x10431db70>  
  
# /opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/markers.cpython-310.pyc matches  
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/markers.py  
# code object from '/opt/homebrew/lib/python3.10/site-  
packages/pip/_vendor/packaging/__pycache__/markers.cpython-310.pyc'
```

```
# /opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/specifiers.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_vendor/packaging/specifiers.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_vendor/packaging/__pycache__/specifiers.cpython-310.pyc'
import 'pip._vendor.packaging.specifiers' # <_frozen_importlib_external.SourceFileLoader object
at 0x10452be80>
import 'pip._vendor.packaging.markers' # <_frozen_importlib_external.SourceFileLoader object
at 0x10452b520>
import 'pip._vendor.packaging.requirements' # <_frozen_importlib_external.SourceFileLoader
object at 0x10431d810>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/direct_url.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/models/direct_url.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/models/__pycache__/direct_url.cpython-310.pyc'
import 'pip._internal.models.direct_url' # <_frozen_importlib_external.SourceFileLoader object at
0x104561780>
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/egg_link.cpython-
310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/egg_link.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/egg_link.cpython-310.pyc'
import 'pip._internal.utils.egg_link' # <_frozen_importlib_external.SourceFileLoader object at
0x1045ac6a0>
# /opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/packaging.cpython-310.pyc matches
/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/packaging.py
# code object from '/opt/homebrew/lib/python3.10/site-
packages/pip/_internal/utils/__pycache__/packaging.cpython-310.pyc'
```

```
import 'pip._internal.utils.packaging' # <_frozen_importlib_external.SourceFileLoader object at 0x1045ac820>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/urls.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/urls.py  
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/utils/__pycache__/urls.cpython-310.pyc'
```

```
import 'pip._internal.utils.urls' # <_frozen_importlib_external.SourceFileLoader object at 0x1045acb20>
```

```
# /opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/__pycache__/_json.cpython-310.pyc matches /opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/_json.py  
# code object from '/opt/homebrew/lib/python3.10/site-packages/pip/_internal/metadata/__pycache__/_json.cpython-310.pyc'
```

```
import 'pip._internal.metadata._json' # <_frozen_importlib_external.SourceFileLoader object at 0x1045acc70>
```

```
import 'pip._internal.metadata.base' # <_frozen_importlib_external.SourceFileLoader object at 0x1042df820>
```

```
import 'pip._internal.metadata' # <_frozen_importlib_external.SourceFileLoader object at 0x1042dfd60>
```

```
import 'pip._internal.cli.autocompletion' # <_frozen_importlib_external.SourceFileLoader object at 0x103272470>
```

```
import 'pip._internal.cli.main' # <_frozen_importlib_external.SourceFileLoader object at 0x102c132e0>
```

Usage:

```
pip3 <command> [options]
```

Commands:

install	Install packages.
download	Download packages.

uninstall	Uninstall packages.
freeze	Output installed packages in requirements format.
inspect	Inspect the python environment.
list	List installed packages.
show	Show information about installed packages.
check	Verify installed packages have compatible dependencies.
config	Manage local and global configuration.
search	Search PyPI for packages.
cache	Inspect and manage pip's wheel cache.
index	Inspect information available from package indexes.
wheel	Build wheels from your requirements.
hash	Compute hashes of package archives.
completion	A helper command used for command completion.
debug	Show information useful for debugging.
help	Show help for commands.

General Options:

-h, --help	Show help.
--debug	Let unhandled exceptions propagate outside the main subroutine, instead of logging them to stderr.
--isolated	Run pip in an isolated mode, ignoring environment variables and user configuration.
--require-virtualenv	Allow pip to only run in a virtual environment; exit with an error otherwise.
-v, --verbose	Give more output. Option is additive, and can be used up to 3 times.
-V, --version	Show version and exit.
-q, --quiet	Give less output. Option is additive, and can be used up to 3 times (corresponding to WARNING,

ERROR, and CRITICAL logging levels).

- `--log <path>` Path to a verbose appending log.
- `--no-input` Disable prompting for input.
- `--proxy <proxy>` Specify a proxy in the form
scheme://[user:passwd@]proxy.server:port.
- `--retries <retries>` Maximum number of retries each connection should
attempt (default 5 times).
- `--timeout <sec>` Set the socket timeout (default 15 seconds).
- `--exists-action <action>` Default action when a path already exists:
(s)witch, (i)gnore, (w)ipe, (b)ackup, (a)bort.
- `--trusted-host <hostname>` Mark this host or host:port pair as trusted,
even though it does not have valid or any HTTPS.
- `--cert <path>` Path to PEM-encoded CA certificate bundle. If
provided, overrides the default. See 'SSL
Certificate Verification' in pip documentation
for more information.
- `--client-cert <path>` Path to SSL client certificate, a single file
containing the private key and the certificate
in PEM format.
- `--cache-dir <dir>` Store the cache data in <dir>.
- `--no-cache-dir` Disable the cache.
- `--disable-pip-version-check`
Don't periodically check PyPI to determine
whether a new version of pip is available for
download. Implied with `--no-index`.
- `--no-color` Suppress colored output.
- `--no-python-version-warning`
Silence deprecation warnings for upcoming
unsupported Pythons.
- `--use-feature <feature>` Enable new functionality, that may be backward

incompatible.

--use-deprecated <feature> Enable deprecated functionality, that will be removed in the future.

```
# clear builtins._
# clear sys.path
# clear sys.argv
# clear sys.ps1
# clear sys.ps2
# clear sys.last_type
# clear sys.last_value
# clear sys.last_traceback
# clear sys.path_hooks
# clear sys.path_importer_cache
# clear sys.meta_path
# clear sys.__interactivehook__
# restore sys.stdin
# restore sys.stdout
# restore sys.stderr
# cleanup[2] removing sys
# cleanup[2] removing builtins
# cleanup[2] removing _frozen_importlib
# cleanup[2] removing _imp
# cleanup[2] removing _thread
# cleanup[2] removing _warnings
# cleanup[2] removing _weakref
# cleanup[2] removing _io
# cleanup[2] removing marshal
# cleanup[2] removing posix
# cleanup[2] removing _frozen_importlib_external
# cleanup[2] removing time
```



```
# cleanup[2] removing zipimport
# destroy zipimport
# cleanup[2] removing _codecs
# cleanup[2] removing codecs
# cleanup[2] removing encodings.aliases
# cleanup[2] removing encodings
# cleanup[2] removing encodings.utf_8
# cleanup[2] removing _signal
# cleanup[2] removing _abc
# cleanup[2] removing abc
# cleanup[2] removing io
# cleanup[2] removing __main__
# destroy __main__
# cleanup[2] removing _stat
# cleanup[2] removing stat
# cleanup[2] removing _collections_abc
# cleanup[2] removing genericpath
# cleanup[2] removing posixpath
# cleanup[2] removing os.path
# cleanup[2] removing os
# cleanup[2] removing _sitebuiltins
# cleanup[2] removing _distutils_hack
# destroy _distutils_hack
# cleanup[2] removing types
# cleanup[2] removing enum
# cleanup[2] removing _sre
# cleanup[2] removing sre_constants
# destroy sre_constants
# cleanup[2] removing sre_parse
# cleanup[2] removing sre_compile
```

```
# cleanup[2] removing itertools
# cleanup[2] removing keyword
# cleanup[2] removing _operator
# cleanup[2] removing operator
# cleanup[2] removing reprlib
# cleanup[2] removing _collections
# cleanup[2] removing collections
# cleanup[2] removing _functools
# cleanup[2] removing functools
# cleanup[2] removing _locale
# cleanup[2] removing copyreg
# cleanup[2] removing re
# cleanup[2] removing sitecustomize
# destroy sitecustomize
# cleanup[2] removing site
# cleanup[2] removing token
# cleanup[2] removing tokenize
# cleanup[2] removing linecache
# cleanup[2] removing traceback
# cleanup[2] removing collections.abc
# cleanup[2] removing contextlib
# cleanup[2] removing typing
# cleanup[2] removing pip
# cleanup[2] removing pip._internal.utils
# cleanup[2] removing _socket
# cleanup[2] removing _ssl
# cleanup[2] removing math
# cleanup[2] removing select
# cleanup[2] removing selectors
# cleanup[2] removing errno
```

```
# cleanup[2] removing array
# cleanup[2] removing socket
# cleanup[2] removing _struct
# cleanup[2] removing struct
# cleanup[2] removing binascii
# cleanup[2] removing base64
# cleanup[2] removing warnings
# cleanup[2] removing ssl
# cleanup[2] removing pip._internal.utils.inject_securetransport
# cleanup[2] removing _weakrefset
# destroy _weakrefset
# cleanup[2] removing weakref
# cleanup[2] removing _string
# cleanup[2] removing string
# cleanup[2] removing threading
# cleanup[2] removing atexit
# cleanup[2] removing logging
# cleanup[2] removing pip._internal.utils._log
# cleanup[2] removing pip._internal
# cleanup[2] removing pip._internal.cli
# cleanup[2] removing locale
# cleanup[2] removing textwrap
# cleanup[2] removing gettext
# destroy gettext
# cleanup[2] removing optparse
# cleanup[2] removing importlib._bootstrap
# cleanup[2] removing importlib._bootstrap_external
# cleanup[2] removing importlib
# cleanup[2] removing importlib._abc
# cleanup[2] removing importlib.util
```

```
# cleanup[2] removing __future__
# destroy __future__
# cleanup[2] removing fnmatch
# cleanup[2] removing glob
# cleanup[2] removing pip._vendor
# cleanup[2] removing pip._vendor.packaging.__about__
# cleanup[2] removing pip._vendor.packaging
# cleanup[2] removing signal
# cleanup[2] removing fcntl
# cleanup[2] removing _posixsubprocess
# cleanup[2] removing subprocess
# cleanup[2] removing platform
# cleanup[2] removing sysconfig
# cleanup[2] removing importlib.machinery
# cleanup[2] removing pip._vendor.packaging._manylinux
# cleanup[2] removing pip._vendor.packaging._musllinux
# cleanup[2] removing pip._vendor.packaging.tags
# cleanup[2] removing pip._vendor.packaging._structures
# cleanup[2] removing pip._vendor.packaging.version
# cleanup[2] removing pip._vendor.packaging.utils
# cleanup[2] removing zlib
# cleanup[2] removing _compression
# cleanup[2] removing _bz2
# cleanup[2] removing bz2
# cleanup[2] removing _lzma
# cleanup[2] removing lzma
# cleanup[2] removing shutil
# cleanup[2] removing pip._internal.cli.status_codes
# cleanup[2] removing configparser
# cleanup[2] removing pip._vendor.urllib3.packages
```

```
# cleanup[2] removing pip._vendor.urllib3.packages.six
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves
# cleanup[2] removing http
# cleanup[2] removing email
# cleanup[2] removing email.errors
# cleanup[2] removing email.quoprimime
# cleanup[2] removing email.base64mime
# cleanup[2] removing quopri
# cleanup[2] removing email.encoders
# cleanup[2] removing email.charset
# cleanup[2] removing email.header
# cleanup[2] removing _bisect
# cleanup[2] removing bisect
# cleanup[2] removing _random
# cleanup[2] removing _sha512
# cleanup[2] removing random
# cleanup[2] removing _datetime
# cleanup[2] removing datetime
# cleanup[2] removing urllib
# cleanup[2] removing urllib.parse
# cleanup[2] removing calendar
# cleanup[2] removing email._parseaddr
# cleanup[2] removing email.utils
# cleanup[2] removing email._policybase
# cleanup[2] removing email.feedparser
# cleanup[2] removing email.parser
# cleanup[2] removing uu
# cleanup[2] removing email._encoded_words
# cleanup[2] removing email.iterators
# cleanup[2] removing email.message
```

```
# cleanup[2] removing http.client
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves.http_client
# cleanup[2] removing pip._vendor.urllib3.exceptions
# cleanup[2] removing pip._vendor.urllib3._version
# cleanup[2] removing pip._vendor.urllib3.contrib
# cleanup[2] removing pip._vendor.urllib3.contrib._appengine_environ
# cleanup[2] removing pip._vendor.urllib3.util.wait
# cleanup[2] removing pip._vendor.urllib3.util.connection
# cleanup[2] removing pip._vendor.urllib3.util.request
# cleanup[2] removing pip._vendor.urllib3.util.response
# cleanup[2] removing pip._vendor.urllib3.util.retry
# cleanup[2] removing _hashlib
# cleanup[2] removing _blake2
# cleanup[2] removing hashlib
# cleanup[2] removing hmac
# cleanup[2] removing pip._vendor.urllib3.util.url
# cleanup[2] removing pip._vendor.urllib3.util.ssltransport
# cleanup[2] removing pip._vendor.urllib3.util.ssl_
# cleanup[2] removing pip._vendor.urllib3.util.timeout
# cleanup[2] removing pip._vendor.urllib3.util
# cleanup[2] removing pip._vendor.urllib3.util.proxy
# cleanup[2] removing pip._vendor.urllib3._collections
# cleanup[2] removing ipaddress
# cleanup[2] removing pip._vendor.urllib3.util.ssl_match_hostname
# cleanup[2] removing pip._vendor.urllib3.connection
# cleanup[2] removing _heapq
# cleanup[2] removing heapq
# cleanup[2] removing _queue
# cleanup[2] removing queue
# cleanup[2] removing mimetypes
```

```
# cleanup[2] removing pip._vendor.urllib3.fields
# cleanup[2] removing pip._vendor.urllib3.filepost
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves.urllib
# cleanup[2] removing pip._vendor.urllib3.packages.six.moves.urllib.parse
# cleanup[2] removing pip._vendor.urllib3.request
# cleanup[2] removing pip._vendor.urllib3.response
# cleanup[2] removing pip._vendor.urllib3.util.queue
# cleanup[2] removing pip._vendor.urllib3.connectionpool
# cleanup[2] removing pip._vendor.urllib3.poolmanager
# cleanup[2] removing pip._vendor.urllib3
# cleanup[2] removing pip._vendor.chardet.enums
# cleanup[2] removing pip._vendor.chardet.charsetprober
# cleanup[2] removing pip._vendor.chardet.charsetgroupprober
# cleanup[2] removing pip._vendor.chardet.codingstatemachine
# cleanup[2] removing pip._vendor.chardet.escsm
# cleanup[2] removing pip._vendor.chardet.escprober
# cleanup[2] removing pip._vendor.chardet.latin1prober
# cleanup[2] removing pip._vendor.chardet.big5freq
# cleanup[2] removing pip._vendor.chardet.euckrfreq
# cleanup[2] removing pip._vendor.chardet.euctwfreq
# cleanup[2] removing pip._vendor.chardet.gb2312freq
# cleanup[2] removing pip._vendor.chardet.jisfreq
# cleanup[2] removing pip._vendor.chardet.johabfreq
# cleanup[2] removing pip._vendor.chardet.chardistribution
# cleanup[2] removing pip._vendor.chardet.mbcharsetprober
# cleanup[2] removing pip._vendor.chardet.mbcssm
# cleanup[2] removing pip._vendor.chardet.big5prober
# cleanup[2] removing pip._vendor.chardet.cp949prober
# cleanup[2] removing pip._vendor.chardet.jpcntx
# cleanup[2] removing pip._vendor.chardet.eucjpprober
```

```
# cleanup[2] removing pip._vendor.chardet.euckrprober
# cleanup[2] removing pip._vendor.chardet.euctwprober
# cleanup[2] removing pip._vendor.chardet.gb2312prober
# cleanup[2] removing pip._vendor.chardet.johabprober
# cleanup[2] removing pip._vendor.chardet.sjisprober
# cleanup[2] removing pip._vendor.chardet.utf8prober
# cleanup[2] removing pip._vendor.chardet.mbcsgroupprober
# cleanup[2] removing pip._vendor.chardet.hebrewprober
# cleanup[2] removing pip._vendor.chardet.sbcharsetprober
# cleanup[2] removing pip._vendor.chardet.langbulgarianmodel
# cleanup[2] removing pip._vendor.chardet.langgreekmodel
# cleanup[2] removing pip._vendor.chardet.langhebrewmodel
# cleanup[2] removing pip._vendor.chardet.langrussianmodel
# cleanup[2] removing pip._vendor.chardet.langthaimodel
# cleanup[2] removing pip._vendor.chardet.langturkishmodel
# cleanup[2] removing pip._vendor.chardet.sbcsgroupprober
# cleanup[2] removing pip._vendor.chardet.utf1632prober
# cleanup[2] removing pip._vendor.chardet.universaldetector
# cleanup[2] removing pip._vendor.chardet.version
# cleanup[2] removing pip._vendor.chardet
# cleanup[2] removing _json
# cleanup[2] removing json.scanner
# cleanup[2] removing json.decoder
# cleanup[2] removing json.encoder
# cleanup[2] removing json
# cleanup[2] removing copy
# cleanup[2] removing tempfile
# cleanup[2] removing urllib.response
# cleanup[2] removing urllib.error
# cleanup[2] removing _sproxy
```



```
# cleanup[2] removing urllib.request
# cleanup[2] removing http.cookiejar
# cleanup[2] removing http.cookies
# cleanup[2] removing pip._vendor.requests.compat
# cleanup[2] removing pip._vendor.requests.exceptions
# cleanup[2] removing pip._internal.utils.compat
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves.http_client
# cleanup[2] removing pip._vendor.requests.packages.urllib3.exceptions
# cleanup[2] removing pip._vendor.requests.packages.urllib3._version
# cleanup[2] removing pip._vendor.requests.packages.urllib3.contrib
# cleanup[2] removing pip._vendor.requests.packages.urllib3.contrib._appengine_environ
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.wait
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.connection
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.request
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.response
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.retry
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.url
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.ssltransport
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.ssl_
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.timeout
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.proxy
# cleanup[2] removing pip._vendor.requests.packages.urllib3._collections
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.ssl_match_hostname
# cleanup[2] removing pip._vendor.requests.packages.urllib3.connection
# cleanup[2] removing pip._vendor.requests.packages.urllib3.fields
# cleanup[2] removing pip._vendor.requests.packages.urllib3.filepost
```

```
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves.urllib
# cleanup[2] removing pip._vendor.requests.packages.urllib3.packages.six.moves.urllib.parse
# cleanup[2] removing pip._vendor.requests.packages.urllib3.request
# cleanup[2] removing pip._vendor.requests.packages.urllib3.response
# cleanup[2] removing pip._vendor.requests.packages.urllib3.util.queue
# cleanup[2] removing pip._vendor.requests.packages.urllib3.connectionpool
# cleanup[2] removing pip._vendor.requests.packages.urllib3.poolmanager
# cleanup[2] removing pip._vendor.requests.packages.urllib3
# cleanup[2] removing pip._vendor.idna.package_data
# cleanup[2] removing pip._vendor.idna.idnadata
# cleanup[2] removing unicodedata
# cleanup[2] removing pip._vendor.idna.intranges
# cleanup[2] removing pip._vendor.idna.core
# cleanup[2] removing pip._vendor.idna
# cleanup[2] removing pip._vendor.requests.packages.idna.package_data
# cleanup[2] removing pip._vendor.requests.packages.idna.idnadata
# cleanup[2] removing pip._vendor.requests.packages.idna.intranges
# cleanup[2] removing pip._vendor.requests.packages.idna.core
# cleanup[2] removing pip._vendor.requests.packages.idna
# cleanup[2] removing pip._vendor.requests.packages.chardet.enums
# cleanup[2] removing pip._vendor.requests.packages.chardet.charsetprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.charsetgroupprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.codingstatemachine
# cleanup[2] removing pip._vendor.requests.packages.chardet.escsm
# cleanup[2] removing pip._vendor.requests.packages.chardet.escprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.latin1prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.big5freq
# cleanup[2] removing pip._vendor.requests.packages.chardet.euckrfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.euctwfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.gb2312freq
```

```
# cleanup[2] removing pip._vendor.requests.packages.chardet.jisfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.johabfreq
# cleanup[2] removing pip._vendor.requests.packages.chardet.chardistribution
# cleanup[2] removing pip._vendor.requests.packages.chardet.mbcharsetprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.mbcssm
# cleanup[2] removing pip._vendor.requests.packages.chardet.big5prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.cp949prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.jpctx
# cleanup[2] removing pip._vendor.requests.packages.chardet.eucjpprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.euckrprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.euctwprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.gb2312prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.johabprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.sjisprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.utf8prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.mbcsgroupprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.hebrewprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.sbcharsetprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.langbulgarianmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langgreekmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langhebrewmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langrussianmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langthaimodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.langturkishmodel
# cleanup[2] removing pip._vendor.requests.packages.chardet.sbcsgroupprober
# cleanup[2] removing pip._vendor.requests.packages.chardet.utf1632prober
# cleanup[2] removing pip._vendor.requests.packages.chardet.universaldetector
# cleanup[2] removing pip._vendor.requests.packages.chardet.version
# cleanup[2] removing pip._vendor.requests.packages.chardet
# cleanup[2] removing pip._vendor.requests.packages
```

```
# cleanup[2] removing ntpath
# cleanup[2] removing pathlib
# cleanup[2] removing zipfile
# cleanup[2] removing importlib.abc
# cleanup[2] removing importlib._adapters
# cleanup[2] removing importlib._common
# cleanup[2] removing importlib.resources
# cleanup[2] removing pip._vendor.certifi.core
# cleanup[2] removing pip._vendor.certifi
# cleanup[2] removing pip._vendor.requests.certs
# cleanup[2] removing pip._vendor.requests.__version__
# destroy pip._vendor.requests.__version__
# cleanup[2] removing pip._vendor.requests._internal_utils
# cleanup[2] removing pip._vendor.requests.cookies
# cleanup[2] removing pip._vendor.requests.structures
# cleanup[2] removing importlib.readers
# cleanup[2] removing pip._vendor.requests.utils
# cleanup[2] removing pip._vendor.requests.auth
# cleanup[2] removing stringprep
# cleanup[2] removing encodings.idna
# cleanup[2] removing pip._vendor.requests.hooks
# cleanup[2] removing pip._vendor.requests.status_codes
# cleanup[2] removing pip._vendor.requests.models
# cleanup[2] removing pip._vendor.requests.adapters
# cleanup[2] removing pip._vendor.requests.sessions
# cleanup[2] removing pip._vendor.requests.api
# cleanup[2] removing pip._vendor.requests
# cleanup[2] removing pip._vendor.rich._extension
# cleanup[2] removing pip._vendor.rich
# cleanup[2] removing _ast
```

```
# destroy _ast
# cleanup[2] removing ast
# cleanup[2] removing _opcode
# cleanup[2] removing opcode
# destroy opcode
# cleanup[2] removing dis
# cleanup[2] removing inspect
# cleanup[2] removing dataclasses
# cleanup[2] removing termios
# cleanup[2] removing getpass
# cleanup[2] removing html.entities
# cleanup[2] removing html
# cleanup[2] removing pip._vendor.rich.errors
# cleanup[2] removing colorsys
# destroy colorsys
# cleanup[2] removing pip._vendor.rich.color_triplet
# cleanup[2] removing pip._vendor.rich.palette
# cleanup[2] removing pip._vendor.rich._palettes
# cleanup[2] removing pip._vendor.rich.repr
# cleanup[2] removing pip._vendor.rich.terminal_theme
# cleanup[2] removing pip._vendor.rich.color
# cleanup[2] removing pip._vendor.rich.style
# cleanup[2] removing pip._vendor.rich.default_styles
# cleanup[2] removing pip._vendor.rich.theme
# cleanup[2] removing pip._vendor.rich.themes
# cleanup[2] removing pip._vendor.rich._emoji_codes
# cleanup[2] removing pip._vendor.rich._emoji_replace
# cleanup[2] removing pip._vendor.rich._export_format
# cleanup[2] removing pip._vendor.rich._loop
# cleanup[2] removing pip._vendor.rich._pick
```

```
# cleanup[2] removing pip._vendor.rich._cell_widths
# cleanup[2] removing pip._vendor.rich.cells
# cleanup[2] removing pip._vendor.rich._wrap
# cleanup[2] removing pip._vendor.rich.segment
# cleanup[2] removing pip._vendor.rich.jupyter
# cleanup[2] removing pip._vendor.rich.protocol
# cleanup[2] removing pip._vendor.rich.measure
# cleanup[2] removing pip._vendor.rich.constrain
# cleanup[2] removing pip._vendor.rich.align
# cleanup[2] removing pip._vendor.rich.containers
# cleanup[2] removing pip._vendor.rich.control
# cleanup[2] removing pip._vendor.rich.emoji
# cleanup[2] removing pip._vendor.rich.text
# cleanup[2] removing pip._vendor.rich._log_render
# cleanup[2] removing pip._vendor.rich.highlighter
# cleanup[2] removing pip._vendor.rich.markup
# cleanup[2] removing pip._vendor.rich.pager
# cleanup[2] removing pip._vendor.rich.abc
# cleanup[2] removing pip._vendor.rich.pretty
# cleanup[2] removing pip._vendor.rich.region
# cleanup[2] removing pip._vendor.rich.box
# cleanup[2] removing pip._vendor.rich.padding
# cleanup[2] removing pip._vendor.rich.panel
# cleanup[2] removing numbers
# cleanup[2] removing _decimal
# cleanup[2] removing decimal
# destroy decimal
# cleanup[2] removing fractions
# destroy fractions
# cleanup[2] removing pip._vendor.rich._ratio
```

```
# cleanup[2] removing pip._vendor.rich.table
# cleanup[2] removing pip._vendor.rich.scope
# cleanup[2] removing pip._vendor.rich.screen
# cleanup[2] removing pip._vendor.rich.styled
# cleanup[2] removing pip._vendor.rich.console
# cleanup[2] removing pip._internal.exceptions
# cleanup[2] removing pip._vendor.platformdirs.api
# cleanup[2] removing pip._vendor.platformdirs.version
# cleanup[2] removing pip._vendor.platformdirs.macos
# cleanup[2] removing pip._vendor.platformdirs
# cleanup[2] removing pip._internal.utils.appdirs
# cleanup[2] removing _compat_pickle
# cleanup[2] removing _pickle
# cleanup[2] removing pickle
# cleanup[2] removing logging.handlers
# cleanup[2] removing pip._vendor.pygments
# cleanup[2] removing pip._vendor.pygments.lexers._mapping
# cleanup[2] removing pip._vendor.pygments.modeline
# cleanup[2] removing pip._vendor.pygments.plugin
# cleanup[2] removing pip._vendor.pygments.util
# cleanup[2] removing pip._vendor.pygments.lexers
# cleanup[2] removing pip._vendor.pygments.token
# cleanup[2] removing pip._vendor.rich.columns
# cleanup[2] removing pip._vendor.pygments.filter
# cleanup[2] removing pip._vendor.pygments.filters
# cleanup[2] removing pip._vendor.pygments.regexopt
# cleanup[2] removing pip._vendor.pygments.lexer
# cleanup[2] removing pip._vendor.pygments.style
# cleanup[2] removing pip._vendor.pygments.styles
# cleanup[2] removing pip._vendor.rich.syntax
```

```
# cleanup[2] removing pip._vendor.rich.traceback
# cleanup[2] removing pip._vendor.rich.logging
# cleanup[2] removing pip._internal.utils.deprecation
# cleanup[2] removing pip._vendor.tomli._types
# cleanup[2] removing pip._vendor.tomli._re
# cleanup[2] removing pip._vendor.tomli._parser
# cleanup[2] removing pip._vendor.tomli
# cleanup[2] removing pip._vendor.pep517.compat
# cleanup[2] removing pip._vendor.pep517.in_process
# cleanup[2] removing pip._vendor.pep517.wrappers
# cleanup[2] removing pip._vendor.pep517
# cleanup[2] removing concurrent
# cleanup[2] removing concurrent.futures._base
# cleanup[2] removing concurrent.futures
# cleanup[2] removing pip._vendor.tenacity.retry
# destroy pip._vendor.tenacity.retry
# cleanup[2] removing pip._vendor.tenacity.nap
# cleanup[2] removing pip._vendor.tenacity.stop
# cleanup[2] removing pip._vendor.tenacity._utils
# cleanup[2] removing pip._vendor.tenacity.wait
# cleanup[2] removing pip._vendor.tenacity.before
# cleanup[2] removing pip._vendor.tenacity.after
# cleanup[2] removing pip._vendor.tenacity.before_sleep
# cleanup[2] removing asyncio.constants
# cleanup[2] removing asyncio.format_helpers
# cleanup[2] removing asyncio.base_futures
# cleanup[2] removing asyncio.log
# cleanup[2] removing asyncio.coroutines
# cleanup[2] removing _contextvars
# cleanup[2] removing contextvars
```



```
# cleanup[2] removing asyncio.exceptions
# cleanup[2] removing asyncio.base_tasks
# cleanup[2] removing _asyncio
# cleanup[2] removing asyncio.events
# cleanup[2] removing asyncio.futures
# cleanup[2] removing asyncio.protocols
# cleanup[2] removing asyncio.transports
# cleanup[2] removing asyncio.sslproto
# cleanup[2] removing asyncio.mixins
# cleanup[2] removing asyncio.tasks
# cleanup[2] removing asyncio.locks
# cleanup[2] removing asyncio.staggered
# cleanup[2] removing asyncio.trsock
# cleanup[2] removing asyncio.base_events
# cleanup[2] removing asyncio.runners
# cleanup[2] removing asyncio.queues
# cleanup[2] removing asyncio.streams
# cleanup[2] removing asyncio.subprocess
# cleanup[2] removing asyncio.threads
# cleanup[2] removing asyncio.base_subprocess
# cleanup[2] removing asyncio.selector_events
# cleanup[2] removing asyncio.unix_events
# cleanup[2] removing asyncio
# cleanup[2] removing pip._vendor.tenacity._asyncio
# cleanup[2] removing pip._vendor.tenacity
# cleanup[2] removing pip._internal.models
# cleanup[2] removing pip._internal.models.scheme
# cleanup[2] removing pip._internal.utils.virtualenv
# cleanup[2] removing _sysconfigdata__darwin_darwin
# destroy _sysconfigdata__darwin_darwin
```

```
# cleanup[2] removing _osx_support
# destroy _osx_support
# cleanup[2] removing pip._internal.locations.base
# cleanup[2] removing pip._internal.locations._sysconfig
# cleanup[2] removing pip._internal.locations
# cleanup[2] removing pip._internal.utils.misc
# cleanup[2] removing pip._internal.utils.logging
# cleanup[2] removing pip._internal.configuration
# cleanup[2] removing pip._internal.cli.parser
# cleanup[2] removing pip._internal.models.format_control
# cleanup[2] removing pip._internal.models.index
# cleanup[2] removing pip._internal.utils.compatibility_tags
# cleanup[2] removing pip._internal.models.target_python
# cleanup[2] removing pip._internal.utils.hashes
# cleanup[2] removing pip._internal.cli.cmdoptions
# cleanup[2] removing socketserver
# destroy socketserver
# cleanup[2] removing logging.config
# cleanup[2] removing pip._internal.cli.command_context
# cleanup[2] removing pip._internal.utils.filesystem
# cleanup[2] removing pip._internal.utils.temp_dir
# cleanup[2] removing pip._internal.cli.base_command
# cleanup[2] removing pip._internal.commands
# cleanup[2] removing pip._internal.cli.main_parser
# cleanup[2] removing _csv
# cleanup[2] removing csv
# cleanup[2] removing pip._vendor.pyparsing.util
# cleanup[2] removing pip._vendor.pyparsing.unicode
# destroy pip._vendor.pyparsing.unicode
# cleanup[2] removing pip._vendor.pyparsing.exceptions
```

```
# cleanup[2] removing pip._vendor.pyparsing.actions
# cleanup[2] removing pprint
# cleanup[2] removing pip._vendor.pyparsing.results
# cleanup[2] removing pip._vendor.pyparsing.core
# cleanup[2] removing pip._vendor.pyparsing.helpers
# cleanup[2] removing pip._vendor.pyparsing.testing
# destroy pip._vendor.pyparsing.testing
# cleanup[2] removing pip._vendor.pyparsing.common
# destroy pip._vendor.pyparsing.common
# cleanup[2] removing pip._vendor.pyparsing
# cleanup[2] removing pip._vendor.packaging.specifiers
# cleanup[2] removing pip._vendor.packaging.markers
# cleanup[2] removing pip._vendor.packaging.requirements
# cleanup[2] removing pip._internal.models.direct_url
# cleanup[2] removing pip._internal.utils.egg_link
# cleanup[2] removing pip._internal.utils.packaging
# cleanup[2] removing pip._internal.utils.urls
# cleanup[2] removing pip._internal.metadata._json
# cleanup[2] removing pip._internal.metadata.base
# cleanup[2] removing pip._internal.metadata
# cleanup[2] removing pip._internal.cli.autocompletion
# cleanup[2] removing pip._internal.cli.main
# destroy pip._internal
# destroy pip._vendor
# destroy pip._internal.utils
# destroy pip._internal.utils.inject_securetransport
# destroy pip._internal.utils.compat
# destroy pip._internal.utils.virtualenv
# destroy pip._internal.utils.misc
# destroy pip._internal.utils.logging
```

```
# destroy pip._internal.utils.compatibility_tags
# destroy pip._internal.utils.hashes
# destroy pip._internal.utils.filesystem
# destroy pip._internal.utils.temp_dir
# destroy pip._internal.utils.egg_link
# destroy pip._internal.utils.packaging
# destroy pip._internal.utils.urls
# destroy pip._internal.utils._log
# destroy pip._internal.cli
# destroy pip._internal.cli.status_codes
# destroy pip._internal.cli.parser
# destroy pip._internal.cli.command_context
# destroy pip._internal.cli.base_command
# destroy pip._internal.cli.main_parser
# destroy pip._internal.cli.autocompletion
# destroy pip._internal.cli.main
# destroy pip._internal.exceptions
# destroy pip._internal.models
# destroy pip._internal.models.scheme
# destroy pip._internal.models.format_control
# destroy pip._internal.models.index
# destroy pip._internal.models.target_python
# destroy pip._internal.models.direct_url
# destroy pip._internal.locations
# destroy pip._internal.configuration
# destroy pip._internal.commands
# destroy pip._internal.metadata
# destroy pip._internal.utils.deprecation
# destroy glob
# destroy pip._vendor.packaging
```

```
# destroy pip._vendor.packaging.__about__
# destroy pip._vendor.packaging.tags
# destroy pip._vendor.packaging._structures
# destroy pip._vendor.packaging.utils
# destroy pip._vendor.packaging.markers
# destroy pip._vendor.packaging.requirements
# destroy pip._vendor.idna
# destroy pip._vendor.idna.package_data
# destroy pip._vendor.idna.intranges
# destroy pip._vendor.idna.core
# destroy pip._vendor.certifi
# destroy pip._vendor.certifi.core
# destroy pip._vendor.requests
# destroy pip._vendor.rich
# destroy pip._vendor.pygments
# destroy pip._vendor.tomli
# destroy pip._vendor.tomli._types
# destroy pip._vendor.tomli._re
# destroy pip._vendor.tomli._parser
# destroy pip._vendor.pep517
# destroy pip._vendor.pep517.in_process
# destroy pip._vendor.pep517.wrappers
# destroy pip._vendor.tenacity
# destroy pip._vendor.pyparsing
# destroy pip._vendor.urllib3
# destroy pip._vendor.requests.compat
# destroy pip._vendor.requests.exceptions
# destroy pip._vendor.requests.packages
# destroy pip
# destroy pip._vendor.requests._internal_utils
```

```
# destroy pip._vendor.requests.cookies
# destroy pip._vendor.requests.structures
# destroy pip._vendor.requests.utils
# destroy pip._vendor.requests.auth
# destroy pip._vendor.requests.hooks
# destroy pip._vendor.requests.status_codes
# destroy pip._vendor.requests.models
# destroy pip._vendor.requests.adapters
# destroy pip._vendor.requests.api
# destroy pip._vendor.urllib3.packages
# destroy pip._vendor.urllib3.exceptions
# destroy pip._vendor.urllib3._version
# destroy pip._vendor.urllib3.contrib
# destroy pip._vendor.urllib3.util
# destroy pip._vendor.urllib3.util.wait
# destroy pip._vendor.urllib3.util.request
# destroy pip._vendor.urllib3.util.response
# destroy pip._vendor.urllib3.util.retry
# destroy pip._vendor.urllib3.util.url
# destroy pip._vendor.urllib3.util.ssltransport
# destroy pip._vendor.urllib3.util.ssl_
# destroy pip._vendor.urllib3.util.timeout
# destroy pip._vendor.urllib3.util.proxy
# destroy pip._vendor.urllib3.util.ssl_match_hostname
# destroy pip._vendor.urllib3.util.queue
# destroy pip._vendor.urllib3._collections
# destroy pip._vendor.urllib3.connection
# destroy pip._vendor.urllib3.fields
# destroy pip._vendor.urllib3.filepost
# destroy pip._vendor.urllib3.request
```

```
# destroy pip._vendor.urllib3.response
# destroy pip._vendor.urllib3.connectionpool
# destroy pip._vendor.urllib3.poolmanager
# destroy pip._vendor.urllib3.util.connection
# destroy pip._vendor.urllib3.contrib._appengine_environ
# destroy hmac
# destroy ipaddress
# destroy pip._vendor.idna.idnadata
# destroy unicodedata
# destroy pip._vendor.requests.sessions
# destroy pip._vendor.pygments.modeline
# destroy pip._vendor.pygments.plugin
# destroy pip._vendor.pygments.util
# destroy pip._vendor.pygments.token
# destroy pip._vendor.pygments.filter
# destroy pip._vendor.pygments.filters
# destroy pip._vendor.pygments.regexopt
# destroy pip._vendor.pygments.lexer
# destroy pip._vendor.pygments.style
# destroy pip._vendor.pygments.styles
# destroy pip._internal.locations.base
# destroy pip._internal.locations._sysconfig
# destroy optparse
# destroy pip._internal.cli.cmdoptions
# destroy pip._internal.metadata._json
# destroy pip._internal.metadata.base
# destroy pip._vendor.pyparsing.util
# destroy pip._vendor.pyparsing.exceptions
# destroy pip._vendor.pyparsing.actions
# destroy pip._vendor.pyparsing.results
```

```
# destroy pip._vendor.pyparsing.core
# destroy pip._vendor.pyparsing.helpers
# cleanup[3] wiping pip._vendor.packaging.specifiers
# cleanup[3] wiping pprint
# cleanup[3] wiping csv
# cleanup[3] wiping _csv
# cleanup[3] wiping logging.config
# cleanup[3] wiping pip._vendor.tenacity._asyncio
# cleanup[3] wiping asyncio
# destroy asyncio.log
# destroy asyncio.runners
# destroy asyncio.queues
# destroy asyncio.subprocess
# destroy asyncio.threads
# destroy asyncio.unix_events
# cleanup[3] wiping asyncio.selector_events
# cleanup[3] wiping asyncio.base_subprocess
# cleanup[3] wiping asyncio.streams
# cleanup[3] wiping asyncio.base_events
# destroy asyncio.sslproto
# destroy asyncio.staggered
# destroy asyncio.trsock
# cleanup[3] wiping asyncio.locks
# cleanup[3] wiping asyncio.tasks
# destroy asyncio.base_tasks
# cleanup[3] wiping asyncio.mixins
# cleanup[3] wiping asyncio.transports
# cleanup[3] wiping asyncio.protocols
# cleanup[3] wiping asyncio.futures
# destroy concurrent
```



```
# cleanup[3] wiping asyncio.events
# cleanup[3] wiping _asyncio
# cleanup[3] wiping asyncio.exceptions
# cleanup[3] wiping contextvars
# cleanup[3] wiping _contextvars
# destroy _contextvars
# cleanup[3] wiping asyncio.coroutines
# cleanup[3] wiping asyncio.base_futures
# destroy asyncio.format_helpers
# cleanup[3] wiping asyncio.constants
# cleanup[3] wiping pip._vendor.tenacity.before_sleep
# cleanup[3] wiping pip._vendor.tenacity.after
# cleanup[3] wiping pip._vendor.tenacity.before
# cleanup[3] wiping pip._vendor.tenacity.wait
# cleanup[3] wiping pip._vendor.tenacity._utils
# cleanup[3] wiping pip._vendor.tenacity.stop
# cleanup[3] wiping pip._vendor.tenacity.nap
# cleanup[3] wiping concurrent.futures
# destroy concurrent.futures._base
# cleanup[3] wiping pip._vendor.pep517.compat
# cleanup[3] wiping pip._vendor.rich.logging
# cleanup[3] wiping pip._vendor.rich.traceback
# cleanup[3] wiping pip._vendor.rich.syntax
# cleanup[3] wiping pip._vendor.rich.columns
# cleanup[3] wiping pip._vendor.pygments.lexers
# cleanup[3] wiping pip._vendor.pygments.lexers._mapping
# cleanup[3] wiping logging.handlers
# destroy pickle
# cleanup[3] wiping _pickle
# cleanup[3] wiping _compat_pickle
```

```
# cleanup[3] wiping pip._internal.utils.appdirs
# destroy pip._vendor.platformdirs
# cleanup[3] wiping pip._vendor.platformdirs.macos
# cleanup[3] wiping pip._vendor.platformdirs.version
# cleanup[3] wiping pip._vendor.platformdirs.api
# cleanup[3] wiping pip._vendor.rich.console
# cleanup[3] wiping pip._vendor.rich.styled
# cleanup[3] wiping pip._vendor.rich.screen
# cleanup[3] wiping pip._vendor.rich.scope
# cleanup[3] wiping pip._vendor.rich.table
# cleanup[3] wiping pip._vendor.rich._ratio
# cleanup[3] wiping _decimal
# cleanup[3] wiping numbers
# cleanup[3] wiping pip._vendor.rich.panel
# cleanup[3] wiping pip._vendor.rich.padding
# cleanup[3] wiping pip._vendor.rich.box
# cleanup[3] wiping pip._vendor.rich.region
# cleanup[3] wiping pip._vendor.rich.pretty
# destroy dataclasses
# cleanup[3] wiping pip._vendor.rich.abc
# cleanup[3] wiping pip._vendor.rich.pager
# cleanup[3] wiping pip._vendor.rich.markup
# cleanup[3] wiping pip._vendor.rich.highlighter
# cleanup[3] wiping pip._vendor.rich._log_render
# cleanup[3] wiping pip._vendor.rich.text
# cleanup[3] wiping pip._vendor.rich.emoji
# cleanup[3] wiping pip._vendor.rich.control
# cleanup[3] wiping pip._vendor.rich.containers
# cleanup[3] wiping pip._vendor.rich.align
# cleanup[3] wiping pip._vendor.rich.constrain
```

```
# cleanup[3] wiping pip._vendor.rich.measure
# cleanup[3] wiping pip._vendor.rich.protocol
# cleanup[3] wiping pip._vendor.rich.jupyter
# cleanup[3] wiping pip._vendor.rich.segment
# cleanup[3] wiping pip._vendor.rich._wrap
# cleanup[3] wiping pip._vendor.rich.cells
# cleanup[3] wiping pip._vendor.rich._cell_widths
# cleanup[3] wiping pip._vendor.rich._pick
# cleanup[3] wiping pip._vendor.rich._loop
# cleanup[3] wiping pip._vendor.rich._export_format
# cleanup[3] wiping pip._vendor.rich._emoji_replace
# cleanup[3] wiping pip._vendor.rich._emoji_codes
# cleanup[3] wiping pip._vendor.rich.themes
# cleanup[3] wiping pip._vendor.rich.theme
# cleanup[3] wiping pip._vendor.rich.default_styles
# cleanup[3] wiping pip._vendor.rich.style
# cleanup[3] wiping pip._vendor.rich.color
# cleanup[3] wiping pip._vendor.rich.terminal_theme
# cleanup[3] wiping pip._vendor.rich.repr
# cleanup[3] wiping pip._vendor.rich._palettes
# cleanup[3] wiping pip._vendor.rich.palette
# cleanup[3] wiping pip._vendor.rich.color_triplet
# cleanup[3] wiping pip._vendor.rich.errors
# cleanup[3] wiping html
# destroy html.entities
# cleanup[3] wiping getpass
# cleanup[3] wiping termios
# destroy termios
# cleanup[3] wiping inspect
# destroy ast
```

```
# destroy dis
# destroy token
# cleanup[3] wiping _opcode
# cleanup[3] wiping pip._vendor.rich._extension
# cleanup[3] wiping encodings.idna
# destroy stringprep
# cleanup[3] wiping importlib.readers
# cleanup[3] wiping pip._vendor.requests.certs
# cleanup[3] wiping importlib.resources
# cleanup[3] wiping importlib._common
# cleanup[3] wiping importlib._adapters
# cleanup[3] wiping importlib.abc
# cleanup[3] wiping zipfile
# destroy importlib
# destroy bz2
# destroy lzma
# cleanup[3] wiping pathlib
# cleanup[3] wiping ntpath
# cleanup[3] wiping pip._vendor.requests.packages.chardet
# destroy pip._vendor.chardet.enums
# destroy pip._vendor.chardet.charsetprober
# destroy pip._vendor.chardet.charsetgroupprober
# destroy pip._vendor.chardet.codingstatemachine
# destroy pip._vendor.chardet.esesm
# destroy pip._vendor.chardet.escprober
# destroy pip._vendor.chardet.latin1prober
# destroy pip._vendor.chardet.big5freq
# destroy pip._vendor.chardet.euckrfreq
# destroy pip._vendor.chardet.euctwfreq
# destroy pip._vendor.chardet.gb2312freq
```

```
# destroy pip._vendor.chardet.jisfreq
# destroy pip._vendor.chardet.johabfreq
# destroy pip._vendor.chardet.chardistribution
# destroy pip._vendor.chardet.mbcharsetprober
# destroy pip._vendor.chardet.mbcssm
# destroy pip._vendor.chardet.big5prober
# destroy pip._vendor.chardet.cp949prober
# destroy pip._vendor.chardet.jpcntx
# destroy pip._vendor.chardet.eucjpprober
# destroy pip._vendor.chardet.euckrprober
# destroy pip._vendor.chardet.euctwprober
# destroy pip._vendor.chardet.gb2312prober
# destroy pip._vendor.chardet.johabprober
# destroy pip._vendor.chardet.sjisprober
# destroy pip._vendor.chardet.utf8prober
# destroy pip._vendor.chardet.mbcsgroupprober
# destroy pip._vendor.chardet.hebrewprober
# destroy pip._vendor.chardet.sbcharsetprober
# destroy pip._vendor.chardet.langbulgarianmodel
# destroy pip._vendor.chardet.langgreekmodel
# destroy pip._vendor.chardet.langhebrewmodel
# destroy pip._vendor.chardet.langrussianmodel
# destroy pip._vendor.chardet.langethaimodel
# destroy pip._vendor.chardet.langturkishmodel
# destroy pip._vendor.chardet.sbcsgroupprober
# destroy pip._vendor.chardet.utf1632prober
# destroy pip._vendor.chardet.universaldetector
# destroy pip._vendor.chardet.version
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves.urllib.parse
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves.urllib
```

```
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves.http_client
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six.moves
# destroy queue
# cleanup[3] wiping pip._vendor.requests.packages.urllib3.packages.six
# cleanup[3] wiping http.cookies
# cleanup[3] wiping http.cookiejar
# cleanup[3] wiping urllib.request
# destroy bisect
# destroy http
# cleanup[3] wiping _scproxy
# destroy _scproxy
# cleanup[3] wiping urllib.error
# cleanup[3] wiping urllib.response
# cleanup[3] wiping tempfile
# cleanup[3] wiping copy
# cleanup[3] wiping json
# destroy json.decoder
# destroy json.encoder
# cleanup[3] wiping json.scanner
# cleanup[3] wiping _json
# cleanup[3] wiping pip._vendor.chardet
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves.urllib.parse
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves.urllib
# cleanup[3] wiping mimetypes
# cleanup[3] wiping _queue
# cleanup[3] wiping heapq
# cleanup[3] wiping _heapq
# cleanup[3] wiping hashlib
# cleanup[3] wiping _blake2
# cleanup[3] wiping _hashlib
```

```
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves.http_client
# cleanup[3] wiping http.client
# cleanup[3] wiping email.message
# destroy uu
# destroy quopri
# cleanup[3] wiping email.iterators
# cleanup[3] wiping email._encoded_words
# cleanup[3] wiping email.parser
# cleanup[3] wiping email.feedparser
# cleanup[3] wiping email._policybase
# cleanup[3] wiping email.utils
# destroy random
# cleanup[3] wiping email._parseaddr
# cleanup[3] wiping calendar
# destroy locale
# cleanup[3] wiping urllib.parse
# cleanup[3] wiping urllib
# destroy urllib.parse
# destroy urllib.response
# destroy urllib.error
# destroy urllib.request
# cleanup[3] wiping datetime
# cleanup[3] wiping _datetime
# cleanup[3] wiping _sha512
# cleanup[3] wiping _random
# cleanup[3] wiping _bisect
# cleanup[3] wiping email.header
# cleanup[3] wiping email.charset
# cleanup[3] wiping email.encoders
# cleanup[3] wiping email.base64mime
```

```
# cleanup[3] wiping email.quoprimime
# cleanup[3] wiping email.errors
# cleanup[3] wiping email
# destroy email._parseaddr
# destroy email._policybase
# destroy email._encoded_words
# destroy email.errors
# destroy email.quoprimime
# destroy email.base64mime
# destroy email.encoders
# destroy email.charset
# destroy email.header
# destroy email.utils
# destroy email.feedparser
# destroy email.parser
# destroy email.iterators
# destroy email.message
# cleanup[3] wiping pip._vendor.urllib3.packages.six.moves
# cleanup[3] wiping pip._vendor.urllib3.packages.six
# cleanup[3] wiping configparser
# cleanup[3] wiping shutil
# cleanup[3] wiping _lzma
# cleanup[3] wiping _bz2
# cleanup[3] wiping _compression
# cleanup[3] wiping zlib
# cleanup[3] wiping pip._vendor.packaging.version
# cleanup[3] wiping pip._vendor.packaging._musllinux
# cleanup[3] wiping pip._vendor.packaging._manylinux
# cleanup[3] wiping importlib.machinery
# cleanup[3] wiping sysconfig
```



```
# cleanup[3] wiping platform
# cleanup[3] wiping subprocess
# cleanup[3] wiping _posixsubprocess
# destroy _posixsubprocess
# cleanup[3] wiping fcntl
# destroy fcntl
# cleanup[3] wiping signal
# cleanup[3] wiping fnmatch
# cleanup[3] wiping importlib.util
# cleanup[3] wiping importlib._abc
# cleanup[3] wiping importlib._bootstrap_external
# cleanup[3] wiping importlib._bootstrap
# cleanup[3] wiping textwrap
# cleanup[3] wiping logging
# destroy weakref
# destroy logging.handlers
# destroy logging.config
# cleanup[3] wiping atexit
# destroy atexit
# cleanup[3] wiping threading
# cleanup[3] wiping string
# cleanup[3] wiping _string
# destroy _string
# cleanup[3] wiping ssl
# destroy base64
# cleanup[3] wiping warnings
# cleanup[3] wiping binascii
# cleanup[3] wiping struct
# cleanup[3] wiping _struct
# cleanup[3] wiping socket
```

```
# cleanup[3] wiping array
# cleanup[3] wiping errno
# cleanup[3] wiping selectors
# cleanup[3] wiping select
# cleanup[3] wiping math
# cleanup[3] wiping _ssl
# cleanup[3] wiping _socket
# cleanup[3] wiping typing
# cleanup[3] wiping contextlib
# cleanup[3] wiping collections.abc
# cleanup[3] wiping traceback
# cleanup[3] wiping linecache
# destroy tokenize
# cleanup[3] wiping site
# destroy _sitebuiltins
# cleanup[3] wiping re
# destroy enum
# destroy sre_compile
# destroy copyreg
# cleanup[3] wiping _locale
# cleanup[3] wiping functools
# cleanup[3] wiping _functools
# cleanup[3] wiping collections
# destroy collections.abc
# cleanup[3] wiping _collections
# destroy _collections
# cleanup[3] wiping reprlib
# cleanup[3] wiping operator
# cleanup[3] wiping _operator
# cleanup[3] wiping keyword
```

```
# cleanup[3] wiping itertools
# cleanup[3] wiping sre_parse
# cleanup[3] wiping _sre
# cleanup[3] wiping types
# cleanup[3] wiping os
# cleanup[3] wiping os.path
# destroy genericpath
# cleanup[3] wiping posixpath
# cleanup[3] wiping _collections_abc
# cleanup[3] wiping stat
# cleanup[3] wiping _stat
# destroy _stat
# cleanup[3] wiping io
# cleanup[3] wiping abc
# cleanup[3] wiping _abc
# cleanup[3] wiping _signal
# destroy _signal
# cleanup[3] wiping encodings.utf_8
# cleanup[3] wiping encodings
# destroy encodings.aliases
# destroy encodings.utf_8
# destroy encodings.idna
# cleanup[3] wiping codecs
# cleanup[3] wiping _codecs
# cleanup[3] wiping time
# cleanup[3] wiping _frozen_importlib_external
# cleanup[3] wiping posix
# cleanup[3] wiping marshal
# cleanup[3] wiping _io
# cleanup[3] wiping _weakref
```

```
# cleanup[3] wiping _warnings
# cleanup[3] wiping _thread
# cleanup[3] wiping _imp
# cleanup[3] wiping _frozen_importlib
# cleanup[3] wiping sys
# cleanup[3] wiping builtins
# destroy pip._vendor.urllib3.packages.six.moves.urllib
# destroy pip._vendor.urllib3.packages.six.moves
# destroy _asyncio
# destroy asyncio
# destroy decimal
# destroy _datetime
# destroy _socket
# destroy reprlib
# destroy linecache
# destroy asyncio.base_futures
# destroy ssl
# destroy heapq
# destroy asyncio.locks
# destroy asyncio.mixins
# destroy asyncio.protocols
# destroy asyncio.streams
# destroy contextvars
# destroy signal
# destroy subprocess
# destroy asyncio.base_events
# destroy asyncio.base_subprocess
# destroy asyncio.constants
# destroy asyncio.coroutines
# destroy asyncio.events
```

```
# destroy asyncio.exceptions
# destroy asyncio.futures
# destroy asyncio.selector_events
# destroy asyncio.tasks
# destroy asyncio.transports
# destroy _weakref
# destroy _functools
# destroy array
# destroy select
# destroy _ssl
# destroy _opcode
# destroy importlib._abc
# destroy importlib.util
# destroy importlib.machinery
# destroy importlib.abc
# destroy importlib._adapters
# destroy importlib._common
# destroy importlib.readers
# destroy _frozen_importlib_external
# destroy _imp
# destroy marshal
# destroy _sre
# destroy sre_parse
# destroy _compat_pickle
# destroy _pickle
# destroy _heapq
# destroy pip._vendor.urllib3.packages.six.moves.urllib_parse
# destroy pip._vendor.urllib3.packages.six.moves.urllib.error
# destroy pip._vendor.urllib3.packages.six.moves.urllib.request
# destroy pip._vendor.urllib3.packages.six.moves.urllib.response
```

```
# destroy pip._vendor.urllib3.packages.six.moves.urllib.robotparser
# destroy _queue
# destroy selectors
# destroy _struct
# destroy ntpath
# destroy http.client
# destroy http.cookies
# destroy zlib
# destroy io
# destroy _compression
# destroy pip._vendor.packaging._manylinux
# destroy pip._vendor.packaging._musllinux
# destroy inspect
# destroy keyword
# destroy _thread
# destroy concurrent.futures
# destroy pip._vendor.tenacity.nap
# destroy pip._vendor.tenacity.stop
# destroy pip._vendor.tenacity._utils
# destroy pip._vendor.tenacity.wait
# destroy pip._vendor.tenacity.before
# destroy pip._vendor.tenacity.after
# destroy pip._vendor.tenacity.before_sleep
# destroy pip._vendor.tenacity._asyncio
# destroy textwrap
# destroy csv
# destroy pathlib
# destroy _bz2
# destroy _lzma
# destroy pprint
```

destroy platform
destroy errno
destroy getpass
destroy posixpath
destroy stat
destroy abc
destroy fnmatch
destroy pip._vendor.pygments.lexers._mapping
destroy pip._vendor.pygments.lexers
destroy pip._vendor.pygments.lexers
destroy collections
destroy itertools
destroy html
destroy pip._vendor.packaging.specifiers
destroy pip._vendor.packaging.version
destroy urllib
destroy numbers
destroy operator
destroy pip._vendor.rich._extension
destroy pip._vendor.rich.errors
destroy pip._vendor.rich.color_triplet
destroy pip._vendor.rich.palette
destroy pip._vendor.rich._palettes
destroy pip._vendor.rich.repr
destroy pip._vendor.rich.terminal_theme
destroy pip._vendor.rich.color
destroy pip._vendor.rich.style
destroy pip._vendor.rich.default_styles
destroy pip._vendor.rich.theme
destroy pip._vendor.rich.themes

```
# destroy pip._vendor.rich._emoji_codes
# destroy pip._vendor.rich._emoji_replace
# destroy pip._vendor.rich._export_format
# destroy pip._vendor.rich._loop
# destroy pip._vendor.rich._pick
# destroy pip._vendor.rich._cell_widths
# destroy pip._vendor.rich.cells
# destroy pip._vendor.rich._wrap
# destroy pip._vendor.rich.segment
# destroy pip._vendor.rich.jupyter
# destroy pip._vendor.rich.protocol
# destroy pip._vendor.rich.measure
# destroy pip._vendor.rich.constrain
# destroy pip._vendor.rich.align
# destroy pip._vendor.rich.containers
# destroy pip._vendor.rich.control
# destroy pip._vendor.rich.emoji
# destroy pip._vendor.rich.text
# destroy pip._vendor.rich._log_render
# destroy pip._vendor.rich.highlighter
# destroy pip._vendor.rich.markup
# destroy pip._vendor.rich.pager
# destroy pip._vendor.rich.abc
# destroy pip._vendor.rich.pretty
# destroy pip._vendor.rich.region
# destroy pip._vendor.rich.box
# destroy pip._vendor.rich.padding
# destroy pip._vendor.rich.panel
# destroy pip._vendor.rich._ratio
# destroy pip._vendor.rich.table
```



```
# destroy pip._vendor.rich.scope
# destroy pip._vendor.rich.screen
# destroy pip._vendor.rich.styled
# destroy pip._vendor.rich.console
# destroy pip._vendor.rich.columns
# destroy pip._vendor.rich.syntax
# destroy pip._vendor.rich.traceback
# destroy pip._vendor.rich.logging
# destroy sysconfig
# destroy pip._internal.utils.appdirs
# destroy site
# destroy _hashlib
# destroy _blake2
# destroy json.scanner
# destroy _json
# destroy configparser
# destroy shutil
# destroy pip._vendor.pep517.compat
# destroy _csv
# destroy _collections_abc
# destroy functools
# destroy _locale
# destroy importlib.resources
# destroy pip._vendor.platformdirs.api
# destroy pip._vendor.platformdirs.version
# destroy pip._vendor.platformdirs.macos
# destroy datetime
# destroy encodings
# destroy pip._vendor.chardet
# destroy json
```

destroy typing
destroy string
destroy traceback
destroy binascii
destroy calendar
destroy copy
destroy http.cookiejar
destroy contextlib
destroy io
destroy socket
destroy struct
destroy tempfile
destroy zipfile
destroy pip._vendor.requests.certs
destroy codecs
destroy email
destroy mimetypes
destroy pip._vendor.urllib3.packages.six
destroy hashlib
destroy threading
destroy time
destroy warnings
destroy re
destroy logging
destroy types
destroy _frozen_importlib
destroy _codecs
destroy _warnings
destroy math
destroy _bisect

```
# destroy os
# destroy _random
# destroy _sha512
# destroy _operator
# destroy sys
# destroy posix
# clear sys.audit hooks
```