TABLE OF CONTENTS

Abstract..... I
Acknowledgement..... II
Table of contents..... III

Chapter 1. Introduction
1.1 Introduction…..... 7
1.2 Motivation..... 7
1.3 Statement of the problem..... 7

Chapter 2. Literature Survey..... 8-9
2.1 Survey Existing System
2.2 Limitations of Existing system or research gap
2.3 Objective
2.4 Scope of the Work

Chapter 3. Proposed System..... 10-11
3.1 Analysis/Framework/ Algorithm
3.2 Details of Hardware & Software
3.3 Design details
3.4 Methodology

Chapter 4. Result Analysis..... 12-13

Chapter 5. Conclusions & Future Scope..... 14

Chapter 6. References (journals, Books, and other online references).....15

Acknowledgement

I remain immensely obliged to Prof Sonal Bankar for providing me with the idea of topic, for his/her invaluable support in gathering resources, her guidance and supervision which made this work successful.
I would like to thank Head of Computer Department, Dr..Smita Ambarkar and Principal, Dr. Subhash Shinde .
I am also thankful to faculty and staff of Computer Engineering Department and Lokmanya Tilak Of Engineering, Navi Mumbai for their invaluable support.
I would like to say that it has indeed been a fulfilling experience for working out this project topic.

Chapter 1: Introduction

1.1 Introduction

Accessibility and safe navigation remain daily challenges for visually impaired individuals, especially in unfamiliar or crowded environments. Traditional aids such as white canes or guide dogs offer limited support in detecting distant or fast-approaching obstacles. With advancements in embedded systems and computer vision, technology can now play a key role in assisting the blind.

This project introduces **Smart Glasses for the Visually Impaired**, a wearable assistive device designed to provide real-time obstacle detection and voice feedback using object recognition. The system helps users become more aware of their surroundings by identifying objects in their path and alerting them through audio instructions. The goal is to increase the confidence and independence of users in their daily movements.

1.2 Motivation

The motivation behind this project stems from the daily struggles of millions of visually impaired individuals across the globe. According to the World Health Organization (WHO), over **39 million people** are blind, and **285 million** suffer from visual impairments. Most rely on basic aids that do not offer advanced sensing capabilities.

While high-end smart glasses exist, they are often **expensive, bulky, or inaccessible** in low-resource settings. We aim to build an **affordable, lightweight, and intelligent** wearable that detects objects, processes data locally using edge computing, and speaks alerts to the user. By combining technologies such as **ESP32-CAM, YOLO object detection, Bluetooth modules**, and an **Android app for voice alerts**, we hope to offer a reliable and scalable solution.

1.3 Statement of the Problem

Visually impaired individuals face significant challenges in navigation, particularly in unfamiliar or dynamic environments where static aids like canes may fall short. These challenges include:

- Inability to detect objects at a distance
- Difficulty in identifying specific types of obstacles (like vehicles or walls)
- Lack of real-time feedback during movement

To address these issues, the problem can be stated as:

"Design and develop a smart wearable device that uses real-time object detection to alert visually impaired users about surrounding obstacles through voice output, thereby enhancing their mobility, awareness, and safety."

The system must be **portable, cost-effective, responsive**, and **user-friendly**, providing assistance without overwhelming the user with technical complexities.

Chapter 2: Literature Survey

2.1 Survey of Existing Systems

Various assistive technologies exist for the visually impaired, each offering different capabilities and limitations:

- White Cane: A traditional, affordable tool used for basic navigation. However, it is limited to detecting only ground-level obstacles and cannot identify or classify them.
- Guide Dogs: Effective in navigation and obstacle avoidance but involve high training costs and require continuous care and attention.
- Ultrasonic Sensor Glasses: These devices use sound waves to detect nearby obstacles, offering basic alerts. However, the feedback is often limited and may not convey the nature of the obstacle clearly.
- Google's Project Guideline: Employs AI and smartphones to provide guided navigation via audio cues. While promising, it requires constant device interaction and may not be suitable in all scenarios.
- Smart Vision Glasses (e.g., OrCam, MyEye): These glasses offer advanced features like face and text recognition, and real-time object classification. However, they are expensive and inaccessible to the common public.

Recent technological advancements focus on integrating computer vision and IoT using devices such as Raspberry Pi and cameras with OpenCV or TensorFlow for detecting and classifying objects with improved accuracy.

2.2 Limitations of Existing Systems / Research Gap

Despite these advancements, several limitations remain in current systems:

1. High Cost: Many smart glasses or assistive systems are priced beyond the affordability of a common user, restricting widespread adoption.
2. Size & Portability: Some setups involve bulky hardware or external processing units, making them impractical for everyday wear.
3. Limited Object Identification: Many systems merely detect an obstacle's presence without identifying or classifying the type of object (e.g., human, vehicle, pole).
4. Lack of Real-Time Alerts: Some devices suffer delays in detection and communication, reducing their practical effectiveness in dynamic environments.
5. Dependence on Internet: Systems that rely on cloud-based object detection often fail in areas with poor network connectivity, leading to decreased reliability.

These issues reveal a research gap and stress the need for a compact, offline-capable, and cost-effective wearable device that delivers real-time object detection and classification with voice feedback.

2.3 Objectives

The main objectives of this project are as follows:

- To design a wearable assistive device using smart sensors embedded within a shoe or accessory.
- To implement real-time object detection using a pre-trained YOLO model or similar lightweight vision model.
- To integrate the ESP32-CAM module for edge-level image processing and object detection.
- To deliver instant voice feedback using an Android app via Bluetooth, alerting the user about obstacles.
- To create a cost-efficient and lightweight solution that is easy to wear and intended for daily use by visually impaired individuals.
- To enhance indoor and outdoor mobility while reducing dependency on caregivers or expensive systems.

2.4 Scope of the Work

This project aims to bridge the current technology gap and support independent mobility for the visually impaired by:

- Detection and classification of common obstacles such as walls, people, vehicles, etc., with real-time alerts.
- Real-time voice feedback through a connected Android device for intuitive and responsive navigation.
- Offline processing through the ESP32-CAM module, allowing the system to function in low/no connectivity zones.
- Future scalability to include GPS integration, haptic feedback, and gesture-based control.
- Support for emergency features that can be triggered in unsafe scenarios.

The proposed system contributes toward building inclusive technology that is accessible, reliable, and empowering for visually impaired users.

Chapter 3: Proposed System

3.1 Analysis / Framework / Algorithm

The proposed system utilizes a **camera-enabled wearable device** (ESP32-CAM) that captures real-time visual data and processes it using an embedded object detection algorithm. The system is designed with **offline processing** to ensure consistent performance without dependency on internet connectivity.

The main functional flow includes:

- Capturing real-time images using ESP32-CAM.
- Processing the captured image using a pre-trained **object detection model** (e.g., YOLO-lite or a MobileNet-based model).
- Identifying objects such as "person", "wall", "car", etc.
- Sending the object label over **Bluetooth** to an Android mobile app.
- The mobile app then **speaks the object's name** using **Text-to-Speech (TTS)**, allowing the user to hear about the nearby obstacle.

This system follows a **client-device architecture** where:

- The ESP32-CAM acts as the sensing and detection unit.
- The Android app handles interaction, alerts, and audio output.

3.2 Details of Hardware & Software

Hardware Components:

- **ESP32-CAM Module**: Microcontroller with an in-built camera for image capture and processing.
- **Battery Pack (Li-ion or Lipo)**: To power the wearable glasses.
- **Bluetooth Module (integrated in ESP32)**: For wireless communication with the mobile app.
- **Smart Glass Frame**: Customized to hold the ESP32-CAM.
- **Speaker or Android Phone**: To deliver voice alerts to the user.

Software Tools and Technologies:

- **Embedded C / Arduino IDE**: For programming the ESP32-CAM.
- **Python (for model training, if required)**: Used for preparing or optimizing models.
- **Android Studio**: For building the companion Android application.
- **Java / Kotlin**: Language used in the mobile app.
- **Text-to-Speech API**: For converting object labels to audio alerts.
- **OpenCV / TensorFlow Lite (if used)**: For image processing and object detection.

3.3 Design Details

The design is modular and wearable. Major components are:

- **ESP32-CAM Unit**: Mounted on one side of the glasses to resemble normal smart glasses.
- **Battery**: Slim and fixed along the temple of the glasses for balance.
- **Communication**: ESP32 sends data via Bluetooth serial to the Android phone.
- **App UI**: Simple UI for enabling/disabling audio, testing voice, or viewing detected object log.

Block Diagram:

Environment --> ESP32-CAM --> Object Detection --> Bluetooth --> Android App --> Text-to-Speech --> User

The wearable is designed to be **lightweight**, **affordable**, and **easy to use**, targeting daily usability by the visually impaired community.

3.4 Methodology

The methodology followed for the development is:

1. **Requirement Gathering**: Identified user needs and limitations in current solutions.
2. **Component Selection**: Chose ESP32-CAM for its camera and wireless capabilities in a compact form.
3. **Model Selection**: Used a lightweight object detection model compatible with ESP32-CAM constraints.
4. **Programming & Integration**:
    - Programmed ESP32-CAM for real-time detection and Bluetooth transmission.
    - Developed Android app to receive labels and deliver voice feedback.
5. **Testing**:
    - Unit testing of hardware communication and detection.
    - Field testing in indoor and outdoor environments to ensure accuracy.
6. **Optimization**: Adjusted detection confidence thresholds and audio timing to avoid confusion.
7. **Deployment**: Final wearable form integrated into spectacle frame and tested with real users.

Chapter 4: Result Analysis




```
Detected Objects:
microwave - 54.87% confidence, ~28.85 cm away
tv - 53.5% confidence, ~28.41 cm away

Detected Objects:
bed - 67.38% confidence, ~15.03 cm away
chair - 47.25% confidence, ~61.73 cm away
bed - 41.28% confidence, ~16.32 cm away

Detected Objects:
oven - 40.02% confidence, ~63.29 cm away

Detected Objects:
person - 63.64% confidence, ~19.71 cm away
person - 51.91% confidence, ~31.45 cm away
bed - 44.62% confidence, ~19.71 cm away
```


Blind Glasses System Flowchart
Start
HARDWARE SETUP
Bluetooth Module
ESP32 Cam
SOFTWARE SETUP
OpenCV Object Detection
Audio Message System
Location Mapping
APPLICATION DEVELOPMENT
Mobile App
Process Image
Identify Object
Provide Directions
Determine Current Location
Object Detected
Capture Image
Link to Mobile App
Calculate Route
Display Information
Send Audio Message
Provide Directions
User Interface
End


bicycle
truck
dog

Chapter 5: Conclusion and Future Scope

5.1 Conclusion

The proposed system, **Smart Glasses for the Visually Impaired**, successfully provides a cost-effective, wearable solution to assist visually challenged individuals in identifying obstacles in their path. By integrating a compact camera module (ESP32-CAM) with a real-time object detection algorithm and an Android-based voice feedback system, the project enables users to become more aware of their surroundings without depending on others.

The system captures real-time visuals, processes them efficiently, and communicates the object name to the user using audio feedback. The use of **Bluetooth for communication**, **offline processing**, and **Text-to-Speech output** ensures that the system is functional even in environments without internet access, making it highly accessible and reliable.

Overall, the project proves that affordable technology can significantly enhance the independence and mobility of the visually impaired community.

5.2 Future Scope

While the current implementation addresses the basic need for object detection and alerting, there is considerable scope for further improvement and expansion:

- GPS integration for navigation assistance
- Vibration feedback for noisy environments
- Obstacle distance estimation using sensors
- Scene and face recognition for better context
- Voice commands for hands-free control
- Battery and performance improvements

These enhancements can transform the glasses into a more comprehensive assistive tool for visually challenged users.

Chapter 6 References

6.1 Journals

1. S. Tapu, B. Mocanu, T. Zaharia, "A survey on assistive technologies for visually impaired persons," *Sensors*, vol. 18, no. 4, 2018.
2. R. K. Megalingam, R. Nair, A. S. Prasad, "Wearable device for blind navigation using real-time object detection," *IEEE International Conference on Intelligent Systems and Control*, 2019.
3. N. A. A. Aziz, N. A. M. Isa, "Smart glasses: Vision-based assistive technology for the visually impaired," *IEEE 5th International Conference on Smart Instrumentation, Measurement and Applications (ICSIMA)*, 2018.
4. M. Z. Uddin, M. A. Kabir, "IoT-based assistive system for visually impaired people using object detection and recognition," *IEEE Access*, vol. 7, 2019.
5. M. A. Hossain, "Computer vision-based assistive technology for the visually impaired," *Multimedia Tools and Applications*, vol. 75, no. 23, pp. 14913–14943, 2016.

6.2 Books

1. *Beginning Android Programming with Android Studio*, by Jerome DiMarzio, Wiley, 2020.
2. *Embedded Systems with ARM Cortex-M Microcontrollers in Assembly Language and C*, by Yifeng Zhu, E-Man Press LLC, 2017.
3. *Artificial Intelligence: A Modern Approach*, by Stuart Russell and Peter Norvig, Pearson Education, 4th Edition, 2020.
4. *Programming Embedded Systems*, by Michael Barr and Anthony Massa, O'Reilly Media, 2006.
5. *Digital Image Processing*, by Rafael C. Gonzalez and Richard E. Woods, Pearson Education, 4th Edition, 2018.

6.3 Standards

1. ISO 9241-210:2010 – Ergonomics of human-system interaction.
2. IEEE 802.15.1 – Bluetooth standard for short-range communication.

6.4 Online References

1. **Google Developers - Android TextToSpeech**
2. **ESP32-CAM documentation**
3. **Google Maps APIs**
4. **GitHub - YOLO Object Detection Models**