



*Creations From The Land Of Festivals*

**JR** JR RUBBER INDUSTRIES®  
Global provider of paver plant and technology

**Rubber Moulds for Designer Tiles with Nonstick Composite Inner**

## Contents

# Contents

Model No.	Name	Page No.	Model No.	Name	Page No.	Model No.	Name	Page No.	Model No.	Name	Page No.
PM 179	Hexagon 3	22	PM 193 B	Alloy 3B	8	TM 210	Sathara	41	PM 224	Kerb Stone - 5	30
PM 180	Ethic	12	PM 194	Dazzle	19	TM 211	Cherry	35	PM 225	Kerb Stone - 6	30
PM 181	Grass paver 1	27	PM 195	Tarang	8	PM 213	Rubix	7	PM 226	Lola 2	7
PM 182	Grass paver 2	27	PM 196	Temaco 1	25	PM 214	Idole - 5	16	MC 701	Ventilator Grill	28
PM 183	Furrow 1	12	PM 197	Temaco 2	25	PM 215	Zigzag Line	18	PM 228	Eco Pave 1	9
PM 184	Furrow 2	12	TM 198	Rubble	31	MC 501	9 Cavities	26	PM 229	Eco Pave 2	9
PM 185	Alike	6	PM 199	Primo	8	MC 601	Mega Grass Paver	27	PM 230	Dual Round	10
PM 186	Cipher	6	PM 200	Thara	15	TM 216	Vistara - 1	39	PM 231	Brick 1	10
PM 187	Slab	6	PM 201	Zigzag Rock 2	18	TM 217	Lilly	33	PM 232	Brick 2	10
PM 188	Mini Idole 40	16	PM 202	Zigzag Star 80	18	PM 218	Kerb Stone 4	29	PM 233	New Torus 1	20
PM 189	Star Dumbles 50	14	PM 203	Lola	7	TM 219	Lumino	32	TM 234	Small Nile	31
PM 190	Tiptop 50	17	PM 204	Kapari	24	TM 220	Directional Tile	32	TM 235	Stripes	31
PM 191	Alloy 1	8	PM 205	Dune	17	TM 221	Lilac	31	TM 236	Small Round	32
PM 192	Alloy 2	8	PM 206	Ferro Kid	12	TM 222	Magna	31	TM 237	Cross Line	33
PM 193 A	Alloy 3A	8	PM 207	Alankar - 3	9	TM 223	Brook	31	TM 238	Square Stone 1	33
									TM 239	Square Stone 7	29


## Index

- \* **Paver Mould - Page 6 to 25**
- \* **9 Cavity - Page 26**
- \* **Grass Paver - Page 27**
- \* **Ventilator Grill - Page 28**
- \* **Kerb Stone - Page 29 to 30**
- \* **Floor Tile Mould - Page 31 to 41**
- \* **Step Tile - Page 42**
- \* **Wall Tile - Page 43**
- \* **Cover Block -Page 44 to 45**
- \* **Thuvanams -Page 46**

**Manufacturers Of Rubber Moulds,PVC Moulds,Polypropylene Plastic  
Moulds For Pavers,Tiles,Cover Blocks,Kerbs And Customized Moulds.**

# About JR RUBBER INDUSTRIES

An ISO 9001-2015 Certified Company



JR Rubber Industries is a leading manufacturer of finest quality RUBBER MOULDS for pavers, floor tiles, kerb stones, wall tiles, cover blocks and customized designs. We provide the complete solution for paver production with machinery, moulds, chemicals and technology and in-plant trainings.

Rubber moulds with infinite lifespan and incomparable service is our trademark.

We have a client span extending over India and 28 countries across the globe. With an experience of establishing over 1500 paver units in India and 64 units around the world we are confident to provide the complete solution for your paver production.

Established in **1994**, we are specialised in manufacturing of finest quality rubber products for over two decades



**PRESENCE IN 30 COUNTRIES**



**ESTABLISHED 68 PAVER UNITS IN DIFFERENT COUNTRIES**



**ESTABLISHED 1500 PAVER UNITS IN INDIA**

## OUR SERVICES

- MACHINERY SUPPLY AND INSTALLATION
- PAVER PRODUCTION ASSISTANCE ANYWHERE IN THE WORLD
- IN-PLANT TRAININGS FOR CLIENT PERSONNELS
- ONSITE MACHINERY FABRICATION AND INSTALLATION ANYWHERE IN EAST-AFRICA

## DISCLAIMER

To enjoy the best results from our products, strictly adhere to the instructions given by our "Product Guide". All the information presented here is as per our knowledge present knowledge.


We are not liable for any damages, deterioration or wastage of the moulds, chemicals or machinery due to unwarranted actions from the part of customers.

Weight of each mould may vary slightly from brochure. Actual weight will be reflected in invoice.

### Certifications



# Why JR Rubber Moulds ?



## Speciality Rubber Inner Layer

- Non - stick & Anti - static Inner Layer
- Acid & Alkaline Resistant

## Outer Layer

- Flexible
- Strong
- Resilient

- LIFESPAN FOR MANY YEARS
- NO BLACKENING OR DISCOLORATION
- INNER LAYER MADE OF SPECIALITY RUBBER WITH ACID ALKALINE RESISTANT, NON-STICK AND ANTI-STATIC PROPERTIES
- STRENGTH AND DURABILITY SIMILAR TO AUTOMOBILE TYRES.
- AS THE PAVER PRODUCTION DOES NOT INVOLVE ANY VIGOROUS APPLICATION AS TYRES, THE LIFESPAN OF MOULDS IS INFINITE.
- VIBRATION OF VIBRATOR IS TRANSFERRED EFFICIENTLY TO THE CONCRETE MIX WHICH ENSURES OPTIMUM STRENGTH FOR THE PAVER
- OUR CUSTOMERS WHEN PROCURING MOULDS EXPECT FOR A LIFESPAN OF 4-5 YEARS. BUT ACROSS THE GLOBE **OUR RUBBER MOULDS ARE USED FOR MORE THAN 10 YEARS CONTINUOUSLY.**
- NO NEED TO WASH MOULDS IN LIFETIME

# Paving Blocks



**PM 176 Bubble 1**



**PM 177 Bubble 2**



**PM 178 Bubble 3**




Size : 11" x 8"  
Height : 60 mm  
Area : 0.610 Sq. Ft./ 0.057 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.550  
Req.Mould for 100 Sq.Ft. : 164 Nos  
Req.Mould for 1 M<sup>2</sup> : 18 Nos



Size : 9" x 8"  
Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.300  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



Size : 7" x 8"  
Height : 60 mm  
Area : 0.390 Sq. Ft./ 0.036 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.850  
Req.Mould for 100 Sq.Ft. : 256 Nos  
Req.Mould for 1 M<sup>2</sup> : 28 Nos



**PM 187 Slab**

Size : 12" x 6"  
Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.300  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 186 Cipher**

Size : 12" x 6"  
Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.350  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 185 Alike**

Size : 8" x 8"  
Height : 60 mm  
Area : 0.440 Sq. Ft./ 0.041 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft. : 227 Nos  
Req.Mould for 1 M<sup>2</sup> : 25 Nos



**PM 173 Steppe**


Size : 11" x 8"  
Height : 60 mm  
Area : 0.610 Sq. Ft./ 0.057 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.650  
Req.Mould for 100 Sq.Ft. : 164 Nos  
Req.Mould for 1 M<sup>2</sup> : 18 Nos

# Paving Blocks



**PM 213 Rubix**

Size : 12" x 8"  
**Height : 60 mm**  
 Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.800  
 Req.Mould for 100 Sq.Ft. : 145 Nos  
 Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 164 Mudra**

Size : 11" x 8"  
**Height : 60 mm**  
 Area : 0.610 Sq. Ft./ 0.057 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.600  
 Req.Mould for 100 Sq.Ft. : 164 Nos  
 Req.Mould for 1 M<sup>2</sup> : 18 Nos



**PM 163 Mirage**

Size : 10" x 8"  
**Height : 60 mm**  
 Area : 0.550 Sq. Ft./ 0.051 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.550  
 Req.Mould for 100 Sq.Ft. : 182 Nos  
 Req.Mould for 1 M<sup>2</sup> : 20 Nos




**PM 151 Marble**

Size : 10" x 10"  
**Height : 60 mm**  
 Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.800  
 Req.Mould for 100 Sq.Ft. : 145 Nos  
 Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 152 Thaala**

Size : 8" x 8"  
**Height : 60 mm**  
 Area : 0.440 Sq. Ft./ 0.041 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.900  
 Req.Mould for 100 Sq.Ft. : 227 Nos  
 Req.Mould for 1 M<sup>2</sup> : 25 Nos



**PM 203 Lola**

Size : 4" x 8"  
**Height : 60 mm**  
 2 Cavity per mould  
 Area : 0.220 Sq. Ft./ 0.020 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.950  
 Req.Mould for 100 Sq.Ft. : 227 Nos  
 Req.Brick for 100 Sq.Ft. : 455 Nos  
 Req.Mould for 1 M<sup>2</sup> : 25 Nos  
 Req.Brick for 1 M<sup>2</sup> : 50 Nos



**PM 226 Lola 2**

Size : 4" x 4"  
**Height : 60 mm**  
 2 Cavity per mould  
 Area : 0.220 Sq. Ft./ 0.020 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.5  
 Req.Mould for 100 Sq.Ft. : 455 Nos  
 Req.Brick for 100 Sq.Ft. : 910 Nos  
 Req.Mould for 1 M<sup>2</sup> : 50 Nos  
 Req.Brick for 1 M<sup>2</sup> : 100 Nos

# Natural Stone Series

## ALLOY SERIES



**PM 191**      **Alloy 1**

Size : 10" x 10"  
Height : 60 mm  
Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3.100  
Req.Mould for 100 Sq.Ft : 145 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 192**      **Alloy 2**

Size : 10" x 5"  
Height : 60 mm  
Area : 0.350 Sq. Ft./ 0.033 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.950  
Req.Mould for 100 Sq.Ft : 286 Nos  
Req.Mould for 1 M<sup>2</sup> : 31 Nos



**PM 193A**      **Alloy 3A**

Size : 5" x 5"  
Height : 60 mm  
2 Cavity per mould  
Area : 0.175 Sq. Ft./ 0.016 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.050  
Req.Mould for 100 Sq.Ft : 572 Nos  
Req.Mould for 1 M<sup>2</sup> : 63 Nos



**PM 193B**      **Alloy 3B**

Size : 5" x 5"  
Height : 60 mm  
Area : 0.175 Sq. Ft./ 0.016 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.050  
Req.Mould for 100 Sq.Ft : 572 Nos  
Req.Mould for 1 M<sup>2</sup> : 63 Nos

**PM 169**      **Fossil**

Size : 16" x 8"  
Height : 60 mm  
Area : 0.900 Sq. Ft./ 0.084 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 4.000  
Req.Mould for 100 Sq.Ft : 111 Nos  
Req.Mould for 1 M<sup>2</sup> : 12 Nos

**PM 199**      **Primo**

Size : 6.75" x 11"  
Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.300  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos

**PM 195**      **Tarang**


Size : 11" x 9"  
Height : 60 mm  
Area : 0.687 Sq. Ft./ 0.068 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.700  
Req.Mould for 100 Sq.Ft : 142 Nos  
Req.Mould for 1 M<sup>2</sup> : 15 Nos

# Natural Stone Series



**PM 228 Eco Pave 1**

Size : 6" x 6"  
**Height : 60 mm**  
 Area : 0.250 Sq. Ft./ 0.023 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.400  
 Req.Mould for 100 Sq.Ft. : 400 Nos  
 Req.Mould for 1 M<sup>2</sup> : 43 Nos



**PM 148 Alankar - 1**

Size : 10" x 10"  
**Height : 60 mm**  
 Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 3.100  
 Req.Mould for 100 Sq.Ft. : 145 Nos  
 Req.Mould for 1 M<sup>2</sup> : 16 Nos

**PM 229 Eco Pave 2**

Size : 8" x 8"  
**Height : 60 mm**  
 Area : 0.440 Sq. Ft./ 0.041 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.000  
 Req.Mould for 100 Sq.Ft. : 227 Nos  
 Req.Mould for 1 M<sup>2</sup> : 25 Nos

**ALANKAR SERIES**



**PM 161 Alankar - 2**

Size : 10" x 5"  
**Height : 60 mm**  
 Area : 0.350 Sq. Ft./ 0.033 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.950  
 Req.Mould for 100 Sq.Ft. : 286 Nos  
 Req.Mould for 1 M<sup>2</sup> : 31 Nos

**PM 154 Tunga**

Size : 9" x 8"  
**Height : 60 mm**  
 Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.900  
 Req.Mould for 100 Sq.Ft. : 200 Nos  
 Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 207 Alankar - 3**


Size : 5" x 5"  
**Height : 60 mm**  
 2 Cavity per mould  
 Area : 0.175 Sq. Ft./ 0.016 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.950  
 Req.Mould for 100 Sq.Ft. : 286 Nos  
 Req.Brick for 100 Sq.Ft. : 572 Nos  
 Req.Mould for 1 M<sup>2</sup> : 31 Nos  
 Req.Brick for 1 M<sup>2</sup> : 63 Nos

# Paving Blocks



**PM 175 Juno**

Size : 12" x 6"  
**Height : 60 mm**  
 Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.350  
 Req.Mould for 100 Sq.Ft : 200Nos  
 Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 14 Cuba**

Size : 9" x 9"  
**Height : 60 mm**  
 Area : 0.600 Sq. Ft./ 0.056 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.300  
 Req.Mould for 100 Sq.Ft : 167Nos  
 Req.Mould for 1 M<sup>2</sup> : 18 Nos



**PM 119 New Lava**

Size : 12" x 6"  
**Height : 60 mm**  
 Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.450  
 Req.Mould for 100 Sq.Ft : 200 Nos  
 Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 58 Mark**

Size : 8" x 4"  
**Height : 60 mm**  
 Area : 0.220 Sq. Ft./ 0.020 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.250  
 Req.Mould for 100 Sq.Ft : 455 Nos  
 Req.Mould for 1 M<sup>2</sup> : 49 Nos




**PM 230 Dual round**

Size : 8" x 4"  
**Height : 60 mm**  
 Area : 0.220 Sq. Ft./ 0.02 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.250  
 No.of bricks for 100 Sq.Ft : 455 Nos  
 No. of bricks for 1M<sup>2</sup>: 50 Nos



**PM 231 Brick 1**

Size : 9" x 4.5"x 3"  
**Height : 70 mm**  
 Area : 0.28 Sq. Ft./ 0.02 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.500  
 No.of bricks for 100 Sq.Ft : 360 Nos  
 No. of bricks for 1M<sup>2</sup>: 42 Nos




**BRICKS**


**PM 232 Brick 2**

Size : 8" x 4"x 2.5"  
**Height : 60 mm**  
 Area : 0.220 Sq. Ft./ 0.02 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.200  
 No.of bricks for 100 Sq.Ft : 460 Nos  
 No. of bricks for 1M<sup>2</sup>: 50 Nos


# Paving Blocks



**PM 113**    **Bhima**




**PM 59**    **Dona**



**PM 114**    **Luna**



**PM 60**    **Sona**



**PM 115**    **Micra**

**Size : 11" x 8"**

**Height : 60 mm**

**Area : 0.610 Sq. Ft./ 0.057 M<sup>2</sup>**  
**Approx.Wgt. of Mould (Kg) : 2.400**  
**Req.Mould for 100 Sq.Ft : 164 Nos**  
**Req.Mould for 1 M<sup>2</sup> : 18 Nos**

**Size : 9" x 8"**

**Height : 60 mm**

**Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>**  
**Approx.Wgt. of Mould (Kg) : 2.050**  
**Req.Mould for 100 Sq.Ft : 200 Nos**  
**Req.Mould for 1 M<sup>2</sup> : 22 Nos**

**Size : 7" x 8"**

**Height : 60 mm**

**Area : 0.390 Sq. Ft./ 0.036 M<sup>2</sup>**  
**Approx.Wgt. of Mould (Kg) : 1.650**  
**Req.Mould for 100 Sq.Ft : 256 Nos**  
**Req.Mould for 1 M<sup>2</sup> : 28 Nos**

**Size : 5" x 8"**


**Height : 60 mm**

**Area : 0.280 Sq. Ft./ 0.026 M<sup>2</sup>**  
**Approx.Wgt. of Mould (Kg) : 1.450**  
**Req.Mould for 100 Sq.Ft : 357 Nos**  
**Req.Mould for 1 M<sup>2</sup> : 39 Nos**

**Size : 4" x 8"**

**Height : 60 mm**

**Area : 0.220 Sq. Ft./ 0.020 M<sup>2</sup>**  
**Approx.Wgt. of Mould (Kg) : 1.250**  
**Req.Mould for 100 Sq.Ft : 455 Nos**  
**Req.Mould for 1 M<sup>2</sup> : 49 Nos**



# Paving Blocks

## FERRO GROUP



**PM 130 Ferro King**

Size : 10" x 10"  
**Height : 60 mm**  
 Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.950  
 Req.Mould for 100 Sq.Ft : 145 Nos  
 Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 131 Ferro Queen**

Size : 10" x 5"  
**Height : 60 mm**  
 Area : 0.350 Sq. Ft./ 0.033 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.950  
 Req.Mould for 100 Sq.Ft : 286 Nos  
 Req.Mould for 1 M<sup>2</sup> : 31 Nos




**PM 206 Ferro Kid**

Size : 5" x 5"  
**Height : 60 mm**  
 2 Cavity per mould  
 Area : 0.175 Sq. Ft./ 0.017 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.950  
 Req.Mould for 100 Sq.Ft : 286 Nos  
 Req.Brick for 100 Sq.Ft : 572 Nos  
 Req.Mould for 1 M<sup>2</sup> : 31 Nos  
 Req.Brick for 1 M<sup>2</sup> : 63 Nos



**PM 180 Ethic**

Size : 10" x 10"  
**Height : 60 mm**  
 Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.800  
 Req.Mould for 100 Sq.Ft : 145 Nos  
 Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 183 Furrow 1**

Size : 12" x 6"  
**Height : 60 mm**  
 Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 2.600  
 Req.Mould for 100 Sq.Ft : 200 Nos  
 Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 184 Furrow 2**

Size : 6" x 6"  
**Height : 60 mm**  
 Area : 0.250 Sq. Ft./ 0.023 M<sup>2</sup>  
 Approx.Wgt. of Mould (Kg) : 1.450  
 Req.Mould for 100 Sq.Ft : 400 Nos  
 Req.Mould for 1 M<sup>2</sup> : 43 Nos

# Paving Blocks

## COMBINATION PAVERS



**PM 37 Club Stones**

Height : 60 mm  
Area : 0.340 Sq. Ft./ 0.032 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.650  
Req.Mould for 100 Sq.Ft : 294 Nos  
Req.Mould for 1 M<sup>2</sup> : 32 Nos




**PM 38 Club Stones**

Height : 60 mm  
Area : 0.410 Sq. Ft./ 0.038 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.950  
Req.Mould for 100 Sq.Ft : 244 Nos  
Req.Mould for 1 M<sup>2</sup> : 26 Nos



# Paving Blocks

## Dumbels Group



**PM 189 Star Dumbels 50**

Height : 50 mm  
Area : 0.400 Sq. Ft./ 0.037 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.500  
Req.Mould for 100 Sq.Ft : 250 Nos  
Req.Mould for 1 M<sup>2</sup> : 27 Nos

**PM 39 New Dumbels**

Height : 60 mm  
Area : 0.400 Sq. Ft./ 0.037 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.800  
Req.Mould for 100 Sq.Ft : 250 Nos  
Req.Mould for 1 M<sup>2</sup> : 27 Nos

**PM 11 Dumbels**

Height : 60 mm  
Area : 0.400 Sq. Ft./ 0.037 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.800  
Req.Mould for 100 Sq.Ft : 250 Nos  
Req.Mould for 1 M<sup>2</sup> : 27 Nos


**PM 15 Mini Dumbels**

Height : 60 mm  
Area : 0.300 Sq. Ft./ 0.028 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.200  
Req.Mould for 100 Sq.Ft : 333 Nos  
Req.Mould for 1 M<sup>2</sup> : 36 Nos




**PM 79 Star Dumbels**

Height : 60 mm  
Area : 0.400 Sq. Ft./ 0.037 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.800  
Req.Mould for 100 Sq.Ft : 250 Nos  
Req.Mould for 1 M<sup>2</sup> : 27 Nos



# Paving Blocks





COMBINATION PAVERS

PM 200

Thara


Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.650  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



PM 149

Heera

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.600  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



PM 150

Meera

Height : 60 mm  
Area : 0.300 Sq. Ft./ 0.028 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.600  
Req.Mould for 100 Sq.Ft : 333 Nos  
Req.Mould for 1 M<sup>2</sup> : 36 Nos

# I Shapes Group




**PM 188** Mini - Idole 40

Height : 40 mm  
Area : 0.250 Sq. Ft./ 0.023 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.150  
Req.Mould for 100 Sq.Ft. : 400 Nos  
Req.Mould for 1 M<sup>2</sup> : 43 Nos




**PM 147** Mini - Idole

Height : 55 mm  
Area : 0.250 Sq. Ft./ 0.023 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.350  
Req.Mould for 100 Sq.Ft. : 400 Nos  
Req.Mould for 1 M<sup>2</sup> : 43 Nos




**PM 17** Idole

Height : 60 mm  
Area : 0.360 Sq. Ft./ 0.033 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.850  
Req.Mould for 100 Sq.Ft. : 278 Nos  
Req.Mould for 1 M<sup>2</sup> : 30 Nos



**PM 132** Idole-3

Height : 60 mm  
Area : 0.360 Sq. Ft./ 0.033 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.850  
Req.Mould for 100 Sq.Ft. : 278 Nos  
Req.Mould for 1 M<sup>2</sup> : 30 Nos



**PM 141** Idole-4

Height : 60 mm  
Area : 0.360 Sq. Ft./ 0.033 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.850  
Req.Mould for 100 Sq.Ft. : 278 Nos  
Req.Mould for 1 M<sup>2</sup> : 30 Nos



**PM 214** Idole-5

Height : 60 mm  
Area : 0.360 Sq. Ft./ 0.033 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.700  
Req.Mould for 100 Sq.Ft. : 278 Nos  
Req.Mould for 1 M<sup>2</sup> : 30 Nos




**PM 28** New Idole

Height : 60 mm  
Area : 0.360 Sq. Ft./ 0.033 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft. : 278 Nos  
Req.Mould for 1 M<sup>2</sup> : 30 Nos




# T Series

## Group



**PM 13 Trihex**

Height : 60 mm  
Area : 0.450 Sq. Ft./ 0.042 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft : 222 Nos  
Req.Mould for 1 M<sup>2</sup> : 24 Nos



**PM 20 Tristar**

Height : 60 mm  
Area : 0.340 Sq. Ft./ 0.032 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.450  
Req.Mould for 100 Sq.Ft : 294 Nos  
Req.Mould for 1 M<sup>2</sup> : 32 Nos



**PM 29 Triarc**

Height : 60 mm  
Area : 0.450 Sq. Ft./ 0.042 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft : 222 Nos  
Req.Mould for 1 M<sup>2</sup> : 24 Nos



**PM 74 Venus**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.200  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 136 Tiptop**

Height : 60 mm  
Area : 0.450 Sq. Ft./ 0.042 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.200  
Req.Mould for 100 Sq.Ft : 222 Nos  
Req.Mould for 1 M<sup>2</sup> : 24 Nos



**PM 190 Tiptop 50**


Height : 50 mm  
Area : 0.450 Sq. Ft./ 0.042 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.800  
Req.Mould for 100 Sq.Ft : 222 Nos  
Req.Mould for 1 M<sup>2</sup> : 24 Nos



**PM 205 Dune**


Height : 60 mm  
Area : 0.450 Sq. Ft./ 0.042 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.000  
Req.Mould for 100 Sq.Ft : 222 Nos  
Req.Mould for 1 M<sup>2</sup> : 24 Nos

\* Can be made to 80mm thickness on request



# Paving Blocks


## ZIGZAG Group




**PM 144** Aristo Zigzag 45




**PM 143** Aristo Zigzag 60



**PM 157** Sandy Zigzag 60



**PM 32** Zigzag 60



**PM 171** Zigzag Star



**PM 215** Zigzag Line




**PM 40** Zigzag Rock



**PM 18** Zigzag 80



**PM 142** Aristo Zigzag 80




**PM 201** Zigzag Rock 2




**PM 202** Zigzag Star 80



**PM 158** Sandy Zigzag 80



**PM 159** Zigzag Small Check



**PM 160** Zigzag Big Check

Height : 80 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.750  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos

Height : 80 mm  
Area : 0.330 Sq. Ft./ 0.031 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.50  
Req.Mould for 100 Sq.Ft : 303 Nos  
Req.Mould for 1 M<sup>2</sup> : 33 Nos


Height : 80 mm  
Area : 0.330 Sq. Ft./ 0.031 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.000  
Req.Mould for 100 Sq.Ft : 303 Nos  
Req.Mould for 1 M<sup>2</sup> : 33 Nos

Height : 80 mm  
Area : 0.330 Sq. Ft./ 0.031 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft : 303 Nos  
Req.Mould for 1 M<sup>2</sup> : 33 Nos

Height : 80 mm  
Area : 0.330 Sq. Ft./ 0.031 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft : 303 Nos  
Req.Mould for 1 M<sup>2</sup> : 33 Nos


\* All Zigzag Designs are Available in 100mm & 80mm Height on Request

# Paving Blocks



**PM 117**    **Splendour**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.650  
Req.Mould for 100 Sq.Ft : 142 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos





**PM 194**    **Dazzle**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.150  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 75**    **Nova**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 156**    **Nova 2**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos


**PM 165**    **Classic**

Height : 60 mm  
Area : 0.440 Sq. Ft./ 0.041 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.000  
Req.Mould for 100 Sq.Ft. : 227 Nos  
Req.Mould for 1 M<sup>2</sup> : 25 Nos




# Paving Blocks

## ELEGANCE Group




**PM 233 New Torus 1**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2,500  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 54 Libra**

Height : 60 mm  
Area : 0.550 Sq. Ft./ 0.051 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2,250  
Req.Mould for 100 Sq.Ft : 182 Nos  
Req.Mould for 1 M<sup>2</sup> : 20 Nos




**PM 12 Torus**

Height : 60 mm  
Area : 0.680 Sq. Ft./ 0.063 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2,250  
Req.Mould for 100 Sq.Ft : 147 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 167 Nexus**

Height : 60 mm  
Area : 0.800 Sq. Ft./ 0.074 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3,000  
Req.Mould for 100 Sq.Ft : 125 Nos  
Req.Mould for 1 M<sup>2</sup> : 14 Nos




**PM 72 Mega Torus**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2,400  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos




**PM 116 New Torus**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2,350  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos




**PM 57 Camel**

Height : 60 mm  
Area : 0.330 Sq. Ft./ 0.031 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1,550  
Req.Mould for 100 Sq.Ft : 303 Nos  
Req.Mould for 1 M<sup>2</sup> : 33 Nos



**PM 135 Colorado Paver**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2,400  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 16 Pearl**


Height : 60 mm  
Area : 0.300 Sq. Ft./ 0.028 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1,600  
Req.Mould for 100 Sq.Ft : 333 Nos  
Req.Mould for 1 M<sup>2</sup> : 36 Nos

# Paving Blocks




**PM 21** Monark

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.350  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 78** Zigma

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.150  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 26** Diamond

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.800  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 30** Vajra

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.000  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 162** Vismaya

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.900  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos




**PM 55** New Lamba

Size : 12" x 6"  
Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.350  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 56** New Chathura

Size : 6" x 6"  
Height : 60 mm  
Area : 0.250 Sq. Ft./ 0.023 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.450  
Req.Mould for 100 Sq.Ft : 400 Nos  
Req.Mould for 1 M<sup>2</sup> : 43 Nos




**PM 111** Decan

Size : 8" x 8"  
Height : 60 mm  
Area : 0.440 Sq. Ft./ 0.041 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft : 227 Nos  
Req.Mould for 1 M<sup>2</sup> : 25 Nos

# Paving Blocks

## HEXAGON Group




**PM 7 Hexagon**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.650  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 179 Hexagon 3**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.650  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 112 Platinum**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.650  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos




**PM 70 Hexagon 2**

Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.650  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**PM 71 Y2**

Height : 60 mm  
Area : 0.300 Sq. Ft./ 0.028 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.650  
Req.Mould for 100 Sq.Ft : 333 Nos  
Req.Mould for 1 M<sup>2</sup> : 36 Nos



## 3 D Series





**PM 172      Prism**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.250  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 168    Arrow Paver**

Height : 60 mm  
Area : 0.350 Sq. Ft./ 0.033 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.950  
Req.Mould for 100 Sq.Ft. : 286 Nos  
Req.Mould for 1 M<sup>2</sup> : 31 Nos



# Paving Blocks



**PM 204 Kapari**


Height : 60 mm  
Area : 0.700 Sq. Ft./ 0.065 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.950  
Req.Mould for 100 Sq.Ft : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos

**PM 170 Vertex**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.300  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos

**PM 76 Lunar Rock**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.250  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**PM 31A New Asthra**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.150  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos

**PM 31 Asthra**

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.000  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos

**PM 174 Kadappa**

Height : 60 mm  
Area : 0.530 Sq. Ft./ 0.049 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.550  
Req.Mould for 100 Sq.Ft : 189 Nos  
Req.Mould for 1 M<sup>2</sup> : 21 Nos

# Paving Blocks




**PM 196** Temaco 1

Height : 60 mm  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.650  
Req.Mould for 100 Sq.Ft : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**PM 197** Temaco 2

Height : 60 mm  
Area : 0.250 Sq. Ft./ 0.023 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.750  
Req.Mould for 100 Sq.Ft : 400 Nos  
Req.Mould for 1 M<sup>2</sup> : 43Nos



## 9 Cavity Rubber Mould



MC 501

9 Cavities

Size : 8" x 4"

Height : 60 mm

Area of 1 concrete block : 0.220 Sq. Ft./ 0.02 M<sup>2</sup>


Approx. Wgt. of Mould (Kg) : 11.00

No. of bricks for 1 Sq.Ft : 460 Nos


No. of bricks for 1M<sup>2</sup>: 50 Nos

No. of mould for 1M<sup>2</sup>: 5.5 moulds

Area of 1 mould: 0.18 M<sup>2</sup>




# Grass Paver



MC 601      Mega Grass Paver

Size : 23" x 15"  
Height : 60 mm  
Area : 2.400 Sq. Ft./ 0.220 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 10.00  
No. of pieces for 100 Sq.Ft : 47 Nos  
Req. moulds for 1M<sup>2</sup>: 4.5 Nos  
**\*Available in 80 mm Also**  
**Weight of the mould : 11.50 kg**



PM 181 Grass Paver 1

Height : 60 mm  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3.400  
Req.Mould for 100 Sq.Ft : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



PM 182 Grass Paver 2

Height : 60 mm  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3.950  
Req.Mould for 100 Sq.Ft : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos


# VENTILATOR GRILL




**MC 701 VENTILATOR GRILL**

**Thickness : 45mm**

**Size : 686mm x 457mm**  
**Approx.Wgt. of Mould (Kg) : 11.5**




## KERB STONE Group



**PM 73 Kerb Stone - 1**

**Size : 250mm x 200mm x 76mm**  
**Approx.Wgt. of Mould (Kg) : 2.850**




**PM 133 Kerb Stone - 2**

**Size : 230mm x 100mm x 300mm**  
**Approx.Wgt. of Mould (Kg) : 4.000**


# KERB STONE

## Group




**PM 134 Kerb Stone - 3**

Size : 400mm x 100mm x 300mm  
Approx.Wgt. of Mould (Kg) : 6.400



**PM 218 Kerb Stone - 4**

Size : 150mm x 300mm x 300mm  
Approx.Wgt. of Mould (Kg) : 8.750



**PM 239 Kerb Stone - 7**

Size : 150mm x 400mm x 300mm  
Approx.Wgt. of Mould (Kg) : 8.750


# KERB STONE

## Group



**PM 224 Kerb Stone - 5**

Size : 600mm x 400mm x 125mm  
Approx.Wgt. of Mould (Kg) : 11.00



**PM 225 Kerb Stone - 6**


Size : 600mm x 400mm x 125mm  
Approx.Wgt. of Mould (Kg) : 11.00



# JR RUBBER INDUSTRIES®

*Global provider of paver plant and technology*

## Floor Tiles




**TM 110      Rado**

Thickness : 12mm

Size : 10" x 10"

Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.550  
Req.Mould for 100 Sq.Ft. : 145 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**TM 122      Volga**

Thickness : 25mm

Size : 10" x 10"

Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.650  
Req.Mould for 100 Sq.Ft. : 145 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos




**TM 118      Plain Tile**

Thickness : 12mm, 15mm, 18mm

Size : 10" x 10"

Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
Req.Mould for 100 Sq.Ft. : 145 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**TM 234      Small Nile**

Thickness : 25mm

Size : 10" x 10"

Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.650  
Req.Mould for 100 Sq.Ft. : 145 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos

## FLOOR TILES

Size: 10" x 10"



**TM 235      Stripes**

Thickness : 25mm

Size : 10" x 10"

Area : 0.690 Sq. Ft./ 0.064 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.650  
Req.Mould for 100 Sq.Ft. : 145 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos




**TM 198      Rubble**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 221      Lilac**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 222      Magna**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 223      Brook**

Thickness : 25mm

Size : 12" x 12"


Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



## FLOOR TILES

Size: 12" x 12"

# Floor Tile




**TM 220 Directional Tile**

Thickness : 30mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos





**TM 236 Small Round**

Thickness : 30mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 219 Lumino**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



# Floor Tile




**TM 237    Cross Line**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 217    Lilly**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 126    Sharp**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 105    Roma**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 86    Nebula**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 2    Chakra**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 238    Square Stone 1**

Thickness : 25mm

Size : 12" x 12"


Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos

# Floor Tile




**TM 1 Small Button**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 95 Flora**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 8 Arrowcon**

Thickness: 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 90 Magic**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 3 Six Checks**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 87 Five Checks**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 27 Gripper**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 9 Micro Check**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 121 Colorado Tile**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 98 Four Checks**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos

# Floor Tile



**TM 211    Cherry**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 101    Alfa**

Thickness : 25mm


Area : 0.780 Sq. Ft./ 0.072 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.000  
Req.Mould for 100 Sq.Ft. : 128 Nos  
Req.Mould for 1 M<sup>2</sup> : 14 Nos



**TM 102    Omega**

Thickness : 25mm


Area : 0.820 Sq. Ft./ 0.076 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.200  
Req.Mould for 100 Sq.Ft. : 122 Nos  
Req.Mould for 1 M<sup>2</sup> : 14 Nos



**TM 51    Rain Drops**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 19    Ajantha**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 22    Six Rounds**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 108    Plain Mat Finish**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 25    Plain Glossy**

Thickness : 25mm,15mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos


# Floor Tile



**TM 91 Mural**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11Nos



**TM 104 Rainbow**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 103 Cloud**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 96 Magna**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.050  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 36 Coral**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.150  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 106 Mystic**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 4 Cyclo**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 99 Cascade**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 107 Jack**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 46 Amaze**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos


# Floor Tile



**TM 47    Carpet**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 155    Sandra**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 123    Lux**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 88    Crystal**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 140    Optima**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 146    Silica**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 33    Delta**

Thickness : 25mm


Area : 0.800 Sq. Ft./ 0.074 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft. : 125 Nos  
Req.Mould for 1 M<sup>2</sup> : 14 Nos



**TM 145    Tigris**

Thickness : 25mm


Size : 12" x 12"  
Area: 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 120    Wave**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos




**TM 89    Nile**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos

# Floor Tile



**TM 124 Chithra**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 125 Gasa**

Thickness : 25mm  
Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.100  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**FLOOR TILES**  
Size: 13.385" x 13.385"


**TM 92 Sahara**

Thickness : 25mm  
Size : 13.39" x 13.39"  
Area : 1.250 Sq. Ft./ 0.116 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.900  
Req.Mould for 100 Sq.Ft. : 80 Nos  
Req.Mould for 1 M<sup>2</sup> : 9 Nos



**TM 97 Narmada**


Thickness : 25mm  
Size : 13.39" x 13.39"  
Area : 1.250 Sq. Ft./ 0.116 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3.300  
Req.Mould for 100 Sq.Ft. : 80 Nos  
Req.Mould for 1 M<sup>2</sup> : 9 Nos



**TM 100 Ellora**


Thickness : 25mm  
Size : 13.39" x 13.39"  
Area : 1.250 Sq. Ft./ 0.116 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.750  
Req.Mould for 100 Sq.Ft. : 80 Nos  
Req.Mould for 1 M<sup>2</sup> : 9 Nos

**FLOOR TILES**  
Size: 15" x 15"



**TM 41 Droplet**

Thickness : 25mm  
Size : 15" x 15"  
Area : 1.560 Sq. Ft./ 0.145 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3.100  
Req.Mould for 100 Sq.Ft. : 64 Nos  
Req.Mould for 1 M<sup>2</sup> : 7 Nos




**TM 42 Mega Stone**

Thickness : 25mm  
Size : 15" x 15"  
Area : 1.560 Sq. Ft./ 0.145 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.950  
Req.Mould for 100 Sq.Ft. : 64 Nos  
Req.Mould for 1 M<sup>2</sup> : 7 Nos



**TM 137 Piza**

Thickness : 25mm  
Size : 15" x 15"  
Area : 1.560 Sq. Ft./ 0.145 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.950  
Req.Mould for 100 Sq.Ft. : 64 Nos  
Req.Mould for 1 M<sup>2</sup> : 7 Nos



**TM 48 Pluto**

Thickness : 25mm  
Size : 15" x 15"  
Area : 1.560 Sq. Ft./ 0.145 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.800  
Req.Mould for 100 Sq.Ft. : 64 Nos  
Req.Mould for 1 M<sup>2</sup> : 7 Nos

# Floor Tile

## FLOOR TILES


Size: 15" x 15"



**TM 43 Castle**

Thickness : 25mm

Size : 15" x 15"  
Area : 1.560 Sq. Ft./ 0.145 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3.250  
Req.Mould for 100 Sq.Ft. : 64 Nos  
Req.Mould for 1 M<sup>2</sup> : 7 Nos



**TM 84 Spiral**

Thickness : 25mm


Area:1 Spiral + 1 Nano = 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.950  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 85 Nano**

Thickness : 25mm

4 Cavity per mould  
Approx.Wgt. of Mould (Kg) : 1.300



**TM 45 Mega Gripper**

Thickness : 25mm

Size : 15" x 15"  
Area : 1.560 Sq. Ft./ 0.145 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 3.100  
Req.Mould for 100 Sq.Ft. : 64 Nos  
Req.Mould for 1 M<sup>2</sup> : 7 Nos



**TM 44 Plain Tile**

Thickness : 25mm

Size : 15" x 15"  
Area : 1.560 Sq. Ft./ 0.145 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.550  
Req.Mould for 100 Sq.Ft. : 64 Nos  
Req.Mould for 1 M<sup>2</sup> : 7 Nos

## FLOOR TILES


Size: 16" x 16"




**TM 216 Vistara-1**

Thickness : 30mm

Size : 16" x 16"  
Area : 1.770 Sq. Ft./ 0.170 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 4.500  
Req.Mould for 100 Sq.Ft. : 62 Nos  
Req.Mould for 1 M<sup>2</sup> : 6 Nos



# Floor Tile



**TM 82    Lotus**

Thickness : 25mm

Area : 1 Lotus + 1 Ruby = 1.000 Sq. Ft./ 0.093 M<sup>2</sup>

Approx.Wgt. of Mould (Kg) : 1.850

Req.Mould for 100 Sq.Ft. : 100 Nos



Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 83    Ruby**

Thickness : 25mm

4 Cavity per mould  
Approx.Wgt. of Mould (Kg) : 1.350



**TM 80    Polo**

Thickness : 25mm

Area : 1 Polo + 1 Mint = 0.860 Sq. Ft./ 0.080 M<sup>2</sup>

Approx.Wgt. of Mould (Kg) : 1.800

Req.Mould for 100 Sq.Ft. : 116 Nos


Req.Mould for 1 M<sup>2</sup> : 13 Nos




**TM 81    Mint**

Thickness : 25mm

4 Cavity per mould  
Approx.Wgt. of Mould (Kg) : 1.050



# Floor Tile



**TM 6 Thankam**

Thickness : 25mm

Size : 12" x 12"

Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos

**TM 5 Combo**

Corner Tile Piece  
For

**TM 6 & TM 10**

Thickness : 25mm  
4 Cavity per mould

Approx.Wgt. of Mould (Kg) : 1.350




**TM 10 Spectra**

Thickness : 25mm

Size : 12" x 12"


Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.900  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 210 Sathara**

Thickness : 30mm


Area : 0.500 Sq. Ft./ 0.046M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.700  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**TM 138 Saheera**

Thickness : 30mm

Area : 0.700 Sq. Ft.  
Approx.Wgt. of Mould (Kg) : 1.750  
Req.Mould for 100 Sq.Ft. : 143 Nos  
Req.Mould for 1 M<sup>2</sup> : 16 Nos



**TM 139 Sameera**

Thickness : 30mm

Area : 0.300 Sq. Ft.  
Approx.Wgt. of Mould (Kg) : 1.100  
Req.Mould for 100 Sq.Ft. : 333 Nos  
Req.Mould for 1 M<sup>2</sup> : 36 Nos

# Step Tile

## Step Tiles

Size: 12" x 12"


Size: 15" x 12"



**TM 23 Step Tile - 1**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.250  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 93 Step Tile - 2**

Thickness : 25mm


Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.250  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos



**TM 109 Step Tile - 3**

Thickness : 25mm

Size : 15" x 12"  
Area : 1.250 Sq. Ft./ 0.116 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.950  
Req.Mould for 100 Sq.Ft. : 80 Nos  
Req.Mould for 1 M<sup>2</sup> : 9 Nos



**TM 34 Step Tile - 4**

Thickness : 25mm

Size : 12" x 12"  
Area : 1.000 Sq. Ft./ 0.093 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 2.250  
Req.Mould for 100 Sq.Ft. : 100 Nos  
Req.Mould for 1 M<sup>2</sup> : 11 Nos

## Step Tiles


Size: 12" x 6"



**TM 24 Raiser - 1**

Thickness : 25mm

Size : 12" x 6"  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.300  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos



**TM 94 Raiser - 2**

Thickness : 25mm

Size : 12" x 6"  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.300  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos




**TM 35 Raiser - 4**

Thickness : 25mm

Size : 12" x 6"  
Area : 0.500 Sq. Ft./ 0.046 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.300  
Req.Mould for 100 Sq.Ft. : 200 Nos  
Req.Mould for 1 M<sup>2</sup> : 22 Nos

# WALL TILES

## WALL TILES



**DM 61 Sira**

Height : 12 mm


Size : 100mm x 50mm  
6 Cavity per mould  
Area : 0.050 Sq. Ft./ 0.005 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.050  
Req.Mould for 100 Sq.Ft : 2000 Nos  
Req.Mould for 1 M<sup>2</sup> : 215 Nos



**DM 62 Laura**

Height : 12 mm

Size: 150mm x 75mm  
2 Cavity per mould  
Area : 0.120 Sq. Ft./ 0.011 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.800  
Req.Mould for 100 Sq.Ft : 833 Nos  
Req.Mould for 1 M<sup>2</sup> : 898 Nos



**DM 63 Nitco**

Height : 12 mm

Size : 300mm x 200mm  
Area : 0.640 Sq. Ft./ 0.059 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 1.450  
Req.Mould for 100 Sq.Ft : 156 Nos  
Req.Mould for 1 M<sup>2</sup> : 17 Nos



**DM 64 Bamboo**

Height : 12 mm

2 Cavity per mould  
Area : 0.150 Sq. Ft./ 0.014 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.800  
Req.Mould for 100 Sq.Ft : 667 Nos  
Req.Mould for 1 M<sup>2</sup> : 72 Nos



**DM 65 Hera**

Height : 12 mm

Size : 160mm x 160mm  
Area : 0.260 Sq. Ft./ 0.024 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.650  
Req.Mould for 100 Sq.Ft : 385 Nos  
Req.Mould for 1 M<sup>2</sup> : 44 Nos



**DM 66 Petra**

Height : 12 mm

2 Cavity per mould  
Size : 230mm x 75mm  
Area : 0.180 Sq. Ft./ 0.017 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.700  
Req.Mould for 100 Sq.Ft : 556 Nos  
Req.Mould for 1 M<sup>2</sup> : 60 Nos



**DM 67 Marvel**

Height : 12 mm


2 Cavity per mould  
Area : 0.140 Sq. Ft./ 0.013 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.600  
Req.Mould for 100 Sq.Ft : 714 Nos  
Req.Mould for 1 M<sup>2</sup> : 77 Nos



**DM 68 Vista**

Height : 12 mm

Size : 260mm x 155mm  
Area : 0.432 Sq. Ft./ 0.040 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.900  
Req.Mould for 100 Sq.Ft : 231 Nos  
Req.Mould for 1 M<sup>2</sup> : 25 Nos




**DM 69 Mario**

Height : 12 mm

Size : 200mm x 100mm  
Area : 0.214 Sq. Ft./ 0.020 M<sup>2</sup>  
Approx.Wgt. of Mould (Kg) : 0.800  
Req.Mould for 100 Sq.Ft : 467 Nos  
Req.Mould for 1 M<sup>2</sup> : 51 Nos

# COVER BLOCKS



## COVER BLOCK - 1

35 Cavity per mould


Suitable for 20mm & 25mm  
Approx.Wgt. of Mould (Kg) : 3.000



## COVER BLOCK - 3

49 Cavity per mould

Diameter : 35mm  
Suitable for 20mm  
Approx.Wgt. of Mould (Kg) : 2.800



## COVER BLOCK ROUND - 5

2 Cavity per mould


Suitable for 12mm iron ring  
Radius 60mm & 75mm available.  
Approx.Wgt. of Mould (Kg) : 1.300



## COVER BLOCK - 2

12 Cavity per mould

Suitable for 20mm & 40mm  
25mm & 50mm  
Approx.Wgt. of Mould (Kg) : 1.300



## COVER BLOCK - 4

36 Cavity per mould

Suitable for 20mm & 25mm  
&40mm & 50mm  
Approx.Wgt. of Mould (Kg) : 3.050



# COVER BLOCKS




## COVER BLOCK - 6

35 Cavity per mould

Suitable for 20mm & 25mm  
& 40mm & 50mm

Approx.Wgt. of Mould (Kg) : 3.300



## COVER BLOCK - 8

49 Cavity per mould

Suitable for 15mm & 20mm  
& 25mm

Approx.Wgt. of Mould (Kg) : 2.850



## COVER BLOCK - 10

25 Cavity per mould

Suitable for 20mm & 25mm


Approx.Wgt. of Mould (Kg) : 1.600

## COVER BLOCK - 7

36 Cavity per mould

Suitable for 50mm

Approx.Wgt. of Mould (Kg) : 3.150




## COVER BLOCK - 9

30 Cavity per mould

Suitable for 30mm & 40mm

Approx.Wgt. of Mould (Kg) : 1.650




## Star Pyramid Flower Group



Star

Star Big  
4 Cavity per  
Mould  
Approx.Wgt. of  
Mould (Kg) : 2.350

Star Small  
6 Cavity per  
Mould  
Approx.Wgt. of  
Mould (Kg) : 2.150



Pyramid

Size  
100mm x 100mm  
4 Cavity per  
Mould  
Approx.Wgt. of  
Mould (Kg) : 2.350

Size  
80mm x 80mm  
6 Cavity per  
mould  
Approx.Wgt. of  
Mould (Kg) : 2.100



Flower

Flower  
4 Cavity per  
Mould  
Approx.Wgt. of  
Mould (Kg) : 0.900

## THUVANAMS




Thuvanam 1

Size : 18 inch  
Approx.Wgt. of Mould (Kg) : 1.300



Thuvanam 2

Size : 12 inch  
Approx.Wgt. of Mould (Kg) : 0.850



Thuvanam 3

Size : 11.5 inch  
Approx.Wgt. of Mould (Kg) : 1.050



Thuvanam 4

Size : 18 inch  
Approx.Wgt. of Mould (Kg) : 1.600



**JR RUBBER INDUSTRIES®**

*Global provider of paver plant and technology*

Thadappambu, Mulamkunnathukavu P.O.,  
Thrissur - 680 581, Kerala State, India.

Website: [www.jrrubbermoulds.com](http://www.jrrubbermoulds.com) E-mail: [mail@jrrubbermoulds.com](mailto:mail@jrrubbermoulds.com)

Mob: +91 85890 82225, +91 95622 82225, +91 95446 78710, +91 93872 27459