

# Rajalakshmi Engineering College

Name: Manisha M  
Email: 240701304@rajalakshmi.edu.in  
Roll no: 240701304  
Phone: 9363972879  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### REC\_2028\_OOPS using Java\_Week 3\_MCQ

Attempt : 1  
Total Mark : 15  
Marks Obtained : 15

#### **Section 1 : MCQ**

1. What will be the output of the following code?

```
class Sample {  
    public static void main(String[] args) {  
        int[] a = {1, 2, 3};  
        int product = 1;  
        for (int i = 0; i < a.length; i++) {  
            product *= a[i];  
        }  
        System.out.println(product);  
    }  
}
```

**Answer**

Status : Correct

Marks : 1/1

2. What will be the output of the following code?

```
public class Test {  
    public static void main(String[] args) {  
        int[] x = {4, 8, 12};  
        int result = x[0] * x[2];  
        System.out.println(result);  
    }  
}
```

Answer

48

Status : Correct

Marks : 1/1

3. What will be the output of the following code?

```
class Q {  
    public static void main(String[] args) {  
        int[] a = {1, 2, 3, 4};  
        for (int i = 0; i < a.length; i++) {  
            if (a[i] % 2 == 0)  
                a[i] = 0;  
        }  
        System.out.println(a[1] + " " + a[3]);  
    }  
}
```

Answer

0 0

Status : Correct

Marks : 1/1

4. What will be the output of the following code?

```
class ReverseArray {
```

```
public static void main(String[] args) {  
    int[] a = {1, 2, 3, 4};  
    for (int i = 0; i < a.length / 2; i++) {  
        int temp = a[i];  
        a[i] = a[a.length - 1 - i];  
        a[a.length - 1 - i] = temp;  
    }  
    for (int i : a)  
        System.out.print(i + " ");  
}
```

**Answer**

4 3 2 1

**Status :** Correct

**Marks :** 1/1

5. What will be the output of the following code?

```
class Q {  
    public static void main(String[] args) {  
        int[] a = {1, 2, 3, 4};  
        for (int i = 0; i < a.length / 2; i++) {  
            int temp = a[i];  
            a[i] = a[a.length - 1 - i];  
            a[a.length - 1 - i] = temp;  
        }  
        System.out.println(a[0]);  
    }  
}
```

**Answer**

4

**Status :** Correct

**Marks :** 1/1

6. What will be the output of the following code?

```
class Q {
```

```
public static void main(String[] args) {  
    int[] nums = {4, 2, 9, 5};  
    int max = nums[0];  
    for (int i = 1; i < nums.length; i++) {  
        if (nums[i] > max)  
            max = nums[i];  
    }  
    System.out.println(max);  
}
```

**Answer**

9

**Status : Correct**

**Marks : 1/1**

7. What will be the output of the following code?

```
class Sample {  
    public static void main(String[] args) {  
        int[][] matrix = {  
            {1, 2, 3},  
            {4, 5, 6}  
        };  
        System.out.println(matrix[1][2]);  
    }  
}
```

**Answer**

6

**Status : Correct**

**Marks : 1/1**

8. What will be the output of the following code?

```
class Q {  
    public static void main(String[] args) {  
        int[][] a = {  
            {1, 2},  
            {3, 4},  
            {5, 6}  
        };  
        System.out.println(a[1][0]);  
    }  
}
```

```
        {3, 4}
    };
    int sum = 0;
    for (int i = 0; i < a.length; i++)
        for (int j = 0; j < a[0].length; j++)
            sum += a[i][j];
    System.out.println(sum);
}
```

**Answer**

10

**Status : Correct**

**Marks : 1/1**

9. What will be the output of the following code?

```
class M {
    public static void main(String[] args) {
        int[][] arr = {
            {1, 2},
            {3, 4},
            {5, 6}
        };
        for (int i = 0; i < arr.length; i++) {
            System.out.print(arr[i][0] + " ");
        }
    }
}
```

**Answer**

1 3 5

**Status : Correct**

**Marks : 1/1**

10. What will be the output of the following code?

```
class Q {
```

```
public static void main(String[] args) {  
    int[] nums = {3, 6, 7, 2, 8};  
    int sum = 0;  
    for (int i = 0; i < nums.length; i++) {  
        if (nums[i] % 2 == 0)  
            sum += nums[i];  
    }  
    System.out.println(sum);  
}
```

**Answer**

16

**Status : Correct**

**Marks : 1/1**

11. What will be the output of the following code?

```
class Q {  
    public static void main(String[] args) {  
        int[][] a = {  
            {1, 2},  
            {3, 4}  
        };  
        for (int i = 0; i < a.length; i++) {  
            for (int j = 0; j < a[0].length; j++) {  
                System.out.print(a[i][j] + " ");  
            }  
        }  
    }  
}
```

**Answer**

1 2 3 4

**Status : Correct**

**Marks : 1/1**

12. What will be the output of the following code?

```
240701304 class Sample {  
    public static void main(String[] args) {  
        int[][] data = {  
            {1, 2},  
            {3, 4}  
        };  
        int sum = 0;  
  
        for (int[] row : data) {  
            for (int val : row) {  
                sum += val;  
            }  
        }  
        System.out.println("Sum = " + sum);  
    }  
}
```

## **Answer**

Sum = 10

**Status :** Correct

Marks : 1/1

13. What will be the output of the following code?

```
class Q {  
    public static void main(String[] args) {  
        int[] a = {1, 2, 1, 3, 1, 4};  
        int count = 0;  
        for (int i = 0; i < a.length; i++) {  
            if (a[i] == 1) count++;  
        }  
        System.out.println(count);  
    }  
}
```

## Answer

3

Status : Correct

Marks : 1/1

14. What will be the output of the following code?

```
class Q {  
    public static void main(String[] args) {  
        int[][] arr = {  
            {5, 6, 7},  
            {8, 9, 10}  
        };  
        System.out.println(arr[0][2]);  
    }  
}
```

Answer

7

Status : Correct

Marks : 1/1

15. What will be the output of the given code?

```
public class Main {  
    public static void main(String[] args) {  
        int[] arr = {1, 2, 3, 4, 5};  
        int n = arr.length;  
        int temp = arr[0];  
  
        for (int i = 0; i < n - 1; i++) {  
            arr[i] = arr[i + 1];  
        }  
        arr[n - 1] = temp;  
  
        for (int num : arr) {  
            System.out.print(num + " ");  
        }  
    }  
}
```

Answer

2 3 4 5 1

Status : Correct

Marks : 1/1

# Rajalakshmi Engineering College

Name: Manisha M  
Email: 240701304@rajalakshmi.edu.in  
Roll no: 240701304  
Phone: 9363972879  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Rosh is intrigued by numerical patterns. Today, she stumbled upon a puzzle while working with arrays. She wants to compute the sum of the third-largest and second-smallest elements from a list of integers. She seeks your help to implement a program that solves this for her efficiently.

##### ***Input Format***

The first line of input is an integer N, representing the size of the array.

The second line of input consists of N space-separated integers, representing the elements of the array.

##### ***Output Format***

The output displays a single integer representing the sum of the third-largest and second-smallest elements in the array.

Refer to the sample output for the formatting specifications.

### **Sample Test Case**

Input: 10  
10 20 30 40 50 60 70 80 90 100  
Output: 100

### **Answer**

```
import java.util.Arrays;
import java.util.Scanner;
public class Main{
    public static void main(String [] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++){
            arr[i]=sc.nextInt();
        }
        Arrays.sort(arr);
        int small=arr[1];
        int large=arr[arr.length -3];
        int sum=small+large;
        System.out.println(sum);
    }
}
```

**Status : Correct**

**Marks : 10/10**

# Rajalakshmi Engineering College

Name: Manisha M  
Email: 240701304@rajalakshmi.edu.in  
Roll no: 240701304  
Phone: 9363972879  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q2

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Monica is interested in finding a treasure but the key to opening is to get the sum of the main diagonal elements and secondary diagonal elements.

Write a program to help Monica find the diagonal sum of a square 2D array.

Note: The main diagonal of the array consists of the elements traversing from the top-left corner to the bottom-right corner. The secondary diagonal includes elements from the top-right corner to the bottom-left corner.

##### ***Input Format***

The first line of input consists of an integer N, representing the number of rows and columns.

The following N lines consist of N space-separated integers, representing the 2D array elements.

### **Output Format**

The first line of output prints "Sum of the main diagonal: " followed by an integer, representing the sum of the main diagonal.

The second line prints "Sum of the secondary diagonal: " followed by an integer, representing the sum of the secondary diagonal.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 3  
1 2 3  
4 5 6  
7 8 9

Output: Sum of the main diagonal: 15  
Sum of the secondary diagonal: 15

### **Answer**

```
import java.util.Scanner;
import java.util.Arrays;
public class Main{
    public static void main(String[] args){
        int summain=0,sumsec=0;
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[][] mat=new int[n][n];
        for (int i=0;i<n;i++){
            for(int j=0;j<n;j++){
                mat[i][j]=sc.nextInt();
            }
        }

        for(int i=0;i<n;i++){
            summain+=mat[i][i];
            sumsec+=mat[i][n-1-i];
        }
    }
}
```

```
        System.out.println("Sum of the main diagonal: "+summain);
        System.out.println("Sum of the secondary diagonal: "+sumsec);
    }
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: Manisha M  
Email: 240701304@rajalakshmi.edu.in  
Roll no: 240701304  
Phone: 9363972879  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q3

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

You are developing a warehouse management system for a shipping company. The system uses an integer array to represent the weights of packages in a specific order. To verify that the weight capacity is not exceeded, the program needs to calculate the sum of the weights of the first and last packages in the list.

##### **Task:**

Write a code to calculate the sum of the weights of the first and last packages in the list. The program should take an integer array as input and return the total weight of the first and last packages.

##### ***Input Format***

The first line of the input is an integer N representing the size of the array.

The second line of the input is N space-separated integer values.

#### **Output Format**

The output is displayed in the following format:

"Sum of the first and last elements: <>Sum<>"

Refer to the sample output for formatting specifications.

#### **Sample Test Case**

Input: 5

10 20 30 40 50

Output: Sum of the first and last elements: 60

#### **Answer**

```
import java.util.Scanner;
import java.util.Arrays;
public class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++){
            arr[i]=sc.nextInt();
        }
        int a=arr[0]+arr[n-1];
        System.out.println("Sum of the first and last elements: "+a);
    }
}
```

**Status : Correct**

**Marks : 10/10**

# Rajalakshmi Engineering College

Name: Manisha M  
Email: 240701304@rajalakshmi.edu.in  
Roll no: 240701304  
Phone: 9363972879  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Sesha is developing a weather monitoring system for a region with multiple weather stations. Each weather station collects temperature data hourly and stores it in a 2D array.

Write a program that can add the temperature data from two different weather stations to create a combined temperature record for the region.

##### ***Input Format***

The first line of input consists of two space-separated integers N and M, representing the number of rows and columns of the matrices, respectively.

The next N lines consist of M space-separated integers, representing the values of the first matrix.

The following N lines consist of M space-separated integers, representing the values of the second matrix.

### ***Output Format***

The output prints the addition of the two matrices in N rows and M columns, representing the combined temperature record.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 3 3

1 2 3

4 5 6

7 8 9

1 1 1

2 2 2

3 3 3

Output: 2 3 4

6 7 8

10 11 12

### ***Answer***

```
import java.util.Scanner;
public class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int r=sc.nextInt();
        int c=sc.nextInt();
        int[][] m1=new int[r][c];
        int[][] m2=new int[r][c];
        int[][] sum=new int[r][c];
        for(int i=0;i<r;i++){
            for(int j=0;j<c;j++){
                m1[i][j]=sc.nextInt();
            }
        }
        for(int i=0;i<r;i++){
            for(int j=0;j<c;j++){
                m2[i][j]=sc.nextInt();
            }
        }
    }
}
```

```
        }
    }
    for(int i=0;i<r;i++){
        for(int j=0;j<c;j++){
            sum[i][j]=m1[i][j]+m2[i][j];
            System.out.print(sum[i][j]+" ");
        }System.out.println();
    }
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: Manisha M  
Email: 240701304@rajalakshmi.edu.in  
Roll no: 240701304  
Phone: 9363972879  
Branch: REC  
Department: CSE - Section 9  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q5

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Sharon is creating a program that finds the first repeated element in an integer array. The program should efficiently identify the first element that appears more than once in the given array. If no such element is found, it should appropriately display a message.

Help Sharon to complete the program.

##### ***Input Format***

The first line of input consists of an integer n, representing the number of elements in the array.

The second line consists of n space-separated integers, representing the array elements.

### ***Output Format***

If a repeated element is found, print the first element that appears more than once.

If no repeated element is found, print "No repeated element found in the array".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 8  
12 21 13 14 21 36 47 21

Output: 21

### ***Answer***

```
import java.util.Scanner;
import java.util.Arrays;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);

        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++){
            arr[i]=sc.nextInt();
        }
        Arrays.sort(arr);
        boolean dup=false;
        for(int i=0;i<n-1;i++){

            if(arr[i]==arr[i+1]){
                System.out.println(arr[i]);

                dup=true;
                break;
            }
        }
        if(!dup){
            System.out.println("No repeated element found in the array");
        }
    }
}
```

240701304  
}

**Status : Correct**

240701304

240701304

240701304

**Marks : 10/10**