EXPERIMENT 11

Deploying a Zoho Creator Application from Development to Production Environment

Name: Manishaa K | Roll Number: 241401051

Aim

Todemonstrate the development-to-production deployment workflow of a Zoho Creator application using the Environments feature, and to manage a multi-stage pipeline of isolated sandboxes (Development, Stage and Production) so that changes are built, tested and released in a controlled manner.

Introduction to Multi-Stage Deployment

Zoho Creatorprovidesan ***Environments*** feature, described on its page as a multi-stage deployment space to test and publish an application without affecting the production. Each environment is a separate, isolated copy of the application hosted in the cloud, with its own version of the forms, reports, workflows and data. A change made in one environment does not reach the next until it is deliberately deployed. An application passes through three environments:

Environment	***Purpose***
Development	The sandbox in which the application is built, configured and changed. Changes made here do not reach end users.
Stage	An intermediate testing environment, a replica of the release candidate, in which the application is deployed, tested and approved before release.
Production	The live environment in which the tested application is published and used by end users.

Why isolated workspaces matter

Because the three environments are isolated, unfinished or unverified work can never disturb the live application. Structural changes such as new fields, altered validation, rewritten workflows or changed permissions are first made in Development, where a failure affects only the developer. The change is then promoted to Stage, where it is tested against realistic conditions without touching real participants. Only after it is approved is it published to Production. This protects the active registration pipeline of the technical symposium from system downtime, broken forms, lost or corrupted submissions and unverified structural changes, and keeps every release controlled, traceable and reversible through Version History.

Application Used

Event Registration Form –an application to manage participant registrations for the technical symposium.

Procedure

The deployment follows the flow: ***Development Environment → Stage Environment → Production Environment***.

Note: Figures 11.1 to 11.3 are screens of the Zoho Creator account. Figure 11.4 is an illustrative view of the Deployment Progress of the Event Registration Form application, used to demonstrate the deployment workflow; the statuses and dates in it are as displayed in the illustration.

1. Signin to ZohoCreator.The homepageshows t***Event Registration*** application.The leftpanelis divided intothe groupsDEVELOP, DEPLOYandMANAGE;the DEPLOY groupcontains the ***Environments*** , Mobile andPortaloptions. TheEnvironmentsoption isused fordeploying applications across environments.

241401051




Figure 11.1: Zoho Creator Home – Event Registration Application and the DEPLOY ▸ Environments Option

2. Select ***Environments*** under DEPLOY. The Environments page opens with the description "Multi-stage deployment space to test and publish your application without affecting the production", and with the Version History, Manage and Publish options at the top. The Stage and Production environments are shown as separate columns. Initially the message "There are no applications added to the environment" is shown in the left panel, and the columns display "No applications in Stage yet" and "No applications in Production yet". An ***Add Application*** button is provided.




Figure 11.2: Environments Page – Stage and Production Environments (Empty)

3. Select ***Add Application*** and add the Event Registration application to the environment. The application now appears in the left panel with the status "No changes available", and version ***1.0*** is listed under both the Stage and Production columns. The Version History, Manage and Publish options become active.

241401051




Figure 11.3: Environments Page – Event Registration Application Added (Version 1.0 in Stage and Production)

4. ***Developmentenvironment:*** the application is built and configured here. Its status is shown as ***Deployed*** with the description "Application configured and ready for deployment" (Sep 29, 2025, 10:15 AM).
5. ***Stageenvironment:*** the application is deployed to Stage, tested and approved. Its status is ***Deployed*** with the description "Application tested and approved in Stage" (Sep 29, 2025, 11:42 AM).
6. ***Production environment:*** after approval in Stage, the application is published to Production. The Production tab is selected, the Environment is Production and the status is ***Live***, with the message "The application is published and live in Production." The Deployment Progress panel shows Production as Live – "Application is live and accessible to end users" (Sep 30, 2025, 09:20 AM). Published by: You is also shown.




Figure 11.4: Deployment Progress – Event Registration Form Live in Production (Illustrative)

241401051

Infrastructure Timeline

Theprogression oftheapplication from inception to production rollout, as displayed in the Deployment Progress panel, is summarised below.

Stage	*Environment*	*Status*	*Description Shown*	*Date and Time*
1	Development	Deployed	Application configured and ready for deployment.	Sep 29, 2025 • 10:15 AM
2	Stage	Deployed	Application tested and approved in Stage.	Sep 29, 2025 • 11:42 AM
3	Production	Live	Application is live and accessible to end users.	Sep 30, 2025 • 09:20 AM

Result

Thefollowing were successfully carried out for the Event Registration Form application:

- The Environments page under DEPLOY was accessed and the Stage and Production environments were studied.
- The Event Registration application was added to the environment (version 1.0 in Stage and
- Production).
- The application was configured in Development (Deployed – Sep 29, 2025, 10:15 AM).
- The application was tested and approved in Stage (Deployed – Sep 29, 2025, 11:42 AM).

The application was published to Production and is Live for end users (Sep 30, 2025, 09:20 AM).

Conclusion

Theexperimentexplained how a Zoho Creator application moves from development to production through environments. The Event Registration Form application was configured in Development, deployed to Stage where it was tested and approved, and then published to Production, where it became live and accessible to end users, as recorded in the timeline from Sep 29, 2025 (10:15 AM) to Sep 30, 2025 (09:20 AM). This staged approach satisfies the testing framework expected of an enterprise release: isolation of work in progress, verification before release, a controlled and traceable promotion path, and Version History for review. It keeps the live technical symposium registration pipeline protected from untested changes and downtime, and makes releases controlled and traceable.

241401051