
Introduction to Python Programming Lab (BPLCK105B/205B)

I/II Semester (common to all branches)

LAB MANUAL

MIRZA ARIF BAIG

Asst Professor Dept of CSE
K.C.T ENGINEERING COLLEGE
GULBARGA



Contents

Setting up the Python Environment		iii
1	Question 1 1.1 Student Details	
2	Question 2 2.1 Fibonacci Sequence	
3	Mean, Variance and Standard Deviation	6
4	Digit Frequency	8
5	Word Frequency	9
6	Sort File Contents	11
7	Backup Directory into Zip	13
8	Assertions and Exceptions Demo	14
9	Complex Class Demo	16
10	Student Class Demo	19

Setting up Python Programming Environment

Anaconda Distribution




Anaconda Distribution equips individuals to easily search and install thousands of Python/R packages and access a vast library of community content and support. Especially with Python being very popular and defacto platform for Data Science. Also it provides good graphical IDEs like **Spyder** and **Jupyter Notebook**.

Download Anaconda Distribution

If you want to install Anaconda Distribution on your system, you can download it from its official webpage. https://www.anaconda.com/products/distribution

It is available for Linux, Mac, Windows platforms. Download the suitable version based on your operating system.



Install Anaconda Distribution

Headover to the folder where it is was downloaded. Open a terminal and navigate to the folder. Run the 3 commands as shown in the diagram below.


The installer proceeds to setup the Anaconda distribution. Choose to perform the default action yes whenever prompted.

Launch Anaconda Distribution




Once installed open a terminal and run the following command to launch Anaconda Navigator.

Here in Anaconda Navigator choose Spyder IDE. Click on the launch button below it to start the IDE.




Spyder IDE

Type a Python program and save it with .py extension. A sample program is shown below.



Then click on Run button (green triangle button) to execute the program. If the program has any errors they are shown on console on the bottom right section. Otherwise the program starts executing and output is shown in the console sub window. A sample is shown below.



Question 1

1.1 Student Details

Question

Develop a program to read the student details like Name, USN, and Marks in three subjects. Display the student details, total marks and percentage with suitable messages.

Listing 1.1: 01AStudDetails

Enter the name of the student : SYED

Enter the USN of the student : 3KC22EC002

Enter marks in Subject 1 : 87

Enter marks in Subject 2 : 78

Enter marks in Subject 3 : 65

Student Details

Name : SYED

USN : 3KC22EC002

Marks 1 : 87

Marks 2 : 78

Marks 3 : 65

Total : 230

Percent : 76.67

Listing 1.2: OUTPUT

1.2 Senior Citizen Check

Question

Develop a program to read the name and year of birth of a person. Display whether the person is a senior citizen or not.

```
from datetime import date

from datetime import datetime

from datetime im
```

Enter the name of the person : Akbar Khan
 Enter his year of birth : 1978
 Akbar Khan aged 44 years is not a Senior Citizen.

6 7 8

 $_{\mbox{\tiny 9}}$ Enter the name of the person : $U\!M\!M\!E$

 $_{\mbox{\tiny 10}}$ Enter his year of birth : 1957

 $_{\mbox{\tiny 11}}$ UMMEBest aged 65 years is a Senior Citizen.

Listing 1.4: OUTPUT

Question 2

2.1 Fibonacci Sequence

Question

Develop a program to generate Fibonacci sequence of length (N). Read N from the console.

Python Code

Listing 2.1: 02AFibonacci.py

```
2
3 Enter the Fibonacci sequence length to be generated: 8
4 The Fibonacci series with 8 terms is:
5 0 1 1 2 3 5 8 13
6
7
```

```
Enter the Fibonacci sequence length to be generated : 5 ^{11} The Fibonacci series with 5 terms is : ^{12} 0 1 1 2 3
```

Listing 2.2: OUTPUT

2.2 Binomial Coefficient

Question

Write a function to calculate factorial of a number. Develop a program to compute binomial coefficient (Given N and R).

Python Code

```
Enter the value of N : 7

3 Enter the value of R (R cannot be negative or greater than N): 5

4 7C5 = 21

5

6 Enter the value of N : 5

7 Enter the value of R (R cannot be negative or greater than N): 5

8 5C5 = 1

9

10 Enter the value of N : 3

11 Enter the value of R (R cannot be negative or greater than N): 1

12 3C1 = 3

13

14 Enter the value of N : 8

15 Enter the value of R (R cannot be negative or greater than N): 0

16 8C0 = 1
```

Mean, Variance and Standard Deviation

Question

Read N numbers from the console and create a list. Develop a program to print mean, variance and standard deviation with suitable messages.

```
12 11 11 11
14 from math import sqrt
16 myList = []
18 num = int(input("Enter the number of elements in your list : "))
20 for i in range (num):
     val = int(input("Enter the element : "))
      myList.append(val)
24 print('The length of list1 is', len(myList))
26 print('List Contents', myList)
29 total = 0
30 for elem in myList:
      total += elem
33 mean = total / num
35 total = 0
36 for elem in myList:
      total += (elem - mean) * (elem - mean)
```

```
39 variance = total / num
41 stdDev = sqrt(variance)
43 print("Mean =", mean)
44 print("Variance =", variance)
45 print("Standard Deviation =", "%.2f"%stdDev)
                                    Listing 3.1: 03MeanVarSD.py
  Output
3 Enter the number of elements in your list : 5
4 Enter the element: 45
5 Enter the element: 34
6 Enter the element: 86
7 Enter the element: 92
8 Enter the element : 35
{\scriptstyle 10} The length of list1 is 5
11 List Contents [45, 34, 86, 92, 35]
13 Mean = 58.4
14 Variance = 642.64
```

Listing 3.2: OUTPUT

15 Standard Deviation = 25.35

Digit Frequency

Question

Read a multi-digit number (as chars) from the console. Develop a program to print the frequency of each digit with suitable message.

```
Enter a number: 234939

The number entered is: 234939

4 occurs 1 times

9 occurs 2 times

2 occurs 1 times

Enter a number: 7843338

The number entered is: 7843338

The number entered is: 7843338

Toccurs 1 times

4 occurs 1 times

5 occurs 3 times

6 occurs 2 times
```

Listing 4.2: OUTPUT

Word Frequency

Question

Develop a program to print 10 most frequently appearing words in a text file. [Hint: Use dictionary with distinct words and their frequency of occurrences. Sort the dictionary in the reverse order of frequency and display dictionary slice of first 10 items]

```
11 11 11 11
12 import sys
13 import string
14 import os.path
16 fname = input("Enter the filename : ")
                                                 #sample file text.txt also provided
18 if not os.path.isfile(fname):
      print("File", fname, "doesn't exists")
      sys.exit(0)
22 infile = open(fname, "r")
24 filecontents = ""
26 for line in infile:
      for ch in line:
          if ch not in string.punctuation:
               filecontents = filecontents + ch
30
              filecontents = filecontents + ' '
                                                     #replace punctuations and \n with
     space
33 wordFreq = { }
34 wordList = filecontents.split()
```

```
35
36 #Calculate word Frequency
38 for word in wordList:
     if word not in wordFreq.keys():
          wordFreq[word] = 1
     else:
41
          wordFreq[word] += 1
42
44 #Sort Dictionary based on values in descending order
45 sortedWordFreq = sorted(wordFreq.items(), key=lambda x:x[1], reverse=True )
47 #Display 10 most frequently appearing words with their count
49 print("\n=
50 print("10 most frequently appearing words with their count")
51 print("==
52 for i in range (10):
     print(sortedWordFreq[i][0], "occurs", sortedWordFreq[i][1], "times")
                                   Listing 5.1: 05WordFreq.py
  Output
3 Enter the filename : text.txt
            _____
6 10 most frequently appearing words with their count
8 the occurs 45 times
9 of occurs 24 times
10 party occurs 12 times
11 part occurs 12 times
12 a occurs 9 times
13 and occurs 8 times
14 second occurs 7 times
15 to occurs 6 times
16 shall occurs 6 times
17 first occurs 5 times
```

Listing 5.2: OUTPUT

Sort File Contents

Question

Develop a program to sort the contents of a text file and write the sorted contents into a separate text file. [Hint: Use string methods strip(), len(), list methods sort(), append(), and file methods open(), readlines(), and write()].

```
<sub>13</sub> II II II
15 import os.path
16 import sys
18 fname = input("Enter the filename whose contents are to be sorted : ")
                                                                                    #sample
     file unsorted.txt also provided
20 if not os.path.isfile(fname):
      print("File", fname, "doesn't exists")
      sys.exit(0)
24 infile = open(fname, "r")
26 myList = infile.readlines()
27 # print(myList)
29 #Remove trailing \n characters
30 lineList = []
31 for line in myList:
      lineList.append(line.strip())
34 lineList.sort()
```

```
36 #Write sorted contents to new file sorted.txt
38 outfile = open("sorted.txt","w")
41 for line in lineList:
      outfile.write(line + "\n")
44 infile.close() # Close the input file
45 outfile.close() # Close the output file
48 if os.path.isfile("sorted.txt"):
      print("\nFile containing sorted content sorted.txt created successfully")
      print("sorted.txt contains", len(lineList), "lines")
50
     print("Contents of sorted.txt")
51
     print("==
      rdFile = open("sorted.txt","r")
53
      for line in rdFile:
54
          print(line, end="")
```

Listing 6.1: 06SortLinesFile.py

```
3 Enter the filename whose contents are to be sorted : unsorted.txt
5 File containing sorted content sorted.txt created successfully
6 sorted.txt contains 15 lines
7 Contents of sorted.txt
9 A deep C diva.
10 All the troubles you have will pass away very quickly.
11 Beware of a tall black man with one blond shoe.
12 Don't read everything you believe.
13 Exercise caution in your daily affairs.
14 He changes the domain.
16 How does a hacker fix a function which doesn't work for all of the elements in its
     domain?
16 Lay on, MacDuff, and curs'd be him who first cries, "Hold, enough!".
17 People are beginning to notice you. Try dressing before you leave the house.
18 The surest protection against temptation is cowardice.
19 To be or not to be.
20 Tuesday is the Wednesday of the rest of your life.
21 What is the square root of 4b<sup>2</sup>?
22 You display the wonderful traits of charm and courtesy.
23 You may be recognized soon. Hide.
```

Listing 6.2: OUTPUT

Backup Directory into Zip

Question

Develop a program to backing Up a given Folder (Folder in a current working directory) into a ZIP File by using relevant modules and suitable methods.

Python Code

4 Archive myZip.zip created successfully

```
9 11 11 11
10 import os
11 import sys
12 import pathlib
13 import zipfile
15 dirName = input("Enter Directory name that you want to backup : ")
16 if not os.path.isdir(dirName):
      print("Directory", dirName, "doesn't exists")
      sys.exit(0)
19 curDirectory = pathlib.Path(dirName)
20 with zipfile.ZipFile("myZip.zip", mode="w") as archive:
      for file_path in curDirectory.rglob("*"):
          archive.write(file_path, arcname=file_path.relative_to(curDirectory))
23 if os.path.isfile("myZip.zip"):
     print("Archive", "myZip.zip", "created successfully")
25 else:
      print("Error in creating zip archive")
                                  Listing 7.1: 07BackFolderZip.py
  Output
3 Enter Directory name that you want to backup : zipDemo
```

Listing 7.2: OUTPUT

Assertions and Exceptions Demo

Question

Write a function named DivExp which takes TWO parameters a, b and returns a value c (c=a/b). Write suitable assertion for a greater than o in function DivExp and raise an exception for when b=o. Develop a suitable program which reads two values from the console and calls a function DivExp.

Python Code

```
12 import sys
14 def DivExp(a,b):
      assert a>0, "a should be greater than 0"
      try:
          c = a/b
17
      except ZeroDivisionError:
          print("Value of b cannot be zero")
          sys.exit(0)
      else:
          return c
24 val1 = int(input("Enter a value for a : "))
25 val2 = int(input("Enter a value for b : "))
27 val3 = DivExp(val1, val2)
29 print(val1, "/", val2, "=", val3)
                                Listing 8.1: 08AssertExceptDemo.py
```

```
2 Enter a value for a : 7
3 Enter a value for b : 6
4 7 / 6 = 1.1666666666666667

5
7 Enter a value for a : 0
8 Enter a value for b : 5
9 AssertionError: a should be greater than 0

10
11
12 Enter a value for a : -3
13 Enter a value for b : 6
14 AssertionError: a should be greater than 0

15
16
17 Enter a value for a : 6
18 Enter a value for b : 0
19 Value of b cannot be zero
```

Listing 8.2: OUTPUT

Complex Class Demo

Question

Define a function which takes 2 objects representing complex numbers and returns new complex number with a addition of two complex numbers. Define a suitable class Complex to represent the complex number. Develop a program to read N (N greater than 2) complex numbers and to compute the addition of N complex numbers.

```
11 II II II
13 class Complex:
      def __init__(self, realp = 0, imagp=0):
14
          self.realp = realp
15
          self.imagp = imagp
      def setComplex(self, realp, imagp):
          self.realp = realp
          self.imagp = imagp
21
      def readComplex(self):
22
          self.realp = int(input("Enter the real part : "))
23
          self.imagp = int(input("Enter the real part : "))
      def showComplex(self):
          print('(',self.realp,')','+i','(',self.imagp,')',sep="")
      def addComplex(self, c2):
29
          c3 = Complex()
30
          c3.realp = self.realp + c2.realp
          c3.imagp = self.imagp + c2.imagp
          return c3
```

```
35 def add2Complex(a,b):
      c = a.addComplex(b)
      return c
37
38
39 def main():
      c1 = Complex(3,5)
      c2 = Complex(6,4)
41
42
      print("Complex Number 1")
43
      c1.showComplex()
      print("Complex Number 2")
45
      c2.showComplex()
      c3 = add2Complex(c1, c2)
49
      print("Sum of two Complex Numbers")
50
      c3.showComplex()
51
52
53 #Addition of N (N >=2) complex numbers
      compList = []
56
      num = int(input("\nEnter the value for N : "))
57
58
      for i in range(num):
          print("Object", i+1)
60
          obj = Complex()
          obj.readComplex()
          compList.append(obj)
64
      print("\nEntered Complex numbers are : ")
65
      for obj in compList:
          obj.showComplex()
68
      sumObj = Complex()
      for obj in compList:
          sumObj = add2Complex(sumObj, obj)
72
73
      print("\nSum of N complex numbers is", end = " ")
      sumObj.showComplex()
75
77 main()
```

Listing 9.1: 09ComplexClass.py

```
3 Complex Number 1
4 (3)+i(5)
5 Complex Number 2
6 (6)+i(4)
7 Sum of two Complex Numbers
8 (9)+i(9)
9
10 Enter the value for N : 5
11 Object 1
12 Enter the real part : 1
13 Enter the real part : 9
14 Object 2
15 Enter the real part : 2
16 Enter the real part : 8
```

```
17 Object 3
18 Enter the real part : 3
19 Enter the real part: 7
20 Object 4
_{21} Enter the real part : 4
22 Enter the real part : 6
23 Object 5
_{24} Enter the real part : 5
_{25} Enter the real part : 5
27 Entered Complex numbers are :
28 (1)+i(9)
29 (2)+i(8)
30 (3) +i (7)
31 (4)+i(6)
32 (5)+i(5)
34 Sum of N complex numbers is (15)+i(35)
                                         Listing 9.2: OUTPUT
```

Student Class Demo

Question

Develop a program that uses class Student which prompts the user to enter marks in three subjects and calculates total marks, percentage and displays the score card details. [Hint: Use list to store the marks in three subjects and total marks. Use init method to initialize name, USN and the lists to store marks and total, Use getMarks() method to read marks into the list, and display() method to display the score card details.]

```
11 WWW
13 class Student:
      def ___init__(self, name = "", usn = "", score = [0,0,0,0]):
          self.name = name
          self.usn = usn
          self.score = score
      def getMarks(self):
19
          self.name = input("Enter student Name : ")
20
          self.usn = input("Enter student USN : ")
21
          self.score[0] = int(input("Enter marks in Subject 1 : "))
          self.score[1] = int(input("Enter marks in Subject 2 : "))
          self.score[2] = int(input("Enter marks in Subject 3 : "))
          self.score[3] = self.score[0] + self.score[1] + self.score[2]
      def display(self):
          percentage = self.score[3]/3
          spcstr = "=" * 81
          print(spcstr)
          print("SCORE CARD DETAILS".center(81))
```

```
print(spcstr)
32
         print("%15s"%("NAME"), "%12s"%("USN"), "%8s"%"MARKS1","%8s"%"MARKS2","%8s"%"
     MARKS3", "%8s"%"TOTAL", "%12s"% ("PERCENTAGE"))
          print(spcstr)
          print("%15s"%self.name, "%12s"%self.usn, "%8d"%self.score[0],"%8d"%self.
     score[1],"%8d"%self.score[2],"%8d"%self.score[3],"%12.2f"%percentage)
         print(spcstr)
36
37
38
39 def main():
     s1 = Student()
40
     s1.getMarks()
     s1.display()
44 main()
```

Listing 10.1: 10StudentClass.py

Enter student Name : SYED

Enter student USN : 3KC22EC002

Enter marks in Subject 1 : 87

Enter marks in Subject 2 : 79

Tenter marks in Subject 3 : 92

SCORE CARD DETAILS

NAME

USN MARKS1 MARKS2 MARKS3 TOTAL PERCENTAGE

SYED 3KC22EC002 87 79 92 258 86.00

Listing 10.2: OUTPUT