

Quick Links

- [Home](#)
- [About Us](#)
- [Certificates](#)
- [Our Products](#)
- [Contact Us](#)

Reach Us

Garg Polymers Pvt. Ltd.

Plot No. 9, Industrial Area Phase - 1,
Panchkula - 134113 (Haryana)

Contact us: [+91 63075-78042](tel:+916307578042)

Write us: gargpolymer9@gmail.com



संपादन : इन्द्रजीतसिंह भण्डारी, अध्यक्ष
रसायन एवं पदार्थगान्धर्व विभाग
रसायन एवं जलजल मंत्रालय, भारत सरकार
गिण्टी, नई 600 032
फोन : 91-44-2225 4701 (6 लाइन)
फैक्स : 91-44-2225 4707
ई-मेल : chennaic@cpet.gov.in
वेबसाइट : www.cpet.gov.in



CIPET 10 4 2



Department of Chemicals & Petrochemicals
Ministry of Chemicals & Fertilizers, Govt. of India
Guindy, Chennai - 600 032.

Phone : 91-44-2225 4701 (6 Lines)

Fax: 91-44-22254707

E-mail : channel@cipet.gov.in

Website : www.cipet.gov.in

Date: 19.11.2020

CIPET/CHN-IR/GP/TR No.62953

Name & Address of the Party

M/s. GARG POLYMERS,
Plot No.9, Industrial Area, Phase - 1,
Panchkula 134113, Haryana.

Sample details (as declared by the party)	Film Sample
---	-------------

Date of submission of sample : 12.03.2020

Date of initiation of aerobic biodegradation : 24.07.2020

Sl. No.	Property	Test method / Standard	Unit	Results obtained	Specified Requirements
1.	Material Identification	FTIR / DSC	--	Blend of Poly Lactic Acid (PLA) and Poly Butylene Adipate Co-Terephthalate (PBAT)	--
2.	Disintegration (Dry mass remains in 2mm sieve after 84 days)	Cl. 6.2 of ISO 17088-2012 / IS 17088 - 2012	%	86	Not more than 10%
3.	Ultimate Aerobic Biodegradation (with reference to 100% degradation of positive reference)	Cl. 6.3 of ISO 17088-2012 / IS 17088 - 2012	%	90.07 (At the end of 114 days)	> 90% (At the end of the test period not more than 180 days)

Comments: The submitted sample of Film Sample (as stated by party) complies to the requirements of cl. 6.2 & 6.3 of ISO 17088-2012 / IS 17088-2012.

Note:

1. The submitted sample is exposed under controlled compost condition as per ISO 14855-1 and at the end of 114 days, the cumulative biodegradation is estimated as 90.07% with reference to the degradation of the cellulose.
2. The following tests are under progress as per the standard ISO 17088-2012 / IS 17088 - 2012
 - a. Heavy metal analysis as per Cl. no. 6.4.1.
 - b. Seed germination as per Cl. no. 6.4.4.
3. The Test Report will be issued after the completion of all the tests.
4. The interim report is only valid till the issue of Test report.

Authorized Signatory

Authorized Signatory

मुख्यालय : दिल्ली, निवाडी, चेन्नै - 600 032. Head Office : CIPET, Guindy, Chennai - 600 032.

[illegible]



**HARYANA STATE POLLUTION CONTROL
BOARD**
SCO 116, Ist & IInd Floor, Sector 25, Panchkula Ph.
0172-2566286

Website: www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com
Telephone No.: 0172-2577870-73

20/11/2019

No. HSPCB/Consent/ : 313295219PANCTE6943088

Dated:22/11/2019

To.

M/s : GARG POLYMERS
PLOT NO. 9, INDUSTRIAL AREA, PHASE I
PANCHKULA
134109

Sub. : Grant of consent to Establish to M/s GARG POLYMERS

Please refer to your application no. 6943088 received on dated 2019-11-08 in regional office Panchkula.

With reference to your above application for consent to establish,M/s GARG POLYMERS is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR
Period of consent	20/11/2019 - 19/11/2024
Industry Type	Packing materials manufacturing from non asbestos fibre, vegetable fibre yarn
Category	GREEN
Investment(In Lakh)	160.080002
Total Land Area (Sq. meter)	2000.0
Total Builtup Area (Sq. meter)	500.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	
Permissible Domestic Effluent Parameters	
1. NA	0
Permissible Trade Effluent Parameters	
1. NA	0 mg/l
Number of stacks	1
Height of stack	
1. NA	0 NA

Permissible Emission parameters	
1. NA	0
Capacity of boiler	
1. NA	0 Ton/hr
Type of Furnace	
1. NA	0 NA
Type of Fuel	
1. NA	0

Regional Officer, Panchkula
Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 0.5 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 0.5 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be continued in original with the request for consent to operate.

Signed with Stamp/Seal



**HARYANA STATE POLLUTION CONTROL
BOARD**

SCO 116, 1st & 2nd Floor, Sector 25, Panchkula
Ph. 0172-2566286 Email:- hspcbropkl@gmail.com
E-mail: hspcb.pkl@sify.com

No. HSPCB/Consent/ : 313295220PANCTO7102957

Dated:08/01/2020

To,

M/s :GARG POLYMERS
PLOT NO. 9, INDUSTRIAL AREA, PHASE I

Subject: Grant of consent to operate to M/s GARG POLYMERS.

Please refer to your application no. 7102957 received on dated 2019-12-10 in regional office Panchkula. With reference to your above application for consent to operate, M/s GARG POLYMERS is hereby granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	08/01/2020 - 31/03/2029
Industry Type	Packing materials manufacturing from non asbestos fibre, vegetable fibre yarn
Category	GREEN
Investment(In Lakh)	160.080002
Total Land Area(Sq. meter)	2000.0
Total Builtup Area(Sq. meter)	600.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	
Domestic Effluent Parameters	
1. NA	0
Trade Effluent Parameters	
1. NA	0
Number of stacks	1
Height of stack	
1. NA	0 NA
Emission parameters	
1. NA	0
Product Details	
1. Biodegradable carry bags	0.5 Metric Tonnes/day

Capacity of boiler	
1. NA	0 Ton/hr
Type of Furnace	
1. NA	0 NA
Type of Fuel	
1. NA	0
Raw Material Details	
Bio degradable granules	0.5 Metric Tonnes/Day

VIRENDER
SINGH PUNIA

Digitally signed by
Virender Singh Punia
DN: cn=Virender Singh Punia, o=Haryana State Pollution Control Board, email=virender.punia@hspcb.org

Regional Officer, Panchkula

Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity, of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material.

quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

As per the Rule 4(1)(h)(Conditions) of PWM Rules, 2016, the manufacturers or sellers of compostable plastic carry bags/products shall obtain a certificate from the Central Pollution Control Board before marketing or selling compostable carry bags/products.

2. Unit shall apply for grant of registration under Plastic manufacture, sale and usage rules.

VIRENDER
SINGH PUNIA
Regional Officer, Panchkula

Haryana State Pollution Control Board.

सिपेट : इंस्टिट्यूट ऑफ प्लास्टिक्स टेक्नोलॉजी
(मिशन हॉल अर्वाक मेकलर, पाण्डु कल्ला)
गिण्डु, चेन्नै - 600 032.
फोन : 91-44-2225 4701-6 फैक्स : 91-44-22254707
ई-मेल : chennai@cipet.gov.in वेबसाइट : www.cipet.gov.in



CIPET : INSTITUTE OF PLASTICS TECHNOLOGY
(Ministry of Chemicals & Fertilizers, Govt. of India)
Guindy, Chennai - 600 032.
Tel : 91-44-2225 4701-6 Fax : 91 - 44 - 22254707
E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

को जारी /
Issued to :

परीक्षण रिपोर्ट / TEST REPORT

क्र.सं. / Sl. No. 26716

GARG POLYMERS

Plot No.9, Industrial Area, Phase - 1, Panchkula -
134113, Haryana.

रिपोर्ट सं. / REPORT NO. : 62953

दिनांक / Date : 30-03-2021

संदर्भ / Customer Let. Ref :

Pages.....Nos. Part A,B,C & D

परीक्षण मानक स्तर के अनुसार परीक्षण रिपोर्ट / TEST REPORT AS PER TEST STANDARD : Refer Part C

भाग - क / PART - A

प्रस्तुत सैंपल का विवरण / PARTICULARS OF SAMPLE SUBMITTED



अ) सैंपल का नाम / a) Name of the Sample : Film sample - as stated by the party

आ) सैंपल प्राप्त होने की तारीख / b) Date of Receipt of sample : 12-03-2020

इ) ग्रेड/प्रकार/आकार/वर्ग / c) Grade / variety / type / size / class : Nil

ई) घोषित मूल्य / d) Declared value, If any : Nil

उ) कोड सं. / e) Code No. : Nil

ऊ) बैच सं. एवं निर्माण तारीख / f) Batch No. and Date of Manufacture: Nil

अ) मात्रा / g) Quantity : 01 Sample (1.5 kg)

ए) पैकिंग की रीति / h) Mode of Packing : Packed in carton pack

ऐ) सील बंद या नहीं / i) Sealed or not : Not Sealed

ओ) कोई अन्य सूचना / j) Any other information : -

भाग - ख / PART - B

192748

अनुपूरक सूचनाएँ / SUPPLEMENTARY INFORMATIONS

अ) सैंपलिंग कार्यवाहियों हेतु संदर्भ / a) Reference to sampling procedure : Sampling not done by this lab

आ) माप करने हेतु लिए गए सहायक दस्तावेज एवं प्राप्त परिणाम
b) Supporting documents for the measurement taken and result derived : As given in Part C

इ) संबंधित कार्य अनुदेशों से निर्धारित के अनुसार परीक्षण रीति से कोई परिवर्तन
c) Deviation from the test method as prescribed in relevant work instructions, if any : No deviation from the standard

परीक्षण रिपोर्ट / TEST REPORT

रिपोर्ट सं / REPORT NO. : **62953**

क्र.सं. / Sl. No. **26716**

दिनांक / Date : **30.03.2021**

भाग - ग / PART - G

परीक्षण परिणाम / TEST RESULTS



Test Duration: 12.03.2020 to 30.03.2021

Sl.No	Name of the Test	Test Method/ Standard	Unit	Results Obtained	Specified Requirements
1	Material Identification	FTIR & DSC	-	Blend of Poly Lactic Acid (PLA) and Poly Butylene Adipate Co-Terephthalate (PBAT)	-
2	Disintegration (Dry mass remains in 2 mm sieve after 84 days)	ISO 17088:2012 / IS 17088:2008	%	8.6	No more than 10%
3	Ultimate aerobic Biodegradation (with reference to 100% degradation of positive reference)	ISO 17088:2012 / IS 17088:2008	%	90.07% (at the end of 114 days)	> 90 (at the end of the test period not more than 180 days.)
4	Plant Growth study				
	Monocotyledon (Onion) % Seed emergence	ISO 17088:2012 / IS 17088:2008	%	92	> 90
	Dicotyledon (Radish) % Seed Emergence		%	91	> 90

The detailed observation on biodegradability test is enclosed as Annexure

Contd.

2 of

AUTHORISED SIGNATORY

AUTHORISED SIGNATORY

रिपोर्ट सं / REPORT NO. : 62953

परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : 30-03-2021

PART C - TEST RESULTS

Sl.No	Name of the Test	Test Method/ Standard	Unit	Results Obtained	Specified Requirements*
5	Heavy metals concentration				
a.	Arsenic (As)			0.006	20
b.	Copper (Cu)			0.049	500
c.	Nickel (Ni)			0.493	100
d.	Zinc (Zn)	ISO 17088-2012 /		0.898	2500
e.	Cobalt (Co)	IS 17088-2008	mg/L	0.02	-
f.	Chromium (Cr)			0.009	300
g.	Molybdenum (Mo)			0.481	-
h.	Mercury (Hg)			0.0003	10
i.	Cadmium (Cd)			0.0007	20
j.	Lead (Pb)			BDL(DL-0.0025)	500
k.	Selenium (Se)			0.001	-

* Based on Municipal waste (Management and Handling) Rules, 1999 notified on 27th September, 1999 by Ministry of Environment and Forests, Government of India. Note that concentration of metals like cobalt, molybdenum, and selenium is not mentioned in the notification.

Note: BDL - Below Detection Limit; DL - Detection Limit

PART D - REMARKS

NIL

Note

1. This Test Report / Certificate is issued only for the samples submitted to the laboratory.
2. The results stated above related only to the items tested.
3. The quality of the subsequent production lot has to be ensured by the purchaser.
4. This Test Report shall not be reproduced except in full without the written approval of the laboratory.
5. Any anomaly/discrepancy in this report should be brought to the notice of the laboratory within 30 days from the date of issue.
6. Subcontracted Tests (if any): Nil

Contd.,



AUTHORISED SIGNATORY



AUTHORISED SIGNATORY



रिपोर्ट सं / REPORT NO. : 62953

परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : 30-03-2021

OBSERVATION FOR BIODEGRADABILITY TEST AS PER ISO 17088:2012/IS 17088:2008

Name of the Party :

M/s. GARG POLYMERS
Plot NO.9, Industrial Area, Phase-1
Panchkula 134113, Haryana

- 1 Sample Details (As stated by Party): Film Sample
- 2 Material Identification by FTIR : Blend of Poly Lactic Acid (PLA) and Poly Butylene Adipate Co-Terephthalate (PBAT)

BIODEGRADABILITY TEST AS PER ISO:14855-1

3 Observation

(i) Conditions of reaction mixtures

Origin of Compost: Livestock excrement, municipal and vegetable waste

Reaction Temperature (°C)	:	58
Dry Solid (%)	:	53.9
Volatile content (%)	:	16.2
CO ₂ evolved during first 10days in blank vessels (mg/g of volatile content of compost)	:	73.8 mg/g
Test duration (days)	:	114 days
Reference material	:	Cellulose
Volume of reaction vessel (mL)	:	3000 ml

(ii) pH of test medium

S.No.	Compost Vessel	pH (Before)	pH (After)
1	Blank 1	7.5	7.2
2	Blank 2	7.4	7.2
3	Blank 3	7.4	7.2
4	Cellulose 1	7.3	7.2
5	Cellulose 2	7.3	7.2
6	Cellulose 3	7.4	7.2
7	Negative 1	7.4	7.1
8	Negative 2	7.3	7.1
9	Negative 3	7.3	7.1
10	Sample 1	7.8	7.1
11	Sample 2	7.8	7.1
12	Sample 3	7.7	7.1

Contd.,


 AUTHORIZED SIGNATORY


 AUTHORIZED SIGNATORY




रिपोर्ट सं / REPORT NO. : **62953**

परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : **30-03-2021**

- 4 Result: Percentage biodegradation relative to positive reference
Sample (Mean) : 90.07% at the end of 114 days
The reference Material - cellulose : ~ 100%



5 Visual Observation of Sample

Description	Week 3	Week 6	Week 9
Structure	Cut pieces	Cut pieces	Fragmented pieces
Moisture	Adequate moisture Level	Adequate moisture Level	Adequate moisture Level
Colour	Milky white	Dirty	Dirty
Fungal Development	None	None	None
Smell	Organic/dirt like	Organic/dirt like	Organic/dirt like

Description	Week 12	Week 15	Week 17
Structure	Fragmented pieces	Fragmented pieces	Fragmented pieces
Moisture	Adequate moisture Level	Adequate moisture Level	Adequate moisture Level
Colour	Dirty	Dirty	Dirty
Fungal Development	None	None	None
Smell	Organic/dirt like	Organic/dirt like	Organic/dirt like

Contd.,

AUTHORISED SIGNATORY


AUTHORISED SIGNATORY

रिपोर्ट सं / REPORT NO. : 62953

परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : 30-03-2021

- 4 Result: Percentage biodegradation relative to positive reference
 Sample (Mean) : 90.07% at the end of 114 days
 The reference Material - cellulose : ~ 100%



5 Visual Observation of Sample

Description	Week 3	Week 6	Week 9
Structure	Cut pieces	Cut pieces	Fragmented pieces
Moisture	Adequate moisture Level	Adequate moisture Level	Adequate moisture Level
Colour	Milky white	Dirty	Dirty
Fungal Development	None	None	None
Smell	Organic/dirt like	Organic/dirt like	Organic/dirt like

Description	Week 12	Week 15	Week 17
Structure	Fragmented pieces	Fragmented pieces	Fragmented pieces
Moisture	Adequate moisture Level	Adequate moisture Level	Adequate moisture Level
Colour	Dirty	Dirty	Dirty
Fungal Development	None	None	None
Smell	Organic/dirt like	Organic/dirt like	Organic/dirt like

Contd.,


 AUTHORIZED SIGNATORY


 AUTHORIZED SIGNATORY



रिपोर्ट सं / REPORT NO. : **62953**

परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : **30-03-2021**

6 Visual Observation of Compost


Description	Week 3	Week 6	Week 9
Structure	Fine Particles	Fine Particles	Fine Particles
Moisture	Adequate moisture Level	Adequate moisture Level	Adequate moisture Level
Colour	Dark Brown	Dark Brown	Dark Brown
Fungal Development	Nil	Nil	Nil
Smell	Organic/dirt like	Organic/dirt like	Organic/dirt like

Description	Week 12	Week 15	Week 17
Structure	Fine Particles	Fine Particles	Fine Particles
Moisture	Adequate moisture Level	Adequate moisture Level	Adequate moisture Level
Colour	Dark Brown	Dark Brown	Dark Brown
Fungal Development	Nil	Nil	Nil
Smell	Organic/dirt like	Organic/dirt like	Organic/dirt like

7 FTIR Analysis

Sample Details (As stated by Party):

Film Sample



Contd.,

[Signature]
AUTHORISED SIGNATORY

[Signature]
AUTHORISED SIGNATORY



रिपोर्ट सं / REPORT NO. : 62953


परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : 30-03-2021

FTIR Interpretation

Wave number (cm ⁻¹)	Nature of Bond
2920	CH ₂ asymmetric stretching
1712	C=O in PLA and PBAT
1456	-CH ₂ Plane Bending
1271	C-O bonds of PBAT
1103	C-O bonds of PBAT
1018	C-O bonds of PBAT
873	O-CH-CH ₃ of ester
729	CH plane of benzene ring

8 DSC Analysis



Comment: The above DSC & FTIR analysis indicates the above sample is Blend of Poly Lactic Acid (PLA) and Poly Butylene Adipate Co-Terephthalate (PBAT)

Contd.,

AUTHORISED SIGNATORY

AUTHORISED SIGNATORY
Scanned with CamScanner



रिपोर्ट सं / REPORT NO. : **62953**

परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : **30-03-2021**

9 Disintegration After 12 Weeks



Before Disintegration



After Disintegration

The disintegration of the supplied sample by passing through 2 mm sieve after 12 week in composting condition as per ISO 17088-2012/IS 17088: 2008 was found not more than 10% of original dry mass remain.

10 Seed Germination & Plant growth study



Onion Compost (Control)



Onion Compost (Sample)

Contd.,

AUTHORISED SIGNATORY

AUTHORISED SIGNATORY



रिपोर्ट सं / REPORT NO. : 62953

परीक्षण परिणाम / TEST RESULTS

दिनांक / Date : 30-03-2021




Radish Compost (Control)



Radish Compost (Sample)

The percentage of seed germination rate is found to be greater than 90% for both Onion and Radish


AUTHORIZED SIGNATORY


AUTHORIZED SIGNATORY

AUTHORISED SIGNATORY

AUTHORISED SIGNATORY



**HARYANA STATE POLLUTION CONTROL
BOARD**
SCO 116, 1st & 11nd Floor, Sector 25, Panchkula Ph.
0172-2566286

Website: www.hspcb.gov.in E-Mail - hspcb.pkt@sifymail.com
Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 3132952191PANCTE6943088

Dated:22/11/2019

To:

M/s : GARG POLYMERS
PLOT NO. 9, INDUSTRIAL AREA, PHASE I
PANCHKULA
134109

Sub. : Grant of consent to Establish to M/s GARG POLYMERS

Please refer to your application no. 6943088 received on dated 2019-11-08 in regional office Panchkula.

With reference to your above application for consent to establish, M/s GARG POLYMERS is hereby granted consent as per following specification/Terms and conditions.

Consent Under	AIR
Period of consent	20/11/2019 - 19/11/2024
Industry Type	Packing materials manufacturing from non asbestos fibre, vegetable fibre yarn
Category	GREEN
Investment(In Lakh)	160.080002
Total Land Area (Sq. meter)	2000.0
Total Builtup Area (Sq. meter)	500.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	
Permissible Domestic Effluent Parameters	
1. NA	0
Permissible Trade Effluent Parameters	
1. NA	0 mg/l
Number of stacks	1
Height of stack	
1. NA	0 NA



Certificate No. CPCB/GARG POLYMERS/Haryana/18

Dated: 05 Oct 2021

2521

To,

M/s. Garg Polymers

Plot No. - 9 Industrial Area, Phase-1,

Panchkula, Haryana 134113

With reference to the application no. GARG POLYMERS/Haryana/18 dated 05 Oct 2021 this is to certify that M/s GARG POLYMERS & PLOT NO.- 9 INDUSTRIAL AREA, PHASE-1, PANCHKULA, PIN: 134113 plant located at PLOT NO.- 9 INDUSTRIAL AREA, PHASE-1, PANCHKULA, PIN: 134113 is fulfilling the criteria as per revised Standard Operating Procedure (SOP) for issuing certificate as per the provisions '4(h)' & '11(c)' of Plastic Waste Management Rules, 2018, for manufacturing and selling of compostable carry bags in Indian Market as 'MANUFACTURER'

Certificate for manufacturing and selling of compostable plastic bags in Indian market is hereby issued to M/s GARG POLYMERS & PLOT NO.- 9 INDUSTRIAL AREA, PHASE-1, PANCHKULA, PIN: 134113 plant located at PLOT NO.- 9 INDUSTRIAL AREA, PHASE-1, PANCHKULA, PIN: 134113 as 'MANUFACTURER' with the following conditions:

- The end product "Compostable plastics" shall be manufactured using the raw materials "PLA & PBAT" and following the production process (Annexure I).
- Each carrybag made from compostable material or plastic shall bear a label "COMPOSTABLE" IS/ISO:17088 titled as Specifications for "Compostable Plastic" in English & regional language. Each carrybag shall also have printed code and Certificate Number of "MANUFACTURER" as given above.
- The manufacturer shall generate QR code based on the details (Name, plant address, CPCB certificate no. etc.) provided in the certificate issued by CPCB and QR code shall be provided on each of the carry bag manufactured at the certified unit. The "verifiable" details of the QR code shall be shared with the SPCB/PCC/CPCB within one month of issue of this Certificate.
- This certificate issued by CPCB shall not require renewal. However, a fresh application shall be filed with CPCB for grant of certificate, in case there is any change in raw material/ production process or product.


Contd.... 2

25

- v. The Manufacturer shall provide six-monthly report giving details of raw material procurement and product sale to SPCB/PCC/CPCB as per the prescribed format.
- vi. The "Manufacturer" shall comply with provisions of PWM Rules/ Guidelines issued from time to time by the Ministry of Environment, Forest & Climate Change or Central Pollution Control Board
- vii. **The manufacturer shall manufacture/sell the compostable carrybags only after they obtain a valid Registration for manufacturing of Compostable carrybags from concerned SPCB/PCC. The Registration should be submitted to CPCB within 03 months of issue of the Certificate by CPCB, failing which the Certificate shall stand cancelled.**
- viii. If the certified Manufacturer is found non-complying with the provisions of the PWM Rules, 2018, the Certificate shall stand cancelled.

दिव्या सिन्हा / Divya Sinha
(Divya Sinha)
अतिरिक्त निदेशक एवं जल उपकरण
Additional Director & J.C. UPCC
मंत्रालय, वन एवं वातावरण, नई दिल्ली
Ministry of Environment, Forest & Climate Change, Govt. of India
एन.एच. ८, प्लॉट १०, नई दिल्ली-११०००२
Phone: 2611 0322, 2611 0323 Fax: 2611 0322

PROCESS FLOW DIAGRAM



Divya Sinha
Control Board
District Industries Centre, Dist. of India
District Industries Centre, Dist. of India
District Industries Centre, Dist. of India
District Industries Centre, Dist. of India



**HARYANA STATE POLLUTION CONTROL
BOARD**
SCO 116, 1st & 2nd Floor, Sector 25, Panchkula Ph.
0172-2566286

Website: www.hspcb.gov.in E-Mail: hspcb.pkl@rediffmail.com
Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 313295219PANCTE6943088

Dated:22/11/2019

To.

M/s : GARG POLYMERS
PLOT NO. 9, INDUSTRIAL AREA, PHASE I
PANCHKULA
134109

Sub. : Grant of consent to Establish to M/s GARG POLYMERS

Please refer to your application no. 6943088 received on dated 2019-11-08 in regional office Panchkula.

With reference to your above application for consent to establish, M/s GARG POLYMERS is hereby granted consent as per following specification/Terms and conditions.

Consent Under	AIR
Period of consent	20/11/2019 - 19/11/2024
Industry Type	Packing materials manufacturing from non asbestos fibre, vegetable fibre yarn
Category	GREEN
Investment(In Lakh)	160.080002
Total Land Area (Sq. meter)	2000.0
Total Builtup Area (Sq. meter)	500.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	
Permissible Domestic Effluent Parameters	
1. NA	0
Permissible Trade Effluent Parameters	
1. NA	0 mg/l
Number of stacks	1
Height of stack	
1. NA	0 NA



HARYANA STATE POLLUTION CONTROL BOARD

SCO 116, 1st & 11nd Floor, Sector 25, Panchkula
Ph. 0172-2566286 Email:- hspcbropkl@gmail.com

E-mail: hspcb.pkl@stfy.com



No. HSPCB/Consent/ 313295220PANCOT07102957

Dated:08/01/2020

To,

M/s GARG POLYMERS
PLOT NO. 9, INDUSTRIAL AREA, PHASE I

Subject: Grant of consent to operate to M/s GARG POLYMERS.

Please refer to your application no. 7102957 received on dated 2019-12-10 in regional office Panchkula. With reference to your above application for consent to operate, M/s GARG POLYMERS is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	08/01/2020 - 31/03/2029
Industry Type	Packing materials manufacturing from non asbestos fibre, vegetable fibre yarn
Category	GREEN
Investment(In Lakh)	160.980002
Total Land Area(Sq. meter)	2000.0
Total Builtup Area(Sq. meter)	600.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	
Domestic Effluent Parameters	
1. NA	0
Trade Effluent Parameters	
1. NA	0
Number of stacks	1
Height of stack	
1. NA	0 NA
Emission parameters	
1. NA	0
Product Details	
1. Biodegradable carry bags	0.5 Metric Tonnes/day

Capacity of boiler	
1. NA	0 Ton/hr
Type of Furnace	
1. NA	0 NA
Type of Fuel	
1. NA	0
Raw Material Details	
Bio degradable granules	0.5 Metric Tonnes/Day

VIRENDER
SINGH PUNIA

Digitally signed by
VIRENDER SINGH PUNIA
DN: cn=VIRENDER SINGH PUNIA, o=Haryana State Pollution Control Board, email=virender.punia@harspcb.org

Regional Officer, Panchkula
Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material,

Manufacturing Process Of Film/Carry Bag

