FS ASSIGNMENT

Question 1: Design HTML Web Page (Static)

A static web page is a web page whose content remains fixed and does not change dynamically based on user interaction or server-side processing. It is built purely using HTML (and usually CSS for styling), and the browser simply renders the same content every time the page is loaded. Static pages are ideal for informational websites such as college pages, portfolios, and brochures, since they load quickly, are easy to host, and do not require any backend or database support.

In HTML, a static web page is structured using tags such as <html>, <head>, and <body>. The <head> section holds metadata like the page title, while the <body> section contains the visible content — headings (<h1>, <h2>, <h3>), paragraphs (<p>), and lists (<ul>/<li>). Below is a static HTML web page created for a college, along with its code and the corresponding output as rendered in the browser.

Code	Output

```
ass.html > html
<html>
<head>
    <title>My College</title>
</head>

<body>

    <h1>Welcome to My College</h1>

    <h2>Anil Neerukonda Institute of Technology & Sciences</h2>

    <p>
        Welcome to our college website.
        We provide quality education and encourage students
        to develop technical and professional skills.
    </p>

    <h3>Courses Offered</h3>

    <ul>
        <li>Artificial Intelligence and Machine Learning</li>
        <li>Computer Science Engineering</li>
        <li>Electronics and Communication Engineering</li>
        <li>Electrical and Electronics Engineering</li>
    </ul>

    <h3>Contact</h3>
    <p>Email: college@example.com</p>
    <p>Phone: 9876543210</p>

</body>
</html>
```

Welcome to My College

Anil Neerukonda Institute of Technology & Sciences

Welcome to our college website. We provide quality education and encourage students to develop technical and professional skills.

Courses Offered

- Artificial Intelligence and Machine Learning
- Computer Science Engineering
- Electronics and Communication Engineering
- Electrical and Electronics Engineering

Contact

Email: college@example.com

Phone: 9876543210


Question 2: Types of CSS

CSS (Cascading Style Sheets) is used to control the presentation, layout, and visual styling of HTML documents — including colors, fonts, spacing, and alignment — while keeping the structure (HTML) separate from the design (CSS). Depending on where the style rules are written, CSS can be applied to a web page in three different ways: Inline CSS, Internal CSS, and External CSS.

- Inline CSS – styling is written directly inside an HTML tag using the style attribute.
- Internal CSS – styling is written inside a <style> tag within the <head> section of the same HTML document.
- External CSS – styling is written in a separate .css file and linked to the HTML document using the <link> tag.

a) Inline CSS

Inline CSS applies a style directly to a single HTML element using the style attribute inside the opening tag. Since the style is written property-by-property as a string (e.g., style="color: blue; font-size: 20px;"), it affects only that specific element and has the highest priority among the three types of CSS. However, it is not reusable and can make the HTML code cluttered if used extensively, so it is best suited for quick, one-off styling changes.

Code	Output
	

```
<!DOCTYPE html>
<html>
<head>
    <title>Inline CSS</title>
</head>
<body>


    <h1 style="color: blue;">Welcome to My Website</h1>

    <p style="font-size: 20px; color: green;">
        This is an example of Inline CSS.
    </p>

</body>
</html>
```


b) Internal CSS

Internal CSS is defined within the <style> tag, placed inside the <head> section of an HTML document. It allows styling rules to be written once and applied to multiple elements throughout that single page using selectors (such as h1, p, or class names). This method keeps styling separate from the content structure while still keeping everything in one file, making it useful when a single page needs custom styles that don't need to be reused across other pages.

Code	Output
	

```
<!DOCTYPE html>
<html>
<head>
    <title>Internal CSS</title>

    <style>
        h1 {
            color: rgb(31, 31, 197);
            text-align: center;
        }

        p {
            color: rgb(77, 142, 77);
            font-size: 20px;
        }
    </style>

</head>
<body>

    <h1>Welcome to My Website</h1>

    <p>This is an example of Internal CSS.</p>

</body>
</html>
```

c) External CSS

External CSS involves writing all styling rules in a separate .css file, which is then linked to one or more HTML documents using the <link> tag inside the <head> section (e.g., <link rel="stylesheet" href="sty.css">). This is the most efficient and widely used method for real-world websites, as it completely separates content (HTML) from presentation (CSS), allows the same stylesheet to be reused across many pages, and makes the website easier to maintain and update.

Code

```html
<!DOCTYPE html>
<html>
<head>
    <title>External CSS</title>

    <link rel="stylesheet" href="sty.css">
</head>
<body>

    <h1>Welcome to My Website</h1>

    <p>This is an example of External CSS.</p>

</body>
</html>
```

sty.css > h1

```css
h1 {
    color: rgb(188, 51, 133);
    text-align: center;
}

p {
    color: rgb(47, 26, 167);
    font-size: 20px;
}
```

Output

