

Coforge

agoda




Presented By_:

Manish Yadav

Graduate Engineer Trainee

EmpId :85010952

Email ID: Manish.5.Yadav@coforge.com



Content

1. Testing Fundamentals

2. Manual Testing

3. Automation Testing


4. Behavior Driven Development (BDD) with Cucumber

5. API Testing

6. Rest Assured (BDD for API Testing)

7. Data Driven Testing (DDT)

8. Jenkins (CI-CD)



Testing



What is Testing?



Testing is the process of evaluating a software application to identify defects and verify that it meets the specified requirements and works as expected



Why is Testing Important?



Testing improves software quality by finding defects before release and ensuring reliability.



When is Testing Done?




Testing is performed throughout the Software Development Life Cycle (SDLC), from development to deployment.


Manual Testing

Manual Testing is the process of verifying a software application manually without using automation tools. Testers execute test cases, compare actual results with expected results, identify defects, and ensure the application meets business requirements and provides a smooth user experience.

Manual Testing Project
Application: Agoda.com



Life Cycle of Manual Testing



Test Plan

Test Plan for Agoda.com Website

1. Test Plan Identifier

File Name: 1.0_Agoda.com_tplan_v1.0.doc

- Document Name: Test Plan – Online Hotel Booking Platform
- Version: AG_OHBP_1.0
- Date: 02-July-2026
- **Location:** Coforge Ltd, Greater Noida

2. Document History

REV	Author	Edits	Date
1.0	Manish Yadav, Graduate Engineer Trainee	Initial Draft	02/07/2026

3. Introduction.

Agoda.com is an online hotel booking and travel reservation platform designed to help users search, compare, and book hotels, resorts, apartments, villas, flights, and other travel accommodations based on destination, travel dates, budget, amenities, ratings, and guest preferences. The application allows users to register, log in, search for accommodations, apply filters, view property details, compare prices, make bookings, manage reservations, process secure payments, leave reviews, and manage their account settings. This test plan defines the testing approach and scope required to validate the functional behavior, usability, performance, security, reliability, and booking process of the Agoda.com application.

4. Test Items

Specifies **what components/modules** will be tested.

Example:

- User Registration Module
- User Login Module
- Hotel Search & Filter Module
- Property Details Module
- Room Selection & Availability Module
- Booking & Reservation Module
- Payment & Checkout Module
- Booking Management Module (View, Modify & Cancel Booking)
- Logout Functionality

5. Features to be Tested

Medium priority features are features that have been stable and High Priority features are features that have been recently changed.

Feature to be Tested	Priority	Comments
User Registration Module	High	
User Login Module	High	
Hotel Search & Filter Module	High	
Property Details Module	High	
Room Selection & Availability Module	High	
Booking & Reservation Module	High	
Payment & Checkout Module	High	
Booking Management Module (View, Modify & Cancel Booking)	High	
Logout Functionality	High	

6. Features NOT to be Tested

- Help Contents and user manuals will not be tested.
- Installation and presentation will not be tested.
- Support of the other architectures also will not be tested.
- Third-party payment gateway internal logic
- Legacy modules not impacted by current release
- Experimental features

7. Test Environment

MANISH_YADAV

Vivobook_ASUSLaptop X1605ZA_X1605ZAC

Rename 1

①

Device info

Copy

Device name

MANISH_YADAV

Processor

12th Gen Intel(R) Core(TM) i5-12500H (2.50 GHz)

Installed RAM

16.0 GB (15.7 GB usable)

Graphics card

Intel(R) Iris(R) Xe Graphics (128 MB)

Storage

262 GB of 477 GB used

Device ID

710B0325-3C48-4595-8E93-8520F7137CE7

Product ID

00342-42697-03118-AAOEM

System type

64-bit operating system, x64-based processor

Pen and touch

No pen or touch input is available for this display

Related links

Domain or workgroup

System protection

Advanced system settings

Test Plan

Windows specifications

Copy

Edition

Windows 11 Home Single Language

Version

25H2

Installed on

15-12-2024

OS build

26200.7623

Experience

Windows Feature Experience Pack 1000.26100.275.0

[Microsoft Services Agreement](#)

[Microsoft Software License Terms](#)

8. Test Approach / Test Strategy

Describes **how testing will be performed**.

The test strategy for Agoda.com1.0 will include manual testing with automated testing(**Selenium With Java**) where time/need permits. Automated testing will be used to test the basic Interface objects keyboard and mouse navigation or any redundant tasks best translated to automation. Automated testing will be limited to a Win-64 platform because of Automation tool limitations.

- Sanity test will include an very short battery of tests to ensure the Naukri1.0 runs/launches and can connect to the back end database(**MySql /SQL Server 2025**). Test execution will happen as individual component testing. These tests will be fully automated.
- Acceptance tests** will include a short battery of tests that will only touch major features to ensure Naukri1.0 will operate smoothly at a basic level. These tests will be executed on **Windows 11 Home Single Language**. The goal will be to automate all of these tests.
- Full Functional tests will include a **comprehensive test** of all features listed in this document. These tests will be limited to the Windows 11 pro. These test will include automation with time allowing.

8.1 Types of Testing

- Smoke Testing
- Sanity Testing
- Functional Testing
- Integration Testing
- System Testing
- Regression Testing

8.2 Test Levels

- Unit Testing (by developers)
- Integration Testing
- System Testing
- Acceptance Testing

8.3 Test Techniques

- Black Box Testing
- Boundary Value Analysis
- Equivalence Partitioning
- Error Guessing **Functionality Testing**

Usability Testing

The usability testing will be accomplished by verifying the information in each window are accurate. Menus, icons and toolbar functionality will be tested as applicable to the navigation and

results panes. Multi Window Overlapping will be tested because product supports opening of multiple documents.

Robustness/Reliability Testing

Test the GUI for correct keyboard and mouse navigation, windows, menus, buttons, etc. These tests will include Keyboard only navigation of Shadi.com1.0, Mouse only navigation. Correctness and existence of warning/error dialog boxes. The correct/expected functionality of buttons, icons and menus.

Stress Testing

Not applicable

9. Entry and Exit Criteria

9.1 Entry Criteria

Conditions to start testing:

- Requirements approved
- Test environment ready
- Test data available
- Build deployed

9.2 Exit Criteria

Conditions to stop testing:

- All planned test cases executed
- Critical and high defects closed
- Test summary report prepared

10. Test Deliverables

Test plan	1.0_Agoda.com_tplan.doc
Test Specification	1.0_Agoda.com_tspec.doc
Test Automation Plan	TBD()
Test Checklist	TBD
Test Logs	TBD
Test tools	Selenium 4.38, Postman, Rest Assured, Jmeter, Jenkins, Git and Git Hub and Appium and MySql Server 2025

11. Testing Tasks & Resource Needs

- Use of MySql Server database.
- Write Test Specification.
- Write Test Automation plan.
- Write Test Checklist.
- Setup workspace.
- Develop Automation script.
- Minimum requirements for platforms:

12. Schedule

Test Documentation

Document	Development Time		Sign-off Date	Dependencies
	Person-Days	Completion Date		
Test Plan	1 day	02/07/2026	02/07/2026	Functional Spec. Review
Test Specifications	1 day	03/07/2026	03/07/2026	Test plan, Functional Spec, Review
Test Logs	TBD	02/07/2026		

Test Plan

Document	Development Time		Sign-off Date	Dependencies
Test Summary Report	TBD	02/07/2026		
Checklist	TBD	02/07/2026		

Test Development

Deliverable	Development Time		Dependencies
	Person-Days	Completion Date	
Functional Test Suite	1	03/07/2026	
Automation build			

Test Execution

Test Activity		Execution Time (Person-Days)			Dependencies
		Alpha	Beta	FCS	
Acceptance		1 Day	1 Day	1Days	
Functional	Functionality	1	1		
	Usability	All High to Medium test cases			
	Robustness				
	Stress				
	Multi Inst.				
Regression					
Documentation Review		1	1	1	
Total Test Cycle		1	1	1	

13. Risks and Assumptions

Risks:

- **Environment Instability:** Delays in setting up the test environment could impact the schedule- VM is not working port no.-5103
- **Resource Availability:** Limited availability of testers could delay test execution.
- **Late Requirement Changes:** Changes in requirements during the testing phase could lead to additional testing efforts.
- **Contingencies:**
- **Backup Resources:** Have backup resources ready to join the testing effort if required.
- **Flexible Schedule:** Allocate buffer time in the schedule to accommodate unexpected delays.
- **Regular Communication:** Hold daily stand-up meetings to quickly address any issues that arise

14. Approvals \Sign of

POSITION *Approval required	NAME	SIGNATURE	REVIEWED	APPROVAL
Project Manager			Raghavendra BN	Raghavendra BN
Test Engineer	Manish Yadav			
Client Approval	Coforge			

Test Scenarios

Name: Manish Yadav



Email ID: Manish.5.Yadav@coforge.com /manishyadav92124@gmail.com

Emp ID: 85010952


TEST SCENARIOS FOR AGODA.COM

Scenario ID	Scenario Name	Scenario Description	Preconditions	Expected Outcome
TS_01	Verify user should create account or not .	Validate that a new user should create account using valid details	User does not have a account.	User account is created successfully
TS_02	Verify user sign in.	Validate that a registered user should sign in with valid credentials.	User should have a account.	User is signed in and redirected to dashboard.
TS_03	Verify hotel search functionality	Validate that the user should search hotels by entering destination, check-in/check-out dates, and guests	User is signed in on Agoda.	Relevant hotel search results are displayed
TS_04	Verify hotel search filters	Validate that the user should filter hotel search results using price, star rating, location, amenities, etc.	Hotel search results are displayed	Filtered hotel results are displayed according to selected criteria
TS_05	Verify property details page	Validate that the user should view detailed information of a selected hotel/property.(facilities,review,location,policies).	User selects a hotel from search results	Property details page is displayed with images, amenities, policies, and reviews
TS_06	Verify room selection and availability	Validate that the user should view available room types and select a room by clicking on Book button.	User is on the property details page	Available rooms are displayed and selected room is added for booking
TS_07	Verify booking and filling Booking form.	Validate that the user should successfully book a selected room by providing customer information.	User should select an available room	User should redirected to the next step for the payment information.
TS_08	Payment and checkout form validation.	Validate that the user should complete the payment using a valid payment inputs and methods.	User is on the payment page with booking details	Payment is processed successfully and booking confirmation is displayed
TS_09	Verify hotel findings according to sorting functionality	Validate that the user should sort hotel search results using available sorting options (e.g., Price, Rating, Recommended)	Hotel search results are displayed	Hotel search results are sorted according to the selected sorting option
TS_10	Verify sign out	Validate that user should sign out	User should signed in.	User is signed out and




Test Cases

Project Name:	Agoda.com								
Module Name:	User Login & Dashboard	Date Updated:	03-07-2026						
Last Build Tested:		Reviewed By:	Raghavendra BN						
Run No:	10 Test Cases	Executed By:	Manish Yadav						
Run Date:	03-07-2026								
Test Objectives:	Mapping Test Scenarios with Test Cases (Agoda.com)								
Test Setup:	MS Excel Sheet								
Req_Id	Test_Case_ID	Test_Case_Description	Test_steps	Test_Data	Expected_Result	Actual_Result	Status	ScreenShot	
Req_1.0	TC_01.0	Verify user should create account with google account.	1.User should open Microsoft Edge browser 2. User should navigate to https://www.agoda.com/. 3. User should click on create account option on the Agoda homepage. 4.User should click on Create account button and then sign in with google button. 5. User should enter valid Email ID, Password/Google Account and continue.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: *****	User account should be created successfully and user should be redirected to the home page.	User account created successfully and redirected to home page.	Passed		
Req_1.0	TC_01.1	Verify user should create account with facebook account.	1.User should open Microsoft Edge browser 2. User should navigate to https://www.agoda.com/. 3. User should click on create account option on the Agoda homepage. 4.User should click on Create account button and sign in with Facebook button. 5. User should enter valid Facebook account Email ID/mobile no. , Password and continue.	Url: https://www.Agoda.com/ Facebook Account linked Email: manishyadav92124@gmail.com /Facebook_username-xyz123 Password: *****	User account should be created successfully and user should be redirected to the home page.	User account should be created successfully and user should be redirected to the home page.	Passed		
Req_1.0	TC_01.2	Verify user should create account with Apple account.	1.User should open Microsoft Edge browser 2. User should navigate to https://www.agoda.com/. 3. User should click on create account option on the Agoda homepage. 4.User should click on Create account button and then Sign in with Apple. 5. User should enter valid Apple account Email ID, Password and continue.	Url: https://www.Agoda.com/ Apple Email ID: manishyadav92124@gmail.com Password: *****	User account should be created successfully and user should be redirected to the home page.	User account should be created successfully and user should be redirected to the home page.	Passed		
Req_1.0	TC_01.3	Verify user should create account with WhatsApp account.	1.User should open Microsoft Edge browser 2. User should navigate to https://www.agoda.com/. 3. User should click on create account option on the Agoda homepage. 4.User should click on Create account button and then sign in with WhatsApp. 5. User should enter valid Whatsapp no., OTP and continue.	Url: https://www.Agoda.com/ Whats App Mobile no:1236573839 OTP: *****	User account should be created successfully and user should be redirected to the home page.	User account should be created successfully and user should be redirected to the home page.	Passed		
Req_1.1	TC_02	Verify user should Sign in with valid credentials	1.User should open Microsoft Edge browser 2. User should navigate to https://www.agoda.com/. 3. User should click on Sign in button on the Agoda Homepage. 4. User should enter valid Email ID and click on continue and enter correct OTP. 5. User should click on continue button.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: *****	User should be Sign in successfully and homepage/dashboard should be displayed.	User should be Sign in successfully and homepage should be displayed.	Passed		
Req_1.2	TC_03	Verify hotel search functionality	1.User should Open Agoda website. 2. User should login with valid credentials. 3. User should go to the Agoda Homepage. 4. User should Enter destination. 5. User should Select check-in and check-out dates. 6. User should Select number of guests and rooms and click on Search Options.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com & Password: ***** Destination: Goa Check-in: 15 Aug 2026 Check-out: 18 Aug 2026 Guests: 2 Adults	Relevant hotels should be displayed according to the search criteria.	Relevant hotel listings displayed successfully.	Passed		

Test Cases

Req_1.3	TC_04	Verify hotel search filters	1.User should open Microsoft Edge browser 2. User should navigate to https://www.Agoda.com/ 3. User should click on Login option on the Agoda Homepage and search hotels . 4. User should Apply filters such as Price, Star Rating, Free Breakfast and Customer Rating. 5.User should Observe search results.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: ***** Destination: Goa Price: ₹3000-₹6000 Star Rating: 4★ & Above	Hotels matching the selected filters should be displayed.	Filtered hotels displayed successfully.	Passed	
Req_1.4	TC_05	Verify property details page	1.User should open Microsoft Edge browser 2. User should navigate to https://www.Agoda.com/ 3. User should click on Login option on the Agoda Homepage. 4. User should Search hotels 5. User should Select any hotel from search results. 6. User should View property information.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: ***** Hotel: Taj Cidade de Goa Horizon	Property details page should display hotel information, images, amenities, reviews and policies.	Property details displayed successfully.	Passed	
Req_1.5	TC_06	Verify room selection and availability	1.User should open Microsoft Edge browser 2. User should navigate to https://www.Agoda.com/ 3. User should login to Agoda Website. 4. User should Search hotels. 5. User should Open a hotel. 6. User should Select a room. 7. User should click on Book Now button and Reserve the room.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: ***** Room Type: Deluxe Room Guests: 2 Adults	Available room should be selected successfully and booking process should continue.	Room selected successfully.	Passed	
Req_1.6	TC_07	Select room and fill guest details.	1.User should navigate to https://www.Agoda.com/ and search the room/hotel according to preference. 2. User should Select a room and click on continue. 3. User should Enter guest details. 4. User should click on Next step button.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: ***** & Room Type: Deluxe Room Guests: 2 Adults Guest Name: Manish Yadav Mobile: +91 9876543210 Email:manishyadav92124@gmail.com	Guest details should be filled successfully and redirected to next step of Payment.	Guest details filled successfully and redirected to next step of Payment.	Passed	
Req_1.7	TC_08	Fill payment details and do a successful transaction and Confirm Booking.	1.User should open Microsoft Edge browser 2. User should navigate to https://www.Agoda.com/ 3. User should Complete booking details. 4. User should Select payment method. 5. User should Enter valid payment details and click on Pay Now.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: ***** & Payment Method: Credit Card Card Number: **** * 1234	Payment should be completed successfully and booking confirmation page should be displayed.	Payment should be completed successfully and booking confirmation page should be displayed.	Passed	
Req_1.8	TC_09	Verify hotel findings according to sorting functionality	1. User should open Microsoft Edge browser. 2. User should navigate to https://www.agoda.com/. 3. User should log in with valid credentials. 4. User should enter a valid destination, check-in/check-out dates, and number of guests. 5. User should click on Search. 6. User should click on the Sort By option on the search results page. 7. User should select Price (Lowest First) from the available sorting options. 8. User should observe the reordered hotel search results.	URL: https://www.agoda.com/ Email: manishyadav92124@gmail.com Password: ***** Destination: Goa Check-in: 15 Aug 2026 Check-out: 18 Aug 2026 Guests: 2 Adults Sort Option: Price (Lowest First)	Hotel search results should be reordered according to the selected sorting option and displayed correctly.	Hotel search results were reordered successfully based on the selected sorting option.	Passed	
Req_1.9	TC_10	Verify user should sign out successfully	1.User should open Microsoft Edge browser 2. User should navigate to https://www.Agoda.com/ 3. User should login to Agoda application with valid credentials. 4. User should click on Profile menu. 5. User should click on Sign out option.	Url: https://www.Agoda.com/ Email: manishyadav92124@gmail.com Password: *****	User should be signed out successfully and redirected to homepage.	User signed out successfully and redirected to homepage.	Passed	

Defect Report

Defect ID	Defect Description	Steps to Reproduce	Priority	Severity	Status	Created By	Assigned To	Screenshot
1	System allows booking with an invalid mobile number	1. Launch Agoda.com. 2. Search for any hotel or flight. 3. Select the desired booking option and proceed to the Guest Details page. 4. Enter all mandatory guest information. 5. Enter an invalid mobile number (e.g., 123456). 6. Click Continue and complete the booking. 7. Observe that the booking is completed successfully even though an invalid mobile	High	Major	New	Manish Yadav	Raghavendra BN	
2	Weak password is accepted without displaying a password strength validation message	1. Log in to Agoda.com. 2. Navigate to My Account → Change Password. 3. Enter the current password. 4. Enter hello123 as the new password. 5. Enter hello123 in the Confirm New Password field. 6. Click Save. 7. Observe that the password is updated successfully without displaying a password	High	Major	New	Manish Yadav	Raghavendra BN	
3	Support, Language, and Currency controls are not clickable on the Agoda Transport page	1. Launch Agoda.com. 2. Click Transport from the homepage. 3. Select any transport service (e.g., Bus, Train, Ferry, etc.). 4. Search for any valid route. 5. On the search results page, click Support, English, and ₹ INR in the top-right corner. 6. Observe that the Support, Language, and Currency controls do not respond when clicked.	Medium	Major	New	Manish Yadav	Raghavendra BN	
4	Floating scroll navigation button changes its icon state but does not perform any navigation.	1. Launch Agoda.com. 2. Navigate to Transport from the homepage. 3. Search for any valid transport route (e.g., Bus). 4. Observe the red floating navigation button displayed on the page. 5. Scroll down the search results page; the same button remains visible. 6. Click the red floating navigation button. 7. Observe that the arrow icon changes direction, but the page does not scroll or	Medium	Minor	New	Manish Yadav	Raghavendra BN	
5	Travel Guides search returns articles from different countries and in different languages instead of displaying relevant travel guides for the selected country.	1. Launch Agoda.com. 2. Navigate to Travel Guides. 3. Enter India in the search box and select it. 4. Observe the search results displayed. 5. Observe that the search results include articles from different countries (e.g., Maldives) and articles displayed in different languages (e.g., Chinese and Indonesian) instead of relevant travel guides for India in English	Medium	Major	New	Manish Yadav	Raghavendra BN	

Requirement Traceability Matrix

Req No.	Requirement Description	Test Case ID	Status
R_1.0	The system should allow a new user of Agoda.com Create Account Module to create an account successfully using a valid Google, Facebook, Apple, or WhatsApp account.	TC_01	TC_01 – Passed
R_1.1	The system should allow a registered user of Agoda.com Sign In Module to sign in successfully using valid credentials.	TC_02	TC_02 – Passed
R_1.2	The system should allow the user of Agoda.com Hotel Search Functionality to search hotels by entering a valid destination, check-in/check-out dates, and guest details.	TC_03	TC_03 – Passed
R_1.3	The system should allow the user of Agoda.com Hotel Search Filter Functionality to filter hotel search results using available filter options.	TC_04	TC_04 – Passed
R_1.4	The system should allow the user of Agoda.com Property Details Functionality to view complete information about a selected hotel property.	TC_05	TC_05 – Passed
R_1.5	The system should allow the user of Agoda.com Room Selection Functionality to select an available room and continue with the booking process.	TC_06	TC_06 – Passed
R_1.6	The system should allow the user of Agoda.com Guest Details Functionality to enter guest information and proceed to the payment page	TC_07	TC_07 – Passed
R_1.7	The system should allow the user of Agoda.com Payment and Checkout Functionality to complete the payment successfully and confirm the booking.	TC_08	TC_08 – Passed
R_1.8	The system should allow the user of Agoda.com Hotel Sorting Functionality to sort hotel search results using the available sorting options.	TC_09	TC_09 – Passed
R_1.9	The system should allow the user of Agoda.com Sign Out Module to sign out successfully and redirect to the homepage.	TC_10	TC_10 – Passed

Peer Review



Manish Yadav <manishyadav92124@gmail.com>
to Raghavendra, raghavendra.bn@gmail.com ▾

Fri, Jul 24, 9:54 PM (4 days ago) ☆ 😊 ↩ ⋮

Hi Raghavendra,

I hope you're doing well.

Please find attached my **Test Plan, Test Scenarios, Test Cases, Defect Report and RTM**.


I would appreciate it if you could review the documents and share your feedback, suggestions, or any areas that may require improvements or modifications. Your inputs would help ensure that the documentation is complete, aligned with expectations, and follows the required standards and best practices.

Please let me know if there are any changes needed or if additional information needs to be included from my side.

Thank you for your time and guidance. I look forward to your feedback.

Regards,
Manish Yadav.

2 Attachments • Scanned by Gmail ⓘ ⬇️ 📁 Add all to Drive



Raghavendra Bn
to me ▾

Sat, Jul 25, 10:01 AM (3 days ago) ★ 😊 ↩ ⋮

Dear Manish Yadav,

I hope this email finds you in good health and spirits. I am writing to you today with the intention of discussing a matter of significant importance, which I believe warrants your careful consideration. Specifically, I wish to elaborate on [main content of the email]. I have taken the liberty of outlining the key points in detail below, in the hope that this comprehensive overview will provide you with a clear understanding of the situation and its potential implications. I am eager to hear your thoughts on this subject and would greatly appreciate any insights or feedback you might be willing to share. Your perspective is highly valued, and I am confident that through our collaboration, we can achieve a mutually beneficial outcome.

I eagerly await your response and look forward to the opportunity to engage in a productive dialogue with you at your earliest convenience.

GOOD TO GO
Regards
Raghavendra BN

...

Acknowledged.

Looks good to me.

Thanks for the feedback.

Automation Testing

Automation Testing is the process of testing software using automation tools and scripts instead of executing test cases manually. It helps improve accuracy, speed, and efficiency by automatically validating application functionality.

Automation Project

Application: SauceDemo.com



Tools & Setup



JDK
21.0.11(LTS)




Selenium
4.45.0

TestNG

TestNG
2.35.3



Apache POI
5.2.5



Postman
12.21.1



Eclipse IDE
2026-03(4.39.0)



Cucumber
7.15.0



Allure Reports
2.24.0




Apache JMeter
5.6.3



MySQL Workbench
8.3.0






Jenkins
2.452



JDBC Driver
42.7.3

Folder Structure



Pom.xml

```
<!-- Source: https://mvnrepository.com/artifact/net.sf.opencsv/opencsv -->
<dependency>
  <groupId>net.sf.opencsv</groupId>
  <artifactId>opencsv</artifactId>
  <version>2.3</version>
  <scope>compile</scope>
</dependency>

<!-- Source: https://mvnrepository.com/artifact/commons-io/commons-io -->
<dependency>
  <groupId>commons-io</groupId>
  <artifactId>commons-io</artifactId>
  <version>2.22.0</version>
  <scope>compile</scope>
</dependency>

</dependencies>

</project>
```

Bind to grammar/schema...

```
<project xmlns="https://maven.apache.org/POM/4.0.0"
  xmlns:xsi="https://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="https://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>Automation_Testing_SwagLabs_project</groupId>
  <artifactId>Automation_Testing_SwagLabs_project</artifactId>
  <version>0.0.1-SNAPSHOT</version>
  <name>Automation_Testing_SwagLabs_project</name>
  <description>Automation_Testing_SwagLabs_project</description>
  <dependencies>
    <!-- Source:
    https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-java -->
    <dependency>
      <groupId>org.seleniumhq.selenium</groupId>
      <artifactId>selenium-java</artifactId>
      <version>4.45.0</version>
      <scope>compile</scope>
    </dependency>

    <!-- Source: https://mvnrepository.com/artifact/org.testng/testng -->
    <dependency>
      <groupId>org.testng</groupId>
      <artifactId>testng</artifactId>
      <version>7.12.0</version>
      <scope>test</scope>
    </dependency>

    <!-- Source:
    https://mvnrepository.com/artifact/io.qameta.allure/allure-testng -->
    <dependency>
      <groupId>io.qameta.allure</groupId>
      <artifactId>allure-testng</artifactId>
      <version>2.35.3</version>
      <scope>compile</scope>
    </dependency>

    <!-- Source: https://mvnrepository.com/artifact/net.sf.opencsv/opencsv -->
    <dependency>
      <groupId>net.sf.opencsv</groupId>
      <artifactId>opencsv</artifactId>
```

Pages

LoginPage.java

```
1 package pages;
2
3 import org.openqa.selenium.By;
4
5 public class LoginPage {
6     WebDriver driver;
7
8     // Constructor
9     public LoginPage(WebDriver driver) {
10         this.driver = driver;
11     }
12
13     // Locators
14     By txtUsername = By.id("user-name");
15     By txtPassword = By.id("password");
16     By btnLogin = By.id("login-button");
17
18     // Inventory Page Locator (used to verify successful login)
19     By inventoryContainer = By.id("inventory_container");
20
21     // Login Method
22     public void login(String username, String password) {
23         driver.findElement(txtUsername).sendKeys(username);
24         driver.findElement(txtPassword).sendKeys(password);
25         driver.findElement(btnLogin).click();
26     }
27
28     // Verify Login Success
29     public boolean isLoginSuccessful() {
30         return driver.findElements(inventoryContainer).size() > 0;
31     }
32 }
```

InventoryPage.java

```
3 import org.openqa.selenium.By;
4
5 public class InventoryPage {
6     WebDriver driver;
7
8     // Constructor
9     public InventoryPage(WebDriver driver) {
10         this.driver = driver;
11     }
12
13     // Locators
14     By backpack = By.xpath("//div[text()='Sauce Labs Backpack']");
15     By bikeLight = By.xpath("//*[@id='item_0_title_link']/div");
16     By addToCart = By.xpath("//button[@id='add-to-cart']");
17     By backToProducts = By.xpath("//button[@id='back-to-products']");
18     By cartButton = By.xpath("//a[@class='shopping_cart_link']");
19
20     // Methods
21     public void clickBackpack() {
22         driver.findElement(backpack).click();
23     }
24     public void clickBikeLight() {
25         driver.findElement(bikeLight).click();
26     }
27     public void addToCart() {
28         driver.findElement(addToCart).click();
29     }
30     public void backToProducts() {
31         driver.findElement(backToProducts).click();
32     }
33     public void clickCart() {
34         driver.findElement(cartButton).click();
35     }
36 }
```


Pages

CheckoutPage.java

```
1 package pages;
2
3+ import org.openqa.selenium.By;
4
5 public class CheckoutPage {
6
7     WebDriver driver;
8
9     // Constructor
10    public CheckoutPage(WebDriver driver) {
11        this.driver = driver;
12    }
13
14    // Locators
15    By firstName = By.id("first-name");
16
17    By lastName = By.id("last-name");
18
19    By postalCode = By.id("postal-code");
20
21    By continueButton = By.id("continue");
22
23    By finishButton = By.id("finish");
24
25    By generatePDF = By.xpath("//button[text()='Generate PDF order']");
26
27    By backHome = By.xpath("//*[@id='back-to-products']");
28
29    // Methods
30
31    public void enterCustomerDetails(String fname, String lname, String zip) {
32
33        driver.findElement(firstName).sendKeys(fname);
34
35        driver.findElement(lastName).sendKeys(lname);
36
37        driver.findElement(postalCode).sendKeys(zip);
38    }
39
40    public void clickContinue() {
41
42        driver.findElement(continueButton).click();
43    }
44
45    public void clickFinish() {
46
47        driver.findElement(finishButton).click();
48    }
49
50    public void clickGeneratePDF() {
51
52        driver.findElement(generatePDF).click();
53    }
54
55    public void clickBackHome() {
56
57        driver.findElement(backHome).click();
58    }
59 }
60 }
```

CartPage.java

```
1 package pages;
2
3+ import org.openqa.selenium.By;
4
5 public class CartPage {
6
7     WebDriver driver;
8
9     public CartPage(WebDriver driver) {
10        this.driver = driver;
11    }
12
13    // Locators
14    By removeProduct = By.id("remove-sauce-labs-backpack");
15
16    By checkout = By.id("checkout");
17
18    By continueShopping = By.id("continue-shopping");
19
20    // Methods
21    public void removeProduct() {
22        driver.findElement(removeProduct).click();
23    }
24
25    public void checkout() {
26        driver.findElement(checkout).click();
27    }
28
29    public void continueShopping() {
30        driver.findElement(continueShopping).click();
31    }
32 }
```

Helper.java

```
1 package utility;
2
3 import org.openqa.selenium.WebDriver;
4
5 public class Helper {
6
7     public static WebDriver startBrowser(String browser) throws InterruptedException {
8
9         WebDriver driver = null;
10
11         if (browser.equalsIgnoreCase("Chrome")
12             || browser.equalsIgnoreCase("GC")
13             || browser.equalsIgnoreCase("Google Chrome")) {
14
15             driver = new ChromeDriver();
16         }
17
18         else if (browser.equalsIgnoreCase("Edge")
19             || browser.equalsIgnoreCase("EG")
20             || browser.equalsIgnoreCase("Microsoft Edge")) {
21
22             driver = new EdgeDriver();
23         }
24
25         else if (browser.equalsIgnoreCase("Firefox")
26             || browser.equalsIgnoreCase("MF")
27             || browser.equalsIgnoreCase("Mozilla Firefox")) {
28
29             driver = new FirefoxDriver();
30         }
31
32         else {
33             System.out.println("Sorry! Unsupported Browser");
34             return null;
35         }
36
37         driver.manage().window().maximize();
38         Thread.sleep(3000);
39         driver.get(ConfigReader.getProperty("url"));
40
41         return driver;
42     }
43
44     public static void closeBrowser(WebDriver driver) {
45
46         if (driver != null) {
47             driver.quit();
48         }
49     }
50 }
51
52
53 }
```

ScreenshotHelper.java

```
1 package utility;
2
3 import java.io.File;
4
5 public class ScreenshotHelper {
6
7     // Automatically increments screenshot number
8     private static int screenshotCount = 1;
9
10    public static void captureScreenshot(WebDriver driver, String step) {
11
12        // Create screenshots folder if it doesn't exist
13        File folder = new File("screenshots");
14        if (!folder.exists()) {
15            folder.mkdir();
16        }
17
18        //Timestamp
19        String timestamp = new SimpleDateFormat("yyyyMMdd_HHmms").format(new Date());
20
21        // Screenshot file
22        File src = ((TakesScreenshot) driver).getScreenshotAs(OutputType.FILE);
23
24        // Destination
25        File dest = new File(folder,
26            screenshotCount++ + "_" + step + "_" + timestamp + ".png");
27
28        try {
29            Files.copy(src.toPath(), dest.toPath(), StandardCopyOption.REPLACE_EXISTING);
30            System.out.println("Screenshot Saved : " + dest.getAbsolutePath());
31        } catch (IOException e) {
32            e.printStackTrace();
33        }
34    }
35 }
```

ConfigReader.java

```
package utility;

import java.io.FileInputStream;

public class ConfigReader {

    private static final Properties properties = new Properties();
    static {
        try {
            FileInputStream file = new FileInputStream("src/main/resources/config.properties");
            properties.load(file);
            file.close();
        } catch (IOException e) {
            e.printStackTrace();
        }
    }
    // Returns the value of the given key
    public static String getProperty(String key) {
        return properties.getProperty(key);
    }
}
```

CSVHelper.java

```
1 package utility;
2
3 import java.io.FileReader;
4
5
6
7 public class CSVHelper {
8     private CSVReader reader;
9
10    // Constructor
11    public CSVHelper(String csvPath) throws IOException {
12        reader = new CSVReader(new FileReader(csvPath));
13        // Skip Header
14        reader.readNext();
15    }
16
17    // Read next row
18    public String[] getNextRow() throws IOException {
19        return reader.readNext();
20    }
21
22    // Close CSV file
23    public void closeCSV() throws IOException {
24        if (reader != null) {
25            reader.close();
26        }
27    }
28 }
```


ProductPurchaseTest.java

```
1 package com.Test_Cases_swag_labs;
2
3 import org.openqa.selenium.WebDriver;
4
5 Run ALL
6 public class ProductPurchaseTest {
7
8     @Test
9     Run | Debug
10    public void purchaseProduct() throws InterruptedException {
11
12        // Launch Browser
13        WebDriver driver = Helper.startBrowser(ConfigReader.getProperty("browser"));
14
15        // Home Page
16        ScreenshotHelper.captureScreenshot(driver, "HomePage");
17
18        // Create Page Objects
19        LoginPage loginPage = new LoginPage(driver);
20        InventoryPage inventoryPage = new InventoryPage(driver);
21        CartPage cartPage = new CartPage(driver);
22        CheckoutPage checkoutPage = new CheckoutPage(driver);
23
24        // Login
25        loginPage.login(
26            ConfigReader.getProperty("username"),
27            ConfigReader.getProperty("password")
28        );
29        Thread.sleep(5000);
30        ScreenshotHelper.captureScreenshot(driver, "LoginSuccess");
31
32        // Inventory
33        inventoryPage.clickBackpack();
34        Thread.sleep(5000);
35        ScreenshotHelper.captureScreenshot(driver, "BackpackDetails");
36
37        inventoryPage.addToCart();
38        Thread.sleep(5000);
39        ScreenshotHelper.captureScreenshot(driver, "BackpackAdded");
40
41        inventoryPage.backToProducts();
42        Thread.sleep(5000);
43        ScreenshotHelper.captureScreenshot(driver, "InventoryPage");
44
45        inventoryPage.clickBikeLight();
46        Thread.sleep(5000);
47        ScreenshotHelper.captureScreenshot(driver, "BikeLightDetails");
48    }
```



```
55
56    inventoryPage.addToCart();
57    Thread.sleep(5000);
58    ScreenshotHelper.captureScreenshot(driver, "BikeLightAdded");
59
60    inventoryPage.clickCart();
61    Thread.sleep(5000);
62    ScreenshotHelper.captureScreenshot(driver, "CartPage");
63
64    // Cart
65    cartPage.checkout();
66    Thread.sleep(5000);
67    ScreenshotHelper.captureScreenshot(driver, "CheckoutInformation");
68
69    // Checkout
70    checkoutPage.enterCustomerDetails(
71        "Manish",
72        "Yadav",
73        "201301"
74    );
75    Thread.sleep(5000);
76    ScreenshotHelper.captureScreenshot(driver, "CustomerDetails");
77
78    checkoutPage.clickContinue();
79    Thread.sleep(5000);
80    ScreenshotHelper.captureScreenshot(driver, "CheckoutOverview");
81
82    checkoutPage.clickFinish();
83    Thread.sleep(5000);
84    ScreenshotHelper.captureScreenshot(driver, "OrderCompleted");
85
86    checkoutPage.clickGeneratePDF();
87    Thread.sleep(5000);
88    ScreenshotHelper.captureScreenshot(driver, "PDFGenerated");
89
90    checkoutPage.clickBackHome();
91    Thread.sleep(5000);
92    ScreenshotHelper.captureScreenshot(driver, "BackToHome");
93
94    // Close Browser
95    Helper.closeBrowser(driver);
96
97 }
```

CSVLoginTest.java

```
1 package com.Test_Cases_swag_labs;
2
3 import org.openqa.selenium.WebDriver;
11
12 public class CSVLoginTest {
13
14     private static final String csvPath = "CSVFiles/SwagLabs_Valid_Login_Users.csv";
15
16     @Test
17     public void DDTLoginTest() throws Exception {
18
19         CSVHelper csv = new CSVHelper(csvPath);
20
21         String[] csvCell;
22
23         // Launch Browser
24         WebDriver driver = Helper.startBrowser(ConfigReader.getProperty("browser"));
25         LoginPage loginPage = new LoginPage(driver);
26
27         int total = 0;
28         int passed = 0;
29         int failed = 0;
30
31         System.out.println("\n=====");
32         System.out.println("      SWAG LABS LOGIN TEST RESULTS");
33         System.out.println("=====");
34
35         while ((csvCell = csv.getNextRow()) != null) {
36
37             total++;
38
39             String testCaseId = csvCell[0];
40             String username = csvCell[1];
41             String password = csvCell[2];
42
43             Thread.sleep(4000);
44
45             loginPage.login(username, password);
46
47             Thread.sleep(2000);
48
49             if (loginPage.isLoginSuccessful()) {
50
51                 System.out.println(testCaseId + " | " + username + " --> PASS");
52                 passed++;
53
```

```
52                 passed++;
53
54             } else {
55
56                 System.out.println(testCaseId + " | " + username + " --> FAIL");
57                 failed++;
58
59             }
60
61             ScreenshotHelper.captureScreenshot(driver, testCaseId);
62
63             // Return to Login Page
64             driver.get(ConfigReader.getProperty("url"));
65         }
66
67         System.out.println("-----");
68         System.out.println("Total Test Cases : " + total);
69         System.out.println("Passed           : " + passed);
70         System.out.println("Failed           : " + failed);
71
72         Helper.closeBrowser(driver);
73         csv.closeCSV();
74     }
75 }
```

Allure Report




Cucumber

Cucumber is an open-source BDD (Behavior Driven Development) tool that uses Gherkin syntax to write test cases in simple, plain English, making them easy for both technical and non-technical users.

Key Features

- Plain English Tests
- Reusable Step Definitions
- Cross-Platform Support
- Framework Integration
- Detailed Reports
- CI/CD Compatible

How Cucumber Works



Gherkin Keywords

Feature Defines the main functionality or business requirement that is being tested. A feature file can contain multiple scenarios related to the same functionality.

Scenario Represents a single test case that describes a specific behavior or functionality of the application. Each scenario consists of a sequence of steps.

Given Specifies the initial condition or precondition that must be true before the test begins. It sets up the required environment for the scenario.

When Describes the action or event performed by the user or the system. It represents the main operation being tested.

And Used to add additional preconditions, actions, or verifications without repeating Given, When, or Then. It improves the readability of the scenario.

Then Defines the expected outcome after the action is performed. It is used to verify whether the application behaves as expected.

Folder Structure

- SwagLabs_Cucumber
 - src/main/java
 - src/main/resources
 - src/test/java
 - runner
 - TestRunner.java
 - stepDefinition
 - PurchaseProductSteps.java
 - src/test/resources
 - JRE System Library [JavaSE-1.8]
 - Maven Dependencies
 - features
 - PurchaseProduct.feature
 - src
 - target
 - pom.xml

Pom.xml

```
3  xsi:schemaLocation="https://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd"
4  <modelVersion>4.0.0</modelVersion>
5  <groupId>SwagLabs_Cucumber</groupId>
6  <artifactId>SwagLabs_Cucumber</artifactId>
7  <version>0.0.1-SNAPSHOT</version>
8  <name>SwagLabs_Cucumber</name>
9  <description>SwagLabs_Cucumber</description>
10 <dependencies>
11   <!-- Source:
12     https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-java -->
13   <dependency>
14     <groupId>org.seleniumhq.selenium</groupId>
15     <artifactId>selenium-java</artifactId>
16     <version>4.45.0</version>
17     <scope>compile</scope>
18   </dependency>
19   <!-- Source:
20     https://mvnrepository.com/artifact/io.cucumber/cucumber-core -->
21   <dependency>
22     <groupId>io.cucumber</groupId>
23     <artifactId>cucumber-core</artifactId>
24     <version>7.15.0</version>
25     <scope>compile</scope>
26   </dependency>
27   <!-- Source:
28     https://mvnrepository.com/artifact/io.cucumber/cucumber-java -->
29   <dependency>
30     <groupId>io.cucumber</groupId>
31     <artifactId>cucumber-java</artifactId>
32     <version>7.15.0</version>
33     <scope>compile</scope>
34   </dependency>
35   <!-- Source:
36     https://mvnrepository.com/artifact/io.cucumber/cucumber-junit -->
37   <dependency>
38     <groupId>io.cucumber</groupId>
39     <artifactId>cucumber-junit</artifactId>
40     <version>7.15.0</version>
41     <scope>test</scope>
42   </dependency>
43   <dependency>
44     <groupId>junit</groupId>
45     <artifactId>junit</artifactId>
46     <version>4.13.2</version>
47     <scope>test</scope>
48   </dependency>
49 </dependencies>
```



Step Defination Class (PurchaseProductSteps.java)

```
1 package stepDefinition;
2
3 import org.openqa.selenium.By;
4
11 public class PurchaseProductSteps {
12     WebDriver driver;
13
14     @Given("User launches the browser")
15     public void user_launches_the_browser() {
16
17         driver = new EdgeDriver();
18         driver.manage().window().maximize();
19     }
20
21     @And("User logs in with valid credentials")
22     public void user_logs_in_with_valid_credentials() {
23
24         driver.get("https://www.saucedemo.com/");
25
26         driver.findElement(By.id("user-name")).sendKeys("standard_user");
27         driver.findElement(By.id("password")).sendKeys("secret_sauce");
28         driver.findElement(By.id("login-button")).click();
29     }
30
31     @When("User opens the Backpack product")
32     public void user_opens_the_backpack_product() {
33
34         driver.findElement(By.xpath("//div[text()='Sauce Labs Backpack']")).click();
35     }
36
37     @And("User adds the Backpack to the cart")
38     public void user_adds_the_backpack_to_the_cart() {
39
40         driver.findElement(By.xpath("//button[@id='add-to-cart']")).click();
41     }
42
43     @And("User returns to the inventory page")
44     public void user_returns_to_the_inventory_page() {
45
46         driver.findElement(By.xpath("//button[@id='back-to-products']")).click();
47     }
48
49     @And("User opens the Bike Light product")
50     public void user_opens_the_bike_light_product() {
51
52         driver.findElement(By.xpath("//*[id='item_0_title_link']/div")).click();
53     }
54
55 }
```

```
55 }
56
57 @And("User adds the Bike Light to the cart")
58 public void user_adds_the_bike_light_to_the_cart() {
59
60     driver.findElement(By.xpath("//button[@id='add-to-cart']")).click();
61 }
62
63 @And("User opens the shopping cart")
64 public void user_opens_the_shopping_cart() {
65
66     driver.findElement(By.xpath("//a[@class='shopping_cart_link']")).click();
67 }
68
69 @And("User proceeds to checkout")
70 public void user_proceeds_to_checkout() {
71
72     driver.findElement(By.id("checkout")).click();
73 }
74
75 @And("User enters customer details")
76 public void user_enters_customer_details() {
77
78     driver.findElement(By.id("first-name")).sendKeys("Manish");
79     driver.findElement(By.id("last-name")).sendKeys("Yadav");
80     driver.findElement(By.id("postal-code")).sendKeys("201301");
81
82     driver.findElement(By.id("continue")).click();
83 }
84
85 @And("User completes the purchase")
86 public void user_completes_the_purchase() {
87
88     driver.findElement(By.id("finish")).click();
89 }
90
91 @Then("Order should be placed successfully")
92 public void order_should_be_placed_successfully() {
93
94     System.out.println("Purchase Completed Successfully");
95
96     driver.quit();
97 }
98 }
```

API Testing

API Testing is the process of validating Application Programming Interfaces (APIs) to ensure they function correctly, securely, and efficiently. It focuses on testing the communication between different software components without involving the user interface.



Postman

API Development & Testing Made Simple

Postman is a comprehensive API platform used to design, test, document, and monitor APIs efficiently.



Send HTTP Requests

Easily send GET, POST, PUT, DELETE and more requests to any API endpoint.



Inspect & Validate Responses

View response status, headers, cookies, and body in multiple formats (JSON, XML, etc.).



Organize & Manage

Create collections, folders, and environments to keep your APIs organized and reusable.




Automate & Test

Write tests using JavaScript to automate API validations and ensure reliability.



Collaborate & Share

Share collections and APIs with your team and work together seamlessly.



Tip

Use environments and variables to manage different API endpoints and data across dev, QA, and prod.

Postman

The screenshot displays the Postman web interface. The top navigation bar includes a search bar, an 'Invite' button, and a trial status 'Enterprise Trial ending in 27 days'. The left sidebar shows a tree view of collections, with 'API-Testing' expanded to show 'GET Request Method'. The main workspace shows a GET request to 'postman-echo.com/get'. Below the URL bar, tabs for 'Docs', 'Params', 'Authorization', 'Headers', 'Body', 'Scripts', and 'Settings' are visible. The 'Params' tab is active, showing a table for query parameters. The bottom section shows the response body in JSON format, indicating a '200 OK' status with a response time of 633 ms and a size of 1.14 KB. The response JSON includes fields for 'args', 'headers', and 'url'.

API-Testing > GET Request Method > GET Request- Postman

GET postman-echo.com/get

Send

Docs Params Authorization Headers 7 Body Scripts Settings

Query Params


Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body Cookies 2 Headers 14 Test Results


200 OK • 633 ms • 1.14 KB • Save Response

```
{
  "args": {},
  "headers": {
    "host": "postman-echo.com",
    "x-forwarded-proto": "https",
    "user-agent": "PostmanRuntime/7.55.1",
    "accept": "*/*",
    "accept-encoding": "gzip",
    "postman-token": "8a4cacce-d3e9-485f-b0e1-d23cdf36c771"
  },
  "url": "https://postman-echo.com/get"
}
```

Performance Testing -Postman





Newman Run Dashboard



JMeter

JMeter is an open-source tool for load, performance, and API testing. It simulates multiple users to measure an application's speed, stability, and scalability.

JMeter – HTTP Request





JMeter – Timers


A JMeter Timer is used to introduce delays between requests to simulate real user behavior and control the rate at which requests are sent during load testing.

1.Constant Timer – Fixed delay (e.g., 2000 ms before every request)

2.Uniform Random Timer – Random delay within a specified range.



JMeter – Report



Rest Assured

```
RestAssured_final
├── src/main/java
├── src/main/resources
├── src/test/java
│   └── restAssuredTest
│       ├── GetRequestMethod.java
│       ├── PatchMethodRequest.java
│       ├── PostMethodRequest.java
│       └── PutMethodRequest.java
├── src/test/resources
├── JRE System Library [JavaSE-1.8]
├── Maven Dependencies
├── src
├── target
├── test-output
└── pom.xml
```

```
1 package restAssuredTest;
2
3 import static io.restassured.RestAssured.*;
4
5
6
7
8 public class GetRequestMethod {
9
10     @Test
11     public void getPosts() {
12
13         given()
14
15         .when()
16             .get("https://jsonplaceholder.typicode.com/posts")
17
18         .then()
19             .log().all()
20             .statusCode(200)
21             .time(lessThan(2000L))
22             .body("size()", greaterThan(0));
23     }
24 }
```


Rest Assured –BDD

```
1 package Rest_Assured_postman_example;
2
3
4+ import io.restassured.response.Response;
5
6
7 public class automation_exercise {
8-     public static void main(String[] args) {
9         Response response =
10             given()
11             .when()
12                 .get("https://automationexercise.com/api/brandsList")
13             .then()
14                 .extract()
15                 .response();
16
17         System.out.println("Status Code : " + response.getStatusCode());
18         System.out.println("Complete Response : ");
19         System.out.println(response.asPrettyString());
20         System.out.println("Response Body : ");
21         System.out.println(response.getBody().asPrettyString());
22         System.out.println("Status Line : " + response.getStatusLine());
23         System.out.println("Content Type : " + response.getContentType());
24         System.out.println("Response Time : " + response.getTime() + " ms");
25     }
26
27 }
```

Data Driven Testing Using CSV File

Helper.java

Folder Structure



```
1 package com.Utility;
2
3 import org.openqa.selenium.WebDriver;
4
5
6
7
8 public class Helper {
9     public static WebDriver startBrowser(String browser) {
10         WebDriver driver = null;
11
12         if (browser.equalsIgnoreCase("Chrome") || browser.equalsIgnoreCase("GC")
13             || browser.equalsIgnoreCase("Google Chrome")) {
14             driver = new ChromeDriver();
15             driver.manage().window().maximize();
16         } else if (browser.equalsIgnoreCase("Edge") || browser.equalsIgnoreCase("EG")
17             || browser.equalsIgnoreCase("Microsoft Edge")) {
18             driver = new EdgeDriver();
19             driver.manage().window().maximize();
20         } else if (browser.equalsIgnoreCase("Firefox") || browser.equalsIgnoreCase("MF")
21             || browser.equalsIgnoreCase("Mozilla Firefox")) {
22             driver = new FirefoxDriver();
23             driver.manage().window().maximize();
24         } else {
25             System.out.println("Sorry we do not Support This Browser");
26         }
27
28         return driver;
29     }
30
31
32     public static void closeBrowser(WebDriver driver) {
33         driver.quit();
34     }
35 }
36
```


CSV_file_reading.java

```
1 package com.data_driven_using_csv_file;
2
3 import org.testng.annotations.Test;
4
14 Run All
15 public class CSV_file_reading {
16
17     String CsvPath = "C:\\CSV_file_reading\\CSVFile.csv";
18     WebDriver driver;
19
20     @BeforeTest
21     public void setup() throws Exception {
22         driver = Helper.startBrowser("GC");
23         driver.manage().window().maximize();
24         driver.get("http://only-testing-blog.blogspot.com/2014/05/form.html");
25     }
26
27     @Test
28     public void DDDTestingBlog() throws Exception {
29
30         CSVReader reader = new CSVReader(new FileReader(CsvPath));
31         String[] csvCell;
32
33         while ((csvCell = reader.readNext()) != null) {
34             //csvCell=null;
35
36             String FName = csvCell[0];
37             String LName = csvCell[1];
38             String Email = csvCell[2];
39             String MNumb = csvCell[3];
40             String CName = csvCell[4];
41
42             driver.findElement(By.name("FirstName")).sendKeys(FName);
43             driver.findElement(By.name("LastName")).sendKeys(LName);
44             driver.findElement(By.name("EmailID")).sendKeys(Email);
45             driver.findElement(By.name("MobNo")).sendKeys(MNumb);
46             driver.findElement(By.name("Company")).sendKeys(CName);
47
48             Thread.sleep(8000);
49
50             driver.findElement(By.xpath("//input[contains(@type,'submit')]")).click();
51
52             Thread.sleep(8000);
53
54             driver.switchTo().alert().accept();
55         }
56
```

```
57         reader.close();
58     }
59
60     @AfterMethod
61     public void tearDown() {
62         driver.quit();
63     }
64 }
65
```

Jenkins



Definition


Jenkins is an open-source automation server used to automate different stages of the software development lifecycle, such as building, testing, and deploying applications. It is widely used to implement Continuous Integration (CI) and Continuous Delivery/Deployment (CD).

Why is Jenkins Used?

- Automates testing, reducing manual effort.
- Runs tests automatically whenever new code is committed.
- Detects bugs early by continuously testing the latest code.
- Saves time by automating repetitive tasks like build and test execution.
- Generates test reports after execution for easy analysis.
- Sends notifications (email/Slack) when builds or tests pass or fail.
- Integrates with many tools such as Git, GitHub, Maven, Selenium, TestNG, JUnit, Docker, and Kubernetes.
- Supports scheduled execution, allowing tests to run automatically at a specific time (e.g., every night).
- Improves software quality by ensuring code is continuously tested and validated.

Top 10 Most Broken Tests

Jenkins-Performance Report



Github Repositories

GitHub Repositories-88	GitHub Repository Link	Submitted By:- Manish Yadav
	https://github.com/Manishyadav526/BootCamp-Testing/tree/main	Submitted To:- Raghvendra BN

MANUAL TESTING

Date	Project Name	Repository Link
01-07-2026	Bug_Report(Redbus)(85010952)	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/01-07-2026/Bug_report(Redbus)(85010952).pdf
01-07-2026	Project vs Product Assignment	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/01-07-2026/Project%20vs%20Product%20Assignment.pdf
02-07-2026	BVA_Testcases_pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/02-07-2026/BVA_final.pdf
02-07-2026	ECP_Testcases_pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/02-07-2026/ECP_Testcases_final.pdf
02-07-2026	Decision_Table_Assignment.pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/02-07-2026/Decision_Table_Assignment%20(1).pdf
02-07-2026	state_transition_table.pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/02-07-2026/state_transition_table1%20(2).pdf
02-07-2026	Capability Maturity Model (CMM).md	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/02-07-2026/Capability%20Maturity%20Model%20(CMM)_final%20(1).md
02-07-2026	Testplan_Agoda.com_Manish_Yadav(85010952).pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/02-07-2026/Testplan_Agoda.com_Manish_Yadav(85010952)%20(1).pdf
03-07-2026	TestCase-CaseStudy_Agoda.com(85010952).pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/03-07-2026/TestCase-CaseStudy_Agoda.com(85010952).pdf
03-07-2026	Test_Scenarios_Agoda.com(85010952).pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/03-07-2026/Test_Scenarios_Agoda.com(85010952).pdf
03-07-2026	Test_Scenarios_Holland_and_Barret.pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/03-07-2026/Test_Scenarios_Holland%26Barret.pdf
04-07-2026	V-model-presentation_team02.pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/04-07-2026/V-model-presentation_team02.pdf
06-07-2026	BVA and ECP_MCQ.docx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/06-07-2026/BVA%20and%20ECP.docx
06-07-2026	Defect_Report-CaseStudy_Agoda.com(85010952).pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/06-07-2026/Defect%20Report-CaseStudy_Agoda.com(85010952).pdf
06-07-2026	GUI_Testing_(85010952).pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/06-07-2026/GUI_Testing_(85010952).pdf
06-07-2026	RTM-CaseStudy_Agoda.com(85010952).pdf	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/06-07-2026/RTM-CaseStudy_Agoda.com(85010952).pdf
06-07-2026	ISTQB_DumpsCaseStudy_MCQ.docx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/06-07-2026/ISTQB_Dumps1%20CaseStudy.docx
06-07-2026	MCQ-Manual_Testing.docx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/06-07-2026/MCQ-Manual%20Testing%20%5B23-06-2022%5D.docx
07-07-2026	JIRA_ACTIVITY_1(User_should_search_vitamins_and_supplements).xlsx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/07-07-2026/JIRA_ACTIVITY_1(User_should_search_vitamins_and_supplements)%20(3)%20(1).xlsx
08-07-2026	JIRA-2 User Story Registration to E-Commerce Application.xlsx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/08-07-2026/JIRA-2%20User%20Story_Registration%20to%20E-Commerce%20Application%20(1).xlsx
08-07-2026	Agoda_(Bug_Report).docx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/08-07-2026/Agoda_(Bug_Report).docx
09-07-2026	Epic-43_TestCases_.xlsx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Manual%20Testing%20CaseStudy/09-07-2026/Epic-43_TestCases_.xlsx

JAVA TRAINING-AUTOMATION

10-07-2026	BDD Approach E-Banking_Application	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/Date-10-July/BDD%20Approach%20E-Banking%20Application
10-07-2026	EPIC-49_BDD_InternetBanking_TestCases.xlsx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Automation%20Testing/Date-10-July/EPIC-49_BDD_InternetBanking_TestCases.xlsx
10-07-2026	Behavior_Driven_Development_Ecommerce	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/Date-10-July/Behavior_Driven_Development_Ecommerce
10-07-2026	EPIC_48_BDD_Ecommerce_TestCases.xlsx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Automation%20Testing/Date-10-July/EPIC_48_BDD_Ecommerce_TestCases.xlsx
11-07-2026	Java_Control Statements	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/11-07-2026
11-07-2026	Java_Access_Modifier	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/11-07-2026
11-07-2026	Java_Project_CaseStudy	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/11-07-2026
13-07-2026	Abstraction_in_Java	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	Constructers_In_Java	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	Exception_Handling_in_java	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	File_Handling	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	Inheritance_in_Java	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	Interface_In_Java	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	Java_Lab_Sessions	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	Method_Overloading_and_Overriding	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	JAVA_Scanner_Class	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	Task61_Java_Constructor	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation%20Testing/13-July-2026%20(Monday)
13-07-2026	CONTROL_STATEMENTS_1_highlighted_MCQ.docx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Java_Quiz/CONTROL_STATEMENTS_1_highlighted.docx
13-07-2026	CONTROL_STATEMENTS_2_highlighted_MCQ.docx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Java_Quiz/CONTROL_STATEMENTS_2_highlighted.docx
13-07-2026	INHERITANCE_1_MCQ.docx	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/Java_Quiz/INHERITANCE_1_mcq.docx

AUTOMATION TESTING-SELENIUM

14-07-2026	Chrome Browser Test	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/14-07-2026/ChromeBrowserTest
14-07-2026	selenium webdriver_launch_chrome_browser	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/14-07-2026/Selenium_Webdriver_Launch_chrome_browser
14-07-2026	Selenium_Webdriver_Comments	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/14-07-2026/SeleniumWebdriver_WebDriverComments
15-07-2026	Webdriver_Navigation_Commands	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/15-07-2026/WebDriver_Navigation_Commands
15-07-2026	Webdriver_Locators_Practical_Demo	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/15-07-2026/SeleniumWebDriver-LocatorsPracticalDemo
16-07-2026	Webdriver_Locators	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/15-07-2026/SeleniumWebDriver-LocatorsPracticalDemo
16-07-2026	Selenium_WebDriver_Alerts	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/16-07-2026/Selenium_WebDriver_Alerts
17-07-2026	Selenium_WebDriver_Multiple_frames	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/17-07-2026/Selenium_WebDriver_Multiple_frames
17-07-2026	Listbox_or_dropdown_options	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/17-07-2026/Listbox_or_dropdown_options
17-07-2026	Data_driven_project_using_CSV_file	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/17-07-2026/Data_driven_project_using_CSV_file
17-07-2026	Count_No_of_radio_buttons_in_spicejet.com	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/17-07-2026/Count_No_of_radio_buttons_in_spicejet.com
17-07-2026	Drag_and_Drop_Action	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/17-07-2026/Drag_and_Drop_Action
17-07-2026	scrollUp_and_down_selenium_webdriver	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/17-07-2026/Drag_and_Drop_Action/src/test/java/com/Selenium_WebDriver_Actions
18-07-2026	MouseOverMoments	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/17-07-2026/Drag_and_Drop_Action/src/test/java/com/Selenium_WebDriver_Actions
18-07-2026	Selenium webdriver screenshot	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/18-07-2026/seleniumWebDriver_ScreenShot
18-07-2026	screen_shots_taskcase_studies	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/18-07-2026/screen_shots_taskcase_studies
18-07-2026	Selenium WebDriver Page Object Model	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/18-07-2026/Selenium_WebDriver_Page_Object_Model
20-07-2026	Hybrid model framework	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/20-07-2026/Hybrid_Model_Framework
20-07-2026	Selenium_webdriver_AllureReports	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/20-07-2026/Selenium_webdriver_AllureReports
20-07-2026	selenium_webdriver_CI/CD_using_jenkins	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/20-07-2026/Selenium_webdriver_CICD_using_jenkins
21-07-2026	MySQL-Workbench steup and JDBC Connection	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/21-07-2026
21-07-2026	JDBC_Connection_Selenium_WebDriver	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Automation_Testing_Selenium/21-07-2026



Scan this qr code for
github repository

JMETER

22-07-2026	HTML Assertions Test Demo	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	Response Assertion	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	XPath Assertion Test Plan	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	JSON Assertion Test Plan	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	Jmeter-Timers Test Plan	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	Duration Assertion Test Plan	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	Size Assertion Test Plan	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	Basic Test Plan	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	First JMeter Request	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
22-07-2026	First JMeter Request (50 Users)	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/22-07-2026
23-07-2026	HTML-Dashboard_Using_Command_Panel.jmx	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/23-07-2026
23-07-2026	JDBC Request.jmx	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/23-07-2026
24-07-2026	OpenWeatherMap - Assertion.jmx	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/24-07-2026
24-07-2026	Test Plan -SMTP Sampler.jmx	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/24-07-2026
24-07-2026	User Defined Variable Demo.jmx	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/JMeter/24-07-2026

POSTMAN & API-TESTING

25-07-2026	Postman HTTP Method-GET/POST/PUT/DELETE	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/PostMan/25-07-2026/PostmanCollection/API-Testing.postman_collection.json
25-07-2026	API-Performance Testing and Report (newman)	https://github.com/Manishyadav526/BootCamp-Testing/blob/main/PostMan/25-07-2026/PostmanCollection/report.html

REST-Assured

27-07-2026	RestAssured_with_BDD_Framework	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/RestAssured/27-07-2026
28-07-2026	RestAssured_final	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/RestAssured/28-07-2026

FINAL PROJECT & PPT SUBMISSION

29-07-2026	Automation_Testing_SwagLabs_project	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Final-Presentation/29-07-2026/Automation_Testing_SwagLabs_project
29-07-2026	SwagLabs_Cucumber_Project	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Final-Presentation/29-07-2026/SwagLabs_Cucumber
29-07-2026	RestAssured_final	https://github.com/Manishyadav526/BootCamp-Testing/tree/main/Final-Presentation/29-07-2026/RestAssured_final
29-07-2026	Final Project	https://github.com/Manishyadav526/Final-Project-BootCampTesting



Thank You

