

Android Studio

Manju(2401350014)

Code 1: Localization Example –Hindi

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:gravity="center"
    android:padding="20dp">

    <TextView
        android:id="@+id/welcomeText"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="@string/welcome_text"
        android:textSize="24sp"
        android:textStyle="bold"
        android:layout_marginBottom="20dp" />

    <Button
        android:id="@+id/loginButton"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="@string/login_button" />

</LinearLayout>
```

```
package com.example.project1java;

import android.os.Bundle;
import android.widget.Button;

import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        Button loginButton = findViewById(R.id.loginButton);

        loginButton.setOnClickListener(v -> {
            Toast.makeText(MainActivity.this,
                "लॉगिन सफल हुआ",
                Toast.LENGTH_SHORT).show();
        });
    }
}
```

```

    });
}
}

```

```

<?xml version="1.0" encoding="utf-8"?>
<resources>
    <string name="app_name">स्थान उदाहरण</string>
    <string name="welcome_text">स्वागत है</string>
    <string name="login_button">लॉगिन</string>
</resources>

```

Code2: FAB Example

```

<?xml version="1.0" encoding="utf-8"?>

<androidx.coordinatorlayout.widget.CoordinatorLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:gravity="center"
        android:text="Welcome to FAB Example"
        android:textSize="20sp"
        android:layout_gravity="center" />

    <com.google.android.material.floatingactionbutton.FloatingActionButton
        android:id="@+id/fab"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_gravity="bottom|end"
        android:layout_margin="16dp"
        android:contentDescription="Add Note"
        app:srcCompat="@drawable/ic_add" />

</androidx.coordinatorlayout.widget.CoordinatorLayout>

```

```

package com.example.project1java;

import android.os.Bundle;
import android.view.View;
import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;

```

```
import com.google.android.material.floatingactionbutton.FloatingActionButton;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        FloatingActionButton fab = findViewById(R.id.fab);

        fab.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                Toast.makeText(
                    MainActivity.this,
                    "Add Note button clicked",
                    Toast.LENGTH_SHORT
                ).show();
            }
        });
    }
}
```