

Android Studio

Manju(2401350014)

Code 1: Open a website

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <Button
        android:id="@+id/btnOpen"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Open Google"
        android:layout_marginTop="50dp"/>

</androidx.constraintlayout.widget.ConstraintLayout>
```

```
package com.example.project1java;

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        Button btnOpen = findViewById(R.id.btnOpen);

        btnOpen.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {

                // Implicit Intent to open a website
                Intent intent = new Intent(
                    Intent.ACTION_VIEW,
                    Uri.parse("https://www.google.com")
                );
```

```

        startActivity(intent);
    }
    });
}
}

```

Code 2: Make a call

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_gravity="center">

    <EditText

        android:layout_marginTop="50dp"
        android:id="@+id/edtNumber"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Enter Phone No."
        android:inputType="phone">

    </EditText>

    <Button
        android:layout_marginTop="80dp"
        android:id="@+id/btnCall"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Make a Call">

    </Button>
</LinearLayout>

```

```

package com.example.project1java; // change this to your package name

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.widget.Button;
import android.widget.EditText;

import androidx.appcompat.app.AppCompatActivity;

import com.example.project1java.R;

public class MainActivity extends AppCompatActivity {

    EditText edtNumber;
    Button btnCall;
}

```

```

@Override
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);

    setContentView(R.layout.activity_main);

    edtNumber = findViewById(R.id.edtNumber);
    btnCall = findViewById(R.id.btnCall);

    btnCall.setOnClickListener(v -> {

        String number = edtNumber.getText().toString();

        Intent intent = new Intent(Intent.ACTION_DIAL);
        intent.setData(Uri.parse("tel:" + number));

        startActivity(intent);
    });
}
}

```

Code 3:Open a location in google map using URI

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_gravity="center">

    <Button
        android:layout_marginTop="80dp"
        android:id="@+id/btnCall"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Open loaction on map">

    </Button>
</LinearLayout>

```

```

package com.example.project1java;

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.widget.Button;

import androidx.appcompat.app.AppCompatActivity;

```

```

public class MainActivity extends AppCompatActivity {

    Button btnCall;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        btnCall = findViewById(R.id.btnCall);

        btnCall.setOnClickListener(v -> {

            String location = "K.R. Mangalam University";

            Uri uri = Uri.parse("geo:0,0?q=" + Uri.encode(location));

            Intent intent = new Intent(Intent.ACTION_VIEW, uri);

            startActivity(intent);

        });
    }
}

```

Code 4:Open File Manager

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_gravity="center">

    <Button
        android:layout_marginTop="80dp"
        android:id="@+id/btnOpen"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Open File Manager">

    </Button>
</LinearLayout>

```

```

package com.example.project1java;

import android.content.Intent;
import android.os.Bundle;
import android.widget.Button;

import androidx.appcompat.app.AppCompatActivity;

```

```
import java.io.File;

public class MainActivity extends AppCompatActivity {

    Button btnOpen;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        btnOpen = findViewById(R.id.btnOpen);

        btnOpen.setOnClickListener(v -> {

            File file = new File("/sdcard/");

            Intent intent = new Intent(Intent.ACTION_OPEN_DOCUMENT);
            intent.setType("*/*");
            intent.addCategory(Intent.CATEGORY_OPENABLE);

            startActivity(intent);

        });
    }
}
```