

# Android Studio

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Select Your Hobbies"
        android:textSize="24sp"
        android:textStyle="bold"
        android:layout_marginBottom="20dp" />

    <CheckBox
        android:id="@+id/cbReading"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Reading" />

    <CheckBox
        android:id="@+id/cbPlaying"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Playing" />

    <CheckBox
        android:id="@+id/cbMusic"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Music" />

    <CheckBox
        android:id="@+id/cbTravelling"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Travelling" />

    <Button
        android:id="@+id/btnSubmit"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="SUBMIT"
        android:layout_marginTop="20dp" />

    <TextView
```

# Android Studio

```
        android:id="@+id/result"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Selected hobbies will appear here"
        android:textSize="18sp"
        android:padding="15dp"
        android:layout_marginTop="15dp" />

</LinearLayout>
```

```
package com.example.project1java;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.CheckBox;
import android.widget.TextView;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    CheckBox cbReading, cbPlaying, cbMusic, cbTravelling;
    Button btnSubmit;
    TextView result;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        cbReading = findViewById(R.id.cbReading);
        cbPlaying = findViewById(R.id.cbPlaying);
        cbMusic = findViewById(R.id.cbMusic);
        cbTravelling = findViewById(R.id.cbTravelling);

        btnSubmit = findViewById(R.id.btnSubmit);
        result = findViewById(R.id.result);

        btnSubmit.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {

                String hobbies = "";

                if (cbReading.isChecked()) {
                    hobbies += "Reading\n";
                }

                if (cbPlaying.isChecked()) {
                    hobbies += "Playing\n";
                }
            }
        });
    }
}
```

# Android Studio

```
        if (cbMusic.isChecked()) {
            hobbies += "Music\n";
        }

        if (cbTravelling.isChecked()) {
            hobbies += "Travelling\n";
        }

        if (hobbies.isEmpty()) {
            result.setText("No hobby selected");
        } else {
            result.setText("Selected Hobbies:\n" + hobbies);
        }
    }
});
}
```

```
<EditText
    android:id="@+id/etNum1"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="32dp"
    android:hint="Enter First Number"

    android:inputType="number"
/>

<EditText
    android:id="@+id/etNum2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
```

# Android Studio

```
        android:layout_marginTop="102dp"
        android:hint="Enter Second Number"

        android:inputType="number"
    />

    <Button
        android:id="@+id/btnSub"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:backgroundTint="#4CAF50"
        android:layout_marginTop="50dp"
        android:text="Sub"
        android:textColor="#FFFFFF"
        android:textSize="18sp"
    />

    <TextView
        android:id="@+id/tvResult"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Result: 0"
        android:textColor="#E91E63"
        android:textSize="20sp"
        android:textStyle="bold"
        tools:layout_editor_absoluteX="144dp"
        tools:layout_editor_absoluteY="189dp" />

</LinearLayout>
```

```
package com.example.project1java;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    EditText etNum1, etNum2;
    Button btnSub;
    TextView tvResult;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
```

# Android Studio

```
super.onCreate(savedInstanceState);
setContentView(R.layout.activity_main);

etNum1 = findViewById(R.id.etNum1);
etNum2 = findViewById(R.id.etNum2);
btnSub = findViewById(R.id.btnSub);
tvResult = findViewById(R.id.tvResult);

btnSub.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {

        int num1 = Integer.parseInt(etNum1.getText().toString());
        int num2 = Integer.parseInt(etNum2.getText().toString());

        int sub = num1 - num2;

        tvResult.setText("Result: " + sub);

    }
});
}
```

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Welcome to Main Activity "
        android:textSize="18sp"
        android:padding="16dp" />

    <Button
        android:id="@+id/btnNext"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Next"
        android:padding="12dp" />

</LinearLayout>
```

# Android Studio

```
package com.example.project1java;

import android.os.Bundle;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.view.View;
import android.widget.Button;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        Button btnNext = findViewById(R.id.btnNext);

        btnNext.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {

                // Create Intent to move to SecondActivity
                Intent intent=new Intent(MainActivity.this,
SecondActivity2.class);

                startActivity(intent);

            }
        });
    }
}
```

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:orientation="vertical"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

<TextView
```

# Android Studio

```
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Enter Password"
        android:textSize="24sp"
        android:textStyle="bold"
        android:layout_marginBottom="20dp"/>

        <EditText
            android:id="@+id/password"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:hint="Password"
            android:inputType="textPassword"/>

        <Button
            android:id="@+id/loginButton"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Login"
            android:layout_marginTop="20dp"/>

    </LinearLayout>
```

```
package com.example.project1java;

import android.os.Bundle;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main);

        EditText password = findViewById(R.id.password);
        Button loginButton = findViewById(R.id.loginButton);

        loginButton.setOnClickListener(v -> {

            String enteredPassword = password.getText().toString();

            if (enteredPassword.equals("1234")) {

                // Open Welcome page
                setContentView(R.layout.activity_welcome);

            } else {
```

# Android Studio

```
        Toast.makeText(  
            MainActivity.this,  
            "Wrong Password",  
            Toast.LENGTH_SHORT  
        ).show();  
    }  
});  
}  
}  
  
<?xml version="1.0" encoding="utf-8"?>  
  
<androidx.constraintlayout.widget.ConstraintLayout  
xmlns:android="http://schemas.android.com/apk/res/android"  
xmlns:app="http://schemas.android.com/apk/res-auto"  
android:layout_width="match_parent"  
android:layout_height="match_parent">  
  
<TextView  
    android:id="@+id/welcomeText"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="Welcome "  
    android:textSize="32sp"  
    android:textStyle="bold"  
    app:layout_constraintTop_toTopOf="parent"  
    app:layout_constraintBottom_toBottomOf="parent"  
    app:layout_constraintStart_toStartOf="parent"  
    app:layout_constraintEnd_toEndOf="parent" />  
  
</androidx.constraintlayout.widget.ConstraintLayout>
```

```
<?xml version="1.0" encoding="utf-8"?>  
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    android:orientation="vertical"  
    android:gravity="center"  
    android:padding="24dp">  
  
<TextView  
    android:id="@+id/tvColorName"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:text="No Color Selected"  
    android:textSize="20sp"  
    android:textStyle="bold"  
    android:layout_marginBottom="32dp"  
    android:textColor="#000000"/>
```



# Android Studio

```
<Button
    android:id="@+id/btnRed"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="RED"
    android:textColor="#FFFFFF"
    android:textSize="16sp"
    android:padding="16dp"
    android:background="#F44336"
    android:layout_marginBottom="16dp"/>

<Button
    android:id="@+id/btnGreen"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="GREEN"
    android:textColor="#FFFFFF"
    android:textSize="16sp"
    android:padding="16dp"
    android:background="#4CAF50"/>

</LinearLayout>
```

```
package com.example.project1java;

import android.graphics.Color;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.TextView;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    TextView tvColorName;
    Button btnRed, btnGreen;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main);

        tvColorName = findViewById(R.id.tvColorName);
        btnRed = findViewById(R.id.btnRed);
        btnGreen = findViewById(R.id.btnGreen);

        btnRed.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
```

# Android Studio

```
getWindow().getDecorView()  
    .setBackgroundColor(Color.RED);  
  
    tvColorName.setText("Red");  
    tvColorName.setTextColor(Color.WHITE);  
    }  
});  
  
btnGreen.setOnClickListener(new View.OnClickListener() {  
    @Override  
    public void onClick(View v) {  
  
        getWindow().getDecorView()  
            .setBackgroundColor(Color.GREEN);  
  
        tvColorName.setText("Green");  
        tvColorName.setTextColor(Color.WHITE);  
    }  
});  
}
```

```
?xml version="1.0" encoding="utf-8"?>  
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    android:orientation="vertical"  
    android:gravity="center"  
    android:padding="24dp">  
  
    <TextView  
        android:layout_width="wrap_content"  
        android:layout_height="wrap_content"  
        android:text="Enter your Name "  
        android:textSize="18sp"  
        android:textStyle="bold"  
        android:layout_marginBottom="16dp"/>  
  
    <EditText  
        android:id="@+id/etName"  
        android:layout_width="match_parent"  
        android:layout_height="wrap_content"  
        android:hint="match_parent"  
        android:padding="12dp"  
        android:layout_marginBottom="16dp"/>
```

# Android Studio

```
<Button
    android:id="@+id/btnHello"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Say Hello"
    android:textColor="#D9D4E2"
    android:padding="16dp"/>

</LinearLayout>
package com.example.project1java;

import android.content.Intent;
import android.graphics.Color;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    EditText etName;
    Button btnHello;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main);

        etName = findViewById(R.id.etName);
        btnHello = findViewById(R.id.btnHello);

        btnHello.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {

                String name = etName.getText().toString().trim();

                if (name.isEmpty()) {
                    etName.setError("Please enter your name");
                    etName.requestFocus();
                    return;
                }

                Intent intent = new Intent(
                    MainActivity.this,
                    SecondActivity2.class
                );
```

# Android Studio

```
        intent.putExtra("name_key", name);

        startActivity(intent);
    }
});
}
```

```
package com.example.project1java;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.TextView;

import androidx.appcompat.app.AppCompatActivity;

public class SecondActivity2 extends AppCompatActivity {

    TextView tvHello;
    Button btnBack;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_second);

        tvHello = findViewById(R.id.tvHello);
        btnBack = findViewById(R.id.btnBack);

        String name = getIntent().getStringExtra("name_key");

        tvHello.setText("Hello.. " + name);

        btnBack.setOnClickListener(new View.OnClickListener() {

            @Override
            public void onClick(View v) {
                finish();
            }
        });
    }
}
```

```
<?xml version="1.0" encoding="utf-8"?>

<LinearLayout
xmlns:android="http://schemas.android.com/apk/res/android"
android:orientation="vertical"
android:layout_width="match_parent"
```

# Android Studio

```
android:layout_height="match_parent"
android:gravity="center"
android:padding="24dp">

<TextView
    android:id="@+id/tvHello"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Hello.. Name"
    android:textSize="24sp"
    android:textStyle="bold"
    android:textColor="#6200EE"
    android:layout_marginBottom="24dp"/>

<Button
    android:id="@+id/btnBack"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="BACK"
    android:background="#6200EE"
    android:textColor="#FFFFFF"
    android:padding="12dp"/>
```

```
<?xml version="1.0" encoding="utf-8"?>

<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:gravity="center"
    android:padding="24dp">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Select Your Gender:"
        android:textSize="18sp"
        android:textStyle="bold"
        android:layout_marginBottom="20dp"/>

    <RadioGroup
        android:id="@+id/radioGroup"
        android:layout_width="wrap_content"
```

# Android Studio

```
        android:layout_height="wrap_content"
        android:orientation="vertical"
        android:layout_marginBottom="30dp">

        <RadioButton
            android:id="@+id/radioMale"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Male"
            android:textSize="16sp"/>

        <RadioButton
            android:id="@+id/radioFemale"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Female"
            android:textSize="16sp"/>

    </RadioGroup>

    <Button
        android:id="@+id/btnSubmit"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="SUBMIT"
        android:padding="12dp"
        android:background="#6200EE"
        android:textColor="#FFFFFF"/>

</LinearLayout>
```

```
package com.example.project1java;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.RadioGroup;

import androidx.appcompat.app.AppCompatActivity;

import com.example.project1java.SecondActivity2;

public class MainActivity extends AppCompatActivity {

    RadioGroup radioGroup;
    Button btnSubmit;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main);
    }
}
```

# Android Studio

```
radioGroup = findViewById(R.id.radioGroup);
btnSubmit = findViewById(R.id.btnSubmit);

btnSubmit.setOnClickListener(new View.OnClickListener() {

    @Override
    public void onClick(View v) {

        int selectedId = radioGroup.getCheckedRadioButtonId();

        if (selectedId == -1) {
            return;
        }

        String gender = "";

        if (selectedId == R.id.radioMale) {
            gender = "Male";
        }
        else if (selectedId == R.id.radioFemale) {
            gender = "Female";
        }

        Intent intent = new Intent(
            MainActivity.this,
            SecondActivity2.class
        );

        intent.putExtra("gender_key", gender);

        startActivity(intent);
    }
});
}
```

```
package com.example.project1java;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.TextView;

import androidx.appcompat.app.AppCompatActivity;

public class SecondActivity2 extends AppCompatActivity {

    TextView tvResult;
    Button btnBack;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
    }
}
```

# Android Studio

```
setContentView(R.layout.activity_second);

tvResult = findViewById(R.id.tvResult);
btnBack = findViewById(R.id.btnBack);

String gender = getIntent().getStringExtra("gender_key");

tvResult.setText("You Selected:\n\n" + gender);

btnBack.setOnClickListener(new View.OnClickListener() {

    @Override
    public void onClick(View v) {
        finish();
    }
});
}
```

```
<?xml version="1.0" encoding="utf-8"?>

<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:gravity="center"
    android:padding="24dp">

    <TextView
        android:id="@+id/tvResult"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="You Selected:"
        android:textSize="20sp"
        android:textStyle="bold"
        android:layout_marginBottom="20dp"/>

    <Button
        android:id="@+id/btnBack"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="BACK"
        android:padding="12dp"
        android:background="#6200EE"
        android:textColor="#FFFFFF"/>

</LinearLayout>
```

```
<?xml version="1.0" encoding="utf-8"?>
```



# Android Studio

```
<ScrollView
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="vertical"
        android:padding="24dp">

        <!-- Name -->
        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Enter Your Name"
            android:textSize="18sp"
            android:layout_marginBottom="8dp"/>

        <EditText
            android:id="@+id/etName"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:hint="Enter name"
            android:inputType="text"
            android:layout_marginBottom="20dp"/>

        <!-- Age -->
        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Enter Age"
            android:textSize="18sp"
            android:layout_marginBottom="8dp"/>

        <EditText
            android:id="@+id/etAge"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:hint="Enter age"
            android:inputType="number"
            android:layout_marginBottom="20dp"/>

        <!-- Gender -->
        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Select Gender"
            android:textSize="18sp"
            android:layout_marginBottom="8dp"/>

        <RadioGroup
            android:id="@+id/radioGroup"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:orientation="vertical">
```

# Android Studio

```
<RadioButton
    android:id="@+id/radioMale"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Male"
    android:textSize="16sp"/>

<RadioButton
    android:id="@+id/radioFemale"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Female"
    android:textSize="16sp"/>

</RadioGroup>

<!-- Skills -->
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Select Skills (Choose all that apply)"
    android:textSize="18sp"
    android:layout_marginTop="20dp"
    android:layout_marginBottom="8dp"/>

<CheckBox
    android:id="@+id/cbAndroid"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Android"/>

<CheckBox
    android:id="@+id/cbJava"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Java"/>

<CheckBox
    android:id="@+id/cbKotlin"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Kotlin"/>

<CheckBox
    android:id="@+id/cbXML"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="XML"/>

<CheckBox
    android:id="@+id/cbFirebase"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Firebase"/>
```

# Android Studio

```
<!-- Address -->
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Your Address"
    android:textSize="18sp"
    android:layout_marginTop="16dp"
    android:layout_marginBottom="8dp"/>

<EditText
    android:id="@+id/etAddress"
    android:layout_width="match_parent"
    android:layout_height="100dp"
    android:hint="Enter address"
    android:gravity="top"
    android:inputType="textMultiLine"
    android:layout_marginBottom="20dp"/>

<!-- Buttons -->
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">

    <Button
        android:id="@+id/btnSubmit"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="SUBMIT"/>

    <Button
        android:id="@+id/btnClear"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="CLEAR"
        android:layout_marginStart="12dp"/>

</LinearLayout>

</LinearLayout>

</ScrollView>
```

```
package com.example.project1java;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.CheckBox;
import android.widget.EditText;
import android.widget.RadioButton;
import android.widget.RadioGroup;
```

# Android Studio

```
import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    EditText etName, etAge, etAddress;
    RadioGroup radioGroup;

    CheckBox cbAndroid, cbJava, cbKotlin, cbXML, cbFirebase;

    Button btnSubmit, btnClear;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_main);

        etName = findViewById(R.id.etName);
        etAge = findViewById(R.id.etAge);
        etAddress = findViewById(R.id.etAddress);

        radioGroup = findViewById(R.id.radioGroup);

        cbAndroid = findViewById(R.id.cbAndroid);
        cbJava = findViewById(R.id.cbJava);
        cbKotlin = findViewById(R.id.cbKotlin);
        cbXML = findViewById(R.id.cbXML);
        cbFirebase = findViewById(R.id.cbFirebase);

        btnSubmit = findViewById(R.id.btnSubmit);
        btnClear = findViewById(R.id.btnClear);

        // SUBMIT
        btnSubmit.setOnClickListener(new View.OnClickListener() {

            @Override
            public void onClick(View v) {

                String name = etName.getText().toString();
                String age = etAge.getText().toString();
                String address = etAddress.getText().toString();

                // Gender
                int selectedId =
                    radioGroup.getCheckedRadioButtonId();

                String gender = "";

                if (selectedId != -1) {

                    RadioButton radioButton =
                        findViewById(selectedId);
```

# Android Studio

```
        gender = radioButton.getText().toString();
    }

    // Skills
    String skills = "";

    if (cbAndroid.isChecked()) {
        skills += "Android, ";
    }

    if (cbJava.isChecked()) {
        skills += "Java, ";
    }

    if (cbKotlin.isChecked()) {
        skills += "Kotlin, ";
    }

    if (cbXML.isChecked()) {
        skills += "XML, ";
    }

    if (cbFirebase.isChecked()) {
        skills += "Firebase, ";
    }

    // Remove last comma
    if (skills.endsWith(", ")) {
        skills =
            skills.substring(0, skills.length() - 2);
    }

    // Final message
    String message =
        "Name: " + name +
        "\nAge: " + age +
        "\nGender: " + gender +
        "\nSkills: " + skills +
        "\nAddress: " + address;

    // Show Toast
    Toast.makeText(
        MainActivity.this,
        message,
        Toast.LENGTH_LONG
    ).show();
}

});

// CLEAR
btnClear.setOnClickListener(new View.OnClickListener() {
```

# Android Studio

```
@Override
public void onClick(View v) {

    etName.setText("");
    etAge.setText("");
    etAddress.setText("");

    radioGroup.clearCheck();

    cbAndroid.setChecked(false);
    cbJava.setChecked(false);
    cbKotlin.setChecked(false);
    cbXML.setChecked(false);
    cbFirebase.setChecked(false);

    });
}
```

```
ion="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">

    <item
        android:id="@+id/menuSettings"
        android:title="settings"
        android:icon="@android:drawable/ic_menu_preferences" />

    <item
        android:id="@+id/menuShare"
        android:title="share"
        android:icon="@android:drawable/ic_menu_share" />

    <item
        android:id="@+id/menuAbout"
        android:title="about_us"
        android:icon="@android:drawable/ic_menu_info_details" />

</menu>
```

```
package com.example.project1java;

import android.os.Bundle;
import android.view.Menu;
import android.view.MenuItem;
import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;
```

# Android Studio

```
public class MainActivity extends AppCompatActivity {
    public boolean onCreateOptionsMenu(Menu menu) {

        getMenuInflater().inflate(R.menu.menu_main, menu);

        return true;
    }

    @Override
    public boolean onOptionsItemSelected(MenuItem item) {

        int id = item.getItemId();

        if (id == R.id.menuSettings) {

            Toast.makeText(
                this,
                "Settings clicked",
                Toast.LENGTH_SHORT
            ).show();
        }
        else if (id == R.id.menuShare) {

            Toast.makeText(
                this,
                "Share clicked",
                Toast.LENGTH_SHORT
            ).show();
        }
        else if (id == R.id.menuAbout) {

            Toast.makeText(
                this,
                "About Us clicked",
                Toast.LENGTH_SHORT
            ).show();
        }

        return super.onOptionsItemSelected(item);
    }
}
```