STACKLY

TECHNICAL
DOCUMENTATION

PROJECT HANDBOOK · FRONT-END PLATFORM

Stackly Elderly Care *technical documentation.*

A complete reference to the Stackly Elderly Care website — its design system, page architecture, interactive behaviour, responsive strategy, and GitHub deployment workflow.

DOCUMENT Technical Documentation	**VERSION** 1.0	**PREPARED BY** Manjunath
PROJECT Stackly Elderly Care	**PLATFORM** Static web · HTML5 · CSS3 · JS	**REPOSITORY** github.com/Manjunath0073/Stackly-Elderly-Care
PAGES COVERED 12 HTML files · 9 stylesheets · 11 scripts	**PUBLICATION** GitHub Pages · HTTPS	**AUDIENCE** Maintainers, reviewers, stakeholders

Care that feels like home.

PUBLISHED ON GITHUB PAGES

Homepage · About · Services · Caregivers · Pricing · Contact
Accounts · Dashboards · Error handling · Responsiveness · Deployment

FRONT MATTER

Table of contents

Sixteen chapters covering the full front-end build, from design tokens to the GitHub Pages publish flow.

1 Introduction 3
2 Technology stack & development approach 4
3 Design system: colour palette & typography 5
4 Project structure 6
5 Home page — index.html 7
6 About page — about.html 8
7 Services page — services.html 9
8 Pricing page — pricing.html 10
9 Caregivers page — caregivers.html 11
10 Contact page — contact.html 12
11 Account & error pages — login, signup, 404 13
12 Dashboard pages — family & caregiver portals 14
13 Application scripts & utility layer 15
14 Responsiveness & accessibility 16
15 Deployment on GitHub 17
16 Conclusion 18

0.1 Document conventions

Filenames, CSS classes and JavaScript hooks appear in monospace type, for example `dashboard-family.html` or `data-reveal`. Measurements in `rem` assume a 16 px base, so `48rem` equals 768 px. Colour values are printed exactly as declared in the stylesheets.

Quick map — where things live

WHEN YOU NEED TO…	OPEN	CHAPTER
Adjust a colour or type token	`css/style.css`, the `:root` block	3
Edit homepage copy or sections	`index.html` + `js/main.js`	5
Work on the portals	`dashboard-*.html` + their scripts	12
Check small-screen behaviour	`_audit.html` at 320 × 640	14

Revision history

VERSION	AUTHOR	NOTES
1.0	Manjunath	Initial release. Covers the twelve HTML files, nine stylesheets and eleven scripts of the current build.

How to use this handbook. Chapters 1–4 orient you; chapters 5–12 form a page-by-page maintenance guide; chapters 13–15 cover scripts, responsive checks and shipping.

CHAPTER ONE

Introduction

What Stackly is, why this document exists, and who it is written for.

Stackly Elderly Care is a fully static, multi-page website for an in-home senior care provider. It presents services, caregivers and pricing to families, gives those families a working dashboard once they sign in, and offers caregivers a portal of their own. Everything is hand-built with plain HTML, CSS and JavaScript — no framework, no build step.

1.1 Purpose of this document

This handbook records how the site is put together so that it can be maintained, extended and handed over without guesswork. It documents the design tokens, the folder layout, every page and its interactive behaviour, the responsive rules, the accessibility decisions, and the GitHub workflow that publishes the site — everything needed to edit any part of the project with confidence.

1.2 Who should read it

- **Front-end maintainers** picking up the code base — chapters 4 through 13 are the working reference.
- **Designers and reviewers** checking that new screens stay inside the design system — chapter 3 lists every token in use.
- **Project stakeholders** who need a plain-language summary of what was delivered and what can come next — chapters 1 and 16 cover this.

1.3 Scope and boundaries

The document covers the front end only. Form submissions, login, signup and dashboard actions are deliberately simulated in JavaScript: they validate input properly, then show realistic status messages instead of calling a server. A small guard script (`js/redirects.js`) routes any not-yet-wired link to the custom 404 page so demo browsing always stays inside the project. Both behaviours are intentional and are explained where they appear.

1.4 The project at a glance

ATTRIBUTE	DETAIL
Site type	Static marketing site with two client-side portals (family and caregiver)
Pages	Eleven public pages plus one internal QA harness; two of the eleven are authenticated portals
Stack	HTML5, CSS3 with custom properties, vanilla JavaScript (no dependencies)
Assets	Fifty WebP photographs and one WebP logo; no icon fonts or external images
Storage	A single `localStorage` key, `stackly_user`, shared by login and the dashboards
Deployment	GitHub Pages, served from the `main` branch of the project repository

1.5 Terminology

Care seeker / family is the person arranging care and using the family dashboard; **caregiver** is the professional delivering it. A **plan** is one of the three pricing tiers — Essential, Comfort or Premium. The **shell** is the repeated header, footer, reveal animation and back-to-top behaviour shared by every page.

One sentence summary

A dependency-free, accessibility-minded care website whose every page, colour and interaction is documented here — with all interactive forms intentionally simulated until a back end is added.

CHAPTER TWO

Technology stack & development approach

The tools behind the build — and just as importantly, the tools that were left out.

Stackly is a zero-dependency project. It runs directly from the file system, needs no compilation, and can be edited in any text editor — keeping the repository small, the hosting simple, and the code readable for whoever opens it next.

2.1 Languages and formats

- **HTML5** — twelve pages using semantic landmarks and ARIA attributes; shared markup is copy-managed.
- **CSS3** — hand-written sheets with custom-property tokens, Flexbox and Grid layout, `clamp()` type and media queries — no preprocessor or utility framework.
- **JavaScript** — ES5-style vanilla scripts wrapped in IIFEs and attached with `defer` — no libraries, bundler or transpilation.
- **WebP imagery** — all fifty-one pictures are WebP; every `<img>` carries `width` and `height` to prevent layout shift.
- **No build step** — every file in the repository is exactly what the browser receives.

2.2 Tooling

Development relies on browser dev tools, the Git command line, and headless Chrome for automated checks. The internal utility `_audit.html` loads either dashboard inside a 320 × 640 px iframe and reports elements that overflow horizontally — a quick regression test after CSS changes.

2.3 Loading strategy

Every script loads with `defer` so parsing is never blocked. Images below the fold use `loading="lazy"` and `decoding="async"`; the homepage hero is the exception, marked `fetchpriority="high"` so the first meaningful visual arrives quickly.

2.4 Browser support

BROWSER	SUPPORT LEVEL AND NOTES
Chrome / Edge	Primary targets; all effects and dashboards are verified here.
Firefox	Full support; scrollbar styling and `overflow: clip` degrade gracefully.
Safari (desktop & iOS)	Supported. `backdrop-filter` falls back gracefully; tap targets meet 44 px guidance.
Internet Explorer	Not supported, deliberately. The build targets evergreen browsers only.

2.5 Coding conventions

- All filenames are lowercase and hyphenated: `dashboard-family.html`, `caregiver-elena.webp`.
- Classes follow a block–element–modifier habit, for example `plan-card`, `plan-card__price`, `plan-card--featured`.
- JavaScript activates on `data-*` hooks (`data-reveal`, `data-counter`, `data-faq`) so styling and behaviour stay separable.
- State lives in classes — `is-open`, `is-active`, `is-scrolled` — never in inline styles.
- Each page pairs one stylesheet with one script; global rules live in `css/style.css`, imported by every page sheet at the top.
- Comment density is low and purposeful; section banners keep the long files navigable.
- The site can be opened straight from disk during development — no local server or build step is needed.

Why no framework? The audience values load speed and calm reading more than app-style interactivity. Shipping roughly 19,700 hand-written lines with zero third-party code keeps the site fast on older devices, which matters for the families and seniors it serves.

CHAPTER THREE

Colour palette & typography

Every token in the design system, declared once as custom properties in `css/style.css`.

3.1 Core palette

- **Ink** `#183b3a` — Body text and icons on light surfaces
- **Ink deep** `#10302f` — Headings, dark bands, footer
- **Teal** `#1d716b` — Primary buttons, links, accents
- **Teal dark** `#155650` — Hover states, eyebrows on light
- **Teal mist** `#dceee8` — Tinted panels, chips, highlights
- **Sage** `#a8c6b7` — Decorative shapes, borders on dark
- **Coral** `#df7f62` — Warm accents, call to action on dark
- **Coral dark** `#b95e48` — Coral hover, emphasis on cream
- **Gold** `#d9aa5e` — Star ratings, small celebratory touches
- **Cream** `#fbf8f1` — Default page background
- **Sand** `#f1e9dc` — Alternate section background
- **Paper white** `#fffdf9` — Cards, forms, raised surfaces

Supporting tokens: `--color-line` (#d8e2dc) for hairlines on light surfaces, `--color-line-dark` for borders on dark bands. Every token is named `--color-<role>`.

3.2 Contrast check

PAIRING	RATIO	VERDICT
Ink on cream	≈ 11.5:1	AAA
Slate on cream	≈ 5.7:1	AA
Teal on cream	≈ 5.5:1	AA
Coral on ink deep	≈ 4.9:1	AA large
Gold on ink deep	≈ 6.6:1	AA

Coral and gold never carry body copy on light backgrounds; they appear as accents or on the dark teal bands.

3.3 Surfaces, radii & shadows

TOKEN	VALUE · ROLE
--radius-sm	0.75rem · chips, inputs
--radius-md	1.25rem · cards, panels
--radius-lg	2rem · feature imagery
--radius-xl	2.75rem · hero frames
--shadow-soft	0 24px 70px teal 12% · large frames
--shadow-card	0 14px 36px teal 11% · cards

Shadows are teal-tinted rather than grey, keeping elevation warm against the cream background.

3.4 Typography

Display — Georgia, Times New Roman, serif. Used for `h1–h3`, prices and pull quotes. Letter-spacing is tightened slightly (-0.035em) at display sizes so headlines read as one sculpted line.

Body — Avenir Next, Avenir, Segoe UI, Arial. System-provided, so there is no webfont request and text renders instantly. Base size is 17 px (1.0625rem) with 1.6 line-height for comfortable reading by older eyes.

ELEMENT	SIZE
h1 hero	clamp(3rem → 6.25rem)
h2 section	clamp(2.35rem → 4.25rem)
h3 card	clamp(1.35rem → 1.7rem)
Body / lead	1.0625rem / 1.6
Spacing scale	0.5rem steps to 6rem (--space-1…9)

CHAPTER FOUR

Project structure

One flat root of pages, three supporting folders, and a strict naming habit.

The repository keeps everything deliberately shallow: pages sit at the root, styles in `css/`, scripts in `js/`, and all imagery in `images/`. Because every reference is relative, the whole folder can be zipped, moved, or served from a sub-path on GitHub Pages without a single path change.

```
stackly-elderly-care/
├─ index.html                  Home
├─ about.html                  About & team
├─ services.html               Service catalogue
├─ caregivers.html             Directory & recruitment
├─ pricing.html                Plans & comparison
├─ contact.html                Enquiry form & map
├─ login.html                  Sign in
├─ signup.html                 Create account
├─ dashboard-family.html       Family portal
├─ dashboard-caregiver.html    Caregiver portal
├─ 404.html                    Not-found page
├─ _audit.html                 Internal QA harness
├─ css/
│  ├─ style.css                Global tokens, header, footer, home
│  ├─ about.css   services.css caregivers.css pricing.css
│  ├─ contact.css auth.css     dashboard.css  404.css
├─ js/
│  ├─ main.js                  Shared shell + homepage logic
│  ├─ about.js    services.js  caregivers.js  pricing.js
│  ├─ contact.js  auth.js      dashboard-family.js
│  ├─ dashboard-caregiver.js   404.js
│  └─ redirects.js             Demo link guard
└─ images/
   ├─ logo/logo-stackly.webp   Only logo file
   └─ 50 category-prefixed photographs (.webp)
```

4.1 Folder roles

PATH	PURPOSE
/ (root)	Every HTML page, served directly by GitHub Pages.
css/	One global sheet plus eight page sheets, each importing the global one first.
js/	One script per page plus `main.js` (shell + home) and `redirects.js` (guard).
images/	WebP photographs grouped by prefix: hero, about, service, caregiver, gallery, avatar, team, pricing, auth, 404.

4.2 Build statistics

KIND	FILES	LINES
HTML pages	12	≈ 4,160
Stylesheets	9	≈ 9,850
Scripts	11	≈ 5,670
Images	51	WebP only
Total hand-written code	32	≈ 19,700

The largest single file is `style.css` at 2,829 lines; the largest script is `dashboard-caregiver.js` at 1,377 lines.

4.3 Naming and linking rules

Pages

Lowercase, hyphenated, `.html` extension. Portal pages are prefixed `dashboard-` and the audit harness is prefixed with an underscore to sink it to the bottom of alphabetical listings.

Styles & scripts

Each page's sheet and script share the page's base name, so `pricing.html` loads `pricing.css` and `pricing.js`. The global pair is `style.css` + `main.js`.

Images

Category prefix + short descriptor: `service-meals.webp`, `caregiver-maya.webp`, `gallery-dance.webp`. No spaces, no capitals — safe on the case-sensitive Linux runner behind GitHub Pages.

Heads-up: GitHub Pages serves from a Linux host, where `Images/Hero.webp` and `images/hero.webp` are different paths though Windows treats them as one. Keep references lowercase and nothing breaks.

CHAPTER FIVE · INDEX.HTML

Home page

The long-form landing page: ten sections that introduce the brand, prove credibility, and funnel visitors toward a conversation.

PAGE FILE	STYLESHEET	SCRIPTS
index.html · 382 lines	css/style.css	main.js · redirects.js

The homepage carries most of the storytelling load and is the only page that loads `main.js`, so every shared shell behaviour — sticky header, mobile navigation, reveals, counters, slider, FAQ and newsletter — is exercised here first. Sections carry IDs (`#home`, `#trust`, `#services` and others) so hero buttons can deep-link.

5.1 Section walkthrough

#	SECTION	WHAT IT DOES
1	Hero	Split copy and photograph; headline “Care that feels like home.”, two calls to action, three trust checks, and floating badges (“2,400+ families cared for”) over the photo frame.
2	Stats band	Dark teal strip with four animated counters (14+ years, 2,400+ families, 86 caregivers, 98% satisfaction) that count up once when scrolled into view.
3	About preview	Framed photo with a “Since 2010” scribble, plus three value rows (trust, personal care, responsiveness) and a link toward the About page.
4	Core services	Six numbered photo cards — home nursing, personal care, companionship, meals, medication, respite — each with icon, blurb and learn-more link.
5	How it works	Four ordered steps (Consult, Assess, Match, Care) beside an intro column with an outline button; the numbers are serif digits, no icons.
6	Caregiver team	Three profile cards (Maya, James, Elena) with portrait, tenure badge, quote and specialty chips.
7	Life gallery	Four photographs — dance, photo album, garden, family — with captions that read like moments rather than features.
8	Testimonials	Three-slide slider of five-star family quotes with dots, arrows and a pause toggle; rotates every 7.5 seconds until the visitor interacts.
9	Pricing	The three plans in brief (Essential $32/hr, Comfort $38/hr, Premium $48/hr) with the note that every plan starts with a free consultation.
10	Closing CTA & FAQ	Dark call band with phone and email buttons, then a five-question accordion on timing, vetting, schedules, long-distance families and consultations.

5.2 Interactive behaviour

- Header condenses with an `is-scrolled` class after 12 px of scroll; the back-to-top button appears past 500 px.
- Below 992 px the nav collapses into a drawer; Escape and outside clicks close it.
- Every `data-reveal` block fades upward once at 12% visibility, staggered 60–360 ms.

5.3 Performance notes

- The hero image alone is marked `fetchpriority="high"`; everything under the fold lazy-loads with explicit dimensions.
- The FAQ and slider both respect `prefers-reduced-motion`: autoplay stops and reveals appear instantly.
- The newsletter form validates with a single regular expression and confirms inline — no page reload, no network call.

> **Editing tip:** header and footer markup is repeated on all twelve pages — change a link and you must change it everywhere — the homepage is simply the largest copy of that shell.

CHAPTER SIX · ABOUT.HTML

About page

Company story, mission and values, leadership team, measurable impact, and the credentials families ask about.

PAGE FILE	STYLESHEET	SCRIPTS
about.html · 435 lines	css/about.css · 917 lines	about.js · redirects.js

The About page answers the question a worried daughter asks first: "Who are these people?" It moves from narrative (story) to structure (mission, values, team) to evidence (impact numbers, safety credentials), and closes with the same testimonial treatment used on the homepage so the tone stays consistent across the site.

6.1 Section walkthrough

#	SECTION	WHAT IT DOES
1	Hero	"About Stackly" with a breadcrumb trail (Home → About), a supporting line, and the three trust markers repeated from the homepage.
2	Our story	Founding narrative from 2010 onward with a photo panel and a founder signature block (Marcus Bell) that reads like a signed letter.
3	What guides us	Three pillars — mission, vision, values — followed by a six-cell value grid: compassion, respect, reliability, warmth, integrity, togetherness.
4	Leadership & care team	Four team cards with portraits and roles, then a careers band inviting caregivers to join, which links toward the Caregivers page content.
5	Our impact	Four counters: 2,400+ families, 86 caregivers, 32 communities, 14+ years. Same animation engine as the homepage stats band.
6	Trust & safety	Five credential cards (licensing, background checks, insurance, training, oversight) plus a circular "100%" badge that dominates the panel.
7	Life at Stackly	A horizontally scrolling photo rail of six candid moments, marked as a labelled region for screen readers.
8	Kind words	Three-slide testimonial slider with the pause control, identical in behaviour to the homepage version.
9	Closing CTA	Standard call band — one caring conversation — with phone and email actions.

6.2 About-specific scripting

`about.js` (351 lines) repeats the shared shell routines and adds two features:

- Counters for the impact band, driven by `data-counter` and `data-suffix` attributes with 1,400 ms easing.
- The testimonial slider with autoplay, dot state and pause toggle.

6.3 Styling notes

- The story photo sits inside a rotated frame with a sand backdrop — the tilt is a fixed transform, not an animation.
- Value grid collapses 3 → 2 → 1 columns at 60rem and 48rem.
- The photo rail uses scroll snapping so touch users land neatly on each image.

Content ownership

Names, dates and statistics on this page are illustrative sample content written for the demo. Before a real launch they should be replaced with the provider's own story, team and verified figures — the layout tolerates shorter or longer copy without changes, and the founder signature block is the natural place to add a real leadership name once one is supplied.

CHAPTER SEVEN · SERVICES.HTML

Services page

The care catalogue: tabbed service groups, six flagship cards, a nursing spotlight, the five-step journey, and answers to practical questions.

PAGE FILE	STYLESHEET	SCRIPTS
services.html · 438 lines	css/services.css · 667 lines	services.js · redirects.js

Where the homepage shows what Stackly offers, this page explains how each type of care works. The hero lists eight care categories as chips, then the catalogue breaks into four browsable groups before a spotlight on the specialty offering.

7.1 Section walkthrough

SECTION	WHAT IT DOES
Hero with category chips	Eight pill links (home nursing, personal care, companionship, nutrition, medication, respite, mobility, memory care) that frame the full range at a glance.
Find the right fit (tabs)	Four ARIA tabs — In-Home Care, Health & Medical, Companionship & Lifestyle, Specialized Care — each revealing its own panel content without reloading the page.
What we provide	Six numbered service cards with photography and icons — the same card system as the homepage.
Signature service	Spotlight panel for 24/7 home nursing: a large image, supporting copy and a benefit checklist.
What to expect	A five-step timeline — Consult, Assess, Match, Care, Review — drawn as a vertical rail with serif step numerals.
Questions, answered	Six-item FAQ accordion covering coverage areas, caregiver continuity, clinical capability, trial periods, family updates and pricing.

7.2 Tab behaviour

The tab group in `services.js` is a textbook accessible implementation:

- Roving `tabindex` keeps only the active tab in the tab order.
- Left/Right arrows move between tabs; Home and End jump to the first and last.
- Panels are toggled with `hidden`, and each panel is linked back to its tab via `aria-labelledby`.

7.3 Design notes

- Service cards sit on 1 → 2 → 3 column grids past 48rem and 70rem.
- The timeline alternates accent colours between teal and coral to make the five steps scannable.
- Chips wrap freely on small screens rather than scrolling, keeping every category tappable.

7.4 · Tab groups at a glance

TAB GROUP	WHAT IT COVERS
In-Home Care	Day-to-day help, personal routines and household support.
Health & Medical	Nursing visits, medication management and clinical oversight.
Companionship & Lifestyle	Conversation, outings, hobbies and shared meal moments.
Specialized Care	Memory care, mobility support and complex-needs planning.

Maintenance: adding a service means three edits in one file — a new `<article class="service-card">` block, and optionally a chip in the hero. The tab panels are independent, so new content slots into whichever group fits without touching the others.

CHAPTER EIGHT · PRICING.HTML

Pricing page

Three transparent plans, an hourly/full-time switch, a thirteen-row comparison table, and funding guidance.

PAGE FILE	STYLESHEET	SCRIPTS
pricing.html · 426 lines	css/pricing.css · 942 lines	pricing.js · redirects.js

Pricing pages live or die on clarity, so this one front-loads three promises — no hidden fees, cancel anytime, licensed caregivers — and then gives visitors two ways to read the same numbers: three scannable plan cards, and one exhaustive comparison table for the people who want every line item.

8.1 Section walkthrough

SECTION	WHAT IT DOES
Hero with promise chips	Compact banner restating the three guarantees before any number appears.
Choose your care plan	Billing toggle (Hourly / Full-time) above three plan cards. Comfort carries the “Most popular” ribbon and a coral call to action; the other two use outline buttons.
Clear from the start	Two panels: everything included in every plan, and the optional add-ons that cost extra.
Compare plans	A 13-row comparison table with the Comfort column highlighted; on phones it restacks into labelled blocks.
Funding & insurance	Three routes to paying: private funds, insurance, and government benefits, each with a short explanation.
Pricing questions	Trust band (“Price with peace of mind”), six-item FAQ, and the standard closing CTA.

8.2 Plan values and the billing toggle

PLAN	HOURLY	MONTHLY
Essential	$32/hr	$3,400
Comfort	$38/hr	$4,100
Premium	$48/hr	$5,200

Each price element carries `data-price-value` and `data-price-unit` attributes holding both the hourly and monthly strings. The toggle swaps the text node, updates the explanatory note under the grid and reflects state with `aria-pressed`.

8.3 Design notes

- The featured card lifts with a shadow, coral rule and ribbon, and is the only one using the coral button.
- Comparison rows alternate tinted backgrounds; the Comfort column uses mist green down its full height.
- The FAQ reuses the single-open accordion from `main.js`.

Reading the comparison table

Thirteen rows cover hours, personal care, medication, coordination, nursing oversight, on-call cover, wellness planning and reviews. Included items are ticked, extras are labelled with their uplift, and the Comfort column stays highlighted. Below 768 px each row becomes a labelled block using `data-label` captions.

8.4 · What the FAQ answers

- What the hourly rate includes
- Minimum visit length and travel
- Switching plans or pausing care
- Insurance and reimbursement basics
- Cancellation windows and notice
- Contract length and trial periods

Content sync: plan names and prices appear in three places — the homepage pricing section, these cards, and the comparison table. Change all three together or the site contradicts itself.

CHAPTER NINE · CAREGIVERS.HTML

Caregivers page

A filterable directory, a guarded profile modal, training evidence, a day in the life, and a recruitment pitch for new caregivers.

PAGE FILE	STYLESHEET	SCRIPTS
caregivers.html · 533 lines	css/caregivers.css · 1,069 lines	caregivers.js · redirects.js

This is the richest marketing page on the site, doing two jobs at once — reassuring families that caregivers are vetted professionals, and attracting good caregivers to apply — by mixing hard evidence with human texture.

9.1 Section walkthrough

SECTION	WHAT IT DOES
Hero	Portrait cluster of three caregivers behind the headline, an animated “86+ caregivers” counter, and a 4.9/5 rating chip.
Our care philosophy	Four-step ordered list describing how a caregiver approaches each visit.
Meet our caregivers	The centrepiece: six profile cards filterable by specialty and language, with a live result count and an empty state keeping the list honest.
Training & certification	Credential list plus three headline stats: 40+ training hours, 100% background-checked, 24/7 support.
A day in the life	Three alternating rows timestamps (8:00 AM, 1:00 PM, 4:30 PM) with narrative and photo, showing what a visit really looks like.
Caregiver stories	Three-slide testimonial slider told from the caregiver's side.
Join our team	Benefits list and the closing CTA band aimed at recruitment submissions.

9.2 Filters and modal

- Two filter groups match against space-separated `data-specialty` and `data-language` attributes on each card.
- Filter pills toggle `aria-pressed`; the count line (“Showing 6 of 6 caregivers”) updates with every click.
- Cards open a profile modal populated from `data-profile-*` attributes — no duplicate markup per person.
- The modal traps focus, closes on Escape or scrim click, locks body scroll, and returns focus to the card that opened it.

9.3 Design notes

- Filter bar wraps into two labelled rows on desktop and stacks on phones below 48rem.
- Cards use a 1 → 2 → 3 column grid with consistent 4:5 portrait crops.
- Cards show tenure and specialty chips to reward scanning.

9.4 · Card data attributes

ATTRIBUTE	EXAMPLE VALUE	READ BY
`data-specialty`	memory nursing mobility	Specialty filter
`data-language`	english hindi	Language filter
`data-profile-role`	Companion caregiver	Profile modal header
`data-profile-bio`	Free-text introduction	Profile modal body

Adding a caregiver: write one `<article>` card with the portrait image, `data-specialty`, `data-language` and `data-profile-*` values — the filter counts, empty state and modal all pick the new person up automatically.

CHAPTER TEN · CONTACT.HTML

Contact page

Four direct channels, a fully validated enquiry form, an embedded map, and a short FAQ to deflect the most common calls.

PAGE FILE	STYLESHEET	SCRIPTS
contact.html · 328 lines	css/contact.css · 665 lines	contact.js · redirects.js

This page carries the site's most complex form, so it is also its most defensive: every field validates on blur and on input, mistakes are summarised in an alert region, and the send action is intentionally simulated. The contact details themselves reference the Salem, Tamil Nadu office while the site footer still shows the original sample address — worth unifying before a real launch.

10.1 Section walkthrough

SECTION	WHAT IT DOES
Hero with contact chips	Three fast lanes — Call, Email, WhatsApp — as tappable pills above the fold.
Reach us directly	Four information cards (phone, email, office, hours) beside a team banner photograph.
Send us a message	The enquiry form and a Google Maps embed centred on Salem with a “get directions” link.
Before you reach out	Five-question accordion covering response times, urgent care, pricing questions and privacy.
Closing CTA	Standard dark band; on this page it doubles as a reminder of the phone number.

10.2 Form fields and rules

FIELD	VALIDATION
First / last name	Minimum 2 characters
Email	Standard address pattern
Phone	Digits and separators only; 7–15 digits
Subject	Required select
Preferred contact	Required radio group
Message	20–500 characters with live counter
Consent	Checkbox must be ticked

10.3 Behaviour

- Invalid submits produce a `role="alert"` summary listing every offending label, and focus jumps to the first bad field.
- The message counter reads “N / 500 characters” and updates as you type.
- A valid submit disables the button, shows “Sending…”, waits 900 ms, resets the form and prints a warm success line.
- Field-level errors clear the moment a field becomes valid, so the form never nags about fixed mistakes.

10.4 Form layout & technical notes

- Fields sit in a single column on phones and pair into two columns from 48rem upward; the message area always spans the full width.
- The map is a lazy Google Maps iframe with a descriptive title, sized by aspect ratio so it never causes layout shift.
- Every error paragraph is wired to its input with `aria-describedby`, so screen readers hear the message with the field.
- The success note is an `aria-live="polite"` region; the button re-enables after the simulated send completes.

Everything the script checks can be verified by hand in a minute: submit an empty form to watch the summary build itself, type a partial email to see a field-level message appear, then paste a long paragraph to watch the counter stop at 500 characters — three quick checks worth repeating after any markup edit.

> **Wiring a real inbox:** the simulated 900 ms send in `contact.js` is the single place to connect a real endpoint later. Everything before it — validation, summary, focus handling — can stay exactly as it is.

CHAPTER ELEVEN · LOGIN.HTML · SIGNUP.HTML · 404.HTML

Account & error pages

Two split-screen authentication pages sharing one script, plus a friendly 404 that doubles as the demo guard's landing spot.

11.1 Login — login.html

A two-panel layout: the left story panel (“Welcome back”) holds an image, live statistics and a client quote; the right card holds the form. Choosing the **Family** or **Caregiver** radio rewrites the story panel copy, swaps headline and bullets, updates the submit label, and writes `?role=` into the URL so the choice survives a refresh.

- Email and password validate on blur; the password field has a show/hide toggle.
- “Remember me” and a forgot-password link complete the expected pattern.
- Choosing a role rewrites the story copy, the submit label and the `?role=` parameter so a refresh keeps the choice.
- Validation is role-aware: hidden field groups are skipped entirely, so neither role is asked for the other's details.

11.2 Signup — signup.html

The same split layout with a longer form: role radios first, then name, email, phone, password, confirm password. Role-specific groups appear or hide instantly — families see relationship and care type; caregivers see expertise, years of experience and service city. An optional referral select and terms checkbox close the form.

- Passwords need 8+ characters with upper case, lower case, a number and a symbol — and must not appear on a small common-password blacklist.
- A strength meter scores six factors and labels the result *weak*, *fair* or *strong*.

Shared behaviour in auth.js

One script powers both pages. It validates through declarative `data-validate` attributes (name, email, phone, city, select, password, confirm-match, checkbox), and hidden role groups are skipped rather than disabled. On a valid submit the button locks with processing messages, a profile object is written to `localStorage` under `stackly_user`, a toast confirms success for 4.5 seconds, and the visitor is redirected to `dashboard-caregiver.html` or `dashboard-family.html` depending on role — roughly 2.1 seconds after pressing submit.

These pages load no header or footer, and they are the only two the demo guard does not watch — the authentication flow needs its own links (forgot password, switch between login and signup) to work normally.

11.3 404 — 404.html

A single centred panel: a large “404” treatment, the line “Oops… this page took a wrong turn”, a **Go Back** button that prefers browser history (falling back to the homepage), a **Go to Home** link, a popular-pages row (Home, Services, Caregivers, Pricing, Contact) and a support line with the phone number. Standard header and footer stay in place so visitors can simply navigate on.

- It is the deliberate landing spot for unwired links — see the demo guard in chapter 13.
- GitHub Pages also serves this file automatically for any mistyped path on the live site, because the platform looks for a root `404.html` by convention.
- `404.js` repeats the shell routines and adds only the history-aware back button, keeping the page feather-light.

11.4 Signup field groups

GROUP	FIELDS
Always shown	Role radios, full name, email, phone, password, confirm password, referral select, terms checkbox
Family only	Relationship to the person receiving care; type of care needed
Caregiver only	Area of expertise; years of experience; city of service

CHAPTER TWELVE · DASHBOARD-FAMILY.HTML · DASHBOARD-CAREGIVER.HTML

Dashboard pages

Two single-page portals — seven views for families, eight for caregivers — sharing one visual language, one guard and one storage key.

Both dashboards behave like small applications inside a single HTML file: the sidebar switches views by toggling `hidden` sections and updating the breadcrumb and page title, with the current view reflected in the URL hash so a refresh returns you to the same place. Charts are drawn as inline SVG with real tooltips and hidden data-table mirrors, so nothing visual is inaccessible to screen readers. Switching views is instant because every panel already lives in the document.

Family dashboard — 7 views

- **Overview** — greeting, four KPI cards, care-hours bar chart (8 weeks), care-type donut, wellbeing trend (14 days), care team list, health alerts.
- **Care Plan** — progress bars, weekly goals checklist, medication schedule.
- **Appointments** — week strip, upcoming visits, past-visits table.
- **Messages** — activity feed and conversations.
- **Billing** — invoice table with Paid/Due/Overdue badges and payment KPIs.
- **My Profile** — view and edit name, phone, relationship, care type (edits persist to storage).
- **Settings** — notification switches, preferences, accessibility toggles.

Caregiver dashboard — 8 views

- **Overview** — KPIs, 4.8/5 rating gauge, recent reviews, tasks checklist, visit notes, visit requests, achievement badges.
- **My Schedule** — weekly hours chart, today's visits, upcoming visits table.
- **Clients** — visit-mix donut, client list, care notes.
- **Availability** — a 7 × 2 grid (14 AM/PM slots) that saves straight into the profile.
- **Messages** — notifications feed and conversations.
- **Earnings** — six-month area chart and payout summary.
- **My Profile** — editable details, certifications, skill chips, completeness bar.
- **Settings** — notifications, privacy, work preferences.

12.1 Shared mechanics

MECHANISM	HOW IT WORKS
Access guard	On load each dashboard reads `stackly_user`. Missing or wrong role → immediate redirect to `login.html`. Visiting the care-giver portal as a family account is therefore impossible without signing in again.
Sidebar	Full rail on desktop, collapsible to icons on wide screens, and a slide-in drawer with scrim below 768 px. Escape closes it.
Top bar	Breadcrumb, notification bell with unread count, user chip, and a contextual call to action (“Add care request” / “Update availability”). The bell opens a dropdown that closes on outside click or Escape.
Header search	Filters the visible view's lists live against `data-search` text and reports a count.
Logout	Removes `stackly_user` and returns to the login page — the only path out of the portals besides editing the URL.
Charts	Hand-built SVG: bars, areas with a target line at 80, donuts, and a gauge. Re-render on view switch and window resize; each has a keyboard-reachable tooltip and an accessible table alternative.
Sample data	Every list, table and chart is populated from JavaScript arrays of objects at the top of each dashboard script — realistic demo data that is easy to swap for a real API response later.

Storage shape: both portals read and write the same `stackly_user` object — role, name, email, contact details and, for caregivers, the saved `availability` array. Chapter 13 lists the full schema.

CHAPTER THIRTEEN · JS/

Application scripts & utility layer

Eleven scripts, one shared pattern, one storage key, and a demo guard that keeps the prototype honest.

Every script follows the same shape: a single IIFE, strict mode, no leaked globals, behaviour activated only by `data-*` hooks. The shell routines — header state, mobile navigation, reveals, back-to-top, newsletter — are duplicated at the top of each page script rather than shared; each page stays self-contained, and consolidating the shell is the first task for a future refactor.

13.1 Script inventory

SCRIPT	BEYOND THE SHARED SHELL, IT ADDS…
main.js (home)	Counters, testimonial slider, FAQ accordion, newsletter validation, active-link highlighting.
about.js	Impact counters and the three-slide testimonial slider.
services.js	Keyboard-complete ARIA tab group; FAQ accordion.
pricing.js	Hourly/full-time billing toggle with `aria-pressed`; FAQ accordion.
caregivers.js	Specialty + language filters with live count, empty state, and the focus-trapped profile modal.
contact.js	Full form validation engine, 500-character counter, simulated send, alert summary.
auth.js	Role switching, password strength meter, declarative validation, toast, storage write, dashboard redirect.
404.js	History-aware Go Back button.
dashboard-family.js	Seven-view SPA, four SVG charts, search, notifications, profile persistence.
dashboard-caregiver.js	Eight-view SPA, four SVG charts, availability grid persistence, completeness scoring.
redirects.js	The demo guard — described below.

13.2 Precise behaviours worth knowing

- Reveals fire once at 12% visibility; counters run 1,400 ms on a cubic ease-out; both are instant for reduced-motion users.
- The slider rotates every 7,500 ms and pauses on hover or focus; FAQ items are single-open; back-to-top appears past 500 px.

13.3 The demo guard — redirects.js

A capture-phase listener intercepts clicks and submits anywhere outside the exempt list — header, footers, dashboards, sliders, newsletter — and routes them to `404.html`, so nothing in the prototype hits a broken half-page. Open a link up later by adding `data-allow-navigation`, or remove `redirects.js` once real destinations exist.

localStorage — one key, `stackly_user`

FIELD	WRITTEN BY	USED BY
role, fullName, email, phone, rememberMe, createdAt	auth.js on signup/login	Both dashboards (guard, greeting, user chip)
relationship, careType	auth.js (family signup); family profile edit	Family dashboard profile view
expertise, experience, city	auth.js (caregiver signup); caregiver profile edit	Caregiver dashboard profile view
availability (14 booleans)	Caregiver availability grid	Caregiver completeness score & schedule

QA harness: `_audit.html` is not part of the site. Given `?role=family` or `?role=caregiver`, it seeds storage, loads the dashboard in a 320 × 640 iframe, waits 2.5 seconds, then prints an `AUDIT_RESULT` report of every horizontally overflowing element — the quickest small-screen regression catch.

CHAPTER FOURTEEN

Responsiveness & accessibility

Eight breakpoints, a mobile-first habit, and an accessible baseline that starts with the skip link.

Layouts are written mobile-first: the single-column phone view is the default, and every media query adds complexity upward. Fluid type via `clamp()` resizes headlines continuously between breakpoints, and `overflow-x: clip` on the body and decorative sections stops anything ever creating a sideways scrollbar — a common failure on older phones.

14.1 Breakpoints in use

TOKEN	AT 16PX BASE	TYPICAL EFFECT
min-width 34rem	544 px	Two-up grids begin (values, KPIs)
min-width 40rem	640 px	Stats band goes 2 → 4 columns; contact cards pair up
min-width 48rem	768 px	Two-column splits engage (hero grid, process); dashboard drawer reverts to a rail
min-width 60rem	960 px	Three-column service and plan grids engage; auth split view appears
min-width 62rem	992 px	Full desktop navigation; the mobile drawer and toggle retire
min-width 64–70rem	1024–1120 px	Widest layouts; dashboard sidebar gains its collapse control
max-width 27rem	432 px	Plan cards, filters and tables tighten and stack fully
max-width 47.99rem	768 px	Dashboard-sidebar drawer mode; pricing table becomes labelled blocks

14.2 Responsive patterns

- **Navigation** — below 992 px the menu becomes a drawer; outside taps, Escape or a wider window close it.
- **Grids** — cards move 1 → 2 → 3 columns; the caregivers directory and services catalogue share the same cadence.
- **Tables** — pricing and dashboard tables restack on phones using `data-label` captions.
- **Photos** — fixed aspect ratios plus explicit dimensions prevent jumps as lazy images stream in.
- **Touch** — buttons, pills and controls meet ~44 px targets; horizontal rails snap for thumbs.

14.3 How it is tested

- Browser device mode from 320 px up through 1440 px and beyond.
- `_audit.html` at 320 × 640 — it fails loudly if any element crosses the right edge.
- Manual iOS and Android passes for tap targets and drawer feel, plus keyboard-only passes of the tabs, modal, accordion and dashboards.

14.4 Accessibility baseline

- Skip-to-content link is first in the tab order; landmarks are `header`, `main`, `footer`.
- State is always announced — `aria-expanded`, `aria-pressed`, `aria-current`, `aria-invalid`.
- Focus is managed (drawer close returns focus; the modal traps and restores it), and status messages use polite live regions while errors use `role="alert"`.
- `prefers-reduced-motion` disables autoplay, reveals and smooth scrolling.

CHAPTER FIFTEEN

Deployment on GitHub

The site ships from a single repository through GitHub Pages — no build pipeline, no secrets, no third-party host.

Because the project has no server-side code and no compilation step, deployment is genuinely just a push. GitHub Pages serves the repository's `main` branch as a static site at `https://manjunath0073.github.io/Stackly-Elderly-Care/`, over HTTPS, refreshed automatically after every commit. All asset paths are relative, so the site works identically under that sub-path and on a local machine.

15.1 One-time setup (already in place)

- Initialize the repository and push `main` to `github.com/Manjunath0073/Stackly-Elderly-Care`.
- In the repository, open **Settings** → **Pages**.
- Under "Build and deployment", choose **Deploy from a branch**, select **main** and folder **/ (root)**, then Save.
- GitHub publishes the site within a minute or two and shows the live URL on the same screen.

Day-to-day publishing

```
git add .
git commit -m "Describe the change"
git push origin main
```

Every push to `main` triggers a fresh Pages build; a reviewable commit message is enough discipline at this size.

15.2 Working from a new machine

```
git clone https://github.com/Manjunath0073/
  Stackly-Elderly-Care.git
cd Stackly-Elderly-Care
start index.html    # opens the local site
```

15.3 Built-in behaviours to rely on

- **Automatic 404:** GitHub Pages serves the root `404.html` for any unknown path — the custom error page works with no extra configuration.
- **HTTPS:** certificates are issued and renewed by GitHub automatically.
- **No artifact step:** never commit build output, archives or editor folders; the repository is the deployable.

15.4 Troubleshooting the publish

SYMPTOM	LIKELY CAUSE AND FIX
Page loads but images are broken	Filename case mismatch. GitHub Pages runs on Linux; rename the file or the reference to match exactly, lowercase.
Change pushed but site looks stale	Browser or CDN cache. Hard-refresh (Ctrl+F5) and give the Pages build a couple of minutes.
Site shows the README instead of the homepage	The file must be named `index.html` and sit at the branch root. Check the Pages folder setting is "/ (root)".
Styles or scripts 404 on the live site	A path was written with an absolute leading slash; all references in this project are relative. Keep them that way.
Pages not building at all	Confirm the Pages source still points at `main` and that the repository is public, or that the account has Pages enabled for private repositories.

15.5 Pre-push checklist

- The site opens from `index.html` locally with a clean console.
- `_audit.html` passes at 320 × 640 for both dashboard roles.
- New images use lowercase, hyphenated filenames and sensible dimensions.
- The live URL was checked once Pages finished rebuilding.

> **Branch strategy:** keep experimental edits on a short-lived branch — `main` is live, so anything merged publishes within minutes.

CHAPTER SIXTEEN

Conclusion

What has been delivered, what it does well, and the shortest sensible path to a production release.

Stackly Elderly Care is a complete front-end platform: eleven visitor-facing pages, two working portals, a documented design system and a deployment that costs nothing to run. Everything is hand-written, dependency-free and inspectable — maintenance never depends on a toolchain someone has to relearn later.

16.1 Delivered scope at a glance

AREA	STATUS
Marketing pages	Home, About, Services, Caregivers, Pricing and Contact — all responsive, all cross-linked.
Accounts	Role-aware login and signup with validation, password policy, strength meter and a persisted session object.
Portals	Family meets care teams: seven views; caregiver receives schedules and earnings: eight views. Both guarded and animated with real SVG charts.
Error handling	A friendly custom 404 that is also the fallback for the deliberate demo guard.
Design system	Thirteen colour tokens, two type stacks, a nine-step spacing scale, and consistent radii and shadows.
Quality	Keyboard-complete interactions, reduced-motion support, contrast-checked palette, and one internal responsive audit tool.
Delivery	GitHub Pages, HTTPS, automatic rebuild on every push to `main`.

16.2 What should come next

- **Connect a back end** — the enquiry form, newsletter and authentication all end at clearly marked simulated seams that are ready for real endpoints.
- **Replace the demo guard** — as pages gain real destinations, retire `js/redirects.js` link by link.
- **Move sample data into an API** — the dashboard arrays are shaped like server responses already.
- **Consolidate the shell** — one shared script file would remove the deliberate duplication described in chapter 13.
- **Add automated checks** — a headless run of `_audit.html` on every push would turn the audit harness into a regression gate.

16.3 Closing note

The care sector has a design duty most industries do not: its users are often anxious families and older adults who deserve calm, legible, dignified software. Every decision here — the warm cream palette, the 17 px base type, the honest pricing table, the patient animations — was made for that audience and is documented so it survives the next round of changes.

Keep the tokens honest, keep the pages accessible, and the site will keep earning its motto: care that feels like home.

16.4 Keeping this document current

- Update the page guides (chapters 5–12) whenever a section is added, renamed or removed.
- Add new tokens to chapter 3 the same day they enter `style.css`.
- Bump the version on the cover and note the change in the revision history when republishing.

Stackly Elderly Care — Technical Documentation

Version 1.0 · Prepared by Manjunath · Repository: github.com/Manjunath0073/Stackly-Elderly-Care

End of document