# Rajalakshmi Engineering College

Name: Manju Parkavi R

Email: 240801193@rajalakshmi.edu.in

Roll no: 2116240801193 Phone: 7397317293

**Branch: REC** 

Department: I ECE FB

Batch: 2028

Degree: B.E - ECE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 6\_COD\_Question 2

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Nandhini asked her students to arrange a set of numbers in ascending order. She asked the students to arrange the elements using insertion sort, which involves taking each element and placing it in its appropriate position within the sorted portion of the array.

Assist them in the task.

#### **Input Format**

The first line of input consists of the value of n, representing the number of array elements.

The second line consists of n elements, separated by a space.

**Output Format** 

The output prints the sorted array, separated by a space.

Refer to the sample output for formatting specifications.

2116240801103

### Sample Test Case

```
Input: 5
         67 28 92 37 59
         Output: 28 37 59 67 92
         Answer
         #include <stdio.h>
      // You are using GCC
        void insertionSort(int arr[], int n) {
           for (int i = 1; i < n; i++) {
              int key = arr[i];
              int j = i - 1;
              while (i >= 0 \&\& arr[i] > key) {
                arr[j + 1] = arr[j];
arr[j + 1] = key;
        void printArray(int arr[], int n) {
           for (int i = 0; i < n; i++) {
              printf("%d ", arr[i]);
          printf("\n");
         int main() {
           int n;
 for (int i = 0; i < n; i++) {
scanf("%d". &ar-1.7)
           scanf("%d", &n);
```

insertionSol printArray(a return 0; }	rt(arr, n); rr, n);	2116240801193	2116240801103
Status : Correct			Marks : 10/10
2176240801793	2116240801103	2116240801193	2116240801193
2176240801193	2116240801193	2116240801193	2116240801193
g.	2	0-	9