

Name: T. Manjusha

ID NO:2400032300

ENTITY:Salary

The image displays two software interfaces side-by-side. The top interface is the Swagger UI for the 'Salary Service API' (version 1.0, OAS 3.1). It shows a list of endpoints for the 'salary-controller':

- PUT /salary/update
- POST /salary/add
- GET /salary/displaybytype/{type}
- GET /salary/displaybyname/{sname}
- GET /salary/displayall

The bottom interface is MySQL Workbench, showing a local instance of MySQL 8.0. The 'SCHEMAS' pane on the left lists the 'soataskdb' database, which contains a 'salary' table. The 'salary' table has the following columns: id, created_at, location, sname, status, type, and updated_at. The main query editor shows the SQL command: `create database project_db;`. The right pane displays a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.'

Add salary:

POST

/salary/add

Parameters

No parameters

Request body required

application/json

```
{
  "name": "Varshini",
  "type": "Monthly",
  "status": "Unpaid",
  "location": "Hyderabd",
  "createdAt": "2026-08-13T08:52:54.329Z",
  "updatedAt": "2026-08-13T08:52:54.329Z"
}
```

Execute

201

Undocumented

Response body

```
{
  "createdAt": "2026-08-13T14:23:58.438089",
  "id": 0,
  "location": "Hyderabd",
  "name": "Varshini",
  "status": "Unpaid",
  "type": "Monthly",
  "updatedAt": "2026-08-13T14:23:58.438089"
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Thu, 13 Aug 2026 08:53:59 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header

Example Value

Schema

```
{
  "id": 0,
  "name": "string",
  "type": "string",
  "status": "string",
  "updatedAt": "string",
  "createdAt": "string"
}
```

Display all:

Request URL

http://localhost:2000/salary/displayall

Server response

Code	Details
200	Response body <pre>[{ "createdAt": "2026-08-11T22:59:26.882061", "id": 0, "location": "Banglore", "name": "Venkatsai", "status": "paid", "type": "Monthly", "updatedAt": "2026-08-11T22:59:26.882061" }, { "createdAt": "2026-08-13T14:23:58.438089", "id": 0, "location": "Hyderabd", "name": "Varshini", "status": "Unpaid", "type": "Monthly", "updatedAt": "2026-08-13T14:23:58.438089" }]</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Thu, 13 Aug 2026 08:54:38 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header

Display by id:

localhost:2006/swagger-ui/index.html#/salary-controller/displaySalaryById

GET /salary/display

Parameters

Name	Description
id * required	
integer(\$int64)	1
(query)	

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:2006/salary/display?id=1' \
  -H 'accept: */*'
```

Request URL

http://localhost:2006/salary/display?id=1

Server response

Code	Details
200	Response body <pre>{ "createdAt": "2026-08-11T22:59:26.882061", "id": 1, "location": "Bangalore", }</pre>

localhost:2006/swagger-ui/index.html#/salary-controller/displaySalaryById

Request URL

http://localhost:2006/salary/display?id=1

Server response

Code	Details
200	Response body <pre>{ "createdAt": "2026-08-11T22:59:26.882061", "id": 1, "location": "Bangalore", "name": "Venkatesh", "status": "paid", "type": "Monthly", "updatedAt": "2026-08-11T22:59:26.882061" }</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Thu, 13 Aug 2026 08:55:10 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

Media type


/

Controls Accept header.

Example Value Schema

```
{}
```

Display by salary type:



Swagger UI interface showing the GET /salary/displaybytype/{type} endpoint. The 'type' parameter is set to 'monthly'. The 'Execute' button is highlighted. The 'Responses' section shows a 200 status code and a sample JSON response body.

Parameters


Name	Description
type ^{required}	
string (path)	monthly

Responses

200

Response body

```
[{"createdAt": "2026-08-11T22:59:26.882061", "id": 1}]
```



Swagger UI interface showing the GET /salary/displaybytype/{type} endpoint. The 'Request URL' is http://localhost:2006/salary/displaybytype/monthly. The 'Server response' section shows a 200 status code and a sample JSON response body with three entries.

Request URL

http://localhost:2006/salary/displaybytype/monthly

Server response

200


Response body

```
[{"createdAt": "2026-08-11T22:59:26.882061", "id": 1, "location": "Banglore", "name": "Venkatesh", "status": "paid", "type": "Monthly", "updatedAt": "2026-08-11T22:59:26.882061"}, {"createdAt": "2026-08-13T14:23:58.438089", "id": 2, "location": "Hyderabad", "name": "Varshini", "status": "Unpaid", "type": "Monthly", "updatedAt": "2026-08-13T14:23:58.438089"}, {"createdAt": "2026-08-13T14:27:41.937847", "id": 3, "location": "Hyderabad", "name": "Kalyan", "status": "Unpaid", "type": "Monthly", "updatedAt": "2026-08-13T14:27:41.937847"}]
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Thu, 12 Aug 2026 09:00:22 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Display by name:




Swagger UI interface showing the GET endpoint `/salary/displaybyname/{sname}`. The parameter `sname` is set to `Manjusha`. The response body is an empty array `[]`.

```
curl -X 'GET' \
  'http://localhost:2006/salary/displaybyname/Manjusha' \
  -H 'accept: */*'

Request URL
http://localhost:2006/salary/displaybyname/Manjusha

Server response
Code    Details
200     Response body
[]
```




Swagger UI interface showing the GET endpoint `/salary/displaybyname/{sname}`. The parameter `sname` is set to `Varshini`. The response body is a JSON object representing a salary record.

```
curl -X 'GET' \
  'http://localhost:2006/salary/displaybyname/Varshini' \
  -H 'accept: */*'

Request URL
http://localhost:2006/salary/displaybyname/Varshini

Server response
Code    Details
200     Response body
{
  "createdAt": "2026-08-13T14:23:58.438889",
  "id": 1
}
```



Swagger UI interface showing the GET endpoint `/salary/displaybyname/{sname}`. The parameter `sname` is set to `Varshini`. The response body is a JSON object representing a salary record, and the response headers are displayed.

```
curl -X 'GET' \
  'http://localhost:2006/salary/displaybyname/Varshini' \
  -H 'accept: */*'

Request URL
http://localhost:2006/salary/displaybyname/Varshini

Server response
Code    Details
200     Response body
{
  "createdAt": "2026-08-13T14:23:58.438889",
  "id": 1,
  "location": "Hyderabad",
  "name": "Varshini",
  "status": "Onpaid",
  "type": "Monthly",
  "updatedAt": "2026-08-13T14:23:58.438889"
}

Response headers
connection: keep-alive
content-type: application/json
date: Thu, 13 Aug 2026 09:49:00 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Update:

Swagger UI

localhost:2006/swagger-ui/index.html#/salary-controller/updateSalary

salary-controller

PUT /salary/update

Parameters

No parameters

Request body required

application/json

```
{
  "id": 2,
  "name": "Sridevi",
  "type": "Yearly",
  "status": "paid",
  "location": "Visag"
}
```

Execute Clear

Responses

Swagger UI

localhost:2006/swagger-ui/index.html#/salary-controller/updateSalary

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:2006/salary/update' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 2,
    "name": "Sridevi",
    "type": "Yearly",
    "status": "paid",
    "location": "Visag",
    "createdAt": "2026-08-13T09:03:31.622Z",
    "updatedAt": "2026-08-13T09:03:31.622Z"
  }'
```

Request URL

http://localhost:2006/salary/update

Server response

Code	Details
200	Response body <pre>{ "createdAt": "2026-08-13T14:23:58.438089", "id": 2, "location": "Visag", "name": "Sridevi", "status": "paid", "type": "Yearly", "updatedAt": "2026-08-13T14:34:55.686812" }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Thu, 13 Aug 2026 09:04:55 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Delete by id:

Swagger UI

localhost:2006/swagger-ui/index.html#/salary-controller/deleteSalaryById

DELETE /salary/delete/{id}

Parameters

Name	Description
id	required integer(int64) (path)

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:2006/salary/delete/4' \
  -H 'accept: */*'
```

Request URL

http://localhost:2006/salary/delete/4

Server response

Code	Details
200	Response body Salary ID not found

Download

Swagger UI

localhost:2006/swagger-ui/index.html#/salary-controller/deleteSalaryById

DELETE /salary/delete/{id}

Parameters

Name	Description
id	required integer(int64) (path)

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:2006/salary/delete/3' \
  -H 'accept: */*'
```

Request URL

http://localhost:2006/salary/delete/3

Server response

Code	Details
200	Response body Salary deleted successfully

Download