CASE PRESENTATION

MELWIN MABEN
FINAL YEAR, HIMS HASSAN

Name: Mrs. XYZ

Age: 35 years

Sex: Female

Address: Shanthigrama, Hassan

Occupation: Housewife

Education: 7th Std.

Socioeconomic status: Class 4 of Modified BG Prasad Classification

DOA: 12th February 2020

DOE: 15th February 2020

LMP: 6th February 2020

Obstetric Score: P2L2

CHIEF COMPLAINTS

C/o Excessive bleeding per vagina during menstruation since 3 months

C/o Lower abdominal pain during menstruation since 3 months

HISTORY OF PRESENTING ILLNESS

The patient was apparently alright 3 months back. Then she noticed excessive bleeding during menstruation which lasts for 8-10 days in a 30 day regular cycle. She uses 7-8 pads/day. She also complains of passage of clots.

She also complains of pain in the lower abdomen since 3 months. The pain starts 1 day before menstruation and subsides after menstruation. Pain is of dull aching type and non-radiating.

No H/o intermenstrual bleeding, abdominal distention, pain during intercourse

No H/o fever, discharge PV

No H/o difficulty in micturition, difficulty in passing stools

No H/o symptoms suggestive of thyroid dysfunction

No H/o intake of OCPs

No H/o IUCD insertion

No H/o loss of appetite or unintentional weight loss

MENSTRUAL HISTORY

Menarche: 13 years

Past cycles:

30 days cycle	4-5 days of flow
2-3 pads/day	No H/o Dysmenorrhea, passage of clots

Present cycles:

30 days cycle	8-10 days of flow
7-8 pads/day	H/o Dysmenorrhea, passage of clots

OBSTETRIC HISTORY

Married Life: 15 years

Obstetric Score: P2L2

P1- Full term vaginal delivery- Male- 14 years

P2- Full term vaginal delivery- Male- 11 years

CONTRACEPTIVE HISTORY

- No H/o any contraceptive use

PAST HISTORY

Not a known case of Diabetes mellitus, Hypertension, Epilepsy, Asthma, TB, Thyroid Disorders.

No H/o Hospitalisation or surgeries in the past

No H/o Blood transusion in the past.

FAMILY HISTORY

No H/o similar complaints in any of the family members

No H/o any bleeding disorders

PERSONAL HISTORY

- Diet: Mixed
- Appetite: Normal
- Sleep: Undisturbed
- Bowel and Bladder: Normal
- No H/o any bad habits

SUMMARY

A 35 year old lady of Obstetric Score P2L2 with no co-morbidities and no significant past history, came with chief complaints of heavy menstrual bleeding with passage of clots since 3 months and pain during menstruation since 3 months. Based on the history, I would like to proceed with examination of the abdomen.

GENERAL PHYSICAL EXAMINATION

- Here is a middle aged lady who is moderately built and well nourished. She is conscious, cooperative and well oriented to time, place and person.
- Weight – 75 kg
- Height – 160 cm
- BMI – 29.29 kg/m^2
- Mild Pallor present
- Icterus, Clubbing, Cyanosis, Lymphadenopathy, Edema: Absent
- Breast, Thyroid, Spine, Skin: Normal

VITALS

- Pulse rate – 76 beats/min, regular rhythm, normal volume, normal character, no vessel wall thickening and no radio-radial or radio-femoral delay
- Blood pressure – 120/80 mmHg. Taken from left hand in sitting position
- Respiratory rate – 16 cycles/min, thoraco-abdominal type
- Temperature - Afebrile

PER ABDOMEN EXAMINATION

- INSPECTION
- Shape of abdomen- Flat
- Umbilicus: Central and inverted
- All quadrants move equally with respiration
- No scars, sinuses, dilated veins or visible pulsations seen over the abdomen
- Hernial orifices are intact

- PALPATION
- No Local rise of temperature
- Non tender
- A firm, smooth mass, mobile from side to side of 20 weeks of gravid uterus size is felt in the midline
- The upper edge and the two lateral borders are smooth and the lower border is not palpable

PERCUSSION

Dull note is heard over the mass

AUSCULTATION

Normal bowel sounds are heard

No audible bruit

P/V EXAMINATION

Not done

SYSTEMIC EXAMINATION

Cardiovascular system

S1, S2 sounds heard, no murmurs heard

Respiratory system

Normal vesicular sounds heard

No added sounds

Central nervous system

No focal neurological deficit

SUMMARY

A 35 year old lady presents with heavy menstrual bleeding and dysmenorrhea since 3 months.

On examination a firm, non tender mass of 20 weeks gravid uterus size in the midline, mobile from side to side can be palpated. probably a case of Fibroid Uterus.

PROVISIONAL DIAGNOSIS

It is a case of Abnormal Uterine Bleeding probably due to Fibroid (AUB-L)