# CASE PRESENTATION
# **THYROID DISEASE**

Dheemanth U Y
Final year MBBS
CIMS, Chamarajanagar
Core Member – The White Army

# PARTICULARS OF PATIENTS

45 years old lady named XYZ, hailing from Kollegala, Chamarajanagar, who has completed formal education upto $10^{th}$ std belonging to class 3 ( modified BG prasad's classification) & home maker by occupation.

# CHIEF COMPLAINTS

- Swelling in the front  of the neck since 1 year.
- Pain over the swelling since 3 months.
- Slight hoarseness of voice since 2 months.

# HISTORY OF PRESENT ILLNESS

Patient was apparently normal 1 year ago but developed swelling in front & sides of neck which was insidious in onset. Initially increasing slowly in size, but since last 4 months patient noticed that swelling is rapidly increasing in size.

Swelling is associated with pain since 3 months in neck which is dull aching pain over the swelling.

Patient also complains of slight hoarseness of voice since last 2 months.

She has unintentional weight loss where she has lost 12 kg in past 2 months.

No aggravating & relieving factors.

No difficulty in swallowing or breathing.

There are no symptoms such as heat/cold intolerance, tremors, palpitation, anxiety, sleeping difficulties, irritability, frequent perspiration, muscle weakness, lethargy, diarrhea, constipation. No chest pain, breathlessness on exertion.

# PAST HISTORY

No history of radiation exposure in the head, neck & chest region.

No history of bone aches, fractures.

No history of any chronic illnesses.

No known medical illness

No history of surgery, blood transfusion, prolonged hospitalization.

# FAMILY HISTORY

None of her family members suffers from a similar condition. Her mother is well. Her father passed away because of old age. No history of thyroid disorders or malignancies.

# PERSONAL HISTORY

Patient is predominantly vegetarian by diet, normal sleep (6-7 hours) a day, normal appetite, regular bowel & bladder movements.

No habits of alcohol consumption, cigeratte/beedi smoking, betel leaf chewing.

Normally consumes rice & vegetables, occasionally fish. Uses normal salt that is being sold.

# MENSTRUAL HISTORY

She attained menarche at the age of 14 years.

Her menstruation has been irregular for last 2 years missing upto 3 months at times. Her menstruation bleeding lasts only for 2 days where she uses 2 pads per day, not fully soaked.

# DRUG HISTORY

She is not on any medication. There are no drug allergies.

# SUMMARY

A 45 year old lady presented with complaints of swelling in front of neck since 1 year which is rapidly increasing in size since 4 months, dull aching pain over the swelling since 3 months & slight hoarseness of voice since 2 months, with unintentional weight loss of 12 kg in past 2 months. No difficulty in swallowing or breathing, no restlessness, anxiety, diarrhea with **irregular menstruation for last 2 years.** By history, features are pointing towards thyroid disease.

# GENERAL PHYSICAL EXAMINATION

Patient is sitting in bed. She is moderately built, moderately nourished (BMI- 22.5 ), conscious, cooperative, well oriented to time, place & person.

HEAD TO TOE EXAMINATION:

Patient looks calm & relaxed. No peripheral loss of eyebrows, no exophthalmous, no lid retraction or lid lag. Skin is normal.

No signs of pallor, icterus, cyanosis, clubbing, lymphadenopathy, no pretibial edema.

No fine tremors present.

- Temperature – 37 degree C
- Pulse – 88 BPM, regular in rhythm, normal volume. No radio-radial or radio femoral delay.
- Blood pressure – 140/90 mm of hg
- Respiratory rate – 15 breaths per minute

# LOCAL EXAMINATION - NECK

INSPECTION:

- Swelling in front of neck appears to be extending from posterior margin of right sternocleidomastoid to anterior border of left sternocleidomastoid, vertically from the hyoid bone down to the sternal notch.
- It moves with deglutition & doesn’t move with protrusion of tongue.
- Position of trachea cannot be seen.
- No dilated veins over swelling, jugular vein is not distended.

- No surgical scars
- No other skin changes
- No other swelling seen.

PALPATION:

- Position of trachea cannot be appreciated.
- swelling measuring 22*15 cm with smooth surface & firm consistency, well defined edge on left side but not on right side ( irregular). Moves with deglutition. Mobile vertically & laterally, not attached to the overlying skin & underlying structures. Fluctuation negative, not pulsatile, no thrill.

- Carotid pulse is palpable but displaced laterally on right side, but right superficial temporal artery can be felt.
- Right level 2,3,4 lymph nodes are palpable, which are 4 in number, smooth surface, round in shape, firm in consistency, round margins, mobile.

PERCUSSION:

- There is no retrosternal extension of lump

AUSCULTATION:

- There is no bruit heard

Hoarseness of voice present.

# SYSTEMIC EXAMINATION

**RS** : Normal vesicular breath sounds heard

**CVS**: S1 S2 heard. No added sounds or murmurs.

**CNS:** sensory & motor functions intact. Higher mental functions intact.

# SUMMARY

- A 45 year old lady presented with complaints of swelling in front of neck since 1 year which is rapidly increasing since 4 months, dull aching pain over the swelling since 3 months & slight hoarseness of voice since 2 months, with unintentional weight loss of 12 kg in past 2 months with irregular menstruation for last 2 years.
- On examination swelling moves with deglutition, right carotid pulse is displaced laterally, right level 2,3,4 lymph nodes are palpable, 4 in no.

# PROVISIONAL DIAGNOSIS

- Carcinoma thyroid

# INVESTIGATIONS

**Specific investigation**

- FNAC of thyroid nodule & lymph node
- Radioisotope scan
- T3, T4, TSH levels estimation
- Plain X ray
- US neck
- CT neck
- Vocal cord assesment.

**Routine investigations**

- BT, CT
- Blood sugar
- Hb, CBC
- ECG
- LFT, Renal profile

# DIFFERENTIAL DIAGNOSIS

- Carcinoma thyroid
- Colloid goitre