

ASSIGNMENT 14.3

2303A51321

Challa Manmith Vardhan

Batch No-19

Task 1: AI-Assisted Personal Portfolio Website

Scenario

A student wants to showcase academic projects, technical skills, and contact information through a personal portfolio website. AI tools are used to speed up development while maintaining quality and customization.

Tasks

1. Use GitHub Copilot to generate a semantic HTML structure with sections: o Home o About o Projects o Contact
 2. Ask Copilot to suggest responsive CSS using Flexbox or Grid.
 3. Customize AI-generated CSS to add:
 - o Hover effects on project cards
 - o Smooth scrolling navigation
- Expected Outcome
- Clean and well-structured portfolio website
 - Responsive layout for desktop and mobile screens
 - Interactive project cards

PROMPT:

<!--Generate a semantic HTML structure with the following sections: Home- About Projects Contact Then, suggest responsive CSS using Flexbox or Grid for layout.customize the CSS to include:Hover effects on project cards (e.g., scale up slightly, add shadow) Smooth scrolling navigation between sections--!>

<!--Ensure the HTML uses semantic tags (header, nav, section, footer) and the CSS is clean, modern, and responsive.--!>

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Manmith Portfolio</title>

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

html {
  scroll-behavior: smooth;
}
```

```
body {
  font-family: 'Poppins', sans-serif;
  background: linear-gradient(135deg, #0f172a, #020617);
  color: #e2e8f0;
}

/* Navbar */
header {
  position: fixed;
  width: 100%;
  top: 0;
  padding: 18px 60px;
  display: flex;
  justify-content: space-between;
  align-items: center;
  background: rgba(2, 6, 23, 0.7);
  backdrop-filter: blur(12px);
  border-bottom: 1px solid rgba(255,255,255,0.05);
}

.logo {
  font-size: 22px;
  font-weight: 600;
  color: #38bdf8;
}

nav ul {
  display: flex;
  list-style: none;
  gap: 30px;
}

nav a {
  text-decoration: none;
  color: #cbd5f5;
  font-size: 14px;
  transition: 0.3s;
}

nav a:hover {
  color: #38bdf8;
}

/* Hero Section */
#home {
  height: 100vh;
  display: grid;
  place-items: center;
  text-align: center;
  padding: 0 20px;
}

.hero h1 {
  font-size: 48px;
  font-weight: 700;
}
```

```
.hero span {
  color: #38bdf8;
}

.hero p {
  margin-top: 15px;
  font-size: 16px;
  color: #94a3b8;
}

/* Button */
.btn {
  display: inline-block;
  margin-top: 25px;
  padding: 12px 25px;
  border-radius: 25px;
  background: #38bdf8;
  color: #000;
  text-decoration: none;
  font-weight: 500;
  transition: 0.3s;
}

.btn:hover {
  background: #0ea5e9;
}

/* Sections */
section {
  padding: 100px 60px;
}

/* About */
#about {
  max-width: 800px;
}

#about p {
  margin-top: 10px;
  color: #94a3b8;
}

/* Skills */
.skills {
  display: flex;
  flex-wrap: wrap;
  gap: 12px;
  margin-top: 20px;
}

.skill {
  padding: 10px 18px;
  background: #1e293b;
  border-radius: 8px;
  transition: 0.3s;
}

.skill:hover {
```

```
    background: #38bdf8;
    color: #000;
}

/* Projects */
.project-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(260px, 1fr));
    gap: 25px;
    margin-top: 25px;
}

.card {
    background: #020617;
    padding: 20px;
    border-radius: 12px;
    border: 1px solid rgba(255,255,255,0.05);
    transition: 0.3s;
}

.card:hover {
    transform: translateY(-10px);
    box-shadow: 0 15px 30px rgba(56,189,248,0.2);
}

.card h3 {
    color: #38bdf8;
}

/* Contact */
#contact p {
    margin-top: 10px;
    color: #94a3b8;
}

/* Footer */
footer {
    text-align: center;
    padding: 20px;
    font-size: 14px;
    color: #64748b;
}

/* Responsive */
@media(max-width:768px){
    header {
        flex-direction: column;
        gap: 10px;
    }

    nav ul {
        flex-direction: column;
        align-items: center;
    }

    .hero h1 {
        font-size: 30px;
    }
}
```



```

    section {
        padding: 80px 20px;
    }
}
</style>
</head>

<body>

<header>
    <div class="logo">Manmith</div>
    <nav>
        <ul>
            <li><a href="#home">Home</a></li>
            <li><a href="#about">About</a></li>
            <li><a href="#skills">Skills</a></li>
            <li><a href="#projects">Projects</a></li>
            <li><a href="#contact">Contact</a></li>
        </ul>
    </nav>
</header>

<section id="home">
    <div class="hero">
        <h1>Hi, I'm <span>Manmith Vardhan Challa</span></h1>
        <p>Computer Science Engineering Student</p>
        <p>Focused on Data Mining, Problem Solving & Building Smart Systems</p>
        <a href="#projects" class="btn">View My Work</a>
    </div>
</section>

<section id="about">
    <h2>About Me</h2>
    <p>
        I am a 3rd-year Computer Science Engineering student at SR University.
        I enjoy building practical projects, especially in data mining and recommendation
        systems.
        I continuously explore new technologies and improve my problem-solving skills.
    </p>
</section>

<section id="skills">
    <h2>Skills</h2>
    <div class="skills">
        <div class="skill">HTML</div>
        <div class="skill">CSS</div>
        <div class="skill">JavaScript</div>
        <div class="skill">Python</div>
        <div class="skill">C</div>
        <div class="skill">Data Mining</div>
    </div>
</section>

<section id="projects">
    <h2>Projects</h2>
    <div class="project-grid">
        <div class="card">

```

```

        <h3>Recommendation System</h3>
        <p>Built using social media data to suggest products.</p>
    </div>

    <div class="card">
        <h3>Portfolio Website</h3>
        <p>Responsive personal portfolio using modern UI.</p>
    </div>

    <div class="card">
        <h3>Data Analysis</h3>
        <p>Extracted insights from datasets using Python.</p>
    </div>
</div>
</section>


<section id="contact">
    <h2>Contact</h2>
    <p>Email: your@email.com</p>
</section>

<footer>
    <p>© 2026 Manmith Vardhan Challa</p>
</footer>

</body>
</html>

```

OUTPUT:



Task 2: AI-Generated Restaurant Landing Page

Scenario

A local restaurant requires a simple yet attractive landing page to display its offerings. The developer uses AI assistance to rapidly generate UI components.

Tasks

1. Use Copilot to create a navigation bar with links:
 - o Home o Menu o Gallery
 - o Contact
2. Generate a menu section styled with CSS cards.
3. Implement a JavaScript-based image slider for the gallery using Copilot suggestions.
4. Customize animations or transitions for better user experience. Expected Outcome

Outcome

- Fully functional restaurant landing page
- Responsive navigation bar
- Working image slider with smooth transitions

PROMPT:

<!-- create a basic HTML5 structure for a restaurant landing page -->

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>SAP Spice Heaven</title>

<style>
*{margin:0;padding:0;box-sizing:border-box;}

body{
  font-family:'Poppins',sans-serif;
  background:#0f172a;
  color:#fff;
}

/* NAVBAR */
header{
  padding:15px 50px;
  background:#020617;
  display:flex;
  justify-content:space-between;
  align-items:center;
}

nav ul{
  display:flex;
  gap:25px;
  list-style:none;
}
```

```
nav a{
  color:#cbd5e1;
  text-decoration:none;
  transition:0.3s;
}

nav a:hover{
  color:#f97316;
}

/* HERO */
#home{
  height:90vh;
  background:url('https://images.unsplash.com/photo-1504674900247-0877df9cc836') center/cover;
  display:flex;
  align-items:center;
  justify-content:center;
  text-align:center;
}

.hero{
  background:rgba(0,0,0,0.6);
  padding:30px;
  border-radius:10px;
}

.hero h1{
  color:#f97316;
  font-size:40px;
}

.hero p{
  margin-top:10px;
  color:#e2e8f0;
}

/* MENU */
#menu{
  padding:60px;
}

.menu-grid{
  display:grid;
  grid-template-columns:repeat(auto-fit,minmax(250px,1fr));
  gap:20px;
  margin-top:20px;
}

.menu-card{
  background:#1e293b;
  border-radius:10px;
  overflow:hidden;
  transition:0.3s;
}

.menu-card img{
  width:100%;
  height:160px;
```

```
    object-fit:cover;
}

.menu-card:hover{
    transform:scale(1.05);
    box-shadow:0 10px 20px rgba(0,0,0,0.5);
}

.menu-card h3{
    padding:10px;
}

.price{
    color:#f97316;
    padding:0 10px 10px;
}

/* GALLERY */
#gallery{
    padding:60px;
    text-align:center;
}

.slider img{
    width:100%;
    max-width:500px;
    border-radius:10px;
    transition:0.5s;
}

button{
    margin:10px;
    padding:8px 15px;
    border:none;
    background:#f97316;
    cursor:pointer;
    border-radius:5px;
}

/* CONTACT */
#contact{
    padding:60px;
    text-align:center;
}

/* FOOTER */
footer{
    text-align:center;
    padding:15px;
    background:#020617;
    color:#94a3b8;
}

/* RESPONSIVE */
@media(max-width:768px){
    header{
        flex-direction:column;
        gap:10px;
    }
}
```

```
}

nav ul{
  flex-direction:column;
  align-items:center;
}
}
</style>
</head>

<body>

<header>
  <h2>S-A-P Spice Heaven</h2>
  <nav>
    <ul>
      <li><a href="#home">Home</a></li>
      <li><a href="#menu">Menu</a></li>
      <li><a href="#gallery">Gallery</a></li>
      <li><a href="#contact">Contact</a></li>
    </ul>
  </nav>
</header>

<section id="home">
  <div class="hero">
    <h1>Welcome to S-A-P Spice Heaven</h1>
    <p>Where Spice Meets Passion 🌶️</p>
  </div>
</section>

<section id="menu">
  <h2>Popular Dishes</h2>
  <div class="menu-grid">

    <div class="menu-card">
      
      <h3>Pizza</h3>
      <p class="price">₹299</p>
    </div>

    <div class="menu-card">
      
      <h3>Burger</h3>
      <p class="price">₹199</p>
    </div>

    <div class="menu-card">
      
      <h3>Pasta</h3>
      <p class="price">₹249</p>
    </div>

    <div class="menu-card">
      
      <h3>Dessert</h3>
      <p class="price">₹149</p>
    </div>

  </div>
</section>
```

```

    </div>
</section>

<section id="gallery">
    <h2>Gallery</h2>
    <div class="slider">
        
    </div>
    <br>
    <button onclick="prev()">Prev</button>
    <button onclick="next()">Next</button>
</section>

<section id="contact">
    <h2>Contact Us</h2>
    <p>Email: sapspaceheaven@email.com</p>
</section>

<footer>
    <p>© 2026 S-A-P Spice Heaven</p>
</footer>

<script>
let images = [
    "https://images.unsplash.com/photo-1546069901-ba9599a7e63c",
    "https://images.unsplash.com/photo-1551782450-a2132b4ba21d",
    "https://images.unsplash.com/photo-1473093295043-cdd812d0e601"
];

let i=0;


function next(){
    i=(i+1)%images.length;
    document.getElementById("slide").src=images[i];
}

function prev(){
    i=(i-1+images.length)%images.length;
    document.getElementById("slide").src=images[i];
}
</script>

</body>
</html>

```

OUTPUT:



Task 3: AI-Powered Event Registration Form

Scenario

SR University is hosting a technical fest and requires an online registration form with real-time validation to ensure accurate user input.

Tasks

1. Ask Copilot to generate an HTML form with the following fields:

- o Name
- o Email
- o Phone Number
- o Department
- o

Event Selection

2. Use AI assistance to style the form using CSS for readability and accessibility.

3. Implement JavaScript validation using Copilot: o Email format validation o Phone number length validation o Required field checks Expected Outcome

- User-friendly and visually appealing form
- Real-time validation messages
- Prevention of invalid submissions'

PROMPT:

<!--Create an online registration form for SR University's technical fest with fields for Name, Email, Phone Number, Department, and Event Selection; style the form using CSS for readability and accessibility; implement JavaScript validation for email format, phone number length, and

required field checks; ensure real-time validation messages and prevention of invalid submissions so the form is user-friendly, visually appealing, and fully functional. -->

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>SR University Tech Fest</title>

<style>
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
}

body{
    font-family:'Segoe UI',sans-serif;
    background:linear-gradient(135deg,#0f172a,#1e3a8a);
    display:flex;
    justify-content:center;
    align-items:center;
    height:100vh;
}

/* FORM BOX */
.container{
    background:#020617;
    padding:30px;
    border-radius:12px;
    width:100%;
    max-width:420px;
    box-shadow:0 15px 40px rgba(0,0,0,0.6);
    text-align:center;
}

/* LOGO */
.logo{
    width:160px;
    margin-bottom:10px;
}

/* TITLE */
h2{
    color:#38bdf8;
    margin-bottom:20px;
}

/* INPUT GROUP */
.input-group{
    text-align:left;
    margin-bottom:15px;
}

label{
```

```

    font-size:14px;
    color:#cbd5e1;
}

input, select{
    width:100%;
    padding:10px;
    margin-top:5px;
    border:none;
    border-radius:6px;
    outline:none;
}

/* ERROR */
.error{
    font-size:12px;
    color:#f87171;
}

/* BUTTON */
button{
    width:100%;
    padding:12px;
    background:#38bdf8;
    border:none;
    border-radius:8px;
    font-weight:bold;
    cursor:pointer;
    margin-top:10px;
    transition:0.3s;
}

button:hover{
    background:#0ea5e9;
}

/* SUCCESS */
.success{
    color:#4ade80;
    margin-top:10px;
}
</style>
</head>

<body>

<div class="container">

    <!-- ✅ WORKING LOGO (no path issues) -->
    

    <h2>Tech Fest Registration</h2>

    <form id="form">

        <div class="input-group">
            <label>Name</label>

```

```

        <input type="text" id="name">
        <div class="error" id="nameError"></div>
    </div>

    <div class="input-group">
        <label>Email</label>
        <input type="text" id="email">
        <div class="error" id="emailError"></div>
    </div>

    <div class="input-group">
        <label>Phone Number</label>
        <input type="text" id="phone">
        <div class="error" id="phoneError"></div>
    </div>

    <div class="input-group">
        <label>Department</label>
        <select id="dept">
            <option value="">Select</option>
            <option>CSE</option>
            <option>ECE</option>
            <option>EEE</option>
            <option>MECH</option>
        </select>
        <div class="error" id="deptError"></div>
    </div>

    <div class="input-group">
        <label>Event</label>
        <select id="event">
            <option value="">Select</option>
            <option>Hackathon</option>
            <option>Tech Quiz</option>
            <option>Coding Contest</option>
        </select>
        <div class="error" id="eventError"></div>
    </div>

    <button type="submit">Register</button>
    <div class="success" id="success"></div>

</form>
</div>

<script>
document.getElementById("form").addEventListener("submit", function(e){
    e.preventDefault();

    let valid = true;

    document.querySelectorAll(".error").forEach(e=>e.innerText="");
    document.getElementById("success").innerText="";

    let name = document.getElementById("name").value.trim();
    let email = document.getElementById("email").value.trim();
    let phone = document.getElementById("phone").value.trim();
    let dept = document.getElementById("dept").value;

```

```
let event = document.getElementById("event").value;

if(name===""){
    document.getElementById("nameError").innerText="Name required";
    valid=false;
}

let emailPattern=/^[^ ]+@[^ ]+\.[a-z]{2,3}$/;
if(email===""){
    document.getElementById("emailError").innerText="Email required";
    valid=false;
} else if(!email.match(emailPattern)){
    document.getElementById("emailError").innerText="Invalid email";
    valid=false;
}

if(phone===" " || phone.length!=10 || isNaN(phone)){
    document.getElementById("phoneError").innerText="Enter 10-digit number";
    valid=false;
}


if(dept===""){
    document.getElementById("deptError").innerText="Select department";
    valid=false;
}

if(event===""){
    document.getElementById("eventError").innerText="Select event";
    valid=false;
}

if(valid){
    document.getElementById("success").innerText="Registration Successful!";
    document.getElementById("form").reset();
}
});
</script>

</body>
</html>
```

OUTPUT:



Task 4: AI-Assisted E-Commerce Product Page

Scenario

A startup is developing a basic e-commerce product page to showcase products and manage simple cart functionality.

Tasks

1. Use Copilot to generate a grid-based product catalog using HTML and CSS.
2. Implement an “Add to Cart” feature using JavaScript.
3. Modify AI-generated code to include:
 - o Cart item counter at the top-right corner
 - o Visual feedback when a product is added

Expected Outcome

- Functional product catalog
- Working cart counter
- Interactive user experience

PROMPT: <!--Create a basic e-commerce product page with a grid-based product catalog using HTML and CSS, implement an “Add to Cart” feature with JavaScript, include a cart item counter at the top- right corner, and provide visual feedback when a product is added; ensure the catalog is functional, the cart counter works correctly, and the overall user experience is interactive and responsive.

-->

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>NovaCart</title>

<style>
*{margin:0;padding:0;box-sizing:border-box;}

body{
  font-family:'Poppins',sans-serif;
  background:linear-gradient(135deg,#0f172a,#1e293b);
  color:#fff;
}

header{
  padding:20px 40px;
  display:flex;
  justify-content:space-between;
  align-items:center;
  background:rgba(255,255,255,0.05);
}

.logo{
  font-size:22px;
  font-weight:bold;
  color:#38bdf8;
}

.cart{
  position:relative;
  font-size:20px;
}

.cart-count{
  position:absolute;
  top:-10px;
  right:-12px;
  background:#ef4444;
  padding:4px 7px;
  border-radius:50%;
  font-size:12px;
}

.hero{
  text-align:center;
  padding:40px;
}

.container{
  padding:30px;
}

.grid{
  display:grid;
  grid-template-columns:repeat(auto-fit,minmax(250px,1fr));
```

```

    gap:25px;
}

.card{
    background: rgba(255,255,255,0.05);
    border-radius:15px;
    padding:15px;
    backdrop-filter:blur(12px);
    transition:0.3s;
}

.card:hover{
    transform:translateY(-10px);
}

.card img{
    width:100%;
    height:180px;
    object-fit:cover;
    border-radius:10px;
}

.price{
    color:#38bdf8;
    font-weight:bold;
}

button{
    margin-top:10px;
    padding:10px;
    width:100%;
    border:none;
    border-radius:10px;
    background:#38bdf8;
    cursor:pointer;
}

.added{
    background:#22c55e !important;
}
</style>
</head>

<body>

<header>
    <div class="logo">NovaCart 🛒</div>
    <div class="cart">
        🛒
        <span class="cart-count" id="cartCount">0</span>
    </div>
</header>

<section class="hero">
    <h1>Premium Products. Better Experience.</h1>
    <p>Shop smart. Shop fast.</p>
</section>

```

```

<div class="container">
  <div class="grid">

    <!-- ✅ SHOES (FIXED) -->
    <div class="card">
      
      <h3>Running Shoes</h3>
      <p class="price">₹2499</p>
      <button onclick="addToCart(this)">Add to Cart</button>
    </div>

    <!-- ✅ PHONE -->
    <div class="card">
      
      <h3>Smartphone</h3>
      <p class="price">₹14999</p>
      <button onclick="addToCart(this)">Add to Cart</button>
    </div>

    <!-- ✅ HEADPHONES (FIXED) -->
    <div class="card">
      
      <h3>Headphones</h3>
      <p class="price">₹1999</p>
      <button onclick="addToCart(this)">Add to Cart</button>
    </div>

    <!-- ✅ WATCH -->
    <div class="card">
      
      <h3>Smart Watch</h3>
      <p class="price">₹2999</p>
      <button onclick="addToCart(this)">Add to Cart</button>
    </div>

  </div>
</div>

<script>
let count = 0;

function addToCart(btn){
  count++;
  document.getElementById("cartCount").innerText = count;

  btn.innerText = "Added ✅";
  btn.classList.add("added");


  setTimeout(()=>{
    btn.innerText = "Add to Cart";
    btn.classList.remove("added");
  },1200);
}
</script>

```



```
</body>
</html>
```

OUTPUT:



Task 5: Create a Responsive Web Page Layout

Instructions:

- Design a basic web page layout with a header, main content area, and footer using HTML and CSS.
- Use AI to assist in generating responsive CSS for different screen sizes.
- Ensure the layout is clean and visually organized.

Expected Output:

- A responsive web page with:
- Header with navigation links
- Main section with placeholder text/images
- Footer with copyright or contact info
- Layout adapts correctly to desktop, tablet, and mobile screen sizes.

Note: Report should be submitted as a word document for all tasks in a single document with prompts, comments C code explanation, and output and if required, screenshots.

PROMPT:

<!--Design a basic web page layout with a header containing navigation links, a main content area with placeholder text and images, and a footer with copyright or contact info; use HTML and CSS with responsive styling for desktop, tablet, and mobile screen sizes; ensure the layout

is clean, visually organized, and adapts correctly across devices with smooth readability and accessibility. English -->

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Innovative Layout</title>

<style>
*{
    margin:0;
    padding:0;
    box-sizing:border-box;
}

body{
    font-family:'Poppins',sans-serif;
    background:linear-gradient(135deg,#0f172a,#1e293b);
    color:#fff;
}

/* HEADER */
header{
    display:flex;
    justify-content:space-between;
    align-items:center;
    padding:15px 40px;
    background:rgba(255,255,255,0.05);
    backdrop-filter:blur(10px);
}

.logo{
    font-size:22px;
    color:#38bdf8;
    font-weight:bold;
}

nav ul{
    display:flex;
    list-style:none;
    gap:20px;
}

nav a{
    color:#cbd5e1;
    text-decoration:none;
}

nav a:hover{
    color:#38bdf8;
}

/* HERO */
.hero{
```

```
    text-align:center;
    padding:40px 20px;
}

.hero h1{
    font-size:36px;
}

.hero p{
    color:#94a3b8;
    margin-top:10px;
}

/* MAIN GRID */
.container{
    padding:30px;
    display:grid;
    grid-template-columns:2fr 1fr;
    gap:20px;
}

/* LEFT CONTENT */
.main{
    display:grid;
    grid-template-columns:repeat(auto-fit,minmax(200px,1fr));
    gap:20px;
}

.card{
    background:rgba(255,255,255,0.05);
    padding:20px;
    border-radius:12px;
    backdrop-filter:blur(12px);
    transition:0.3s;
}

.card:hover{
    transform:translateY(-8px);
    box-shadow:0 15px 25px rgba(0,0,0,0.4);
}

.card img{
    width:100%;
    border-radius:10px;
    margin-bottom:10px;
}

/* SIDEBAR */
.sidebar{
    background:rgba(255,255,255,0.05);
    padding:20px;
    border-radius:12px;
}

.sidebar h3{
    margin-bottom:10px;
    color:#38bdf8;
}
```

```

/* FOOTER */
footer{
    text-align:center;
    padding:15px;
    background:#020617;
    margin-top:20px;
}

/* TABLET */
@media(max-width:900px){
    .container{
        grid-template-columns:1fr;
    }
}

/* MOBILE */
@media(max-width:600px){
    header{
        flex-direction:column;
        gap:10px;
    }

    nav ul{
        flex-direction:column;
        align-items:center;
    }

    .hero h1{
        font-size:26px;
    }
}
</style>
</head>

<body>

<header>
    <div class="logo">InnovativeUI 🚀</div>
    <nav>
        <ul>
            <li><a href="#">Home</a></li>
            <li><a href="#">Features</a></li>
            <li><a href="#">Gallery</a></li>
            <li><a href="#">Contact</a></li>
        </ul>
    </nav>
</header>

<section class="hero">
    <h1>Next-Gen Responsive Layout</h1>
    <p>Modern design. Smooth experience. Fully responsive.</p>
</section>

<div class="container">

    <!-- MAIN CONTENT -->
    <div class="main">

```

```
<div class="card">
  
  <h3>Web Development</h3>
  <p>Build modern and scalable web applications.</p>
</div>

<div class="card">
  
  <h3>AI Integration</h3>
  <p>Enhance apps using artificial intelligence.</p>
</div>

<div class="card">
  
  <h3>Team Collaboration</h3>
  <p>Work efficiently with modern tools.</p>
</div>

</div>

<!-- SIDEBAR -->
<div class="sidebar">
  <h3>Quick Info</h3>
  <p>✓ Fully Responsive</p>
  <p>✓ Clean UI</p>
  <p>✓ Modern Design</p>

  <br>
  <h3>Contact</h3>
  <p>Email: info@site.com</p>
</div>

</div>

<footer>
  <p>© 2026 InnovativeUI | All Rights Reserved</p>
</footer>

</body>
</html>
```

OUTPUT:

