

Evaluation of German NER Tools on Medical Admission Notes

AP: NER tools for German medical text SoSe 2017

Ph. Richter-Pechanski

September 20, 2017

- 1 Introduction
 - Problem Definition
- 2 Data & Tools
 - Tools
 - Training data
 - MEDICATION Class
 - Test Data
- 3 Training and Experiments
- 4 Evaluation
- 5 Summary

In comparison to other domains, named entity recognition (NER) on German medical texts is still an almost unexplored research area.
(*Sterlinger 2016*)

Reasons for that are:

- Lack of shared medical corpora, as they must be anonymized first
- Lack of annotated corpora
- Still just a few cooperations between medical and computer science institutions

Additionally there are some major challenges in research on medical texts:

- Medical texts are free texts

Additionally there are some major challenges in research on medical texts:

- Medical texts are free texts
- Occasionally even hand-written

Additionally there are some major challenges in research on medical texts:

- Medical texts are free texts
- Occasionally even hand-written
- Sometimes semi-structured

Additionally there are some major challenges in research on medical texts:

- Medical texts are free texts
- Occasionally even hand-written
- Sometimes semi-structured
- Contain non-standardized and ambiguous abbreviations

Additionally there are some major challenges in research on medical texts:

- Medical texts are free texts
- Occasionally even hand-written
- Sometimes semi-structured
- Contain non-standardized and ambiguous abbreviations
- Varying and sometimes even locally specific terminology

This project investigated German NER tools and their performance on medical texts.

Following steps had been accomplished:

- Evaluation of state of the art NER tools for German

This project investigated German NER tools and their performance on medical texts.

Following steps had been accomplished:

- Evaluation of state of the art NER tools for German
- Comparison of their performance on out-of-domain data sets

This project investigated German NER tools and their performance on medical texts.

Following steps had been accomplished:

- Evaluation of state of the art NER tools for German
- Comparison of their performance on out-of-domain data sets
- Evaluation of NER tools trained on out-of-domain corpora on available German medical texts

- Previous work showed that the Stanford NER tool performed best on out-of-domain data sets (*Richter-Pechanski 2017*)
- Today we focus on evaluation of this tool on medical admission notes

- Python 3 (comfortable handling of UTF-8 text)
- German Stanford NER (*Pado 2010*)
- Stanford PTBTokenizer (Tokenizing the medical texts)
- Bash tools for preprocessing and corpus analysis
- `extract_corpus.py` (Create new corpus from GermaEval, CoNLL and EP and mixes in medical entities)
- `evaluation.py` (Evaluation script using Scikit Learn library)
- several converter scripts, for converting GermEval, CoNLL and European Parliament data into Stanford NER compatible data

Non-medical Training Data

- Bypassing lack of annotated medical texts by using out-of-domain data

Non-medical Training Data

- Bypassing lack of annotated medical texts by using out-of-domain data
- Combining existing data sets to get larger training sets.

Non-medical Training Data

- Bypassing lack of annotated medical texts by using out-of-domain data
- Combining existing data sets to get larger training sets.
- Two German training corpora typically used in German NER research plus one manually annotated corpus. (total: around 720.000 tokens)
 - CoNLL 2003
 - GermEval 2014
 - European Parliament

Non-medical Training Data

- Bypassing lack of annotated medical texts by using out-of-domain data
- Combining existing data sets to get larger training sets.
- Two German training corpora typically used in German NER research plus one manually annotated corpus. (total: around 720.000 tokens)
 - CoNLL 2003
 - GermEval 2014
 - European Parliament
- As named entity classes we adapted the classes used in the CoNLL 2003 corpus. (excluding MISC class)

Non-medical Training Data

- Bypassing lack of annotated medical texts by using out-of-domain data
- Combining existing data sets to get larger training sets.
- Two German training corpora typically used in German NER research plus one manually annotated corpus. (total: around 720.000 tokens)
 - CoNLL 2003
 - GermEval 2014
 - European Parliament
- As named entity classes we adapted the classes used in the CoNLL 2003 corpus. (excluding MISC class)

LOC	Locations
ORG	Organizations
PER	Persons

Table: Named entity classes

MEDICATION Class

- As a sub-task we mixed in a list of drugs often used in cardiology
- Randomly inserted fixed amount of drugs **without semantic context** into the data set and annotated these as 'MEDICATION'

Example extract with MEDICATION class

Barack	LOC
Obama	LOC
erhält	O
Aspirin	MEDICATION
Friedensnobelpreis	MISC
.	O

Table: MEDICATION entity token including class label

Our medical data in this project consists of medical admission notes.

- Contain texts from cardiology domain

Our medical data in this project consists of medical admission notes.

- Contain texts from cardiology domain
- Let us have a look at an example

How does a Medical admission note look like?

Sehr geehrte Kollegen,

wir berichten über Ihre Patientin <PER>, geboren am <DATE>, wh. <LOC>, die sich am <DATE> in unserer Ambulanz vorstellte.

Diagnosen:

Aktuell: Operabilität mit leicht erhöhtem Risiko gegeben

Z.n. 2x Herzkatheter-Untersuchung, zuletzt <DATE> (anamnestisch

Z.n. HWS-Eingriff <DATE> (<LOC>), Versuch der Stabilisierung

Anamnestisch OP bei intracranieller Blutung <DATE>

Anamnese:

Die Vorstellung der Patientin erfolgte zur präoperativen kardiologischen Abklärung vor geplanter HWS-Operation. Die Patientin berichtet von reduzierter ...

Kardiovaskuläre Risikofaktoren: Arterielle Hypertonie, Nikotin (sistiert vor 20 Jahren, 2PY), ...

Following basic structure in majority of notes

- Header
 - Addressee
 - Sender
 - Patients name and address
- Salutation

Additionally, not always in same order, following subsections appear in a majority of notes:

Additionally, not always in same order, following subsections appear in a majority of notes:

- Diagnosis
- Cardiovascular risk factors
- Allergies
- Anamnese
- Physical examination (Körperlicher Untersuchungsbefund)
- Laboratory data (some in tabular structure)
- ECG
- Recommended therapy
- Summary

Charecteristics of medical admission notes

- Amount of text varying a lot

Charecteristics of medical admission notes

- Amount of text varying a lot
- Sometimes free unstructured text, sometimes tables

Charecteristics of medical admission notes

- Amount of text varying a lot
- Sometimes free unstructured text, sometimes tables
- Often subsections are titled differently, but contain similar informations

Charecteristics of medical admission notes

- Amount of text varying a lot
- Sometimes free unstructured text, sometimes tables
- Often subsections are titled differently, but contain similar informations
- Concluded by salutation and names of involved physicians.

- Time period: 2004-2016
- Total amount of notes: 180 000
- Total amount of tokens: 132 *Million*

- Trained three NER models

	LOC	ORG	PER	MEDICATION
ConLL2003+GermEval+EP	18.131	14.303	17.036	2.808
GermaEval+EP	12.892	10.061	12.541	2.808
ConLL2003+EP	5.340	4.414	4.613	2.808

Table: Amount of entity tokens in training set incl. MEDICATION entities

- No automatic evaluation because no annotated data available

- No automatic evaluation because no annotated data available
- Manually annotated one admission note with our four NE classes

- No automatic evaluation because no annotated data available
- Manually annotated one admission note with our four NE classes
- Test data contains 1.049 tokens


- No automatic evaluation because no annotated data available
- Manually annotated one admission note with our four NE classes
- Test data contains 1.049 tokens

LOC	ORG	PER	MEDICATION
18	25	22	9


Table: Absolute number of tokens per class in test set

- Used scores are precision and recall with macro average
- Evaluation is token-wise not entity-wise, due to limited data

Evaluation Macro Average



Evaluation per NE



- PER class recognition outperforms all other NEs

- PER class recognition outperforms all other NEs
- LOC and MEDICATION recognition as well reasonable performance

- PER class recognition outperforms all other NEs
- LOC and MEDICATION recognition as well reasonable performance
- ORG recognition score in two data sets very low

Possible explanations for scores:

- PER entities look similar in test and trainings set

Possible explanations for scores:

- PER entities look similar in test and trainings set
- LOC entities are similar to a lesser extend

Possible explanations for scores:

- PER entities look similar in test and trainings set
- LOC entities are similar to a lesser extend
- ORG entities have different shape in newspaper texts and medical texts

- Out-of-domain trained NER models have reasonable performance on medical texts

- Out-of-domain trained NER models have reasonable performance on medical texts
- Further research and annotation work on medical texts is needed

- Out-of-domain trained NER models have reasonable performance on medical texts
- Further research and annotation work on medical texts is needed
- To do meaningful information extraction data need to be anonymized

- Out-of-domain trained NER models have reasonable performance on medical texts
- Further research and annotation work on medical texts is needed
- To do meaningful information extraction data need to be anonymized
- Goal is to keep as much as possible semantic and syntactic structure

- Out-of-domain trained NER models have reasonable performance on medical texts
- Further research and annotation work on medical texts is needed
- To do meaningful information extraction data need to be anonymized
- Goal is to keep as much as possible semantic and syntactic structure
- My BA thesis will implement an Anonymizer based on *Yuwono/TouNg* and the NER model trained in this project

- Yuwono, Steven Kester and Ng, Hwee Tou (2016):
Automated Anonymization as Spelling Variant Detection.
- Starlinger, Johannes and Kittner, Madeleine and Blankenstein, Oliver (2016):
How to improve information extraction from German medical records.
- Richter-P., Phillip (2017):
Evaluation of German Named Entity Recognition Tools,
https://github.com/MaviccPRP/ger_ner_evals/.

Acknowledgments

- Section of Bioinformatics and Systems Cardiology at the Klaus Tschira Institute for Integrative Computational Cardiology under the supervision of Christoph Dieterich
- Database Systems Research Group at the Heidelberg University supervised by Michael Gertz

Thank you!