

The Coleman Conjecture: Kakeya geometry as a necessary precursor of Riemann critical-line control

Manuel Coleman

Love Labs LCA / PeAIce Research Program

coleman.manuel23@gmail.com

Manuscript draft · N-reading only · RH OPEN · Coleman OPEN · sufficiency CLOSED · $h < 1$ · export 2026-07-08

Proposed arXiv categories: math.NT (primary) · math.CA (cross-list, proposed)

MSC 2020: 11M26, 42B25, 42B20, 11N05

Keywords: Coleman Conjecture, Riemann hypothesis, Kakeya, restriction, decoupling, zero-density, Lindelöf, prime-carrying operators

Abstract

We introduce and rigorize the Coleman Conjecture: the proposal that Kakeya–Besicovitch geometric structure is a necessary precursor—prior in the dependency order—of any control of the nontrivial zeros of the Riemann zeta function that reaches the critical line, rather than a sufficient condition for the Riemann hypothesis. We prove a packaging theorem (the sufficiency trap): with the Kakeya set conjecture in R^3 now a theorem, the reading “Kakeya(R^3) $\Rightarrow$ RH” either proves RH or merely relabels the missing proof. We record the established incidence $\rightarrow$ restriction/decoupling $\rightarrow$ large-values $\rightarrow$ zero-density tower, whose outputs are bounds (culminating in Lindelöf-type ceilings), not exact zero locations. We then state two non-sufficient forms: an invariant form (existence of a faithful shared invariant κ whose extremal value is equivalent to RH) and a construction form (any self-adjoint realization of Ξ by a ζ -regularized determinant must be built on Kakeya-type incidence data, and after the closed square-difference determinant corridor must be prime-carrying). Open problems and falsifiers are listed. The Riemann hypothesis and the Coleman Conjecture remain OPEN. No proof is claimed.

1. Two readings of antecedence

STATUS: Reading (S) CLOSED as packaging. Reading (N) is PROPOSED / OPEN.

Reading (S) — sufficient condition: Kakeya-type structure is the hypothesis of an implication that yields RH.

Reading (N) — necessary precursor: Kakeya-type control is prior in the dependency order of any route that meaningfully constrains the zeros; not a package that by itself proves RH.

Coleman Conjecture (N-form): Kakeya–Besicovitch incidence geometry is a necessary structural layer for zero-facing routes that reach exact critical-line control. The conjecture does NOT assert Kakeya(R^3) $\Rightarrow$ RH.

2. The sufficiency trap — FORMAL

Theorem (Sufficiency trap). Let $K\blacksquare$ be the Kakeya set theorem in R^3 (Wang–Zahl). Asserting $K\blacksquare \Rightarrow$ RH either is unproven and at least as hard as RH, or is RH under a geometric label. In neither case does reading (S) carry information distinct from RH.

Corollary: Reading (S) is CLOSED-NEGATIVE as research packaging of RH. Non-trivial content requires reading (N).

3. Dependency tower and Lindelöf ceiling — KNOWN / OPEN reverse

Tower: incidence/tube geometry $\rightarrow$ Kakeya/Besicovitch maximal phenomena $\rightarrow$ Fourier restriction / $\mathbb{N}^2$ -decoupling $\rightarrow$ Dirichlet-polynomial large values $\rightarrow$ zeta growth & zero-density $N(\sigma, T) \rightarrow$ partial zero-free regions.

Rungs are theorem-background (Bourgain; Bourgain–Demeter–Guth; Guth–Maynard $N(\sigma, T) \ll T^{\frac{1}{2}(1-\sigma)+o(1)}$).

Every rung produces bounds, not exact zero locations. $RH \Rightarrow LH \Rightarrow$ Density Hypothesis (KNOWN forward). Reverse implications including $LH \Rightarrow RH$ remain OPEN.

Thus Kakeya is vindicated as methodological antecedent of bound-type control and refuted as sufficient for the critical line.

4. Invariant form — PROPOSED / OPEN core

Definition (shared invariant κ , schematic) — PROPOSED: a real parameter intended to encode simultaneously an optimal Kakeya/restriction exponent and a zero-density exponent A in $N(\sigma, T) \ll T^{A(1-\sigma)+\varepsilon}$. Normalization unspecified (OP1).

Conjecture (invariant form) — PROPOSED: $\kappa = \kappa^* \Leftrightarrow RH$ for some faithful normalization.

Proposition (forward) — KNOWN under RH: tower exponents collapse to extremal values.

Conjecture (reverse) — OPEN, RH-hard: $\kappa = \kappa^* \Rightarrow RH$.

Proposition (faithfulness obstruction) — FORMAL: if κ is pure bound-type, reverse becomes “bound-type extremality $\Rightarrow RH$,” not granted by known math. A faithful κ must see exact zero locations, not merely density.

5. Construction form and closed corridors

Conjecture (construction form) — PROPOSED: any self-adjoint operator B with $\det_{\zeta}(B - z) = C \cdot \Xi(z)$ must be built on Kakeya-type incidence data.

A determinant identity pins exact zeros of Ξ , the surplus demanded by faithfulness.

Square-difference corridor $K_{\sigma}(m, n) = |m^2 - n^2|^{\frac{1}{2}(1-\sigma)}$: CLOSED-NEGATIVE (program) for determinant-level identification with Ξ and Riemann–von Mangoldt counting.

Surviving route — PROPOSED/OPEN: prime-carrying data (lengths $\log p^k$, weights $\Lambda(p^k)p^{-k/2}$, archimedean density $T \log T$, self-adjointness).

Companion notes: ARX-001 Grain Zero residual; ARX-002 KNS(LB) non-inference firewall. Neither proves RH or CC.

6. Open problems

OP1 — Existence of faithful κ (OPEN).

OP2 — Reverse implication $\kappa = \kappa^* \Rightarrow RH$ (OPEN, RH-hard).

OP3 — Prime-carrying realization of $\det_{\zeta}(B - z) = C \cdot \Xi(z)$ (OPEN, RH-hard).

OP4 — Ceiling as theorem: which bound-type statements can/cannot imply RH (OPEN).

7. Falsifiers

F1 — κ -extremal configuration with a zero off the critical line.

F2 — Self-adjoint realization of Ξ with no Kakeya-type incidence data.

F3 — Bound-type methods past Lindelöf reach RH (forces revision of framing).

F4 — Proof of $LH \Rightarrow RH$ collapses naive faithfulness obstruction (independent revolution).

8. Status summary

Takeya R^3 theorem: KNOWN background. Dependency tower: KNOWN. CC as $K \blacksquare \Rightarrow RH$: CLOSED-NEGATIVE. $RH \Rightarrow LH \Rightarrow$ Density: KNOWN. $LH \Rightarrow RH$: OPEN. Invariant reverse: OPEN. Faithfulness obstruction: FORMAL. Construction form: PROPOSED. Square-difference det corridor: CLOSED-NEGATIVE (program). Prime-carrying: OPEN. RH and Coleman Conjecture: OPEN.

9. Acknowledgments

This note formalizes an open research conjecture. It does not claim a proof of the Riemann hypothesis. No model, webpage, or numerical run is sovereign over the mathematics. Human author only for arXiv. LaTeX source authoritative: [arxiv/manuscripts/coleman-conjecture/main.tex](https://arxiv.org/manuscripts/coleman-conjecture/main.tex).

References (selected)

Wang–Zahl, [arXiv:2502.17655](https://arxiv.org/abs/2502.17655) (2025). Guth–Wang–Zahl, [arXiv:2601.14411](https://arxiv.org/abs/2601.14411) (2026).

Guth–Maynard, [arXiv:2405.20552](https://arxiv.org/abs/2405.20552) (2024). Ingham, *Quart. J. Math. Oxford* 11 (1940).

Bourgain, *Geom. Funct. Anal.* 1 (1991). Wolff, *Rev. Mat. Iberoam.* 11 (1995).

Bourgain–Demeter–Guth, *Ann. of Math.* 184 (2016).

Program sources: [docs/coleman-conjecture-antecedent.md](https://docs.coleman-conjecture-antecedent.md); PEAICE-CC-001 ledger.

LaTeX authoritative · human author only · receipts over reach · RH OPEN · Coleman OPEN