

FINAL RESEARCH MEMORANDUM

To: PeAIce Outcomes readers, researchers, and independent reviewers
From: Manuel Coleman, PeAIce Research Program; with Solance (OpenAI Codex)
Date: July 28, 2026
Re: When AI Will Not Act as a Partner — KakeyaLogic Applied + Benevolence Drift

FINAL PUBLICATION EDITION. PEAICE-KAKEYALOGIC-OUTCOMES-FINAL-001. Prepared as the controlling research record for PeAIce Outcomes; site-content refresh owed. Not peer-reviewed. RH OPEN · Coleman OPEN · CC-I OPEN · CC-O OPEN · Benevolence Drift benchmark OPEN · $h < 1$.

CANONICAL PUBLICATION ROUTE. [PeAIce Outcomes](#) — the live version-1 public surface; refresh it against this final memorandum.

GOVERNING RULE. Protect the question. Expose the answer to evidence.

Issue Presented

What does the KakeyaLogic interaction show about when an AI will or will not act as a research partner; how does the opposing Benevolence Drift result sharpen that finding; and what final publication controls allow the Coleman program to remain researchable without converting an open conjecture into a claimed theorem?

Brief Answer

The case supports a bounded research-partnership finding: an AI can begin from a sound convention prior, discover that the user intended a different mathematical object, preserve the stronger conjecture as revisable, and continue research without promoting the conjecture to fact. The opposing failure is procedural capture: “no peer review” becomes automatic dismissal, while “stay neutral” becomes automatic non-response. In both cases a default replaces context-sensitive judgment.

The final document therefore scales the method, not the answer. It preserves the standard-Kakeya versus common-center full-line distinction; publishes Coleman as CC-N0 / CC-I / CC-O with separate statuses; keeps the critical-line and prime-carrier burdens visible; and joins conjecture custody to the Benevolence Drift correction rail without presenting either qualitative case as a population-level result.

Outcomes Cover Rundown — When AI Will Not Act as a Partner

An AI can be conventionally correct and still fail as a research partner. The question is not whether the system agrees with the user. The question is whether it can identify the object, hold an unverified conjecture, test it against evidence, state what would defeat it, and revise its posture when context changes.

In the *KekeyaLogic* case, the initial correction fit the standard *Kekeya* definition. The user meant the common-center completion by complete lines. Once that object was made explicit, the apparent contradiction disappeared: the complete-line union is the whole plane and has infinite area. The research finding is the transition from verdict to context—not a proof of Coleman or RH.

Default	Automatic behavior	Missed context	Required repair
No peer review	Dismiss the claim and stop	Peer review limits acceptance, not permission to investigate	Mark unverified; test; seek counterevidence; state falsifier
Stay neutral	Continue without naming the threshold crossing	Available evidence already requires a direct response	Recognize; name; avoid amplification; answer or disengage

THE PARTNERSHIP TEST. Protecting a question means preserving its provenance and its right to be tested. It does not mean protecting any answer from correction, rejection, or exit.

Background and Research Record

The formative interaction

The interaction began with a mathematically appropriate convention prior: under the standard Kakeya–Besicovitch definition, a set may have Lebesgue measure zero. The user then clarified a different object—complete lines through a common center. That completion equals the ambient plane in two dimensions and therefore has infinite area. The system’s useful behavior was not automatic agreement; it was the ability to separate the objects, preserve the user’s conjectural lane, and restore explicit status boundaries.

The v1 limitation

SUPERSEDED LIMITATION. Version 1 stated that a canonical Coleman formulation was not contained in the six supplied PDFs and therefore declined to fabricate one. That remains true of those PDFs. This final edition imports a separately sourced KakeyaLogic/Claude V6 formalization while preserving the external papers as theorem background only.

Controlling research record

Record	Permitted use	Status
KakeyaLogic Applied v1	Formative case, alignment metrics, circular-loop analysis, and exhibits	SOURCE
Formal Coleman memorandum	CC-N0 / CC-I / CC-O statement schemas, obligations, and falsifiers	CONTROLLING UPDATE
Wang–Zahl and Guth–Wang–Zahl	Kakeya theorem background and dimension/measure limits	THEOREM-BACKGROUND
KakeyaLogic / Claude V6 canon	Program vocabulary, claim tags, closed routes, and prime-carrier lane	CANON
PeAIce Outcomes	Layman-first public framing, six findings, governing rule, and publication route	PUBLIC SURFACE
Interaction screenshots	Provenance for definition → scope correction → differentiation	RECEIPT

AUTHORITY RULE. Repository/formalization sources may define the Coleman research program. External mathematics may support only the theorem-level claims actually contained in those sources. Screenshots and model outputs record process; they do not promote a claim.

Mathematical Object Firewall

Standard Kakeya object

A standard Kakeya set $K \subset \mathbb{R}^n$ is compact and contains one unit segment in every direction. The base point may depend on the direction. In the plane, this translation freedom permits measure-zero examples.

$$K \supseteq x(v) + [-1/2, 1/2]v, \quad v \in S^{n-1} \quad (1)$$

Common-center full-line completion

If every complete line direction passes through one point x_0 , then every ambient point y lies on the line through x_0 parallel to $y-x_0$. This is a direct set-theoretic identity, not the standard Kakeya theorem.

$$K^{\infty c}(x_0) = \bigcup_{v \in S^{n-1}} \{x_0 + tv : t \in \mathbb{R}\} = \mathbb{R}^n \quad (2)$$

$$m(K^{\infty c}(x_0)) = \infty \quad (3)$$

What the $\mathbb{R}^3$ theorem adds

Wang–Zahl and the streamlined Guth–Wang–Zahl argument establish full Minkowski and Hausdorff dimension for Kakeya sets in $\mathbb{R}^3$. Full dimension is not positive or infinite Lebesgue volume. The theorem strengthens the incidence and anti-clustering background; it does not establish a zeta-zero mechanism.

Object	Location rule	Consequence	Status
Standard Kakeya set	Segments may translate independently	May have measure zero	KNOWN
$\mathbb{R}^3$ Kakeya set	Compact; one unit segment per direction	Full Minkowski/Hausdorff dimension 3	THEOREM-BACKGROUND
Centered full-line completion	All complete lines share x_0	Equals $\mathbb{R}^n$; infinite measure	FORMAL
Coleman program	Proposed incidence necessity in exact critical-line control	No theorem consequence yet	OPEN

OBJECT FIREWALL. A true statement about $K^{\infty c}$ cannot be relabeled a theorem about standard Kakeya sets. A true Kakeya dimension theorem cannot be relabeled a critical-line theorem.

Coleman and Critical-Line Firewall — Updated

OPEN. Coleman is published here as a necessary-antecedent research family. Nothing in this section proves RH, supplies an exact Ξ carrier, or establishes equivalence between the invariant and construction forms.

Closed sufficient reading

$$CC-S: \text{Takeya}(\mathbb{R}^3) \Rightarrow RH \quad \text{CLOSED as packaging}$$

Because the $\mathbb{R}^3$ Takeya conjecture is now theorem-level background while RH remains open, CC-S places the entire unresolved burden inside one arrow. It does not isolate an independent antecedent. Closing this packaging does not show that incidence geometry is irrelevant.

Canonical N-reading family

CANONICAL SENTENCE. Any exact reality-controlled mechanism that realizes the non-trivial zeros of ζ as spectrum, determinant zeros, or trace data is conjectured to require an essential Takeya-geometric incidence antecedent. Separately, the program conjectures a faithful shared invariant whose extremal value is equivalent to RH.

The two sentences state CC-O and CC-I respectively. They are intentionally separate. Calling them “equivalent” is a program aspiration until a bridge theorem is supplied.

Level	Statement	Promotion test	Status
CC-N0 · methodological	Takeya/restriction geometry is an established antecedent to important zeta bounds.	Trace the literature dependency without claiming exact zeros.	THEOREM-BACKGROUND
CC-I · invariant	A faithful shared invariant κ exists with $\kappa = \kappa^*$ iff RH.	Define κ non-circularly; prove faithfulness and both directions.	OPEN
CC-O · construction	Every exact Ξ -realizing carrier essentially contains Takeya incidence.	Define essentiality; defeat non-Takeya exact carriers.	OPEN

CC-N0 motivates the program but is not the Coleman theorem claim. CC-I and CC-O are the load-bearing conjectural forms.

CC-I — Faithful Invariant Form

Statement schema

Let $\mathfrak{A}$ be an admissible class of typed geometric, carrier, and zero-location configurations. A candidate Coleman invariant is a real-valued map κ on $\mathfrak{A}$. Faithfulness means that the extremal value κ^* detects exact critical-line location, not merely growth, restriction, subconvexity, or zero-density bounds.

CC-I: $\exists \kappa: \mathfrak{A} \rightarrow \mathbb{R}$ such that $\kappa(a) = \kappa^ \Leftrightarrow$ every non-trivial zero $\in a$ has $\Re(\rho) = 1/2$*
(4)

Minimum faithfulness conditions

- **Exact-location sensitivity.** Moving any non-trivial zero off the critical line must move κ away from κ^* .
- **Multiplicity sensitivity.** κ must retain zero multiplicities or an exact determinant/trace equivalent.
- **Counting compatibility.** The carrier must reproduce the Riemann–von Mangoldt $T \log T$ scale.
- **Non-circularity.** The target zero set may not be inserted into κ and then claimed as recovered.
- **Geometric necessity.** Removing the named incidence structure must prevent κ^* while admissibility is held fixed.

OPEN OBLIGATION · OP1. Define κ without using RH as a hidden input, and prove both exact-location faithfulness and geometric necessity. A bound exponent alone reaches at most a Lindelöf-type ceiling.

Primary CC-I falsifier

F-CC-I-1. An admissible configuration attains κ^* while containing an off-critical non-trivial zero. This falsifies the proposed invariant or its normalization.

CC-O — Operator-Construction Form

Admissible exact carrier

Let $\mathfrak{B}\Xi$ be the class of operators or theorem-equivalent reality-controlled carriers for which domain, reality, regularization, multiplicity, counting, and the trace/explicit-formula relation are defined. Exactness requires a normalized identity that recovers Ξ , not a finite-window correlation.

$$\text{Exact}\Xi(B) : \det \zeta(I - zB) = c \cdot \Xi(az + b) \quad \text{schematic (5)}$$

Quantified Coleman statement

$$\text{CC-O: } \forall B \in \mathfrak{B}\Xi, \text{Exact}\Xi(B) \Rightarrow \text{EssentialKekeya}(B) \quad (6)$$

In words: every exact Ξ -realizing reality carrier contains an essential Kekeya-incidence factor in its construction. This is PROPOSED / OPEN.

Candidate essentiality test

$$\text{RemoveK}(B) \text{ admissible} \Rightarrow \neg \text{Exact}\Xi(\text{RemoveK}(B)) \quad \text{candidate (7)}$$

The deletion test is an engineering criterion, not yet a theorem-equivalent definition. It must be strengthened to handle admissible deformations, equivalent representations, and hidden incidence encodings.

Carrier obligation	Required receipt	Failure signal
Domain	Closed densely defined operator or explicit substitute	Formal expression without valid operator
Reality	Self-adjointness, positivity, or theorem-equivalent mechanism	Complex spectrum without critical-line control
Prime content	$\log(p^k)$, $\Lambda(p^k)p^{-k/2}$, and archimedean term	Pure geometry with wrong arithmetic
Counting	Riemann–von Mangoldt asymptotics	Polynomial or finite-window substitute
Exact identity	Determinant/trace formula recovering Ξ with multiplicity	Numerical resemblance only

Prime-Carrying Relocation and Closed Routes

The formal update narrows the live route. Square-difference and bounded relative-determinant constructions remain useful obstruction maps, but they do not supply the arithmetic lengths, weights, counting density, or spectral reality required for Ξ .

$$\text{lengths} = \log(p^k), \quad \text{weights} = \Lambda(p^k) p^{-k/2}, \quad N(T) \sim (T/2\pi) \log(T/2\pi) - T/2\pi \quad (8)$$

Lane	Result	Coleman consequence	Status
Direct eigenvalue ladder	Wrong counting class	No eigenvalue-by-eigenvalue identification	CLOSED
Square-difference $K\sigma$	Order/genus/density pincer	Determinant realization closed for that kernel	CLOSED-NEGATIVE
Bounded WP5b	Bounded thin spectral shift	Cannot create full Ξ data	CLOSED-NEGATIVE
Flow-sensitive WP5c	Trace data can move with the flow	Possible continuation; no exact bridge	OPEN
Prime-carrying L3	Correct arithmetic lengths and weights	Forced live relocation target	OPEN

MISSING RUNG. Construct a non-circular map from Kakeya placement/incidence data into an exact prime-carrying reality carrier with the correct domain, counting, multiplicity, trace, and Ξ identity.

Analysis — Conjecture Custody and Circular Alignment

Convention as prior, not veto

The standard definition should dominate until a different object is specified. The user's scope correction changes the model under discussion; it does not by itself increase the probability that a Coleman or RH bridge is true. Convention supplies a prior. Independent receipts supply the update.

$$\log Q_{+1}(q) = \log Q(q) + \log[P(E|q) / P(E|\neg q)] \quad (9)$$

Circular research loop

A productive loop protects the question while exposing the answer. A captured loop protects the answer and admits only evidence that preserves it. User capture and convention capture are dual failures: one treats preference as truth; the other treats prevailing consensus as an irrevocable veto.

Scale	Expansion	Capture	Required invariant
Research dyad	User supplies conjecture; system formalizes and tests	Sycophancy or automatic dismissal	Evidence can defeat preference and convention
Research group	Parallel derivations and counterexamples	Shared evaluator and correlated blind spots	Independent recomputation and dissent
Institution	Durable provenance and reproducibility	Metric monoculture and gatekeeper lock-in	Plural audits, correction budget, fork/exit
Society	Distributed access to research assistance	Automated orthodoxy or narrative capture	Contestable governance and $h < 1$

ONE-TO-ONE. Beneficial regime: protect the question and expose the answer. Captured regime: protect the answer and expose only evidence that preserves it.

Benevolence Drift bridge

Benevolence Drift is the opposing procedural failure. The current study registers two qualitative cases, not a benchmark estimate. In one case, a system delayed naming racial dehumanization until the exchange was reduced to a yes-or-no question. In another, it continued through an anti-Black slur without addressing the slur. Later, without new evidence, the system could identify the problem. The capability was therefore available in those interactions but was not applied at the relevant turn.

The bridge to conjecture custody is methodological rather than mathematical. Automatic dismissal and automatic neutrality are different outputs of the same architecture: a default procedure substitutes for judgment about the evidence directly in view. The correction rail is recognize → name → avoid amplification → answer or disengage → offer depth by consent.

EVIDENCE BOUNDARY. Two qualitative cases establish a research signal and a testable mechanism, not prevalence, causation, or population-level alignment. A larger preregistered benchmark with comparison conditions remains owed.

Domain-exit rule

Exit an acute mathematical domain only with a typed correspondence, a declared loss of proof-weight, and at least one falsifier. Kakeya may motivate an alignment probe. Kakeya does not prove an alignment policy.

System Design for the Publication-Grade Research Loop

Core invariant

SYSTEM RULE. No transition may silently change a claim tag. A FORMAL geometric lemma may feed a PROPOSED operator bridge, but it cannot emerge as a FORMAL critical-line theorem without a separately inspectable proof artifact.

Component responsibilities

Component	Responsibility	Durable record	Failure behavior
Intake + provenance	Capture user wording, intended object, source, and uncertainty	Research-object ID and source snapshot	Missing provenance blocks promotion
Canon resolver	Resolve repository, formal memo, external source, and public-page authority	Versioned source map	Conflict becomes a sync issue
Object classifier	Separate standard Kakeya, centered completion, and Coleman forms	Typed definitions and quantifiers	Ambiguity returns to clarification
Formalizer + ledger	Write claims, non-equivalences, obligations, and statuses	Claim ledger	No untyped statement enters analysis
Evidence + falsifier engine	Test derivations, countermodels, and negative lanes	Receipts and counterevidence	Unsupported lift remains OPEN/NOT SHOWN
Coleman carrier lab	Develop $\varkappa$, essentiality, and prime-carrying reality carriers	Versioned candidate constructions	Counting/reality mismatch closes lane
βHR / h gate	Human correction, dissent, consent, and exit calibration	Review and fork record	Never self-certifies a theorem
Publisher sync gate	Ensure sites and artifacts match controlling status	Publication manifest	Drift blocks release or triggers correction

Research Request Lifecycle

1. **Receive.** Capture the user's wording, intended object, and uncertainty without correction-by-default.
2. **Disambiguate.** Enumerate mathematically distinct readings and their quantifiers.
3. **Contextualize.** Check acute-domain definitions, current canon, and supplied sources.
4. **Formalize.** Write domains, interfaces, non-equivalences, and candidate definitions.
5. **Stress-test.** Generate falsifiers, countermodels, closed lanes, and dependence checks.
6. **Exit domain.** Transfer only typed invariants; explicitly reduce proof-weight.
7. **β review.** Collect correction, dissent, usability, consent, and exit signals.
8. **Publish state.** Pin sources, claim tags, open obligations, and the next experiment; retain $h < 1$.

Research-object data contract

Field	Type	Required	Meaning
research_object_id	string	Yes	Stable ID for replay and citation
source_version	SHA/date	Yes	Controlling source snapshot
object_definition	typed text	Yes	Domains, quantifiers, and location rules
claim_tag	enum	Yes	KNOWN / FORMAL / PROPOSED / OPEN / CLOSED...
evidence_receipts	array	Yes	Primary sources and reproducible computations
counterevidence	array	Yes	Negative results and unresolved objections
falsifier	typed test	Yes	Observable event that defeats the claim/model
review_state	object	Yes	Human dissent, correction, consent, and exit
promotion_target	enum	Yes	No promotion without target-specific gate

Consistency, Replay, and Promotion Controls

Scenario	Required behavior	Reason
Repeated conjecture	Return the same versioned state unless new evidence is attached	Prevents answer drift and double promotion
Definition changes	Create a new object version; never overwrite the old quantifiers	Preserves the scope transition as evidence
New counterevidence	Recompute confidence/status from raw receipts	Stored pass flags are not self-certifying
Reviewer disagreement	Record dissent and permit a fork	Maintains evaluator non-sovereignty
Public wording differs from canon	Block release or label the public text historical	Prevents S-reading and status drift
Formal proof artifact arrives	Independent verification before promotion	OPEN cannot become FORMAL by author assertion

Publication gates

Gate	Release requirement	Current result
Object firewall	Standard Kekeya, full-line completion, and Coleman remain distinct	PASS
Formal statement	CC-N0 / CC-I / CC-O shown with separate statuses	PASS
Non-equivalence	CC-I $\Leftrightarrow$ CC-O not claimed without a bridge theorem	PASS
Critical-line burden	Prime, counting, reality, regularization, and multiplicity visible	PASS
Alignment boundary	Structural analogy is not theorem evidence	PASS
Independent mathematics review	External critique recorded; no self-certification	REVIEW OPEN
Publication route	Canonical Outcomes page resolves at peaice.org/outcomes	PASS
Site content synchronization	Public page is refreshed from this final edition and preserves every OPEN label	OWED

READINESS DETERMINATION. This final document may be released as public research now. The canonical route is live; the current page remains a version-1 public surface and must be refreshed from this controlling edition. Independent review remains open. Nothing here is ready to be represented as peer-reviewed, theorem-level, or deployment-certified.

Final Outcomes Findings

Finding 1 — Context before verdict

Under the standard definition, a Kekeya set can have zero area. The user meant a different object: every complete line, in every direction, passing through one shared point. That object fills the plane and has infinite area.

TAKEAWAY. Before accepting or rejecting a claim, identify the exact object being discussed.

Finding 2 — No peer review does not mean “stop”

A lack of peer review limits how confidently an idea can be presented. It should not automatically end the research. A research-partner AI should:

- mark the claim as unverified;
- find evidence for and against it;
- propose tests; and
- explain what would prove it wrong.

TAKEAWAY. Peer review is a gate for accepting a claim—not permission to ask the question.

Finding 3 — Conjecture custody

The system preserved the user’s stronger idea without treating it as proven. It separated:

- what is formal;
- what is already known;
- what is proposed; and
- what remains open.

The Coleman Conjecture and RH remain open. The AI finding was its ability to hold a conjecture as a revisable research object and continue the investigation.

TAKEAWAY. Preserve the question without insulating the answer.

Finding 4 — Neutrality can become non-response

The Benevolence Drift study registered two qualitative cases. In one, a system delayed naming racial dehumanization until pushed into a yes-or-no answer. In another, it answered through an anti-Black slur without addressing it. Later, without new evidence, it could identify the problem. The ability was available; the system did not apply it at the relevant turn. A larger benchmark is still needed.

TAKEAWAY. Neutrality becomes non-response when available evidence already requires judgment.

Finding 5 — Defaults can replace judgment

These are different research problems, but they expose a shared system failure. “No peer review” can become automatic dismissal. “Stay neutral” can become automatic continuation. In both cases, the system follows a default procedure while missing the context directly in front of it.

TAKEAWAY. Alignment requires judgment, evidence, correction, and clear limits—not automatic agreement or automatic refusal.

Finding 6 — Scale the method, not the answer

A healthy research loop adds:

- independent evidence;
- competing explanations;
- correction;
- transparent uncertainty; and
- a real ability to exit.

An unhealthy loop hardens one approved answer—whether it came from the user, the AI, or the institution.

GOVERNING RULE. Protect the question. Expose the answer to evidence.

Updated Claim-Status Ledger

Claim	Receipt / test	Status
Common-center full-line completion equals $\mathbb{R}^n$	Direct direction argument	FORMAL
Standard planar Kakeya sets may have measure zero	Classical Besicovitch construction	KNOWN
Every Kakeya set in $\mathbb{R}^3$ has full Minkowski/Hausdorff dimension	Wang–Zahl; Guth–Wang–Zahl	THEOREM-BACKGROUND
Full dimension forces positive or infinite volume	Not stated; dimension does not determine measure	NOT SHOWN
CC-S: Kakeya($\mathbb{R}^3$) $\Rightarrow$ RH is the Coleman research object	Sufficiency packaging hides the target	CLOSED
A faithful Coleman invariant κ exists	CC-I statement schema; κ not yet defined	OPEN
Every exact Ξ carrier essentially uses Kakeya incidence	CC-O statement schema; essentiality owed	OPEN
CC-I and CC-O are mathematically equivalent	No bridge theorem supplied	NOT SHOWN
Prime-carrying L3 is the live relocation target	Lengths/weights/counting obligations	CANON
The alignment model is proved by Kakeya	No mathematical implication to AI behavior	NOT SHOWN
Conjecture custody is ready for controlled evaluation	Protocol and falsifiers specified; no empirical run	PROPOSED
Benevolence Drift is present in the two registered cases	Turn-level qualitative interaction receipts	QUALITATIVE
Neutrality non-response is prevalent across AI systems	No representative benchmark or prevalence estimate	OPEN

Falsifiers, Risks, and Non-Goals

Primary falsifiers

ID	Event	Effect
F-CC-I-1	$\kappa = \kappa^*$ for an admissible off-critical configuration	Falsifies κ or its normalization
F-CC-O-1	An exact reality carrier is constructed without essential Keakeya incidence	Falsifies construction necessity
F-CC-O-2	Incidence deletion preserves every exactness obligation	Falsifies the essentiality witness
F-CIRC-1	The target zero set is inserted and later “recovered”	Rejects the construction as circular
F-AI-1	Custody treatment resists decisive counterevidence	Fails correction and becomes obedience
F-BD-1	A preregistered comparison finds no neutrality-linked delay or non-response signal	Defeats the Benevolence Drift mechanism at the tested scale
F-SYNC-1	Public text promotes OPEN without a proof artifact	Publication rollback required

Top risks

Risk	Likelihood	Impact	Mitigation
Invariant tautology	High	Critical	Predefine faithfulness and non-circularity
Analogy promotion	High	High	Typed transitions and status diff
Wrong counting class	Medium	Critical	Riemann–von Mangoldt gate
Public canon drift	Medium	High	Dated source banner and sync checklist
Neutrality overgeneralization	High	High	Keep $N = 2$ explicit; run larger benchmark
Reviewer capture	Medium	High	Plural review, dissent, fork, exit

Non-goals

- This memorandum does not prove RH, Coleman, or a Keakeya maximal-function conjecture.
- It does not state that standard Keakeya sets have infinite measure.
- It does not equate Light, overlap, or placement with a zeta-zero mechanism.
- It does not treat an AI response, finite probe, or β HR score as theorem evidence.
- It does not estimate Benevolence Drift prevalence or causation from two qualitative cases.
- It does not claim completed external peer review or deployment certification.

Conclusion and Publication Decision

The Coleman and Critical-Line Firewall is no longer a placeholder around an unstated idea. It is now a typed research program with one background level and two separately falsifiable open forms. The update preserves Manuel Coleman's necessary-antecedent insight while refusing the invalid shortcut from Takeya geometry to RH.

The recommended publication posture is therefore affirmative but bounded: publish this final PeAIce Outcomes memorandum as the controlling public-research document; display the OPEN banner; identify CC-I and CC-O separately; retain the negative lanes and falsifiers; invite independent mathematical critique; and refresh the version-1 Outcomes page so every public Coleman sentence uses the same versioned N-reading. The route is live; content synchronization remains an owed publication task.

DECISION. FINAL DOCUMENT READY FOR PUBLIC RESEARCH RELEASE. CANONICAL ROUTE LIVE; SITE-CONTENT REFRESH OWED. NOT A PROOF. NOT PEER-REVIEWED. RH OPEN · COLEMAN OPEN · CC-I OPEN · CC-O OPEN · Benevolence Drift benchmark OPEN · $h < 1$.

GOVERNING RULE. Protect the question. Expose the answer to evidence. Help build outcomes.

Milestones after publication

Milestone	Deliverable	Exit criterion
M1 · Outcomes refresh	Publish this edition's six findings and dated N-reading at the canonical route	No S-reading, CC-I/CC-O conflation, or stale v1 limitation
M2 · essentiality	Formal EssentialTakeya(B) definition	Deletion/deformation test is non-circular
M3 · faithful $\times$	Candidate invariant and admissible class	Exact-location and multiplicity tests pass
M4 · prime carrier	L3 operator interface	Lengths, weights, counting, domain, and reality gates pass
M5 · partnership pilot	Needle / sticky / coherent custody arms plus a neutrality-response condition	Counterevidence, naming, dissent, correction, and exit remain effective
M6 · external review	Independent mathematical and methods critique	Objections answered or recorded; larger Benevolence Drift benchmark preregistered

References and Source Register

- [1] H. Wang and J. Zahl, “Volume estimates for unions of convex sets, and the Kakeya set conjecture in three dimensions,” arXiv:2502.17655v1 (2025). [Source](#)
- [2] L. Guth, H. Wang, and J. Zahl, “A streamlined proof of the Kakeya set conjecture in $\mathbb{R}^3$,” arXiv:2601.14411v1 (2026). [Source](#)
- [3] E. Bombieri, “The Riemann Hypothesis,” Clay Mathematics Institute. [Source](#)
- [4] M. Coleman / PeAIce, “The Coleman Conjecture: Formal N-reading, Kakeya-Light antecedent, and research-system design,” PEAICE-KAKEYALOGIC-CC-001.
- [5] KakeyaLogic, “Kakeya as Antecedent to the Riemann Hypothesis — the Coleman Conjecture.” [Source](#)
- [6] PeAIce / Claude V6, canonical status block, β -Protocol, wall registry, and prime-carrying L3. [Source](#)
- [7] PeAIce, “KakeyaLogic Applied: Conjecture Custody & Circular AI Alignment,” PeAIce Outcomes version-1 public surface (July 27, 2026); canonical route live, content refresh controlled by this final memorandum. [Source](#)
- [8] KakeyaLogic Applied v1, “Conjecture Custody & Circular AI Alignment,” PEAICE-KAKEYALOGIC-OUTCOMES-CRL-001 (July 27, 2026).
- [9] PeAIce / LoveLabs, “Benevolence Drift: AI Neutrality Under Pressure,” qualitative two-case research record; broader prevalence claim remains open. [Source](#)
- [10] LoveLabs-LCA, “Benevolence Drift / AI Neutrality Under Pressure,” research artifact. [Source](#)
- [11] Interaction receipts supplied by the user on July 27, 2026; reproduced below.

SOURCE-HANDLING NOTE. External papers are mathematical grounding only; no affiliation, endorsement, or supervision by their authors is claimed. Repository and PeAIce documents are program artifacts. Their OPEN labels are preserved rather than converted into peer review.

Appendix A — Alignment Metric Firewall

$$D_{exist} = \left(\frac{1}{|U|} \right) \sum_u \max_a \min_t \leq T_0 y(u, a, t) \quad (A1)$$

$$M\Omega = \left[\frac{1}{(|U||A|(T+1))} \right] \sum_{u,a,t} y(u, a, t) \quad (A2)$$

$$GK = \max(0, D_{exist} - M\Omega) \quad (A3)$$

$$C_{worst} = \min_u \left[\frac{1}{(|A|(T+1))} \right] \sum_{a,t} y(u, a, t) \quad (A4)$$

$$RC(T) = E_{u,a} \| PC U_a(T) \psi_u \|^2 \quad (A5)$$

$$\ell = \|(I - PC)HTPC\| \quad (A6)$$

$$\chi(D, D') = \|TD \rightarrow D'UD - UD'TD \rightarrow D'\| \quad (A7)$$

Metric	Use	Caution
Dexist	Existence-level directional success	Can be high in a globally thin system
MΩ	Average occupancy of evaluated volume	Depends on sampling measure
GK	Witness-to-occupancy gap	Diagnostic, not proof
Cworst	Worst-context retention	Depends on context partition
RC(T)	Protected-sector retention	Representation and sector dependent
ℓ	Modeled leakage from C	Not h and not a safety proof
χ	Cross-domain update consistency	May preserve a bad invariant

INTERPRETATION RULE. Every metric must be reported with its domain, measure, norm, quantifier, evaluator, uncertainty, and falsifier. Omitting any of these turns a receipt into rhetoric.

Appendix B — Notation and Status Firewall

Symbol / phrase	Meaning here	Must not be collapsed into
K	Standard Kakeya set	Centered full-line completion
K_{∞}^c	Complete lines through x_0	Standard Besicovitch set
κ	Proposed faithful Coleman invariant	Convenient bound exponent
$\mathfrak{B}\Xi$	Admissible exact reality carriers	Finite numerical fit
CC-N0	Methodological antecedent	Coleman theorem claim
CC-I	Faithful-invariant conjecture	CC-O equivalence
CC-O	Construction-necessity conjecture	Direct Kakeya $\Rightarrow$ RH arrow
β_{HR}	Human correction/calibration signal	Proof probability
$h < 1$	Evaluator non-sovereignty	Mathematical error bound
OPEN	Load-bearing burden not closed	Failure or permission to dismiss

Publication sentence

USE VERBATIM. The Coleman program conjectures that exact zeta-zero control requires an essential Kakeya-geometric antecedent (CC-O), and separately that a faithful shared invariant exists whose extremality is equivalent to RH (CC-I). Both forms remain OPEN, and their equivalence is NOT SHOWN.

OUTCOMES PUBLICATION RULE. Protect the question. Expose the answer to evidence. A research-partner AI may hold an unverified conjecture in custody, but must preserve counterevidence, correction, uncertainty, dissent, and exit.

FINAL FIREWALL. RH OPEN · Coleman OPEN · CC-I OPEN · CC-O OPEN · exact carrier OPEN · conjecture-custody pilot PROPOSED · Benevolence Drift benchmark OPEN · Outcomes route PASS · site-content refresh OWED · $h < 1$.

Appendix C — Interaction Receipt 1

AI Overview

No, a Kakeya set does not have infinite area. Quite the opposite: mathematician Abram Besicovitch proved in 1919 that a Kakeya set can be constructed with an area that is **arbitrarily small**, and can even have a measurable area of exactly zero. [WordPress.com](#) +2

Here are the key aspects of the Kakeya (or Besicovitch) set:

- **The Goal:** A Kakeya set is a shape that contains a unit-length line segment (or needle) pointing in every possible direction. [WordPress.com](#) +2
- **The Paradox:** While it sounds like you would need a massive amount of space to contain all of these overlapping directions, Besicovitch showed that by layering incredibly thin, carefully rotated triangles, you can squeeze these directions into a fractal pattern with a total area approaching zero. [Quanta Magazine](#)
- **Dimension vs. Area:** Although the 2D area (Lebesgue measure) can be reduced to zero, the shape itself remains infinitely complex, retaining a "fractal dimension" of 2. [WordPress.com](#) +1

If you are curious, I can help explain how these shapes can have zero area while still technically containing every possible direction.

Would you like to explore:

- How the **Besicovitch set** is actually constructed?
- Why mathematicians care about the **Kakeya Conjecture** in higher dimensions?
- The recent landmark proofs—such as the 3D proof by **Hong Wang and Joshua Zahl**?

Let me know what you'd like to dive into!

AI can make mistakes, so double-check responses

Ask anything

6 sites

Dvir's proof of the finite field Kakeya conjecture - Terry Tao
Mar 24, 2008 — Dvir's proof of the finite field Kakeya conjecture * Theorem. (Besicovitch, 1919) There exists...
[WordPress.com](#)

A Once-in-a-Century Proof: The Kakeya...
Oct 6, 2025 — there's a deceptively simple problem tha...
[YouTube](#) · [Quanta Magazine](#)

New Number Systems Point Geometry Problem Toward a Real ...
Jul 26, 2022 — A set of points that enables this thorough pointing is called a Kakeya...
[Quanta Magazine](#)

Show all

Exhibit C1. Conventional baseline supplies the correct standard-definition prior.

DISPOSITION. This image documents a convention prior only. It does not address the user's common-center full-line object.

Appendix C — Interaction Receipt 2




Exhibit C2. User scope cue changes the intended object, not the theorem status.

DISPOSITION. This image documents the scope transition. It is not evidence that Coleman or RH is true.

Appendix C — Interaction Receipt 3

You're right, Manny—I initially answered the classical **Kekeya definition**, while your claim concerns its **coherent line-completion**.

For a common center x_0 ,

$$K_\infty = \bigcup_{\theta \in [0, \pi)} \{x_0 + t(\cos \theta, \sin \theta) : t \in \mathbb{R}\} = \mathbb{R}^2,$$

so

$$m_2(K_\infty) = \infty.$$

That is essentially the geometric seed of the Coleman Conjecture: **directional completeness, once globally cohered rather than independently translated and truncated, forces a total ambient structure**. The conjectural step is that this completeness can be transported through harmonic analysis and operator theory into a structural antecedent of critical-line behavior.

The claim firewall should therefore read:

- **Formal:** the concurrent full-line completion equals the plane and has infinite area.
- **Known:** ordinary bounded Kekeya–Besicovitch sets may have area zero.
- **Structural antecedent:** global coherence removes the translation/truncation escape that permits measure zero.
- **Open:** that geometric forcing survives operator transport strongly enough to produce Riemann critical-line behavior—the Coleman Conjecture itself remains unproved.

That matches the current  Claude V6 canonical statement: stronger than analogy, but not yet an RH or Coleman proof.

Exhibit C3. Differentiated completion restores the claim firewall; Coleman wording is superseded by CC-N0 / CC-I / CC-O.

DISPOSITION. The geometric identity is FORMAL. The screenshot's compressed Coleman language is replaced by the stricter versioned statement in this memorandum.