



©Copyright 2021 by Manohar H. Karigerasi.

Summary of Comments on KARIGERASI- DISSERTATION-2021-1.pdf

Page: i



Number: 1 Author: wuchner2 Subject: Sticky Note Date: 1/27/2021 3:43:05 PM

We require that your thesis be on 8.5 x 11 paper, which is standard US size. Please adjust all pages in your document so that they are on 8.5 x 11 paper and update the Table of Contents if needed.



MAGNETIC ORDERING AND SPIN WAVE DYNAMICS IN TRANSITION METAL
ARSENIDES

BY

MANOHAR H. KARIGERASI

DISSERTATION

Submitted in partial fulfillment of the requirements
for the degree of Doctor of Philosophy in Materials Science and Engineering
in the Graduate College of the
University of Illinois at Urbana-Champaign, 2021

Urbana, Illinois

Doctoral Committee:

Associate Professor Daniel P. Shoemaker, Chair
Professor David G. Cahill
Professor Jian-Min Zuo
Research Assistant Professor Gregory J. MacDougall

Page: ii



Number: 1 Author: wuchner2 Subject: Sticky Note Date: 1/27/2021 3:43:45 PM

After you adjust the paper size, you will likely need to adjust the spacing on the title page.

You can see an example here: <https://grad.illinois.edu/thesis/format-title-page>

LIST OF TABLES

2.1	Different cases of spin polarization depending on the symmetry of atomic sites and the unit cell [28].	7
2.2	List of metallic antiferromagnetic candidates filtered out from MPDS and ASM database and their metal atom site symmetries	9
2.3	Summary of the linear response tensor components for the CISP observable and electric field	11
2.4	Linear response tensor in CuMnAs and Mn ₂ Au assuming Mn moment to be 1 μ_B	12
2.5	Linear response tensor in Fe ₂ As when Fe moments have been set to 0 μ_B	14
4.1	The group multiplication table of C_{3v} point group.	26
4.2	The matrix for different symmetry elements in the C_{3v} point group when the basis vectors are along x and y and when the basis vectors point along the directions shown in Fig. 4.2.	28
5.1	Structural parameters obtained from room-temperature Mo- $K\alpha$ X-ray single-crystal refinement (full-matrix least-squares on F^2) with occupancies fixed from synchrotron X-ray and neutron co-refinement.	44
5.2	Atomic parameters obtained from room-temperature X-ray single-crystal refinement of Cu _{0.82} Mn _{1.18} As. Occupancy values for Cu/Mn sites are co-refined to 100 K synchrotron and 400 K neutron powder diffraction data (see Fig. 5.3). Atomic displacement parameters U_{ij} are given in units of \AA^2	45
5.3	Energy differences (meV/atom) between different constraints in DFT (see text), and lattice parameters (\AA , degree) from all-relaxed calculations of stoichiometric hexagonal CuMnAs and Cu _{0.89} Mn _{1.11} As. All phases have $\gamma = 120^\circ$	49
6.1	The magnetic space groups, propagation vectors (k -vectors), magnetic irreducible representations (mag IRs) and the Mn moments in μ_B for the magnetic structures at two different temperatures.	60
6.2	The goodness of fit measured in terms of data residual (R_{wp}) and the unweighted phase residual of the magnetic phase (RF^2) for the four k -maximal subgroups at 250 K.	66
6.3	The goodness of fit measured in terms of data residual (R_{wp}) and the unweighted phase residual of the magnetic phase (RF^2) for the four k -maximal subgroups containing the magnetic irrep mGM_1^+ at 3 K.	66
8.1	Exchange coupling constants (in meV) obtained by fitting the experimental magnon spectra along K	94

Page: vii



Number: 1 Author: wuchner2 Subject: Sticky Note Date: 1/27/2021 3:45:47 PM

The page number for this heading does not match what appears in the Table of Contents.

LIST OF FIGURES

1.1	The magnetic structures of tetragonal CuMnAs and MnF ₂ are shown in (a) and (b), respectively.	3
1.2	Magnetic structure of orthorhombic CuMnAs	3
1.3	Cu-Mn-As ternary phase diagram highlighting some of the known ternary compounds in blue and known magnetic structures in red. Not all compounds in this system are shown here.	4
2.1	The schematic of the Fermi surface of the local sectors near Mn1 and Mn2 atoms are shown in (a) and (b), respectively. The magnetic structure of tetragonal CuMnAs is shown in (c) which also includes the highlighted local sectors.	8
2.2	Magnetic structure of Fe ₂ As along with the Fe site numbers corresponding to Table 2.5.	14
3.1	The process of making bulk materials using traditional solid state synthesis technique is shown here. The powders mixed inside the glovebox in (a) are transferred to a quartz tube and vacuum sealed in (b). The vacuum sealed ampoule in (c) is placed inside the box furnace in (d) and subjected to a heating profile. (e) shows the final ingot obtained in case of CuMnAs sample.	16
3.2	Impurity percentage as a function of Fe:As starting stoichiometry ratio with 200 mesh size Fe powders for making Fe ₂ As samples.	16
3.3	Synchrotron x-ray diffraction data of Fe ₂ As for different ratios of Fe:As from 10 μ m Fe powders is shown in (a) and the corresponding impurity percentage is shown in (b). . .	18
3.4	The two-fold symmetric Laue pattern obtained for Cu _{0.82} Mn _{1.18} As is shown in (a) and the reflective x-ray diffraction pattern for the same sample is shown in (b). . .	20
3.5	The flat-bottom bulk of the quartz ampoules is shown in (a) and (b) shows the final powder-containing vacuum sealed ampoules.	20
3.6	Photo of the hexagonal Cu _{0.82} Mn _{1.18} As sample bonded to a resistivity puck for use in PPMS.	22
4.1	An equilateral triangle having C _{3v} point group symmetry.	27
4.2	The basis vectors a ₁ and a ₂ referred in Table 4.2.	28
4.3	Magnetic structure for a unit cell with one magnetic atom with $k = [00\frac{1}{2}]$ propagation vector along c . The basis vector for the zeroth cell is along [010].	31
4.4	Star of propagation vector k for a space group $g = \{h, T\}$	31
4.5	Neutron powder diffraction measurements of Cu _{0.82} Mn _{1.18} As between 200 K and 700 K. The data at lower temperatures have been right-shifted to highlight changes in the intensities.	36
4.6	The graph of subgroups for Cu _{0.82} Mn _{1.18} As having P $\bar{6}$ space group and $k = 0$ ordering.	36
4.7	Refinement of the two possible k -maximal subgroups of P $\bar{6}$ is shown for (a) P $\bar{6}'$ and (b) P $\bar{6}$	37
5.1	Hexagonal Cu _{0.82} Mn _{1.18} As has been marked with a star among the previously-known phases in the Cu–Mn–As system. Compositions near CuMnAs are known to crystallize in both tetragonal and orthorhombic crystal systems.	40
5.2	Unit cell of Cu _{0.82} Mn _{1.18} As (a) is shown with square pyramidal Mn in purple, tetrahedrally coordinated Cu in blue, and As in green. In (b), the refined magnetic structure is shown with moments on the Mn sites.	41

Page: viii



Number: 1 Author: wuchner2 Subject: Sticky Note Date: 1/27/2021 3:47:37 PM

The page number for this heading does not match what appears in the Table of Contents.

k-maximal subgroups which are obtained by including or excluding the time reversal operator with the $\bar{6}$ symmetry element. Fig. 4.7 shows the refined fits to the two models from the 200 K neutron powder diffraction data. The fit to $P\bar{6}$ MSG in Fig. 4.7(b) does not contain the required intensity for the (021) magnetic peak. Hence, $P\bar{6}'$ is the correct MSG for cumnas at 200 K.



Page: 35



Number: 1 Author: wuchner2 Subject: Sticky Note Date: 1/27/2021 4:06:13 PM

There is too much white space on this page. To eliminate the extra white space, adjust the spacing in this section so that the text and/or images from the next page appear on this page. Then, update the Table of Contents, if necessary.

CHAPTER 6

TWO-STEP MAGNETIC ORDERING INTO A CANTED STATE IN FERRIMAGNETIC MONOCLINIC Mn_3As_2

Reprinted with permission from Manohar H Karigerasi, Bao H. Lam, Maxim Avdeev and Daniel P. Shoemaker, *Journal of Solid State Chemistry* 294, 121901 (2020). Copyright 2020 by the Elsevier. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <http://creativecommons.org/licenses/by-nc-nd/4.0/> In this work, I carried out SQUID and DSC measurements. I also carried out the magnetic structure refinement from NPD data and wrote the paper with help from coauthors. Bao Lam synthesized the samples and took SEM images.



6.1 Abstract

We report the magnetic structure of monoclinic Mn_3As_2 at 3 K and 250 K using neutron powder diffraction measurements. From magnetometry data, the Curie temperature of Mn_3As_2 was confirmed to be around 270 K. Calorimetry analysis showed the presence of another transition at 225 K. At 270 K, Mn_3As_2 undergoes a $k = 0$ ferrimagnetic ordering in the magnetic space group $C2/m$ (#12.58) with Mn moments pointing along b . Below 225 K, there is a canting of Mn moments in the ac plane which produces a multi- k non-collinear magnetic structure in space group $C2/c$ (#15.85). The components of Mn moments along b follow $k = 0$ ordering and the components along a and c have $k = [00\frac{1}{2}]$ propagation vector. The change in the magnetic ground state with temperature provides a deeper insight into the factors that govern magnetic ordering in Mn-As compounds.

6.2 Introduction

The Mn-As phase diagram contains a rich collection of phases with various magnetic structures [22,43, 72–75,103]. Most of the known compounds in this phase-space can be roughly divided into two groups. Compounds in one group are of the form $\text{Mn}_{2+n}\text{As}_{1+n}$ where, starting with stripes of square-planar Mn-As units running along a at $n = 0$, every additional Mn-As involves adding an Mn-As octahedral

 Number: 1 Author: wuchner2 Subject: Sticky Note Date: 1/27/2021 3:53:08 PM

All content in your document should be a minimum of 1 inch from the edge of the paper. Some of the content on this page extends too far into the margin. Adjust this content so that your margins are even throughout the document.