

Create a virtual machine

Microsoft Azure

Search resources, services, and docs (G+/I)

Home > Virtual machines >

Create a virtual machine

Help me create a low cost VM

Help me create a VM optimized for high availability

Help me choose the right VM size for my workload

Basics | Disks | Networking | Management | Monitoring | Advanced | Tags | Review + create

Create a virtual machine that runs Linux or Windows. Select an image from Azure marketplace or use your own customized image. Complete the Basics tab then Review + create to provision a virtual machine with default parameters or review each tab for full customization. [Learn more](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Manohar Subscription

Resource group *

Demo-RG

Create new

Instance details

Virtual machine name *

INDVM

Region *

(Asia Pacific) Central India

Availability options


No infrastructure redundancy required

Security type

Trusted launch virtual machines

[Configure security features](#)

Image *

 Windows Server 2022 Datacenter - x64 Gen2

[See all images](#) | [Configure VM generation](#)

< Previous

Next : Disks >

Review + create

Microsoft Azure

Search resources, services, and docs (G+J)

[Home](#) > [Virtual machines](#) >

Create a virtual machine

[Help me create a low cost VM](#)

[Help me create a VM optimized for high availability](#)

[Help me choose the right VM size for my workload](#)

Security type ⓘ

Trusted launch virtual machines

[Configure security features](#)

Image * ⓘ

Windows Server 2022 Datacenter - x64 Gen2

[See all images](#) | [Configure VM generation](#)

VM architecture ⓘ

☐ Arm64

☒ x64

Arm64 is not supported with the selected image.

Run with Azure Spot discount ⓘ

☐

Size * ⓘ

Standard_B2ms - 2 vcpus, 8 GiB memory (₹5,927.45/month)

[See all sizes](#)

Enable Hibernation ⓘ

☐

Hibernate is not supported by the size that you have selected. Choose a size that is compatible with Hibernation to enable this feature. [Learn more](#)

Administrator account

Username * ⓘ

manohar

Password *

Confirm password *

< Previous

Next : Disks >

Review + create

Home > Virtual machines >

Create a virtual machine ...

Help me create a low cost VM

Help me create a VM optimized for high availability

Help me choose the right VM size for my workload

Password *

Confirm password *

.....

.....

✓

✓

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports *

None

Allow selected ports

Select inbound ports *

HTTP (80), RDP (3389)

⚠

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

Licensing

Save up to 49% with a license you already own using Azure Hybrid Benefit. [Learn more](#)

Would you like to use an existing Windows Server license?

☐

[Review Azure hybrid benefit compliance](#)

< Previous

Next : Disks >

Review + create

[Home](#) > [Virtual machines](#) >

Create a virtual machine ...

[Help me create a low cost VM](#)[Help me create a VM optimized for high availability](#)[Help me choose the right VM size for my workload](#)[Basics](#) [Disks](#) [Networking](#) [Management](#) [Monitoring](#) [Advanced](#) [Tags](#) [Review + create](#)

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution.

[Learn more](#)

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network * ⓘ

(new) INDVM-vnet

[Create new](#)

Subnet * ⓘ

(new) default (10.0.0.0/24)

Public IP ⓘ

None

[Create new](#)

NIC network security group ⓘ

☐ None☒ Basic☐ Advanced

Public inbound ports * ⓘ

☐ None☒ Allow selected ports

Select inbound ports *

HTTP (80), RDP (3389)



This will allow all IP addresses to access your virtual machine. This is only

< Previous

Next : Management >

Review + create

Microsoft Azure

Search resources, services, and docs (G+/)

[Home](#) > [Virtual machines](#) >

Create a virtual machine

Validation passed

Help me create a low cost VM

Help me create a VM optimized for high availability

Help me choose the right VM size for my workload

Basics

Disks

Networking

Management

Monitoring

Advanced

Tags

Review + create

Price

1 X Standard B2ms
by Microsoft
[Terms of use](#) | [Privacy policy](#)

Subscription credits apply ⓘ
8.1198 INR/hr
[Pricing for other VM sizes](#)

TERMS

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See the [Azure Marketplace Terms](#) for additional details.

⚠ You have set RDP port(s) open to the internet. This is only recommended for testing. If you want to change this setting, go back to Basics tab.

Basics

Subscription

Manohar Subscription

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

mareshkumar0091989...
DEFAULT DIRECTORY MAHESH...

[Home](#) >

CreateVm-MicrosoftWindowsServer.WindowsServer-202-20250126152800 | Overview

Search

Delete Cancel Redeploy Download Refresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name: CreateVm-MicrosoftWindowsServer.WindowsSe... Start time: 1/26/2025, 3:29:36 PM
Subscription: Manohar Subscription Correlation ID: ae679a6c-417d-4316-a8ea-be04bc2e0fd3 ⓘ
Resource group: Demo-RG

Deployment details

Next steps

Setup auto-shutdown Recommended

Monitor VM health, performance and network dependencies Recommended

Run a script inside the virtual machine Recommended

Go to resource

Create another VM

Give feedback

Tell us about your experience with deployment

Deployment succeeded

Deployment "CreateVm-MicrosoftWindowsServer.WindowsServer-202-20250126152800" to resource group "Demo-RG" was successful.

Go to resource

Pin to dashboard

Cost Management

Get notified to stay within your budget and prevent unexpected charges on your bill. Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners

Install IIS web server on the VM

Microsoft Azure

Home > CreateVm-MicrosoftWindowsServer.WindowsServer-202-20250126152800 | Overview > INDVM

INDVM | Run command

Virtual machine

Search

- Operating system
- Configuration
- Advisor recommendations
- Properties
- Locks
- Availability + scale
- Size
- Availability + scaling
- Security
- Identity
- Microsoft Defender for Cloud
- Backup + disaster recovery
- Backup
- Disaster recovery
- Restore point
- Operations
- Auto-shutdown
- Run command

Now it's possible to execute multiple scripts at the same time, manage their progress and persist execution outputs. Scripts and parameters and PowerShell.

Run Command uses the VM agent to let you run a script inside this virtual machine. This can be helpful for troubleshooting and recovery details.

Name	Description
RunPowerShellScript	Executes a PowerShell script
DisableNLA	Disable Network Level Authentication
DisableWindowsUpdate	Disable Windows Update Automatic Updates
EnableAdminAccount	Enable administrator account
EnableEMS	Enable EMS
EnableRemotePS	Enable remote PowerShell
EnableWindowsUpdate	Enable Windows Update Automatic Updates
IPConfig	List IP configuration
RDPSettings	Verify RDP Listener Settings
ResetRDPcert	Restore RDP Authentication mode to default
SetRDPport	Set Remote Desktop port

Run Command Script

RunPowerShellScript

Script execution in progress...

PowerShell Script

```
1 Install-WindowsFeature -Name Web-Server -IncludeManagementTools
```

Run

Output

Microsoft Azure

Home > CreateVm-MicrosoftWindowsServer.WindowsServer-202-20250126152800 | Overview > INDVM

INDVM | Run command

Virtual machine

Search

- Operating system
- Configuration
- Advisor recommendations
- Properties
- Locks
- Availability + scale
- Size
- Availability + scaling
- Security
- Identity
- Microsoft Defender for Cloud
- Backup + disaster recovery
- Backup
- Disaster recovery
- Restore point
- Operations
- Auto-shutdown

Now it's possible to execute multiple scripts at the same time, manage their progress and persist execution outputs. Scripts and parameters and PowerShell.

Run Command uses the VM agent to let you run a script inside this virtual machine. This can be helpful for troubleshooting and recovery details.

Name	Description
RunPowerShellScript	Executes a PowerShell script
DisableNLA	Disable Network Level Authentication
DisableWindowsUpdate	Disable Windows Update Automatic Updates
EnableAdminAccount	Enable administrator account
EnableEMS	Enable EMS
EnableRemotePS	Enable remote PowerShell
EnableWindowsUpdate	Enable Windows Update Automatic Updates
IPConfig	List IP configuration
RDPSettings	Verify RDP Listener Settings
ResetRDPcert	Restore RDP Authentication mode to default
SetRDPport	Set Remote Desktop port

Run Command Script

RunPowerShellScript

Script execution complete

PowerShell Script

```
1 Install-WindowsFeature -Name Web-Server -IncludeManagementTools
```

Run

Output

Success	Restart Needed	Exit Code	Feature Result
True	No	Success	(Common HTTP Features, Default Document, D...

Create application gateway

[Home](#) > [Load balancing | Application Gateway](#) >

Create application gateway

1 Basics 2 Frontends 3 Backends 4 Configuration 5 Tags 6 Review + create

An application gateway is a web traffic load balancer that enables you to manage traffic to your web application. [Learn about creating application gateway](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Resource group * ⓘ
[Create new](#)

Instance details

Application gateway name * ✓

Region *

Tier ⓘ

Enable autoscaling ☐ Yes ☒ No

Instance count * ✓

Availability zone * ⓘ

IP address type ⓘ ☒ IPv4 only ☐ Dual stack (IPv4 & IPv6)

HTTP2 ⓘ ☐ Disabled ☒ Enabled

[Previous](#)[Next : Frontends >](#)

HTTP2 ⓘ ☐ Disabled ☒ Enabled

Configure virtual network

Virtual network * ⓘ
[Create new](#)

Subnet * ⓘ
[Manage subnet configuration](#)

Home > Load balancing | Application Gateway >

Create application gateway

✓ Basics 2 Frontends 3 Backends 4 Configuration 5 Tags 6 Review + create

Traffic enters the application gateway via its frontend IP address(es). An application gateway can use a public IP address, private IP address, or one of each type.

Frontend IP address type ☒ Public ☐ Private ☐ Both

Public IPv4 address * (New) appgwfrontend

Add new

Home > Load balancing | Application Gateway >

Create application gateway

✓ Basics ✓ Frontends 1 Backends 4 Configuration 5 Tags 6 Review + create

A backend pool is a collection of resources to which your application gateway can send traffic. A backend pool can contain virtual machines, virtual machine scale sets, app services, IP addresses, or fully qualified domain names (FQDN).

[Add a backend pool](#)

Backend pool	Targets
No results	

Add a backend pool.

A backend pool is a collection of resources to which your application gateway can send traffic. A backend pool can contain virtual machines, virtual machines scale sets, IP addresses, domain names, or an App Service.

Name * poolA ✓

Add backend pool without targets

Yes No

Backend targets

1 item

Target type	Target
Virtual machine	Indvm490 (10.0.0.4) <div>...</div>
IP address or FQDN	

Home > Load balancing | Application Gateway >

Create application gateway

✓ Basics ✓ Frontends ✓ Backends 1 Configuration 5 Tags 6 Review + create

Create routing rules that link your frontend(s) and backend(s). You can also add more backend pools, add a second frontend IP configuration if you haven't already, or edit previous configurations.

Frontends

+ Add a frontend IP

Public: (new) appgwfrontend

...

Routing rules

+ Add a routing rule

...

Backend pools

+ Add a backend pool

poolA

...

Add a routing rule



Configure a routing rule to send traffic from a given frontend IP address to one or more backend targets. A routing rule must contain a listener and at least one backend target.

Rule name * ✓

Priority * ⓘ ✓

* Listener * Backend targets

A listener "listens" on a specified port and IP address for traffic that uses a specified protocol. If the listener criteria are met, the application gateway will apply this routing rule. ⓘ

Listener name * ⓘ ✓

Frontend IP * ⓘ ✓

Protocol ⓘ ☒ HTTP ☐ HTTPS

Port * ⓘ ✓

Listener type ⓘ ☒ Basic ☐ Multi site

Custom error pages

Show customized error pages for different response codes generated by Application Gateway. This section lets you configure Listener-specific error pages. [Learn more](#) ⓘ

Please verify that the url(s) being added here is reachable from your application gateway using the [connection troubleshoot](#) tool to prevent any deployment error.

Bad Gateway - 502

Forbidden - 403

[Show more status codes](#)

Add

Cancel



Add Backend setting



[← Discard changes and go back to routing rules](#)

Backend settings name *	<input type="text" value="httpsetting"/>	✓
Backend protocol	<input checked="" type="radio"/> HTTP <input type="radio"/> HTTPS	
Backend port *	<input type="text" value="80"/>	✓

Additional settings

Cookie-based affinity ⓘ	<input type="radio"/> Enable <input checked="" type="radio"/> Disable
Connection draining ⓘ	<input type="radio"/> Enable <input checked="" type="radio"/> Disable
Request time-out (seconds) * ⓘ	<input type="text" value="20"/>
Override backend path ⓘ	<input type="text"/>

Host name

By default, the Application Gateway sends the same HTTP host header to the backend as it receives from the client. If your backend application/service requires a specific host value, you can override it using this setting.

Yes ☒ No

Override with new host name

Yes ☐ No

Create custom probes

Add

Cancel

3:39 PM

Copilot

maneshkumar0051985...
DEFAULT DIRECTORY (MAHESHK...

×

Add a routing rule

Configure a routing rule to send traffic from a given frontend IP address to one or more backend targets. A routing rule must contain a listener and at least one backend target.

Rule name *

httprule ✓

Priority * ⓘ

100 ✓

* Listener

* Backend targets

Choose a backend pool to which this routing rule will send traffic. You will also need to specify a set of Backend settings that define the behavior of the routing rule. ⓘ

Target type

☒ Backend pool ☐ Redirection

poolA ✓

[Add new](#)

Backend target * ⓘ

httpsetting ✓

[Add new](#)

Backend settings * ⓘ

[Add new](#)

Path-based routing

You can route traffic from this rule's listener to different backend targets based on the URL path of the request. You can also apply a different set of Backend settings based on the URL path. ⓘ

Path based rules

Path	Target name	Backend setting name	Backend pool
No additional targets to display			

[Add multiple targets to create a path-based rule](#)

Add

Cancel

Add a path

[← Discard changes and go back to routing rules](#)

us c

Target type

Path * ⓘ

Target name *

Redirection type

Redirection target

Target URL *

Include query string

Include path

☐ Backend pool

☒ Redirection

☐ Listener

☒ External site

☐ Yes☒ No

☐ Yes☒ No

/men

✓

mentarget

✓

Permanent

▼

https://www.myntra.com/shop/men

✓

Add a routing rule

Priority * ⓘ

100

* Listener * Backend targets

Choose a backend pool to which this routing rule will send traffic. You will also need to specify a set of Backend settings that define the behavior of the routing rule. ⓘ

Target type

☒ Backend pool ☐ Redirection

poolA

Backend target * ⓘ

[Add new](#)

httpsetting

Backend settings * ⓘ

[Add new](#)

Path-based routing

You can route traffic from this rule's listener to different backend targets based on the URL path of the request. You can also apply a different set of Backend settings based on the URL path. ⓘ

Path based rules

Path	Target name	Backend setting name	Backend pool
No additional targets to display			

Redirect rules

Path	Target name	Redirection type	Redirection target
/men	mentarget	Permanent	https://www.myntra.com/sh... ***

[Add multiple targets to create a path-based rule](#)

Add

Cancel



Microsoft Azure

Search resources, services, and docs (G+)

Copilot

mareshkumar0091989...
DEFAULT DIRECTORY (MAHESHK...

Home > Load balancing | Application Gateway >

Create application gateway ...

✓ Basics ✓ Frontends ✓ Backends **Configuration** ⓘ Tags ⓘ Review + create

Create routing rules that link your frontends(s) and backend(s). You can also add more backend pools, add a second frontend IP configuration if you haven't already, or edit previous configurations. ⓘ

Frontends

+ Add a frontend IP

Public: (new) appgwfrontend ⓘ

Routing rules

+ Add a routing rule

httprule
Manage Backend settings ⓘ

Backend pools

+ Add a backend pool

poolA ⓘ

Microsoft Azure

Search resources, services, and docs (G+)

Home > Load balancing | Application Gateway >

Create application gateway ...

Validation passed

✓ Basics

✓ Frontends

✓ Backends

✓ Configuration

✓ Tags

6 Review + create

Basics

Subscription

Manohar Subscription

Resource group

Demo-RG

Name

INDAPPGW

Region

Central India

Tier

Standard_v2

Enable autoscaling

Disabled

Instance count

1

Availability zone

Zones 3

HTTP2

Enabled

Virtual network

INDVM-vnet

Subnet

ApplicationGatewaySubnet (10.0.1.0/24)

Subnet address space

10.0.1.0/24

Frontends

Public IPv4 address name

appgwfrontend

SKU

Standard

Assignment

Static

Availability zone

3

Create

Previous

Next

Download a template for automation

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home >

Microsoft.ApplicationGateway-20250126153515 | Overview

Deployment

Search

Delete

Cancel

Redeploy

Download

Refresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : Microsoft.ApplicationGateway-20250126153515

Subscription : Manohar Subscription

Resource group : Demo-RG

Start time : 1/26/2025, 3:41:54 PM

Correlation ID : 2bfa6c63-ac3e-4990-83ea-16af09168678

> Deployment details

✓ Next steps


Go to resource group

Give feedback


Tell us about your experience with deployment

Copy the public ip of the application gateway and paste on the browser.

We are able to see the default page of IIS web server



When I add /men after the public ip it re-direct to the myntra website home page



myntra.com/shop/men

☆

All Bookmarks

MEN

WOMEN

KIDS

HOME & LIVING

BEAUTY

STUDIO NEW

Search for products, brands and more


Profile

Wishlist

Bag


Sale Ends In 08 H : 09 M : 44 S

FLAT ₹400 OFF

On Your 1st Purchase
Via  App!

STYLE
PARADE

JAN 21 - 26



40-80%
off

March Into Style
This Republic Day

SHOP NOW

FLAT ₹300 OFF