

Create a webapp with runtime stack PHP 8.3

Microsoft Azure

Search resources, services, and docs (G+I)

Copilot

Home > App Services >

Create Web App ...

BasicsDeploymentNetworkingMonitor + secureTagsReview + create

App Service Web Apps lets you quickly build, deploy, and scale enterprise-grade web, mobile, and API apps running on any platform. Meet rigorous performance, scalability, security and compliance requirements while using a fully managed platform to perform infrastructure maintenance. [Learn more](#)

Project Details

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘManohar Subscription

Resource Group * ⓘDemo-RG

Create new

Instance Details

Namemanoharwebapp

.azurewebsites.net

☐ Try a secure unique default hostname. [More about this update](#)

Publish *☒ Code ☐ Container

Runtime stack *PHP 8.3

Operating System *☒ Linux ☐ Windows

Region *Central India

Not finding your App Service Plan? Try a different region or select your App

Review + create< PreviousNext : Deployment >

Microsoft Azure

Search resources, services, and docs (G+I)

Home > App Services >

Create Web App ...

Not finding your App Service Plan? Try a different region or select your App Service Environment.

Pricing plans

App Service plan pricing tier determines the location, features, cost and compute resources associated with your app. [Learn more](#)

Linux Plan (Central India) * ⓘ(New) ASP-DemoRG-a20b

Create new

Pricing planStandard S1 (100 total ACU, 1.75 GB memory, 1 vCPU)

Explore pricing plans

Zone redundancy

An App Service plan can be deployed as a zone redundant service in the regions that support it. This is a deployment time only decision. You can't make an App Service plan zone redundant after it has been deployed. [Learn more](#)

Zone redundancy

☐ Enabled: Your App Service plan and the apps in it will be zone redundant. The minimum App Service plan instance count will be three.

☒ Disabled: Your App Service Plan and the apps in it will not be zone redundant. The minimum App Service plan instance count will be one.

Recommended services (preview)

Within a new App Service plan, you can deploy these commonly-used services with your app. Services you select will be deployed secure-by-default. [Learn More](#)

Deploy with your app

☐ Database (optimized based on your runtime)

☐ Azure Cache for Redis (boost your app's performance)

Review + create< PreviousNext : Deployment >

[Home](#) > [App Services](#) >

Create Web App ...

GitHub settings

Set up GitHub Actions to push content to your app whenever there are code changes made to your repository. Note: Your GitHub account must have write access to the selected repository in order to add a workflow file which manages deployments to your app.

GitHub account	maheshkumar10010
	Change account ⓘ
Organization	Select organization ▾
Repository	Select repository ▾
Branch	Select branch ▾

Workflow configuration

Click the button below to preview what the GitHub Actions workflow file will look like before setting up continuous deployment.

Complete the Basics tab and the form above to preview the GitHub Actions workflow file.

[Preview file](#)

Authentication settings

Choose if you would like to allow basic authentication to deploy code to your app. [Learn more](#)

Basic authentication ☒ Disable ☐ Enable

[Review + create](#)[< Previous](#)[Next : Networking >](#)

[Home](#) > [App Services](#) >

Create Web App ...

[Basics](#) [Deployment](#) [Networking](#) **[Monitor + secure](#)** [Tags](#) [Review + create](#)

The following features are optional and billed separately. Microsoft recommends enabling them to ensure the most robust protections and capabilities to monitor and secure your web applications.

Application Insights

Azure Monitor application insights is an Application Performance Management (APM) service for developers and DevOps professionals. Enable it below to automatically monitor your application. It will detect performance anomalies, and includes powerful analytics tools to help you diagnose issues and to understand what users actually do with your app. Your bill is based on amount of data used by Application Insights and your data retention settings. [Learn more](#)

[App Insights pricing](#)Enable Application Insights * ☒ No ☐ Yes

Application Insights code-less monitoring isn't supported with your selections of subscription, runtime stack, operating system, publish type, region, or resource group. If you want to keep these selections, you can use the Application Insights SDK to monitor your app.

Microsoft Defender for Cloud

When you add the Defender for App Service plan to your Azure subscription, you get a cloud-native security solution that monitors logs, requests, VM instance, and more—detecting threats and ongoing attacks to your resources. [More benefits of Defender for App Service](#)

[Defender for Cloud pricing](#)

You need permissions to activate Defender for Cloud in this subscription. Contact the owner, contributor, or security administrator.

[Review + create](#)[< Previous](#)[Next : Tags >](#)

Create Web App ...

 Basic authentication for this app is currently disabled and may impact deployments. Click to learn more.

Details

Subscription	32aeb345-c46e-4708-be87-491dbf8d1da9
Resource Group	Demo-RG
Name	manoharwebapp
Publish	Code
Runtime stack	PHP 8.3

App Service Plan (New)

Name	ASP-DemoRG-a20b
Operating System	Linux
Region	Central India
SKU	Standard
Size	Small
ACU	100 total ACU
Memory	1.75 GB memory

Monitor + secure

Application Insights	Not enabled
----------------------	-------------

Deployment

Create

< Previous

Next >

[Download a template for automation](#)

portal.azure.com/#@maheshkumar0091989gmail.onmicrosoft.com/resource/subscriptions/32aeb345-c46e-4708-be87-491dbf8d1da9/resou...

Microsoft Azure

Home > Microsoft.WebApp-Portal-8b7a7177-9b65 | Overview >

manoharwebapp

Web App

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Microsoft Defender for Cloud

Events (preview)

Recommended services (preview)

Deployment

Deployment slots

Deployment Center

Settings

Environment variables

Configuration

Authentication

Identity

Backups

Custom domains

Certificates

Networking

Essentials

Resource group (move)

Status

Location (move)

Subscription (move)

Subscription ID

Tags (edit)

Default domain

App Service Plan

Operating System

Health Check

Properties

Monitoring

Logs

Capabilities

Notifications

Recommendations

Web app

Name

Publishing model

Runtime Stack

Domains

Default domain

Custom domain

Hosting

Plan Type

Name

Deployment Center

Deployment logs

Last deployment

Deployment provider

Application Insights

Name

Networking

Virtual IP address

Outbound IP addresses

Additional Outbound IP addresses


manoharwebapp.azurewebsites.net



Your web app is running and waiting for your content

Your web app is live, but we don't have your content yet. If you've already deployed, it could take up to 5 minutes for your content to show up, so come back soon.



 Built with PHP

Created a testing slot

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

maheeshkumar0091989...
DEFAULT DIRECTORY (MAHEESHK...)

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp

manoharwebapp | Deployment slots ☆ ...

Web App

Search

Save Discard Add Swap Logs Refresh Send us your feedback

Deployment slots

Deployment Center

Settings

Environment variables

Configuration

Authentication

Identity

Backups

Custom domains

Certificates

Networking

Scale up (App Service plan)

Scale out (App Service plan)

Webjobs (preview)

Service Connector

Locks

Performance

Load Testing

App Service plan

No slots have been added.

Deployment slots are live apps with their own hostnames. App content and configurations elements can be swapped between two deployment slots, including the production slot. [Learn more](#)

Add slot

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

maheeshkumar0091989...
DEFAULT DIRECTORY (MAHEESHK...)

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp

manoharwebapp | Deployment slots ☆ ...

Web App

Search

Save Discard Add Swap Logs Refresh Send us your feedback

Deployment slots

Deployment Center

Settings

Environment variables

Configuration

Authentication

Identity

Backups

Custom domains

Certificates

Networking

Scale up (App Service plan)

Scale out (App Service plan)

Webjobs (preview)

Service Connector

Locks

Performance

Load Testing

App Service plan

No slots have been added.

Deployment slots are live apps with their own hostnames. App content and configurations elements can be swapped between two deployment slots, including the production slot. [Learn more](#)

Add slot

Add Slot

Name

testing

manoharwebapp-testing.azurewebsites.net

Clone settings from:

Do not clone settings

Add Close

Microsoft Azure

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp

manoharwebapp | Deployment slots

Deployment slots are live apps with their own hostnames. App content and configurations elements can be swapped between two deployment slots, including the production slot.

Name	Status	App service plan	Traffic %
manoharwebapp PRODUCTION	Running	ASP-DemoRG-a20b	100
manoharwebapp-testing	Running	ASP-DemoRG-a20b	0

In the testing slot I will Deploy and build code from github & then we will swap it with the production slot

Microsoft Azure

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp | Deployment slots > testing (manoharwebapp/testing)

testing (manoharwebapp/testing) | Deployment Center

Settings

Deploy and build code from your preferred source and build provider. [Learn more](#)

Source * GitHub

Building with GitHub Actions. [Change provider.](#)

GitHub

App Service will place a GitHub Actions workflow in your chosen repository to build and deploy your app whenever there is a commit on the chosen branch. If you can't find an organization or repository, you may need to enable additional permissions on GitHub. You must have write access to your chosen GitHub repository to deploy with GitHub Actions. [Learn more](#)

Signed in as maheshkumar10010 [Change Account](#)

Organization * maheshkumar10010

Repository * shadinkr007-helloworld1

Branch * master

Workflow Option *

☒ Add a workflow: Add a new workflow file 'master_manoharwebapp(testing).yml' in the selected repository and branch.

☐ Use available workflow: Use one of the workflow files available in the selected repository and branch.

Build

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

mareshkumar0091989...
DEFAULT DIRECTORY MAHESHK...

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp | Deployment slots > testing (manoharwebapp/testing)

testing (manoharwebapp/testing) | Deployment Center

App Service (Slot)

Search

Save Discard Browse Manage publish profile Sync Leave Feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Microsoft Defender for Cloud

Recommended services (preview)

Deployment

Deployment slots

Deployment Center

Settings

Environment variables

Configuration

Authentication

Identity

Backups

Custom domains

Certificates

Networking

Workflow Option*

Add a workflow: Add a new workflow file "master_manoharwebapp(testing).yaml" in the selected repository and branch.

Use available workflow: Use one of the workflow files available in the selected repository and branch.

Build

Runtime stackPHP

VersionPHP 8.3

Authentication settings

Select how you want your GitHub Action workflow to authenticate to Azure. If you choose user-assigned identity, the identity selected will be federated with GitHub as an authorized client and given write permissions on the app. [Learn more](#)

Authentication type*

User-assigned identity

Basic authentication

Subscription*Manohar Subscription

Identity*(Create new)

Workflow Configuration

File with the workflow configuration defined by the settings above.

*** Setting up deployment
Setting up GitHub Action build and deployment pipeline.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

mareshkumar0091989...
DEFAULT DIRECTORY MAHESHK...

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp | Deployment slots > testing (manoharwebapp/testing)

testing (manoharwebapp/testing) | Deployment Center

App Service (Slot)

Search

Save Discard Browse Manage publish profile Sync Leave Feedback

Settings

Logs

FTPS credentials

Deploy and build code from your preferred source and build provider. [Learn more](#)

Source

GitHub

Disconnect

GitHub

Signed in asmareshkumar10010

Organizationmareshkumar10010

Repositoryshadlink007-helloworld1

Branchmaster 12

Build

Build providerGitHub Actions

Runtime stackPHP

VersionPHP 8.3

portal.azure.com/#@maheshkumar0091989gmail.onmicrosoft.com/resource/subscriptions/32aeb345-c46e-4708-be87-491dbf8d1da9/resou...

Microsoft Azure

Search resources, services, and docs (G+Y)

Copilot

mareshkumar0091989...
DEFAULT DIRECTORY MAHESHKUMAR

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp | Deployment slots > testing (manoharwebapp/testing)

testing (manoharwebapp/testing) | Deployment Center

App Service (Slot)

Search

Save Discard Browse Manage publish profile Sync Leave Feedback

Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Microsoft Defender for Cloud
Recommended services (preview)
Deployment
Deployment slots
Deployment Center
Settings
Environment variables
Configuration
Authentication
Identity
Backups

Settings Logs FTPS credentials

Refresh Delete

Time	Commit ID	Logs	Commit Author	Status	Message
Tuesday, January 21, 2025 (2)					
01/21/2025, 1:56:47 PM +05:30	8a2637c	App Logs	N/A	Success (Active)	OneDeploy
01/21/2025, 1:55:41 PM +05:30	1d58fe5	Build/Deploy Logs	mareshkumar10010	In Progress... Cancel run	Add or update the Azure App Service build and deployment workflow config

manoharwebapp-testing.azurewebsites.net

Hello World, This is IndApp

Swap the slots

Microsoft Azure

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp | Deployment slots > testing (manoharwebapp/testing)

testing (manoharwebapp/testing) | Deployment slots

Deployment slots are live apps with their own hostnames. App content and configurations elements can be swapped between two deployment slots, including the production slot.

Name
manoharwebapp PRODUCTION
manoharwebapp-testing

Swap

Source: manoharwebapp-testing
Target: PRODUCTION
manoharwebapp

Swap with preview can only be used with sites that have deployment slot settings enabled.

Perform swap with preview

Config Changes

This is a summary of the final set of configuration changes on the source and target deployment slots after the swap has completed.

Setting	Type	Old Value	New Value
No Changes			

Start Swap Close

Swap was successful.

Microsoft Azure

Home > Microsoft.Web-WebApp-Portal-8b7a7177-9b65 | Overview > manoharwebapp | Deployment slots > testing (manoharwebapp/testing)

testing (manoharwebapp/testing) | Deployment slots

Deployment slots are live apps with their own hostnames. App content and configurations elements can be swapped between two deployment slots, including the production slot.

Name	Status	App service plan	Traffic %
manoharwebapp PRODUCTION	Running	ASP-DemoRG-a20b	100
manoharwebapp-testing	Running	ASP-DemoRG-a20b	0

Notifications

More events in the activity log →


- Swapping slots
Successfully swapped slots 'testing' and 'production'
a few seconds ago
- Setting up deployment
Successfully setup GitHub Action build and deployment pipeline.
4 minutes ago
- Creating new slot 'testing'
Successfully created slot 'testing'
7 minutes ago
- Deployment succeeded
Deployment 'Microsoft.Web-WebApp-Portal-8b7a7177-9b65' to resource group 'Demo-RG' was successful.
Go to resource Pin to dashboard
12 minutes ago
- Executed delete command on 1 selected items
Succeeded: 1, Failed: 0, Canceled: 0.
19 minutes ago
- Successfully created storage container



Your web app is running and waiting for your content

Your web app is live, but we don't have your content yet. If you've already deployed, it could take up to 5 minutes for your content to show up, so come back soon.



 Built with PHP



Hello World, This is IndApp

Add a custom domain

I have purchased a domain from godaddy

cloudhub.biz

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

malhechskumar0091989...
DEFAULT DIRECTORY (MANHESIM)

Home > manoharwebapp

manoharwebapp | Custom domains

Web App

Search

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Microsoft Defender for Cloud

Events (preview)

Recommended services (preview)

Deployment

Deployment slots

Deployment Center

Settings

Environment variables

Configuration

Authentication

Identity

Backups

Custom domains

Certificates

Networking

Scale up (App Service plan)

Refresh

Troubleshoot

Configure and manage custom domains assigned to your app. [Learn more](#)

IP address: 20.192.171.2

Custom Domain Verification ID: 88069D0648EF411FA7682558AF6F33CB59273D91C1468AF...

Filter by keywords

Add filter

1 items

Add custom domain

Buy App Service domain

Delete

Custom domains	Status	Solution	Binding type	Certificate used	Actions
manoharwebapp.azurewebsites.n...	Secured	-	-	-	

< Previous

Items per page: 50

Page 1 of 1

Next >

22°C
Haze

Search

W

X

O

S

Google

Calendar

2:03 PM

1/21/2025

Copilot

mareshkumar0091989...
DEFAULT DIRECTORY (MAHESHK...

Add custom domain

Domain provider * ⓘ

☐ App Service Domain

☒ All other domain services

TLS/SSL certificate * ⓘ

☐ App Service Managed Certificate

☒ Add certificate later

Enter your custom domain. We'll give you hostname records to register with your domain provider, and we can validate and add your custom domain here. [Learn more](#)

Domain * ⓘ

cloudhub.biz

Hostname record type * ⓘ

A record (example.com) ▾

Domain validation

To validate your domain ownership, copy the hostname records below and enter them with your domain provider. [Learn more](#)

Export to CSV

Type	Host	Value	Status
A	@	20.192.171.2	<div></div>
TXT	asuid	88069D0648EF411FA7682558AF6F33CB59273D91C1468AF3CF46042FA3B505D5	<div></div>

Validate

Add

Cancel

ilot

mareshkumar0091989...
DEFAULT DIRECTORY (MAHESHK...

Add custom domain

×

Domain provider * ⓘ

☐ App Service Domain

☒ All other domain services

TLS/SSL certificate * ⓘ

☐ App Service Managed Certificate

☒ Add certificate later

Enter your custom domain. We'll give you hostname records to register with your domain provider, and we can validate and add your custom domain here. [Learn more](#)

Domain * ⓘ

cloudhub.biz

Hostname record type * ⓘ

A record (example.com) ▾

Domain validation

To validate your domain ownership, copy the hostname records below and enter them with your domain provider. [Learn more](#)

⬇ Export to CSV

Type	Host	Value	Status
A	@	20.192.171.2	
TXT	asuid	88069D0648EF411FA7682558AF6F33CB59273D91C1468AF3CF46042FA3B505D5	

Validation passed. Select **Add** to finish up.

Validate

Add

Cancel

Added both the records (A & TXT) in godaddy.

← → ↻

dcc.godaddy.com/control/portfolio/cloudhub.biz/settings?itc=mya_vh_buildwebsite_domain

☆ 📁 👤 ⋮

All Bookmarks

🏠

Domains

▼

Portfolio

DNS

Transfers

Services

▼

Tools

▼

Settings

▼

☐

SOA

@

server: ns53.
domaincontro
l.com.

1 Hour

⌵ Filters

⋮ Actions

☐

TXT

asuid

88069D0648
EF411FA7682
558AF6F33C
B59273D91C
1468AF3CF4
6042FA3B50
5D5

1 Hour

🗑

✎

Set up your free social media subdomain!

Your domain comes with free, customizable subdomains ⓘ such as **facebook.cloudhub.biz** to link to your social media page.

👉 Improved

👉 Promote your

👉 Add to your

← → ↻

dcc.godaddy.com/control/portfolio/cloudhub.biz/settings?itc=mya_vh_buildwebsite_domain

☆ 📁 👤 ⋮

All Bookmarks

🏠

Domains

▼

Portfolio

DNS

Transfers

Add New Record

▼

⌵ Filters

⋮ Actions

Type ⓘ

Name ⓘ

Data ⓘ

TTL ⓘ

Delete

Edit

☐

A

@

20.192.171.2

600
seconds

🗑

✎

portal.azure.com/#@maheshkumar0091989gmail.onmicrosoft.com/resource/subscriptions/32aeb345-c46e-4708-be87-491dbf8d1da9/resou...

Microsoft Azure

manoharwebapp | Custom domains

Web App

Search resources, services, and docs (G+)

Copilot

mahehkumar0091989...
DEFAULT DIRECTORY (MAHESHKUMAR0091989GMAIL.ONMICROSOFT.COM)

Adding custom domain
Successfully added custom domain: cloudhub.biz

Refresh Troubleshoot

One or more domains are not secured. Check the solution column below for how to secure your domains.

Configure and manage custom domains assigned to your app. [Learn more](#)

IP address: 20.192.171.2

Custom Domain Verification ID: 88069D0648EF411FA7682558AF6F33CB59273D91C1468AF...

Filter by keywords Add filter

2 items

+ Add custom domain + Buy App Service domain Delete

Custom domains	Status	Solution	Binding type	Certificate used	Actions
cloudhub.biz	No binding	Add binding	-	-	...
manoharwebapp.azurewebsites.net	Secured	-	-	-	-

Microsoft Azure

manoharwebapp | Configuration

Web App

Search resources, services, and docs (G+)

Copilot

mahehkumar0091989...
DEFAULT DIRECTORY (MAHESHKUMAR0091989GMAIL.ONMICROSOFT.COM)

Refresh Save Discard Leave Feedback

Custom Error pages requires a premium App Service Plan.

Always on: On (selected) Off
Prevents your app from being idled out due to inactivity. [Learn more](#)

Session affinity: On Off (selected)
Improve performance of your stateless app by turning Affinity Cookie off. stateful apps should keep this setting on for compatibility. [Learn more](#)

Session affinity proxy: On Off (selected)
Adjust the Affinity Cookie domain to the reverse proxy domain. [Learn more](#)

HTTPS Only: On Off (selected)
Enable this feature to redirect all HTTP traffic to HTTPS.

Minimum Inbound TLS Versi...: 1.2
Select the minimum TLS encryption version required by clients connecting to your app.

Minimum Inbound TLS Ciph...: TLS_RSA_WITH_AES_128_CBC_SHA (Default) [Change](#)
Select the minimum TLS cipher suite to disable less secure TLS cipher suites for incoming requests.

End-to-end TLS encrypt...: On Off (selected)
Prevents TLS termination of incoming HTTPS requests. [Learn more](#)

Debugging

Not secure https://cloudhub.biz

Hello World, This is IndApp