Create a storage account

 ≡ Microsoft Azure

 𝑃 Search resources, services, and docs (G+/)


Home > Storage accounts >

Create a storage account

Azure Storage is a Microsoft-managed service providing cloud storage that is highly available, secure, durable, scalable, and redundant. Azure Storage includes Azure Blobs (objects), Azure Data Lake Storage Gen2, Azure Files, Azure Queues, and Azure Tables. The cost of your storage account depends on the usage and the options you choose below. Learn more about Azure storage accounts 23

Project details


Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.




Previous Next Review + create


Home > Storage accounts >

Create a storage account





Create a file share and disable backup for the file share



| — Wilciosoft Azure | > Scarcification (C-7) |
|---|------------------------|
| Home > datastore10010_1738130151837 Overview > datastore10010 File shares > | |
| New file share | |
| Basics Backup Review + create | |
| Azure Backup protects your file shares from accidental deletion or modification with granular restore and at-scale macapabilities. Learn more \vec{u} | nagement |
| Enable backup | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

< Previous Next : Review >

Review + create



Basics

Basics Backup


File share name scripts

Access Tier TransactionOptimized


Review + create

Protocol SMB


Create < Previous Next > Download a template for automation





Upload files in the file share




Enable backup for the file share from recovery services vault.










∠ Search resources, services, and docs (G+/)













Enable backup










Initiate the backup for the file share










Delete few files from the file share








Perform file recovery


















All the deleted files are now restored










Unregister storage account from the recovery services vault.





| ■ Microsoft Azure | | ∠ Search resources, services, and docs (G+/) | | Copilot |
|--|--|--|---|---------|
| Home > backupvault Backup Infrastructure Delete | cture > Backup Infrastructure Storage Accounts > | | | |
| datastore10010 | | | | |
| Type the Storage Account Name * | datastore10010 | | | |
| Reason * | 1 selected | | ~ | |
| Comments * | not required | | | |
| | | | / | |
| | | | | |
| | | | | |
| | | | | |

Delete Cancel



