```
Query OK, 2 rows affected (0.02 sec)

mysql> select *from customers;
+------+----------+------+------------+-----------+
| id   | name     | age  | place      | state     |
+------+----------+------+------------+-----------+
|  101 | manohar  |   25 | hyderabad  | telangana |
|  102 | ajay     |   25 | hyderabad  | telangana |
|  103 | vijay    |   25 | hyderabad  | telangana |
|  104 | prajay   |   25 | hyderabad  | telangana |
|  105 | vinay    |   17 | karimnagar | telangana |
|  106 | raj      |   16 | karimnagar | telangana |
|  107 | nandish  |   19 | warangal   | telangana |
|  108 | anji     |   19 | nizamabad  | telangana |
|  110 | achuth   |   25 | hyderabad  | telangana |
|  111 | anil     |   25 | hyderabad  | telangana |
|  112 | prajay   |   25 | hyderabad  | chennai   |
|  114 | raj      |   16 | karimnagar | chennai   |
+------+----------+------+------------+-----------+
12 rows in set (0.00 sec)

mysql>
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that correspo
 "hyderabad" where place = "hyd"' at line 1
mysql> update customers set place = "hyderabad" where place = "hyd";
Query OK, 8 rows affected (0.07 sec)
Rows matched: 8  Changed: 8  Warnings: 0

mysql> select *from customers;
+------+----------+------+------------+-----------+
| id   | name     | age  | place      | state     |
+------+----------+------+------------+-----------+
|  101 | manohar  |   25 | hyderabad  | hyderabad |
|  102 | ajay     |   25 | hyderabad  | hyderabad |
|  103 | vijay    |   25 | hyderabad  | hyderabad |
|  104 | prajay   |   25 | hyderabad  | hyderabad |
|  105 | vinay    |   17 | karimnagar | hyderabad |
|  106 | raj      |   16 | karimnagar | hyderabad |
|  107 | nandish  |   19 | warangal   | hyderabad |
|  108 | anji     |   19 | nizamabad  | hyderabad |
|  109 | manohar  |   25 | hyderabad  | banglore  |
|  110 | achuth   |   25 | hyderabad  | hyderabad |
|  111 | anil     |   25 | hyderabad  | hyderabad |
|  112 | prajay   |   25 | hyderabad  | chennai   |
|  113 | vinala   |   17 | karimnagar | banglore  |
|  114 | raj      |   16 | karimnagar | chennai   |
+------+----------+------+------------+-----------+
14 rows in set (0.00 sec)

mysql> update customers set state = "telangana" where state = "hyderabad";
Query OK, 10 rows affected (0.01 sec)
Rows matched: 10  Changed: 10  Warnings: 0
```

```
uery OK, 10 rows affected (0.01 sec)
ows matched: 10  Changed: 10  Warnings: 0

ysql> select *from customers;
-----+----------+------+------------+-----------+
 id   | name     | age  | place      | state     |
-----+----------+------+------------+-----------+
 101 | manohar  |   25 | hyderabad  | telangana |
 102 | ajay     |   25 | hyderabad  | telangana |
 103 | vijay    |   25 | hyderabad  | telangana |
 104 | prajay   |   25 | hyderabad  | telangana |
 105 | vinay    |   17 | karimnagar | telangana |
 106 | raj      |   16 | karimnagar | telangana |
 107 | nandish  |   19 | warangal   | telangana |
 108 | anji     |   19 | nizamabad  | telangana |
 109 | manohar  |   25 | hyderabad  | banglore  |
 110 | achuth   |   25 | hyderabad  | telangana |
 111 | anil     |   25 | hyderabad  | telangana |
 112 | prajay   |   25 | hyderabad  | chennai   |
 113 | vinala   |   17 | karimnagar | banglore  |
 114 | raj      |   16 | karimnagar | chennai   |
```

29°C

```
mysql> insert into customers(id,name,age,place,state) values(109,"manohar",25,"hyd","banglore"),(110,"achuth",2
derabad"),(112,"prajay",25,"hyd","chennai"),(113,"vinala",17,"karimnagar","banglore"),(114,"raj",16,"karimnagar
Query OK, 6 rows affected (0.01 sec)
Records: 6  Duplicates: 0  Warnings: 0

mysql> select *from customers;
+------+---------+------+------------+-----------+
| id   | name    | age  | place      | state     |
+------+---------+------+------------+-----------+
|  101 | manohar |   25 | hyd        | hyderabad |
|  102 | ajay    |   25 | hyd        | hyderabad |
|  103 | vijay   |   25 | hyd        | hyderabad |
|  104 | prajay  |   25 | hyd        | hyderabad |
|  105 | vinay   |   17 | karimnagar | hyderabad |
|  106 | raj     |   16 | karimnagar | hyderabad |
|  107 | nandish |   19 | warangal   | hyderabad |
|  108 | anji    |   19 | nizamabad  | hyderabad |
|  109 | manohar |   25 | hyd        | banglore  |
|  110 | achuth  |   25 | hyd        | hyderabad |
|  111 | anil    |   25 | hyd        | hyderabad |
|  112 | prajay  |   25 | hyd        | chennai   |
|  113 | vinala  |   17 | karimnagar | banglore  |
|  114 | raj     |   16 | karimnagar | chennai   |
+------+---------+------+------------+-----------+
14 rows in set (0.00 sec)

mysql>
```

```
Records: 8  Duplicates: 0  Warnings: 0

mysql> select *from customers;
+------+---------+------+------------+-----------+
| id   | name    | age  | place      | state     |
+------+---------+------+------------+-----------+
|  101 | manohar |   25 | hyd        | hyderabad |
|  102 | ajay    |   25 | hyd        | hyderabad |
|  103 | vijay   |   25 | hyd        | hyderabad |
|  104 | prajay  |   25 | hyd        | hyderabad |
|  105 | vinay   |   17 | karimnagar | hyderabad |
|  106 | raj     |   16 | karimnagar | hyderabad |
|  107 | nandish |   19 | warangal   | hyderabad |
|  108 | anji    |   19 | nizamabad  | hyderabad |
+------+---------+------+------------+-----------+
8 rows in set (0.00 sec)

mysql>
```

```
4 rows in set (0.00 sec)

mysql> insert into customers(id,name,place,state) values(101,"manohar","hyd","hyderabad"),(102,"ajay","hy
4,"prajay","hyd","hyderabad");
Query OK, 4 rows affected (0.01 sec)
Records: 4  Duplicates: 0  Warnings: 0

mysql> select *from customers
    -> ;
+------+---------+-------+-----------+
| id   | name    | place | state     |
+------+---------+-------+-----------+
|  101 | manohar | hyd   | hyderabad |
|  102 | ajay    | hyd   | hyderabad |
|  103 | vijay   | hyd   | hyderabad |
|  104 | prajay  | hyd   | hyderabad |
|  101 | manohar | hyd   | hyderabad |
|  102 | ajay    | hyd   | hyderabad |
|  103 | vijay   | hyd   | hyderabad |
|  104 | prajay  | hyd   | hyderabad |
+------+---------+-------+-----------+
8 rows in set (0.00 sec)

mysql>
```

```
uery OK, 2 rows affected (0.02 sec)

mysql> select *from customers;
+------+---------+-------+------------+-----------+
| id   | name    | age   | place      | state     |
+------+---------+-------+------------+-----------+
|  101 | manohar |   25  | hyderabad  | telangana |
|  102 | ajay    |   25  | hyderabad  | telangana |
|  103 | vijay   |   25  | hyderabad  | telangana |
|  104 | prajay  |   25  | hyderabad  | telangana |
|  105 | vinay   |   17  | karimnagar | telangana |
|  106 | raj     |   16  | karimnagar | telangana |
|  107 | nandish |   19  | warangal   | telangana |
|  108 | anji    |   19  | nizamabad  | telangana |
|  110 | achuth  |   25  | hyderabad  | telangana |
|  111 | anil    |   25  | hyderabad  | telangana |
|  112 | prajay  |   25  | hyderabad  | chennai   |
|  114 | raj     |   16  | karimnagar | chennai   |
+------+---------+-------+------------+-----------+
2 rows in set (0.00 sec)

mysql> delete from customers
    -> where age<20;
Query OK, 5 rows affected (0.02 sec)

mysql> select *from customers;
+------+---------+-------+-----------+-----------+
| id   | name    | age   | place     | state     |
+------+---------+-------+-----------+-----------+
|  101 | manohar |   25  | hyderabad | telangana |
|  102 | ajay    |   25  | hyderabad | telangana |
|  103 | vijay   |   25  | hyderabad | telangana |
|  104 | prajay  |   25  | hyderabad | telangana |
|  110 | achuth  |   25  | hyderabad | telangana |
|  111 | anil    |   25  | hyderabad | telangana |
|  112 | prajay  |   25  | hyderabad | chennai   |
+------+---------+-------+-----------+-----------+
 rows in set (0.00 sec)
```