

```
mysql> select * from employee;
```

id	name	salary	pincode	adress
1	ajay	30000	550550	trinkomali
2	vijay	40000	606060	hyderabad
3	jay	55000	545352	warangal
4	vikram	80000	987898	karimnagar
5	vinay	60000	345454	nizamabad

```
5 rows in set (0.00 sec)
```

```
mysql> select * from employee;
```

id	name	salary	pincode	adress
1	ajay	30000	550550	trinkomali
2	vijay	40000	606060	hyderabad
3	jay	55000	545352	warangal
4	vikram	80000	987898	karimnagar
5	vinay	60000	345454	nizamabad

```
5 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> alter table students drop column pincode;
ERROR 1091 (42000): Can't DROP 'pincode'; check that column/key exists
mysql> select * from employee;
```

id	name	salary	pincode	adress
1	ajay	30000	550550	trinkomali
2	vijay	40000	606060	hyderabad
3	jay	55000	545352	warangal
4	vikram	80000	987898	karimnagar
5	vinay	60000	345454	nizamabad

5 rows in set (0.01 sec)

```
mysql> alter table employee delete column pincode;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'delete column pincode' at line 1
mysql> alter table employee drop column pincode;
Query OK, 0 rows affected (0.10 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> alter table employee drop column adress;
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> select * from employee;
+----+-----+-----+
| id | name  | salary |
+----+-----+-----+
| 1  | ajay  | 30000  |
| 2  | vijay | 40000  |
| 3  | jay   | 55000  |
| 4  | vikram | 80000  |
| 5  | vinay | 60000  |
+----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql>
```

```
mysql> select * from students
-> ;
```

id	name	age
101	manohar	26
102	raj	25
103	nandish	23
104	anji	19

```
4 rows in set (0.00 sec)
```

```
mysql> alter table students add column height;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
at line 1
```

```
mysql> alter table students add column height int;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> alter table students add column weight int;
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> select * from students;
```

id	name	age	height	weight
101	manohar	26	NULL	NULL
102	raj	25	NULL	NULL
103	nandish	23	NULL	NULL
104	anji	19	NULL	NULL

```
4 rows in set (0.00 sec)
```

```
mysql> |
```

now tables at time 2

```
mysql> show tables;
```

Tables_in_6r_batch
agriculture
employee
police
postal
students

5 rows in set (0.10 sec)

```
mysql> show tables  
-> ;
```

Tables_in_6r_batch
agriculture
employee
police
postal
students

5 rows in set (0.00 sec)

```
mysql>
```