

# Quiz

This lesson covers multiple choice questions related to traversing Document Object Model.

1

What does `querySelectorAll()` function returns?

☐ A) List of Elements

☐ B) Count

☐ C) Class

☐ D) Identifier

☐ E) None of above

2

What does the `querySelector()` function returns when there is no associated element found?

☐ A) Zero

☐ B) Null

☐ B) Null

☐ C) None of above

3

The difference between `querySelectorAll()` and `querySelector()` is that `querySelector` returns the last element, where as `querySelectorAll()` returns all the elements associated to the class or identifier. Is this statement True or False?

☐ A) True

☐ B) False

4

The attributes of the following are directly accessible as properties except:

☐ A) `id`

☐ B) `class`

☐ C) `href`

☐ D) `value`

5

Given this HTML code:

```
<h1>Favourite seasons</h1>
<p>Here's the list of my favorite seasons on Netflix</p>
<div id="fav">
  <ul class="seasons" id="favseasons">
    <li class="netflix">Peaky Blinders</li>
    <li>House of Cards</li>
    <li>Narcos</li>
    <li>Dexter</li>
  </ul>
```

Can you guess what will be the output of this JavaScript this statement `console.log(classes[1]);` on the code written above?

- ☐ A) netflix
- ☐ B) undefined
- ☐ C) None of above

6

When is it convenient to use the `innerHTML()` function?

- ☐ A) When we want to access a specific element
- ☐ B) When we want to access the HTML of an element
- ☐ C) When we want to modify the HTML of an element

☐ D) Both B and C

CHECK ANSWERS