App.js

```jsx
import React from "react";

import { BrowserRouter as Router, Routes, Route } from "react-router-dom";

import { Toaster } from "@/components/ui/toaster";

import Navbar from "@/components/Navbar";

import Dashboard from "@/components/Dashboard";

import StudyMaterials from "@/components/StudyMaterials";

import MentorAccess from "@/components/MentorAccess";

import SkillProgress from "@/components/SkillProgress";

import FinancialAid from "@/components/FinancialAid";

import Employment from "@/components/Employment";

import Research from "@/components/Research";

import Login from "@/components/Login";

import Register from "@/components/Register";


function App() {
  return (
    <Router>
      <div className="min-h-screen bg-gradient-to-b from-blue-50 to-purple-50">
        <Routes>
          <Route path="/login" element={<Login />} />
          <Route path="/register" element={<Register />} />
          <Route
            path="/*"
            element={
              <>
                <Navbar />
                <main className="container mx-auto px-4 py-8">
```

```jsx
        <Routes>
          <Route path="/" element={<Dashboard />} />
          <Route path="/study-materials" element={<StudyMaterials />} />
          <Route path="/mentors" element={<MentorAccess />} />
          <Route path="/progress" element={<SkillProgress />} />
          <Route path="/financial-aid" element={<FinancialAid />} />
          <Route path="/employment" element={<Employment />} />
          <Route path="/research" element={<Research />} />
        </Routes>
        </main>
      <//>
      }
    />
    </Routes>
    <Toaster />
  </div>
  </Router>
  );
}

export default App;
```