

Cloud (AWS) Week 1 Task

Deploy application in monolithic and microservices architecture

❖ Description:

Task 1: For microservices: 2 EC2 instances, 1 for WordPress and EC2 instances, 1 for MYSQL

Task 2: For monolith: 1 EC2 instance, deploy WordPress and MYSQL on the same instances

- Configure the necessary security group for the instances
- EC2 instance type: t2-micro, AMI: ubuntu-*

Task 1


1) **For Microservice: 2 EC2 instances, 1 for WordPress and 1 for MYSQL**

i. 1 EC2 instance for WordPress


Create a WordPress instance Launch

The screenshot shows the AWS Management Console interface. On the left, there's a navigation menu with options like 'EC2 Dashboard', 'Instances', 'Images', and 'Elastic Block Store'. The main area displays a table of EC2 instances with one instance listed: 'Wordpress Ser...' with ID 'i-0d972a04c49fd7b05', in a 'Running' state, using the 't2.micro' instance type. Below the table, the details for this instance are shown, including its public IP address (13.232.217.102), private IP address (172.31.39.55), and various DNS names. The instance is located in the 'ap-south-1a' availability zone.


Click actions and monitor troubleshoot and access Get the system log




Get system log




Check the password for the WordPress login



Dashboard showing in WordPress





ii. 1 EC2 instance for MYSQL

Create a MYSQL Server instance Launch

Command :

Sudo apt update

Sudo apt install mysql-server

Sudo systemctl status mysql

sudo mysql

```
ALTER USER 'root'@'localhost' IDENTIFIED WITH mysql_native_password BY 'Manoj@12';
```

```
CREATE DATABASE mysql_test;
```

```
USE mysql_test;
```

```
CREATE TABLE table1 (id INT, name VARCHAR(45));
```

```
INSERT INTO table1 VALUES(1, 'INFOTRIXS'), (2, 'CLOUD'), (3, 'DEVOPS'), (4, 'MANOJ');
```

```
SELECT * FROM table1;
```

Instances (1/1) Info

Find instance by attribute or tag (case-sensitive)

Instance ID = i-0ea32ee4576543ac7

Clear filters

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
MySQL Server	i-0ea32ee4576543ac7	Running	t2.micro	2/2 checks passed.	No alarms	ap-south-1a	ec2-3-110-173-9

Instance: i-0ea32ee4576543ac7 (MySQL Server)

Details | Security | Networking | Storage | Status checks | Monitoring | Tags

Instance summary info

Instance ID i-0ea32ee4576543ac7 (MySQL Server)	Public IPv4 address 3.110.173.9 open address	Private IPv4 addresses 172.31.42.109
IPv6 address -	Instance state Running	Public IPv4 DNS ec2-3-110-173-9.ap-south-1.compute.amazonaws.com open address
Hostname type IP name: ip-172-31-42-109.ap-south-1.compute.internal	Private IP DNS name (IPv4 only) ip-172-31-42-109.ap-south-1.compute.internal	Elastic IP addresses -
Answer private resource DNS name IPv4 (A)	Instance type t2.micro	

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=ap-south-1&connType=standard&instanceId=i-0ea32ee4576543a...

MySQL Server

```
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.
No services need to be restarted.
No containers need to be restarted.
No user sessions are running outdated binaries.
No VM guests are running outdated hypervisor (qemu) binaries on this host.
buntu@ip-172-31-42-109:~$ sudo systemctl status mysql
mysql.service - MySQL Community Server
   Loaded: loaded (/lib/systemd/system/mysql.service; enabled; vendor preset: enabled)
   Refuse: active (running) since Fri 2023-09-08 10:54:41 UTC; 42s ago
   Process: 2821 ExecStartPre=/usr/share/mysql/mysql-systemd-start pre (code=exited, status=0/SUCCESS)
   Main PID: 2829 (mysqld)
   Status: "Server is operational"
   Tasks: 38 (limit: 1141)
   Memory: 356.4M
   CPU: 1.232s
   CGroup: /system.slice/mysql.service
           └─2829 /usr/sbin/mysqld

Sep 08 10:54:40 ip-172-31-42-109 systemd[1]: Starting MySQL Community Server...
Sep 08 10:54:41 ip-172-31-42-109 systemd[1]: Started MySQL Community Server.
buntu@ip-172-31-42-109:~$
```

i-0ea32ee4576543ac7 (MySQL Server)

PublicIPs: 3.110.173.9 PrivateIPs: 172.31.42.109

← → ↻ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=ap-south-1&connType=standard&instanceId=i-0ea32ee4576543a... 🔍 📌 ⭐ ⚙️ 📄 ⏸️ Paused ⋮

aws Services 🔍 Search [Alt+S] 📄 📌 ⚙️ 📄 Mumbai ▼ Manoj S ▼

```
mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.01 sec)

mysql> CREATE DATABASE mysql_test;
Query OK, 1 row affected (0.01 sec)

mysql> USE mysql_test;
Database changed
mysql> CREATE TABLE table1 (id INT, name VARCHAR(45));
Query OK, 0 rows affected (0.03 sec)

mysql> INSERT INTO table1 VALUES(1, 'INFOTRIXS'), (2, 'CLOUD'), (3, 'DEVOPS'), (4, 'MANOJ');
Query OK, 4 rows affected (0.01 sec)
Records: 4 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM table1;
+----+-----+
| id | name |
+----+-----+
| 1  | INFOTRIXS |
| 2  | CLOUD |
| 3  | DEVOPS |
| 4  | MANOJ |
+----+-----+
rows in set (0.00 sec)

mysql>
```

i-0ea32ee4576543ac7 (MYSQL Server) ✕

PublicIPs: 3.110.173.9 PrivateIPs: 172.31.42.109

← → ↻ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=ap-south-1&connType=standard&instanceId=i-0ea32ee4576543a... 🔍 📌 ⭐ ⚙️ 📄 ⏸️ Paused ⋮

aws Services 🔍 Search [Alt+S] 📄 📌 ⚙️ 📄 Mumbai ▼ Manoj S ▼

```
mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.01 sec)

mysql> CREATE DATABASE mysql_test;
Query OK, 1 row affected (0.01 sec)

mysql> USE mysql_test;
Database changed
mysql> CREATE TABLE table1 (id INT, name VARCHAR(45));
Query OK, 0 rows affected (0.03 sec)

mysql> INSERT INTO table1 VALUES(1, 'INFOTRIXS'), (2, 'CLOUD'), (3, 'DEVOPS'), (4, 'MANOJ');
Query OK, 4 rows affected (0.01 sec)
Records: 4 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM table1;
+----+-----+
| id | name |
+----+-----+
| 1  | INFOTRIXS |
| 2  | CLOUD |
| 3  | DEVOPS |
| 4  | MANOJ |
+----+-----+
rows in set (0.00 sec)

mysql>
```

i-0ea32ee4576543ac7 (MYSQL Server) ✕

PublicIPs: 3.110.173.9 PrivateIPs: 172.31.42.109

Task – 2

2) For Monolith : 1 EC2 instance, deploy wordpress and MYSQL on the same instances

Create 2 Security Groups

RDS Security Group

The screenshot shows the AWS Management Console interface for Security Groups. The left sidebar lists various services, with 'Network & Security' expanded and 'Security Groups' selected. The main panel displays a list of security groups. The 'RDSsecurityGroup' is selected, and its details are shown in the 'Details' section below the list.

Name	Security group ID	Security group name	VPC ID	Description	Owner
–	sg-0262b09b72e26e88c	RDSsecurityGroup	vpc-0b1ad8599c6cf563f	RDSsecurityGroup	980892404673
–	sg-04242b9d63b691a24	default	vpc-001a3b4f063ecaf7c	default VPC security gr...	980892404673
–	sg-0c5f7f5196ffad92c	EC2securityGroup	vpc-0b1ad8599c6cf563f	EC2securityGroup	980892404673
–	sg-0c631a4c84642a23d	default	vpc-0b1ad8599c6cf563f	default VPC security gr...	980892404673

Details

Security group name	Security group ID	Description	VPC ID
RDSsecurityGroup	sg-0262b09b72e26e88c	RDSsecurityGroup	vpc-0b1ad8599c6cf563f
Owner	Inbound rules count	Outbound rules count	
980892404673	1 Permission entry	1 Permission entry	

EC2 Security Group

The screenshot shows the AWS Management Console interface for Security Groups. The left sidebar lists various services, with 'Network & Security' expanded and 'Security Groups' selected. The main panel displays a list of security groups. The 'EC2securityGroup' is selected, and its details are shown in the 'Details' section below the list.


Name	Security group ID	Security group name	VPC ID	Description	Owner
–	sg-0262b09b72e26e88c	RDSsecurityGroup	vpc-0b1ad8599c6cf563f	RDSsecurityGroup	980892404673
–	sg-04242b9d63b691a24	default	vpc-001a3b4f063ecaf7c	default VPC security gr...	980892404673
–	sg-0c5f7f5196ffad92c	EC2securityGroup	vpc-0b1ad8599c6cf563f	EC2securityGroup	980892404673
–	sg-0c631a4c84642a23d	default	vpc-0b1ad8599c6cf563f	default VPC security gr...	980892404673

Details

Security group name	Security group ID	Description	VPC ID
EC2securityGroup	sg-0c5f7f5196ffad92c	EC2securityGroup	vpc-0b1ad8599c6cf563f
Owner	Inbound rules count	Outbound rules count	
980892404673	2 Permission entries	1 Permission entry	



Create Database

The screenshot shows the AWS Management Console for Amazon RDS. The left sidebar contains navigation links: Dashboard, Databases (selected), Query Editor, Performance insights, Snapshots, Exports in Amazon S3, Automated backups, Reserved instances, Proxies, Subnet groups, Parameter groups, Option groups, Custom engine versions, Events, and Event subscriptions. The main content area is titled 'RDS > Databases'. It features a blue banner for 'Introducing Aurora I/O-Optimized' and a light blue box with a tip about 'Consider creating a Blue/Green Deployment to minimize downtime during upgrades'. Below these, there's a 'Databases (1)' section with a 'Filter by databases' search bar and a table of database instances. The table has columns for DB identifier, Status, Role, Engine, Region & AZ, Size, Actions, CPU, and Current. One instance, 'manojdatabase', is listed with a status of 'Available', role of 'Instance', engine of 'MySQL Community', region of 'ap-south-1b', size of 'db.t3.micro', and CPU usage of 10.82%. At the bottom, there's a 'Create database' button. The footer shows '© 2023, Amazon Web Services India Private Limited or its affiliates.' and the date '08-09-2023'.

Commands :

sudo apt update

sudo apt install apache2

sudo systemctl start apache2

sudo apt-get install software-properties-common -y

sudo apt-get install php libapache2-mod-php php-mysql php-curl php-gd php-json php-zip

sudo wget <https://wordpress.org/latest.tar.gz>

sudo tar -xvzf latest.tar.gz

sudo cp wp-config-sample.php wp-config.php

sudo chown -R www-data:www-data /var/www/wordpress

sudo cd /var/www/wordpress


sudo vim wp-config.php

sudo a2ensite wordpress.conf

sudo a2enmod rewrite

sudo apache2ctl configtest

sudo service apache2 restart



```
Get:33 http://security.ubuntu.com/ubuntu jammy-security/main amd64 c-n-f Metadata [11.3 kB]
Get:34 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Packages [822 kB]
Get:35 http://security.ubuntu.com/ubuntu jammy-security/restricted Translation-en [132 kB]
Get:36 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 c-n-f Metadata [536 B]
Get:37 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [781 kB]
Get:38 http://security.ubuntu.com/ubuntu jammy-security/universe Translation-en [143 kB]
Get:39 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 c-n-f Metadata [16.7 kB]
Get:40 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 Packages [36.5 kB]
Get:41 http://security.ubuntu.com/ubuntu jammy-security/multiverse Translation-en [7060 B]
Get:42 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 c-n-f Metadata [260 B]
Fetched 27.1 MB in 5s (5758 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
113 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-32-230:~$ sudo apt upgrade
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following NEW packages will be installed:
  linux-aws-6.2-headers-6.2.0-1011 linux-headers-6.2.0-1011-aws linux-image-6.2.0-1011-aws linux-modules-6.2.0-1011-aws
The following packages will be upgraded:
  amd64-microcode apport apt apt-utils base-files bind9-dnsutils bind9-host bind9-libs binutils binutils-common binutils-x86-64-linux-gnu ca-certificates cloud-init
  curl distro-info dpkg ec2-hibinit-agent fwupd-signed gcc-12-base git git-man grub-common grub-pc grub-pc-bin grub2-common hibernant initramfs-tools
  initramfs-tools-bin initramfs-tools-core intel-microcode iptables libapt-pkg6.0 libbinutils libcap2 libcap2-bin libctf-nobfd0 libctf0 libcurl3-gnutls libcurl4
  libfwupd2 libfwupdplugin5 libgcc-s1 libglib2.0-0 libglib2.0-bin libglib2.0-data libgpgme11 libip4tc2 libip6tc2 libjansson-c5 libldap-2.5-0 libldap-common libmm-glib0
  libncurses6 libncursesw6 libpam-cap libperl5.34 libpython3.10 libpython3.10-minimal libpython3.10-stdlib libssh-4 libssl3 libstdc++6 libtinfo6 libunwind8 libx11-6
  libx11-bin libx11-dev libx11-xcb1 libx265-194 libxext6 libxfixes3 libxi6 libxkbcommon0 libxkbcommon-x11-0 libxrandr2 libxres1 libxsharpe1 libxslt1.1 libxss1 libxv1
  libxxf86vm1 linux-aws-6.2-headers-6.2.0-1011 linux-headers-6.2.0-1011-aws linux-image-6.2.0-1011-aws linux-modules-6.2.0-1011-aws
0 upgraded, 0 newly installed, 0 to remove and 113 not upgraded.
Need to get 0 B of additional space.
After this operation, 0 B of additional disk space will be used.
0 B/0 B [0%]
Prepared 0/0 packages to be upgraded.
ubuntu@ip-172-31-32-230:~$
```

```
Unpacking apache2-data (2.4.52-lubuntu4.6) ...
Selecting previously unselected package apache2-utils.
Preparing to unpack .../07-apache2-utils_2.4.52-lubuntu4.6_amd64.deb ...
Unpacking apache2-utils (2.4.52-lubuntu4.6) ...
Selecting previously unselected package mailcap.
Preparing to unpack .../08-mailcap_3.70+mmulubuntu1_all.deb ...
Unpacking mailcap (3.70+mmulubuntu1) ...
Selecting previously unselected package mime-support.
Preparing to unpack .../09-mime-support_3.66_all.deb ...
Unpacking mime-support (3.66) ...
Selecting previously unselected package apache2.
Preparing to unpack .../10-apache2_2.4.52-lubuntu4.6_amd64.deb ...
Unpacking apache2 (2.4.52-lubuntu4.6) ...
Selecting previously unselected package bzip2.
Preparing to unpack .../11-bzip2_1.0.8-5build1_amd64.deb ...
Unpacking bzip2 (1.0.8-5build1) ...
Selecting previously unselected package ssl-cert.
Preparing to unpack .../12-ssl-cert_1.1.2_all.deb ...
Unpacking ssl-cert (1.1.2) ...
Setting up libapr1:amd64 (1.7.0-8ubuntu0.22.04.1) ...
Setting up bzip2 (1.0.8-5build1) ...
Setting up ssl-cert (1.1.2) ...
Setting up liblua5.3-0:amd64 (5.3.6-1build1) ...
Setting up apache2-data (2.4.52-lubuntu4.6) ...
Setting up mailcap (3.70+mmulubuntu1) ...
Setting up libaprutil1:amd64 (1.6.1-5ubuntu4.22.04.2) ...
Setting up mime-support (3.66) ...
Setting up libaprutil1-ldap:amd64 (1.6.1-5ubuntu4.22.04.2) ...
```

i-08d85ad6071f8d087 (MYwordpress)

PublicIPs: 3.111.217.123 PrivateIPs: 172.31.32.230

CloudShell Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

Type here to search


```
reading /usr/share/mecab/dic/ipadic/Prefix.csv ... 221
reading /usr/share/mecab/dic/ipadic/Noun.nai.csv ... 42
emitting double-array: 100% |#####|
reading /usr/share/mecab/dic/ipadic/matrix.def ... 1316x1316
emitting matrix : 100% |#####|

done!
update-alternatives: using /var/lib/mecab/dic/ipadic-utf8 to provide /var/lib/mecab/dic/debian (mecab-dictionary) in auto mode
Setting up libhtml-parser-perl:amd64 (3.76-1build2) ...
Setting up libhttp-message-perl (6.36-1) ...
Setting up mysql-server-8.0 (8.0.34-0ubuntu0.22.04.1) ...
update-alternatives: using /etc/mysql/mysql.cnf to provide /etc/mysql/my.cnf (my.cnf) in auto mode
Renaming removed key buffer and myisam-recover options (if present)
mysqld will log errors to /var/log/mysql/error.log
mysqld is running as pid 24116
Created symlink /etc/systemd/system/multi-user.target.wants/mysql.service → /lib/systemd/system/mysql.service.
Setting up libcgi-pm-perl (4.54-1) ...
Setting up libhtml-template-perl (2.97-1.1) ...
Setting up mysql-server (8.0.34-0ubuntu0.22.04.1) ...
Setting up libcgi-fast-perl (1:2.15-1) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for libc-bin (2.35-0ubuntu3.1) ...
Scanning processes...
Scanning candidates...
Scanning linux images...

Restarting services...
Service restarts being deferred:
```

i-08d85ad6071f8d087 (MYwordpress)

PublicIPs: 3.111.217.123 PrivateIPs: 172.31.32.230



```
aws Services Q Search [Alt+S] Mumbai Manoj S  
wordpress/wp-admin/options-permalink.php  
wordpress/wp-admin/widgets.php  
wordpress/wp-admin/setup-config.php  
wordpress/wp-admin/install.php  
wordpress/wp-admin/admin-header.php  
wordpress/wp-admin/post-new.php  
wordpress/wp-admin/themes.php  
wordpress/wp-admin/options-reading.php  
wordpress/wp-trackback.php  
wordpress/wp-comments-post.php  
ubuntu@ip-172-31-32-230:/tmp$ sudo mv wordpress /var/www/html/  
mv: cannot move 'wordpress' to '/var/www/html/wordpress': Directory not empty  
ubuntu@ip-172-31-32-230:/tmp$ ls  
latest.tar.gz  
latest.tar.gz.1  
snap-private-tmp  
systemd-private-594291ec9de2419b8eebc69a9b18e7e9-apache2.service-vtleanu  
systemd-private-594291ec9de2419b8eebc69a9b18e7e9-chrony.service-6eu63Q  
ubuntu@ip-172-31-32-230:/tmp$  
ubuntu@ip-172-31-32-230:/tmp$ wordpress  
wordpress: command not found  
ubuntu@ip-172-31-32-230:/tmp$ sudo wordpress  
sudo: wordpress: command not found  
ubuntu@ip-172-31-32-230:/tmp$ ll  
total 16  
index.php    readme.html wp-admin      wp-comments-post.php wp-content   wp-includes   wp-load.php   wp-mail.php   wp-signup.php xmlrpc.php  
license.txt  wp-activate.php wp-blog-header.php wp-config-sample.php wp-cron.php  wp-links-opml.php wp-login.php  wp-settings.php wp-trackback.php  
ubuntu@ip-172-31-32-230:/tmp$ mysql -u root -p  
Enter password:  
  
i-O8d85ad6071f8d087 (MYwordpress)  
PublicIPs: 3.111.217.123 PrivateIPs: 172.31.32.230
```

