**Task 1: Student List, Selection and Deletion**

```
import Foundation

var students = ["Asha", "Ravi", "Meena", "Kiran"]
func displayStudents() {
    print("Student List:")
    for (index, name) in students.enumerated() {
        print("\(index + 1). \(name)")
    }
}
func selectStudent(at index: Int) {
    if index >= 0 && index < students.count {
        print("Selected: \(students[index])")
    }
}
func deleteStudent(at index: Int) {
    if index >= 0 && index < students.count {
        let removed = students.remove(at: index)
        print("Deleted: \(removed)")
    }
}

displayStudents()
selectStudent(at: 1)
deleteStudent(at: 1)
```

```
print("\nUpdated List:")
displayStudents()
```

Output

```
Student List:
1. Asha
2. Ravi
3. Meena
4. Kiran
Selected: Ravi
Deleted: Ravi

Updated List:
Student List:
1. Asha
2. Meena
3. Kiran
```

**Task 2: Sections from Grouped Student Data**

```
import Foundation
struct Student {
    let name: String
    let department: String
    let marks: Int
}

let students = [
    Student(name: "Asha", department: "IT", marks: 82),
```


```
    Student(name: "Ravi", department: "CSE", marks: 35),
    Student(name: "Meena", department: "IT", marks: 91),
    Student(name: "Kiran", department: "ECE", marks: 56),
    Student(name: "Divya", department: "CSE", marks: 67),
    Student(name: "Arjun", department: "IT", marks: 40)
]

let grouped = Dictionary(grouping: students, by: { $0.department })
let departments = grouped.keys.sorted()

for department in departments {
    print("\nDepartment: \(department)")

    let departmentStudents = grouped[department]!.sorted {
        $0.name < $1.name
    }

    for student in departmentStudents {
        print("\(student.name) - Marks: \(student.marks)")
    }
}
```




**Task 3: Fix the Wrong Rows Getting a Checkmark**

```
import Foundation
let students = ["Asha", "Ravi", "Meena", "Kiran"]
var selectedStudents = Set<Int>()

func toggleSelection(at index: Int) {
    guard index >= 0 && index < students.count else {
        return
    }

    if selectedStudents.contains(index) {
        selectedStudents.remove(index)
    } else {
```

```
        selectedStudents.insert(index)
    }
}

func displayStudents() {
    for (index, name) in students.enumerated() {
        let mark = selectedStudents.contains(index) ? "✓" : ""
        print("\(name) \(mark)")
    }
}

toggleSelection(at: 1)
print("After selecting Ravi:")
displayStudents()

toggleSelection(at: 2)
print("\nAfter selecting Meena:")
displayStudents()

toggleSelection(at: 1)
print("\nAfter deselecting Ravi:")
displayStudents()
```

Output

```
After selecting Ravi:
Asha
Ravi ✓
Meena
Kiran

After selecting Meena:
Asha
Ravi ✓
Meena ✓
Kiran

After deselecting Ravi:
Asha
Ravi
Meena ✓
Kiran
```