Task 1: Create a Business Card

```
import Foundation
struct BusinessCard {
    let name: String
    let job: String
    let symbol: String
    let background: String

    func display() {
        print("==============================")
        print("         \(symbol)")
        print("      \(name)")
        print("      \(job)")
        print("Background: \(background)")
        print("==============================")
    }
}
let card = BusinessCard(
    name: "Manoj",
    job: "Software Developer",
    symbol: " 💼 ",
    background: "Indigo"
)

card.display()
```




Task 2: UI as a Function of State

```
import Foundation
let emojis = ["😀", "🚀", "🎯"]
let backgrounds = ["Blue", "Green", "Orange"]
var selectedIndex = 0

func displayMood() {
    print("Emoji: \(emojis[selectedIndex])")
    print("Background: \(backgrounds[selectedIndex])")
}
print("Initial state:")
displayMood()
selectedIndex = 1
print("\nAfter changing selection:")
displayMood()
selectedIndex = 2
print("\nAfter changing selection again:")
```

displayMood()



Task 3: Imperative versus Declarative UI

import Foundation

print("1. Show different text when a switch is on")

print("Imperative: Use if-else to update the label text.")

print("Declarative: Use a condition to display the text.")

print("\n2. Hide a label when a list is empty")

print("Imperative: Hide the label when the list becomes empty.")

print("Declarative: Show the label only when the list is not empty.")

print("\n3. Change a button's colour after tapping")

```
print("Imperative: Change the button colour in an action.")
print("Declarative: Change a state value that controls the colour.")

print("\nSwiftUI View is a struct, not a class.")
print("some View represents a specific view type.")
```

Output

```
1. Show different text when a switch is on
Imperative: Use if-else to update the label text.
Declarative: Use a condition to display the text.

2. Hide a label when a list is empty
Imperative: Hide the label when the list becomes empty.
Declarative: Show the label only when the list is not empty.

3. Change a button's colour after tapping
Imperative: Change the button colour in an action.
Declarative: Change a state value that controls the colour.

SwiftUI View is a struct, not a class.
some View represents a specific view type.
```