

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 3 – DEBUGGING & OPTIMISATION TASK

Course Code:	CSA06	Course Title:	Design and Analysis of Algorithms
CO Assessed:	CO2 – Manipulation (BL1, BL2, BL3)	Assessment:	Assessment Tool 3 – Debugging & Optimisation Task
Weightage:	10% of CIA	Total Marks:	100
CO2 Statement:	Apply Brute Force technique to solve sorting, searching, Closest-Pair and Convex-Hull problems (BL1, BL2, BL3)		
Student Name:	Manoj Kumar K	Reg. No.:	192521041
Section / Batch:	Information Technology(IT)	Date:	24/07/2026

Instructions to Students

- Answer the following question. Total Marks: 100.
- Carefully analyze the given program/code segment before identifying errors.
- Clearly identify logical, syntactical, and performance-related issues in the code.
- Apply systematic debugging techniques to correct the errors effectively.
- Optimize the given solution by improving efficiency, reducing unnecessary computations, or enhancing time complexity wherever possible.
- Provide proper justification for all corrections and optimization decisions.
- Write clean, structured, and well-documented code with appropriate comments.
- Maintain clarity, logical reasoning, and technical accuracy throughout the solution.

Question Type	Focus Area	Questions
Debugging & Optimisation Task	Identify errors, debug programs, and optimize algorithm efficiency using appropriate techniques	Q1

SECTION A – DEBUGGING & OPTIMISATION TASK

Q1. The following Insertion Sort implementation in C decreases the wrong array location during the shifting phase by copying from `arr[j + 1]` into `arr[j]`, which destroys values and breaks the sorted-prefix invariant. Carefully analyze why larger elements must move one position to the right, not to the left, before the key is inserted. Apply systematic debugging so that the shifting and insertion steps preserve all array elements correctly. Optimize the corrected implementation for readability and consistent indexing. Analyze the corrected algorithm in terms of time complexity and rewrite the final clean C code with proper comments.

```
void insertionSort(int arr[], int n) {
    int i, j, key;
    for (i = 1; i < n; i++) {
        key = arr[i];
        j = i - 1;
        while (j >= 0 && arr[j] > key) {
            arr[j] = arr[j + 1]; // ERROR
            j - ;
        }
        arr[j + 1] = key;
    }
}
```

Code of Conduct

I Manoj Kumar K(192521041) (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: _____

RUBRICS FOR CALCULATION

Criteria	Wt.	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Problem Identification	20%	Accurately identifies all errors and root causes with clear understanding	Identifies most errors with minor gaps	Identifies some errors but misses key issues	Unable to identify errors correctly
Debugging	25%	Applies systematic debugging techniques effectively to resolve issues	Uses appropriate debugging methods with minor errors	Limited debugging approach; requires guidance	Unable to debug or resolve issues
Optimization	20%	Optimizes code by significantly improving time complexity using efficient algorithms	Improves time complexity with minor gaps in efficiency	Limited improvement in time complexity	No improvement; inefficient approach retained
Analysis	20%	Demonstrates strong logical reasoning and clear justification of solutions	Shows reasonable analysis with some justification	Limited analysis; weak reasoning	No analytical reasoning demonstrated
Code Quality	15%	Produces clean, well-structured code with proper comments and documentation	Code is mostly clear with minor documentation gaps	Code lacks structure and proper documentation	Poorly written code with no documentation

Marks Evaluation:

Criteria	Wt.	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Problem Identification	20%				
Debugging	25%				
Optimization	20%				
Analysis	20%				
Code Quality	15%				
Total Marks (100):					

Faculty In-charge	Course Coordinator	Head of Department
Name: _____	Name: _____	Name: _____
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

CO2- ASSESSMENT TOOL 3

1. Debugging and Correcting Insertion Sort Implementation in C

```
#include <stdio.h>
void insertionSort(int arr[], int n) {
    int i, j, key;
    for (i = 1; i < n; i++) {
        key = arr[i];
        j = i - 1;
        while (j >= 0 && arr[j] > key) {
            arr[j + 1] = arr[j];
            j--;
        }
        arr[j + 1] = key;
    }
}

int main() {
    int arr[] = {12, 11, 13, 5, 6};
    int n = sizeof(arr) / sizeof(arr[0]);
    insertionSort(arr, n);
    printf("Sorted array: ");
    for (int i = 0; i < n; i++) {
        printf("%d ", arr[i]);
    }
    return 0;
}
```

2. Debugging and Correcting Binary Search for Unsorted Arrays in C

```
#include <stdio.h>
void sort(int a[], int n) {
    int i, j, temp;
    for (i = 0; i < n - 1; i++)
        for (j = i + 1; j < n; j++)
            if (a[i] > a[j]) {
                temp = a[i];
                a[i] = a[j];
                a[j] = temp;
            }
}

int binarySearch(int a[], int n, int key) {
    int low = 0, high = n - 1, mid;
    while (low <= high) {
        mid = (low + high) / 2;
        if (a[mid] == key)
            return mid;
        else if (a[mid] < key)
            low = mid + 1;
        else
            high = mid - 1;
    }
    return -1;
}

int main() {
    int a[] = {45, 12, 78, 23, 9, 56};
    int n = 6, key = 23;
    sort(a, n);
    int result = binarySearch(a, n, key);
    printf(result != -1 ? "Found at index %d" : "Not Found", result);
    return 0;
}
```