

WSO2 API Manager 4.1.0 Fundamentals - Integration Profile

SaaS and B2B Integration





Module Objective

At the end of this module, attendees will be able to:

- Understand how to connect to Cloud/web APIs via connectors.
- Send and receive information over standard protocols using connectors.

Connectors

Connectors allow the Micro Integrator to interact with third-party services such as Twitter, Salesforce, Google Docs, JIRA, etc.

- Operations provide access to APIs.
- You can download connectors from the <u>WSO2 Connector Store</u>, add them to your integration sequence in WSO2 Integration Studio, and enable them in your Micro Integrator instance.
- You can also create your own custom connector.



Connectors

- A ready-made tool used for connecting to public web APIs.
- Simplified configuration to access external APIs.
- 'Cloud to Enterprise' and 'Cloud to Cloud' integration.





Connectors - Architecture

A Connector,


- Is self contained and independent.
- Can be dynamically plugged into the Micro Integrator.
- Has dynamic tooling support with WSO2 Integration Studio.




Types of Connectors SaaS Connectors Popular B2B Connectors Database Connectors

There are three types of connectors available in WSO2 EI.

- Cloud Connectors: These connectors enable you to integrate with the APIs of external cloud systems (SaaS Applications) such as Salesforce, ServiceNow, Gmail, Amazon S3, etc.
- **Technology Connectors**: You can send and receive information over standard protocols using connectors like File Connector, ISO8583 Connector, etc.
- Database Connectors: You can integrate with databases and perform actions using connector operations.




Most of the connectors available in the connector store are outbound connectors that illustrate connections and operations going out from WSO2 EI to third-party applications and systems. However, there are connectors that also enable inbound connectivity from popular third-party applications into WSO2 EI.




The connector store is where connectors are hosted. This includes older connector versions and links to documentation. Connectors can be imported from the connector store via WSO2 Integration Studio.

Connectors in WSO2 Integration Studio


Connectors can be imported from the Connector Store via WSO2 Integration Studio





For connector versions that were not updated recently, you need to use the init operation

You can refer the documentation of the relevant connector and configure the init operation of it. This operation needs to be applied before any other operation of the same connector when you design mediation logic. The init operation is visible only for older connector versions in WSO2 Integration Studio.



For recently updated connector versions, you need to create a connection, add configurations, and associate your connection with operations.

For recently updated connector versions, this is available with WSO2 Integration Studio 7.1.0 onwards. When creating a connection you can provide configuration values and they will get saved as a local-entry internally.

