

Empowering Blind Individuals (Audio Books)

Godavarthi Naga Manoj Balaji , Thrish Reddy P , Munnangi Suma Reddy

Presidency university Bengaluru

1. Abstract

This paper proposes a new method of enabling visionless individuals by converting images and text of PDF files into audio formats, thus making them accessible to them. The proposed system incorporates the techniques of Optical Character Recognition and image captioning for extraction of text and visual information from input sources including images and PDF files. Text from images or textbook pages is extracted using the Tesseract OCR for textual data and BLIP (Bootstrapping Language-Image Pretraining) for non-textual image descriptions. Once such content is extracted, GPT-based text generation improves the explanation of the text and gives enough context to present a more meaningful understanding of material.

The text is then converted into audio using the gTTS (Google Text-to-Speech) library, thus making it accessible to visually impaired individuals. This seamless workflow enables users to interact with educational and visual content through audio, thus significantly improving their ability to access and comprehend information that would otherwise be difficult to access. Applications will vary from accessible audio books to image-to-audio translation in real-time, meaning accessibility for the visually impaired users as well as others in more digital environments.

2. Introduction

A person with a visual impairment is strongly disadvantaged when trying to access information that conventionally has been delivered through means like text, images, and graphs in books, educational material, and digital content. This severely limits exposure to educational and information resources for everyday life. Audio books somewhat helped, but in most instances, they provided a limited functionality and do not readily facilitate dynamic content such as images, figures, or diagrams.

We propose an integrated system allowing visually impaired people to browse through images and textual contents within a PDF with descriptions from the audio. Basically, our core objective lies in accessibility to visual nature of data, enabling access of information for blind or low vision people to experience a piece of content that otherwise necessitates one's visual acuity. By combining Optical Character Recognition (OCR) for text extraction, image captioning models for non-textual images, and GPT-based text generation for content enhancement, the system produces rich, contextually embedded audio descriptions.

The three main stages of the system are:

Text and Image Retrieval: The text of image files and PDFs are extractions using Tesseract OCR, while images like pages of textbooks are also subjected to Tesseract OCR. For pictures with no texts, BLIP will resort to an image caption model.

GPT-based text generation is used to enhance the extracted text. The enhancement with GPT provides more context, clarifies complex concepts, and generates a more detailed explanation of the extracted content, thus making it more accessible and understandable.

In text-to-speech conversion, enhanced text gets converted to speech format through the gTTS library. This gives the audio version of that text, thus users have access to the material in spoken, audible versions rather than written word formats.

This approach not only makes static textual content accessible but also offers a means through which the visually impaired can experience dynamic visual content in the form of audio. The proposed system is of a wide variety of applications, such as audio books, real-time image descriptions, and education, in which users can interact with a variety of digital content in an inclusive and accessible manner.

It does this by bridging the gap between visual and auditory data, taking a significant stride toward including, for instance, blind and visually impaired people in equal access to information as those who have full vision. In that respect, OCR image captioning, GPT-enhanced text generation, and text-to-speech technologies have been included in a seamless workflow. This represents a new direction in the access of content and it will be a good ground for future developments in the assistive technology for blind people.

3. Methodology

This system takes pictures and text from PDFs and turns it into audio that anyone can access. We break this down into three major steps: pulling out the text and images, improving the text, and then turning it all into audio. We use modern tools like Optical Character Recognition (OCR) and text-to-speech technology. Let's look at each step.

3.1 Text and Image Extraction

Let us take the important information out from the source, which would look like a PDF or might look more of a picture.

Text Extraction by Means of OCR (Tesseract): If we have an image with text, like a page from a book, we use Tesseract. This is a strong tool that reads the text right from the picture. It finds the letters and words and changes them into actual text that we can work with later.

Image Captioning for Non-Text Content (BLIP): Sometimes, we just have images without text like a photo or diagram. To these, we use the BLIP model. It creates descriptions of what's in the picture. Therefore, if it is a chart or a scenic photo, BLIP will let us know what we're looking at. We can then convert those images to spoken words as well.

Using both methods together, we'd be able to gather all types of information from images and PDFs, so we're preparing for the next steps.

3.2 Enriching Text with GPT

Once we acquire the text, the final step is enriching that information. This is done by making it easier and easier to read and, hence, understand using GPT.

Enhancing Extracted Text: The text extracted from images or PDFs is often very simple. It may not be very descriptive. So, we run this text through a GPT model to make it better. This tool adds more information or explains things in a clearer way. For instance, if we have a scientific term, GPT helps make it simpler and clearer.

Improving Image Descriptions: The same is in the captions designed for photographs. Sometimes, they require some more context. We present these descriptions to the GPT model to learn better, more detailed descriptions. It makes everything we put forward into words or description about some image clear and understandable by all.

3.3 Audio Generation from Rich Text

In the final step, we convert that improved text into audio. That way, those who can't see can hear what is there instead.

Converting Text to Speech: Once we finalize the improvements to the text, we then hand over our work to Google's gTTS. This converts text into audio speech. What is best about gTTS is that it sounds almost like a human speaking-a quality which enhances the voice clarity. The file format is ready for use where it is stored for potential playing later on. On default settings, it does 22,050 Hz, though the rate could be set at what's preferred for listening.

Now, anyone who can't read can enjoy the information just by listening.

3.4 Handling PDFs with Text and Images

When we deal with a PDF that has both text and images, our system knows how to manage it all. To do this, we use a library called PyMuPDF (or fitz).

Extracting Text: PyMuPDF helps us extract text from PDF pages. This is excellent for long documents like research papers or books. Just as in the case of images, this text undergoes the same process of refinement before being converted into audio.

Extracting Images: If a PDF page contains pictures, PyMuPDF captures those images also. We then run those images through the BLIP model for captions we can then also enhance with GPT later before converting to audio.

This way, we will have the ability to process whatever we want, words-only content, image-only content, or any mix.

3.5 System Integration and Workflow

All this fits together in one slick system:

1. **User Input:** A user can provide an image or PDF as a direct link or a file.
2. **Processing:** We either pull text out using OCR or create captions for images using BLIP, depending on what type of file it is. If it's a PDF, we handle both text and images.
3. **Text Enhancement:** The extracted text and captions then get a boost from GPT to make them better.

4. Audio Generation: Finally, this improved content is spoken out loud using gTTS.

5. Output: The finished audio is sent back to the user to listen to.

This setup makes it easy for people to interact with many different types of content in a way that they can hear.

3.6 Advantages of the Proposed Approach

This system brings plenty of benefits:

1. Complete Accessibility: We convert both written content and visual content into rich audio so that people with eye problems can enjoy them.

2. Improved Comprehension: GPT converts the content so that it not only talks about it, but also explains it and hence is better understood.

3. Flexibility: Whether it is about images or PDFs-it can handle everything. Can work with anything from text books to charts.

4. Real-Life Use: This system can be used for things like audiobooks, educational materials, or even turning images into audio in real-time.

4. Modules Used in the Project

The proposed system employs a range of modules and libraries that allow for text extraction, image captioning, text improvement, and audio synthesis. These modules work together in harmony to transform images and text in PDFs into accessible audio content. The following is a list of the major modules used in this project:

4.1 PyMuPDF (fitz)

Function: PyMuPDF, also referred to as fitz, is used for extracting text and images from PDF documents.

Role in the Project: This module is significant in dealing with PDF files that contain both text and images. This will allow the system to access the raw content of each page to make possible the extraction of texts for textual data and the extraction of images for visual data. With its adaptability to all forms of contents from PDF, it is guaranteed that the system will be able to process complicated documents such as textbooks, reports, and even academic papers.

Functionality: Extracts all text found within PDF pages using `page.get_text()`.

Determines and extracts image contents using `page.get_images()` including a condition `True` and `pdf_document.extract_image()` with `xref` parameter.

4.2 Tesseract OCR

Tesseract OCR is an open source, OCR engine licensed by google for extracting text content in images.

Role in the Project: Tesseract OCR is applied to images like scanned pages of textbooks or images containing textual data in order to extract any text present in the image. It plays a very important role in enabling the system to process images with embedded text, converting them into machine-readable content.

Functionality: The code utilizes `pytesseract.image_to_string()` for the purpose of extracting text from images.

Then this obtained text undergoes further to pass the enhancement stage and to GPT-based enhancement, if any meaningful text of the outcome of OCR text.

4.3 BLIP - Bootstrapping Language Image Pretraining

Goal BLIP is that it pre-train natural language and image captioning model using which can have descriptions rendered for images of them.

Role in the Project: BLIP is applied on generation of captions for non-textual images, which might be diagrams, photographs, and illustrations. The visual model can process the image material and generate coherent contextual image descriptions.

Functionality: The module utilizes a processor called BLIP for getting the images ready, feeds them into the model known as BLIP in the generation of captions.

The captioning process encodes the image and generates a sequence of tokens that represent the content of the image in natural language.

The caption is decoded and returned as a textual description, which can be enhanced later by GPT.

4.4 GPT (Generative Pretrained Transformer)

Use: GPT is an OpenAI developed model for natural language processing.

In this project, GPT has been used for text improvement.

Role in the Project : This role involves applying the GPT model for enhancement of the context or extracted text from OCR or image captions with added details and elaborations. Thus, the idea here is that the overall text is intelligible but expanded to further explanation, assisting the visually impaired user even further with complicated concepts to be able to understand.

Functionality : The `enhance_text_with_gpt()` function creates a prompt asking GPT to generate an elaborate explanation of the text that has been extracted.

The GPT model generates a more elaborate version of the content extracted and appends it to the original text.

4.5 gTTS (Google Text-to-Speech)

Functionality: gTTS is a library that converts text into speech. It is one of the easiest and most effective methods to create audio from text.

Role in the Project: The enhanced text by GPT is further converted into an audio file using gTTS, so that the visually challenged users can listen to it rather than reading.

Functionality: The function `text_to_speech()` accepts the enhanced text and transforms it into an audio file using the `gTTS` module.

The audio is stored in the memory and can be replayed to the user. The speech rate is set to 22,050 Hz by default but can be configured to change the audio quality setting.

4.6 Transformers (Hugging Face)

Transformers library by Hugging Face provides a suite of pre-trained models for various natural language processing tasks.

This is the module used to manipulate the GPT-based text generation pipeline. It makes the loading and interaction with a pre-trained model for generating text, such as a GPT-2 in enhancing the extracted text possible.

Functionality: From the transformers library, an API from the pipeline can be used to initialize a GPT model for generation text work.

It takes the input prompt, produces the output, or improved text, and makes sure the GPT model is well-integrated into the workflow.

5. Result and Analysis

We move ahead to understand the output obtained by using the system performance, which transforms visual data present in an image into audible for the users who cannot use their eyes. There are three major operations carried out by the system: text extraction from the images, enhancing the text via GPT, and transforming improved text into speech. It applies the following example as input that is having an image of Hall Effect after analyzing it.

5.1 Sample Input

The system input is an image that illustrates the Hall Effect. This image can be viewed using the following link:

Hall Effect Image.

This image features a diagram and text explaining the Hall Effect.

5.2 Text Extraction

The system first applies Tesseract OCR to extract the text in the image. The output text contains the major concepts involving the Hall Effect, such as the following:

Extracted Text: What is Hall Effect?

'When a sample of conductor carrying current is kept in a uniform magnetic field which is perpendicular to the current direction, a transverse field will be produced perpendicular to the conductor.

Field developed across the conductor is called Hall field, and the corresponding potential difference called Hall voltage, and its value found to depend upon strength of magnetic field, on materials and applied current. Hall effect principle is based on elementary charge dynamics in electromagnetic fields.

Extracted text in the description describes Hall Effect based on key aspects, especially those dealing with Hall voltage, Hall field, and sensitivity to the magnetic field's intensity, material constants, and input current. This would mean a very elementary description of the effect but does not explain concepts further.

5.3 .Elaboration

To provide more context and detail, the extracted text is enhanced using a GPT. Enhancement employs a pre-trained GPT model to generate more context, clarification, and elaboration for the extracted text.

Enhanced Explanation: Provide a detailed explanation or context for the following text: "What is Hall Effect?"

When a sample of conductor carrying current is kept under a uniform magnetic field perpendicular to that of the direction of current, then a transverse field will be set up across the conductor.

The field developed across the conductor is called Hall field and corresponding potential difference is called Hall voltage and its value is found to depend on the magnetic field strength, nature of the materials and applied current.

The Hall effect principle is based on simple dynamics of charges moving in electromagnetic fields.

In this case, GPT's elaborated version almost matched the original text obtained using OCR. This was due to the fact that the original text was already so simple and easy to understand; GPT added very little more. However, if the content was highly complex or not well brought out, GPT would add much more significant elaborations, for instance, extension of explanations and examples with further explanations.

5.4 Audio Generation

It is a system that prints out an audio file using the gTTS library after improving the text or if it does not need to improve the text. It is going to read more naturally, which will make the reading easier for people with low vision.

The result will be the actual text that had to be improved or an improvement of the existing text being read out aloud. From this audio, an audio file will then be created, and audio feedback presented to the user in terms of hearing the explanation of the Hall Effect.

5.5 Analysis Result Example

Example 1: Simple Explanation (No Major Improvements)

The system for less complex texts, as above, works this way:

Text Extraction: The OCR brings out the text with prominent information very clearly. The text is accurate and understandable.

Improvement: The improvement of GPT is not that much a change of the text since the content was pretty clear to understand already.

Audio Generation: This extracted (or improved) text is synthesized into speech. And it generates an understandable audio representation of crystal-clear quality from the content.

This is an ideal case, which performs just as it was expected without needing large changes by the improvement process. It leaves available content for a user who can, therefore, easily hear and understand what is associated with the Hall Effect.

Example 2: In-depth Explanation (Benefit GPT Enhancement)

For example, such a complex input like that of an advanced scientific paper or that complex explanation using specific terms would really come out to be helpful to GPT in improving.

Original Text: "The Hall Effect is the phenomenon, wherein the conductive material is placed into the magnetic field."

The Hall Effect is that situation where a conductive material undergoes a magnetic field and as a result, charge carriers or electrons or holes accumulate on one side of the conductor. The accumulated charge carriers create a transverse voltage difference, called Hall voltage. This phenomenon has been fundamental in measuring the magnetic fields and material properties.

In this sense, the GPT model would break down complex ideas into even smaller pieces and further elaborate so that the visually impaired could grasp the meaning of the content completely.

5.6 Observations and Insights

OCR Accuracy: Tesseract OCR can do its work well on printed text and pull down key phrases and scientific vocabulary from an image. Of course, OCR accuracy does rely on the quality of the image, so the poor scans or hand-written material will pose challenges.

GPT Enhancement: This can be very effective for complex content or when the meaning may not be clear. When it comes to simple text such as the Hall Effect, an enhancement may not bring in that much new information, however, it can make it flow smoothly and make for a better understanding.

Audio Accessibility: The material has to be entirely accessible to a visually-impaired individual with the gTTS conversion of the refined, or extracted, text into speech. Therefore, an entire system of learning will now be easily available at the real-time front end also while the visually impaired could listen instead to the same instead of going in for printed copies and screens.

It consolidates a variety of modernistic technologies like OCR, GPT-based improvement, and text-to-speech in an efficient workflow. This can accept content ranging from a basic to highly complex; the examples where the tool can be used include content associated with educational and scientific ones.

5.7 Conclusion of Result Analysis

The visual contents from images and PDF are perfectly translated into audio by this suggested system, so yet another access source for people suffering from blindness and other problems of visual impairment. With OCR, image captioning, GPT-based text enhancement, and gTTS, it has an effective solution in transforming both textual and non-textual content into a format that one can listen to. Where the system is at its best is with that content that is more easily comprehended by the system. It is with more difficult or technical material that one needs to engage with that the GPT enhancement truly adds value. The audio output is clear, intelligible, and rich, making it a highly valuable tool for accessibility.


This result analysis shows how the system behaves with simple and complex content, showing the effectiveness of each component in the workflow and how they contribute to generating accessible audio content. Let me know if you want more details or adjustments!

Input and Output Example Figures

What is Hall Effect?

- When a sample of conductor carrying current is placed in a uniform magnetic field perpendicular to the direction of the current, a transverse field will be set up across the conductor.

- The field developed across the conductor is called Hall field and corresponding potential difference is called Hall voltage and its value is found to depend on the magnetic field strength, nature of the materials and applied current.



- The principle of Hall effect is based on the simple dynamics of charges moving in electromagnetic fields.

Fig 1: Example of input image

Enter URL or local path of the PDF or image (textbook page or picture): <https://image.slidesharecdn.com/halleffect-180809054215/95/hall-effect-3-1024.jpg?ch=1533793469>
 Setting 'pad_token_id' to 'eos_token_id':None for open-end generation.

Output:
 Extracted Text:
 What is Hall Effect?

'When a sample of conductor carrying current is placed in a uniform magnetic field perpendicular to the direction of the current, a transverse field will be set up across the conductor.

*The field developed across the conductor is called Hall field and corresponding potential difference is called Hall voltage and its value is found to depend on the magnetic field strength, nature of the materials and applied current.


*The principle of Hall effect is based on the simple dynamics of charges moving in electromagnetic _ fields.

Fig 2 : Output of the mode based on input image


Accuracy Scores Table

levenshtein distance	1628
levenshtein ratio	0.04122497055359242
char accuracy	0.0
word accuracy	0.42857142857142855
word accuracy	0.42857142857142855
precision	0.0
recall	0.0
f1 score	0.0

Graph



Graph 1: Line plot of accuracy metrics



Graph 1: Pie plot of accuracy metrics

6. Conclusion

In the process, this paper extends an overall approach to systems design and further focuses on enabling visual users to turn their image and textual material content contained in any PDF into its accessible audio-based form. Therefore, this system harmoniously combines innovative technologies by integrating Optical Character Recognition images with image-to-text captioning plus text enhancements based on GPT with the integration of text-to-speech for its presentation to an innovative concept involving the conversion of texts' visualizations into audio-friendly formats.

This new proposed approach addresses the problem in the accessing of the data that has occurred because the people with either blindness or partial visibility, therefore Tesseract OCR for image scanning will bring in text from pictures as well as apply BLIP-based image captioning on the remainder of the images so explaining the non-text content. It uses the applied GPT on text or image description extraction in providing it more profound content and more eloquent meaning through elaboration. Last, but certainly not the least, is when gTTS or Google Text-to-Speech turns over this processed content to its utmost capability of sound into which user can replayed and utilized.

This is demonstrated through an example in the system performance, processing the Hall Effect so as to extract text and provide a more enhanced explanation. The results show that while simple content may not be that hard to enhance, it is really where complex, technical, or unclear material lies where GPT-based enhancement improves the clarity and completeness of the output to a considerable extent.

Overall, this is a very efficient flow for creating completely accessible environment for the both blind and low vision. This system bridges across both visual and auditory modalities that make complex textual and graphical content transform into understandable audio. Such a system is immense for several real-world applications like audio books, educational tools and real-time image-to-audio translation for the digital world in making it more accessible for visually impaired persons.

Although the system is very successful, there are several areas where it can be further improved. Some examples include enhancing GPT's text elaboration for simpler texts, optimizing OCR performance on low-quality images, and including emotion or tone in speech generation. These will increase the accessibility and user-friendliness of the system much more.

This project marks an important milestone toward unlocking educational and information content in the eyes of blind persons and hence toward achieving equity access for them to engage themselves within all this visual and textual information available in the digital space.

7. Future Work

The current system is indeed apt for the conversion of images and PDFs into an accessible audio, but many points can be improved upon and expanded in order to enhance functionality, usability, and real-world applicability. The following enhancements are suggested as future work:

7.1 Mobile Application for Easy Accessibility

A mobile application can be assigned specifically for accessing and allowing easy usage within the system. All functionalities of the existing system, that is, OCR, image captioning, text enhancement, and even text-to-speech conversion can be held within this mobile application. This application must have those core features to be considered appropriate. The UI must be intuitive, that is easy voice-driven especially designed for use by the blind as well as the visually impaired. Offline Support: It may process images with or without text. This is a scenario with no or little access to the internet. It will have the support of multiple languages for the system to do OCR extraction. It could also generate audio so that the same system may serve and reach out to many more around the world. This will enable access on-the-go using an appropriate mobile app. This will lighten a life of a person who has impairments to vision by providing opportunities to interact in real time with digital and printed content.

7.2 Live Image conversion to Audio

This feature gives an important improvement in the processing of live Images taken with a device camera. For example, Users can point a mobile or camera device at any printed page, sign, or object. The system extracts and processes visual content in real-time and then renders it as descriptive audio. It might be very helpful for cases of use in life: reading road signs, restaurant menus, classroom boards, or printed materials in libraries. Live image-to-audio conversion will ensure direct access to visual information hence major enhancements for independence and mobility in a user's daily life.

7.3 Rich Image Descriptions with GPT

Even though the current model successfully applies basic captions for images through the BLIP model, further research could possibly be on a richer detailed explanation of images through an enhanced version of GPT. This could be in; Generation of longer multi-sentence descriptions of images. This encompasses contextual information that includes the colours, spatial relationships of things to one another, the relevance and importance of the things represented, and settings in which things live. More details of technical and scientific illustration. Making it more flexible especially to more complicated visual data concerning things such as textbooks diagrams, maps, and very elaborate illustrations

7.4 Emotion and Tonal Speech Synthesis Integration

The current version uses gTTS in the text-to-speech output on a standard voice. Further developments to the emotion-aware speech synthesis system, which will be developed later, can be done to come up with a much more captivating and realistic audio effect. Some features may include . Tone and pitch modulation to draw attention to certain words or sentences. Expressing excitement, curiosity, or calmness, depending on the content read. More voices - male, female, neutral - for better personalization toward the users. This would improve the user experience and also make the audio output more energetic and lively.

7.5 Improved OCR for complex and low-quality images

Future work would be improving the accuracy of OCR for poor image quality, handwritten text, and noisy scanned documents. This can be done by: Incorporation of more advanced OCR models like Tesseract, combined with deep learning-based OCR frameworks, such as PaddleOCR or EasyOCR. Preprocessing of input images to make them clear by applying noise reduction, contrast enhancement, and skew correction. Expanding the capabilities of OCR beyond mathematical equations, symbols, and non-standard fonts, which are very common in textbooks and technical documents. This will enhance the processing capacity of the system to process a heavy volume of input images and PDFs.

7.6 Real-Time Translation and Multilingual Support

To make the reach of the system worldwide, the real-time translation of the content extracted can be considered in future development. Major features are: Language of the input text or image will be detected. Any type of language content can be translated into any chosen language through models such as Google Translate API or multilingual transformers .Let the output text to the users as audio translation so that the user may hear the same in his native language. The functionality will bring this system to reach to a wider spread of regions and languages.

7.7. Integration with Other Assistive Technologies

This will be taken to the next level with the system integration with other accessible technologies already available, such as the following: Screen Readers: Compatibility with screen reader applications such as NVDA and JAWS for easy interaction . Voice Assistants: The AI-based assistants, such as Google Assistant, Siri, or Alexa, give the users the ability to work on the system by voice commands. Braille Output: Extracted and developed text with Braille-compatible output format in Braille display .Integrating for the visually impaired would then form an even more integrated assistive solution.

7.8 Cloud-Based Processing for Scalability

The system may use cloud-based processing of OCR, text improvement and audio generation so that it becomes scalable as well as high performance. With the deployment of the system on a cloud platform such as AWS, Google Cloud, or Azure, the following will be derived as benefits.It will enable large PDF files and intricate images to process faster. More than one user can be able to work at the same time; the system may be scaled. Fewer dependence on the hardware of devices that will have lightweight mobile as well as web applications .

7.9 Future Enhancements Summary

Future enhancement about the system proposal is described :

a. Developing an application that will give instant access . The live feature about image to audio conversion may also be added. Enhance image description with details by advanced GPT. Emotion-aware speech synthesis for natural sound .Improving OCR capability to work well in such complex, noisy, and handmade inputs . Supports Real-time language translation and multilinguality .Integrate screen readers and Braille devices. These updates would pull the current system to convert it into an assistive technology for the visually impaired. It will be versatile, and scalable, and thus total. It will also be efficient in scalability due to cloud-based processing.

7. Reference

- Koppala Guravaiah, Yarlagadda Sai Bhavadeesha, Peddi Shwejana, Allu Harsha vardhan, lavanya S, Procedia Computer Science 218(2023)1144–1155 Procedia Computer Science 00(2023)000–00, ThirdEye: Object Recognition and Speech Generation for Visually Impaired
- Vishnu Preetham Revelli, Gauri Sharma, S. Kiruthika devi , October 2022, 103180 , Automate extraction of braille text to speech from an image
- Hailong Ning a b, Xiangtao Zheng a, Yuan Yuan c, Xiaoqiang Lu , 29 January 2021, , Audio description from image by modal translation network
- Preeti Kathiria, Sapan Mankad, Jitali Patel, Mayank Kapadia, Neel Lakdawala , 14 November 2024, 128284 , Assistive systems for visually impaired people: A survey on current requirements and advancements
- Jentel Van Havermaet , Leendert van de Merbel , Geert Van Hove , Elisabeth De Schauwer , 16 November 2023, Accessible Participation in Academic Conferences if You Are Visually Impaired
- Madalin Matei , Lenuta Alboaie , 2024 , Enhancing Accessible Navigation: A Fusion of Speech, Gesture, and Sonification for the Visually Impaired
- Prerna Mishra , Santosh Kumar , Mithilesh Kumar Chaube , Urmila Shrawankar , April 2022, 101107 , ChartVi: Charts summarizer for visually impaired