

INPUT CODE

```
<html>

<head>
  <title>Arithmetic Operators</title>
</head>

<body>
  <h1>Arithmetic Operators in JS (Check Console)</h1>
  <script>

    // Declaring variables with different datatypes
    let a = 25;    // integer
    let b = 10;    // integer
    let c = 12.5;  // float
    let d = "5";   // string
    let e = true;  // boolean (true = 1, false = 0)


    console.log("a =", a);
    console.log("b =", b);
    console.log("c =", c);
    console.log("d =", d);
    console.log("e =", e);


    // Arithmetic operations
    console.log("Addition (a + b) =", a + b);
    console.log("Subtraction (a - b) =", a - b);
```

```
console.log("Multiplication (a * b) =", a * b);  
console.log("Division (a / b) =", a / b);  
console.log("Modulus (a % b) =", a % b);  
console.log("Exponentiation (a ** 2) =", a ** 2);
```

```
// Mixing datatypes
```


```
console.log("a + c =", a + c);  
console.log("a + d (number + string) =", a + d);  
console.log("a + e (number + boolean) =", a + e);
```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT



a = 25	var_js.html:15
b = 10	var_js.html:16
c = 12.5	var_js.html:17
d = 5	var_js.html:18
e = true	var_js.html:19
Addition (a + b) = 35	var_js.html:22
Subtraction (a - b) = 15	var_js.html:23
Multiplication (a * b) = 250	var_js.html:24
Division (a / b) = 2.5	var_js.html:25
Modulus (a % b) = 5	var_js.html:26
Exponentiation (a ** 2) = 625	var_js.html:27
a + c = 37.5	var_js.html:30
a + d (number + string) = 255	var_js.html:31
a + e (number + boolean) = 26	var_js.html:32
>	

CONCLUSION

In this program, we demonstrated the use of arithmetic operators in JavaScript with different data types such as integers, floats, strings, and booleans. The output showed how JavaScript performs addition, subtraction, multiplication, division, modulus, and exponentiation. Additionally, when combining different data types (like numbers with strings or booleans), JavaScript applies type coercion, which can change the result (e.g., `number + string` results in concatenation, while `number + boolean` converts `true` to 1 and `false` to 0).