

CSS ANIMATIONS

INPUT CODE

```
<!DOCTYPE html>

<html>

<head>
  <title>CSS Animations - Shapes</title>
  <style>
    body {
      background: #f0f0f0;
      font-family: Arial, sans-serif;
      text-align: center;
    }
    h1 {
      color: rgb(25, 3, 70);
    }
    .container {
      display: grid;
      grid-template-columns: repeat(3, 1fr);
      gap: 60px;
      justify-items: center;
      margin: 40px auto;
      max-width: 800px;
    }
```

```
.shape {
    width: 100px;
    height: 100px;
    position: relative;
    cursor: pointer;
}

/* Circle */
.circle {
    background: red;
    border-radius: 50%;
}
.circle:hover {
    animation: circleMove 2s infinite ease-in-out;
}
@keyframes circleMove {
    0% { transform: translateX(0); background: red; }
    50% { transform: translateX(80px); background: hotpink; }
    100% { transform: translateX(0); background: green; }
}

/* Square */
.square {
    background: blue;
}
```

```
.square:hover {  
    animation: squareRotate 3s infinite linear;  
}  
  
@keyframes squareRotate {  
    0% { transform: rotate(0deg); background: blue; }  
    50% { transform: rotate(180deg); background: orange; }  
    100% { transform: rotate(360deg); background: blue; }  
}
```

```
/* Rectangle */
```

```
.rectangle {  
    width: 140px;  
    height: 80px;  
    background: purple;  
}  
  
.rectangle:hover {  
    animation: rectangleScale 2s infinite alternate;  
}  
  
@keyframes rectangleScale {  
    0% { transform: scale(1); background: purple; }  
    100% { transform: scale(1.3); background: pink; }  
}
```

```
/* Triangle */
```

```
.triangle {
```

```
width: 0;
height: 0;
border-left: 50px solid transparent;
border-right: 50px solid transparent;
border-bottom: 100px solid teal;
}

.triangle:hover {
  animation: triangleBounce 2s infinite ease-in-out;
}

@keyframes triangleBounce {
  0%, 100% { transform: translateY(0); }
  50% { transform: translateY(-40px); }
}

/* Oval */

.oval {
  width: 150px;
  height: 80px;
  background: crimson;
  border-radius: 50%;
}

.oval:hover {
  animation: ovalPulse 2s infinite ease-in-out;
}

@keyframes ovalPulse {
```

```
0% { transform: scaleX(1); background: crimson; }  
50% { transform: scaleX(1.4); background: gold; }  
100% { transform: scaleX(1); background: crimson; }  
}
```

```
/* Star */
```

```
.star {  
    position: relative;  
    display: block;  
    color: gold;  
    width: 0px;  
    height: 0px;  
    border-right: 100px solid transparent;  
    border-bottom: 70px solid gold;  
    border-left: 100px solid transparent;  
    transform: rotate(35deg);  
}
```

```
.star:before {  
    border-bottom: 80px solid gold;  
    border-left: 30px solid transparent;  
    border-right: 30px solid transparent;  
    position: absolute;  
    height: 0;  
    width: 0;  
    top: -45px;
```

```
    left: -65px;
    display: block;
    content: "";
    transform: rotate(-35deg);
}

.star:after {
    position: absolute;
    display: block;
    color: gold;
    top: 3px;
    left: -105px;
    width: 0px;
    height: 0px;
    border-right: 100px solid transparent;
    border-bottom: 70px solid gold;
    border-left: 100px solid transparent;
    transform: rotate(-70deg);
    content: "";
}

.star:hover {
    animation: starSpin 3s infinite linear;
}

@keyframes starSpin {
    0% { transform: rotate(0deg) scale(1); }
    50% { transform: rotate(180deg) scale(1.2); }
```

```
        100% { transform: rotate(360deg) scale(1); }
    }
</style>
</head>
<body>
    <h1>CSS Animations for Different Shapes</h1>
    <div class="container">
        <div class="shape circle"></div>
        <div class="shape square"></div>
        <div class="shape rectangle"></div>
        <div class="shape triangle"></div>
        <div class="shape oval"></div>
        <div class="shape star"></div>
    </div>
</body>
</html>
```

OUTPUT

