



<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*

Two classic sorting algorithms

Critical components in the world's computational infrastructure.

- Full scientific understanding of their properties has enabled us to develop them into practical system sorts.
- Quicksort honored as one of top 10 algorithms of 20th century in science and engineering.

Mergesort. [this lecture]

- Java sort for objects.
- Perl, C++ stable sort, Python stable sort, Firefox JavaScript, ...

Quicksort. [next lecture]

- Java sort for primitive types.
- C qsort, Unix, Visual C++, Python, Matlab, Chrome JavaScript, ...

Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*


Mergesort

Basic plan.

- Divide array into two halves.
- Recursively sort each half.
- Merge two halves.


input	M	E	R	G	E	S	O	R	T	E	X	A	M	P	L	E	
sort left half	E	E	G	M	M	O	R	R	S	T	E	X	A	M	P	L	E
sort right half	E	E	G	M	M	O	R	R	S	A	E	E	L	M	P	T	X
merge results	A	E	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X

Mergesort overview




Abstract in-place merge demo

Goal. Given two sorted subarrays $a[lo]$ to $a[mid]$ and $a[mid+1]$ to $a[hi]$, replace with sorted subarray $a[lo]$ to $a[hi]$.



Abstract in-place merge demo

Goal. Given two sorted subarrays $a[lo]$ to $a[mid]$ and $a[mid+1]$ to $a[hi]$, replace with sorted subarray $a[lo]$ to $a[hi]$.



Merging: Java implementation

```
private static void merge(Comparable[] a, Comparable[] aux, int lo, int mid, int hi)
{
    assert isSorted(a, lo, mid);      // precondition: a[lo..mid] sorted
    assert isSorted(a, mid+1, hi);   // precondition: a[mid+1..hi] sorted

    for (int k = lo; k <= hi; k++)                                copy
        aux[k] = a[k];

    int i = lo, j = mid+1;
    for (int k = lo; k <= hi; k++)                                merge
    {
        if      (i > mid)          a[k] = aux[j++];
        else if (j > hi)          a[k] = aux[i++];
        else if (less(aux[j], aux[i])) a[k] = aux[j++];
        else                      a[k] = aux[i++];
    }

    assert isSorted(a, lo, hi);      // postcondition: a[lo..hi] sorted
}
```



Assertions

Assertion. Statement to test assumptions about your program.

- Helps detect logic bugs.
- Documents code.

Java assert statement. Throws exception unless boolean condition is true.

```
assert isSorted(a, lo, hi);
```

Can enable or disable at runtime. ⇒ No cost in production code.

```
java -ea MyProgram    // enable assertions  
java -da MyProgram    // disable assertions (default)
```

Best practices. Use assertions to check internal invariants;
assume assertions will be disabled in production code. ←


do not use for external
argument checking

Mergesort: Java implementation

```
public class Merge
{
    private static void merge(...)

    private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
    {
        if (hi <= lo) return;
        int mid = lo + (hi - lo) / 2;
        sort(a, aux, lo, mid);
        sort(a, aux, mid+1, hi);
        merge(a, aux, lo, mid, hi);
    }

    public static void sort(Comparable[] a)
    {
        aux = new Comparable[a.length];
        sort(a, aux, 0, a.length - 1);
    }
}
```




Mergesort: trace

	a[]																
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
lo	M	E	R	G	E	S	O	R	T	E	X	A	M	P	L	E	
hi	E	M	R	G	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 0, 0, 1)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 2, 2, 3)	E	G	M	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 0, 1, 3)	E	G	M	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 4, 4, 5)	E	G	M	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 6, 6, 7)	E	G	M	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 4, 5, 7)	E	G	M	R	E	O	R	S	T	E	X	A	M	P	L	E	
merge(a, aux, 0, 3, 7)	E	E	G	M	O	R	R	S	T	E	X	A	M	P	L	E	
merge(a, aux, 8, 8, 9)	E	E	G	M	O	R	R	S	E	T	X	A	M	P	L	E	
merge(a, aux, 10, 10, 11)	E	E	G	M	O	R	R	S	E	T	A	X	M	P	L	E	
merge(a, aux, 8, 9, 11)	E	E	G	M	O	R	R	S	A	E	T	X	M	P	L	E	
merge(a, aux, 12, 12, 13)	E	E	G	M	O	R	R	S	A	E	T	X	M	P	L	E	
merge(a, aux, 14, 14, 15)	E	E	G	M	O	R	R	S	A	E	T	X	M	P	E	L	
merge(a, aux, 12, 13, 15)	E	E	G	M	O	R	R	S	A	E	T	X	E	L	M	P	
merge(a, aux, 8, 11, 15)	E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X	
merge(a, aux, 0, 7, 15)	A	E	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X

result after recursive call

Mergesort: animation

50 random items




<http://www.sorting-algorithms.com/merge-sort>

- ▲ algorithm position
- █ in order
- ▒ current subarray
- ░ not in order

Mergesort: animation

50 reverse-sorted items



<http://www.sorting-algorithms.com/merge-sort>

- ▲ algorithm position
 - █ in order
 - █ current subarray
 - █ not in order

Mergesort: empirical analysis

Running time estimates:

- Laptop executes 10^8 compares/second.
- Supercomputer executes 10^{12} compares/second.

computer	insertion sort (N^2)			mergesort ($N \log N$)		
	thousand	million	billion	thousand	million	billion
home	instant	2.8 hours	317 years	instant	1 second	18 min
super	instant	1 second	1 week	instant	instant	instant

Bottom line. Good algorithms are better than supercomputers.

Mergesort: number of compares and array accesses

Proposition. Mergesort uses at most $N \lg N$ compares and $6N \lg N$ array accesses to sort any array of size N .

Pf sketch. The number of compares $C(N)$ and array accesses $A(N)$ to mergesort an array of size N satisfy the recurrences:

$$C(N) \leq C(\lceil N/2 \rceil) + C(\lfloor N/2 \rfloor) + N \text{ for } N > 1, \text{ with } C(1) = 0.$$



$$A(N) \leq A(\lceil N/2 \rceil) + A(\lfloor N/2 \rfloor) + 6N \text{ for } N > 1, \text{ with } A(1) = 0.$$


We solve the recurrence when N is a power of 2. ← result holds for all N

$$D(N) = 2D(N/2) + N, \text{ for } N > 1, \text{ with } D(1) = 0.$$

Divide-and-conquer recurrence: proof by picture

Proposition. If $D(N)$ satisfies $D(N) = 2 D(N / 2) + N$ for $N > 1$, with $D(1) = 0$, then $D(N) = N \lg N$.

Pf 1. [assuming N is a power of 2]



$$N \lg N$$

Divide-and-conquer recurrence: proof by expansion

Proposition. If $D(N)$ satisfies $D(N) = 2D(N/2) + N$ for $N > 1$, with $D(1) = 0$, then $D(N) = N \lg N$.

Pf 2. [assuming N is a power of 2]

$$D(N) = 2D(N/2) + N$$

given

$$D(N)/N = 2D(N/2)/N + 1$$

divide both sides by N

$$= D(N/2)/(N/2) + 1$$

algebra

$$= D(N/4)/(N/4) + 1 + 1$$

apply to first term

$$= D(N/8)/(N/8) + 1 + 1 + 1$$

apply to first term again

...

$$= D(N/N)/(N/N) + 1 + 1 + \dots + 1$$

stop applying, $D(1) = 0$

$$= \lg N$$

Divide-and-conquer recurrence: proof by induction

Proposition. If $D(N)$ satisfies $D(N) = 2 D(N / 2) + N$ for $N > 1$, with $D(1) = 0$, then $D(N) = N \lg N$.

Pf 3. [assuming N is a power of 2]


- Base case: $N = 1$.
- Inductive hypothesis: $D(N) = N \lg N$.
- Goal: show that $D(2N) = (2N) \lg (2N)$.

$$\begin{aligned} D(2N) &= 2 D(N) + 2N && \text{given} \\ &= 2 N \lg N + 2N && \text{inductive hypothesis} \\ &= 2 N (\lg (2N) - 1) + 2N && \text{algebra} \\ &= 2 N \lg (2N) && \text{QED} \end{aligned}$$

Mergesort analysis: memory

Proposition. Mergesort uses extra space proportional to N .

Pf. The array $\text{aux}[]$ needs to be of size N for the last merge.



Def. A sorting algorithm is **in-place** if it uses $\leq c \log N$ extra memory.

Ex. Insertion sort, selection sort, shellsort.

Challenge for the bored. In-place merge. [Kronrod, 1969]

Mergesort: practical improvements

Use insertion sort for small subarrays.

- Mergesort has too much overhead for tiny subarrays.
- Cutoff to insertion sort for ≈ 7 items.

```
private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
{
    if (hi <= lo + CUTOFF - 1)
    {
        Insertion.sort(a, lo, hi);
        return;
    }
    int mid = lo + (hi - lo) / 2;
    sort (a, aux, lo, mid);
    sort (a, aux, mid+1, hi);
    merge(a, aux, lo, mid, hi);
}
```


Mergesort: practical improvements

for experts says Sedgewick in course video



Stop if already sorted.

- Is biggest item in first half \leq smallest item in second half?
- Helps for partially-ordered arrays.



```
private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
{
    if (hi <= lo) return;
    int mid = lo + (hi - lo) / 2;
    sort(a, aux, lo, mid);
    sort(a, aux, mid+1, hi);
    if (!less(a[mid+1], a[mid])) return;
    merge(a, aux, lo, mid, hi);
}
```

Mergesort: practical improvements

Eliminate the copy to the auxiliary array. Save time (but not space) by switching the role of the input and auxiliary array in each recursive call.


```
private static void merge(Comparable[] a, Comparable[] aux, int lo, int mid, int hi)
{
    int i = lo, j = mid+1;
    for (int k = lo; k <= hi; k++)
    {
        if (i > mid)          aux[k] = a[j++];
        else if (j > hi)       aux[k] = a[i++];
        else if (less(a[j], a[i])) aux[k] = a[j++]; ← merge from a[] to aux[]
        else                   aux[k] = a[i++];
    }
}

private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
{
```

```
    if (hi <= lo) return;
    int mid = lo + (hi - lo) / 2;
    sort (aux, a, lo, mid);
    sort (aux, a, mid+1, hi);      Note: sort(a) initializes aux[] and sets
    merge(a, aux, lo, mid, hi);    aux[i] = a[i] for each i.
}
```

switch roles of aux[] and a[]

Mergesort: visualization



Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*

Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*

Bottom-up mergesort

Basic plan.

- Pass through array, merging subarrays of size 1.
- Repeat for subarrays of size 2, 4, 8, 16,

	a[i]																
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
sz = 1	M	E	R	G	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 0, 0, 1)	E	M	R	G	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 2, 2, 3)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 4, 4, 5)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 6, 6, 7)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E	
merge(a, aux, 8, 8, 9)	E	M	G	R	E	S	O	R	E	T	X	A	M	P	L	E	
merge(a, aux, 10, 10, 11)	E	M	G	R	E	S	O	R	E	T	A	X	M	P	L	E	
merge(a, aux, 12, 12, 13)	E	M	G	R	E	S	O	R	E	T	A	X	M	P	L	E	
merge(a, aux, 14, 14, 15)	E	M	G	R	E	S	O	R	E	T	A	X	M	P	E	L	
sz = 2	E	G	M	R	E	S	O	R	E	T	A	X	M	P	E	L	
merge(a, aux, 0, 1, 3)	E	G	M	R	E	O	R	S	E	T	A	X	M	P	E	L	
merge(a, aux, 4, 5, 7)	E	G	M	R	E	O	R	S	A	E	T	X	M	P	E	L	
merge(a, aux, 8, 9, 11)	E	G	M	R	E	O	R	S	A	E	T	X	M	P	E	L	
merge(a, aux, 12, 13, 15)	E	G	M	R	E	O	R	S	A	E	T	X	E	L	M	P	
sz = 4	E	E	G	M	O	R	R	S	A	E	T	X	E	L	M	P	
merge(a, aux, 0, 3, 7)	E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X	
merge(a, aux, 8, 11, 15)	E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X	
sz = 8	A	E	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X
merge(a, aux, 0, 7, 15)	A	E	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X

Bottom-up mergesort: Java implementation

```
public class MergeBU
{
    private static void merge(...)
    { /* as before */ }


    public static void sort(Comparable[] a)
    {
        int N = a.length;
        Comparable[] aux = new Comparable[N];
        for (int sz = 1; sz < N; sz = sz+sz)
            for (int lo = 0; lo < N-sz; lo += sz+sz)
                merge(a, aux, lo, lo+sz-1, Math.min(lo+sz+sz-1, N-1));
    }
}
```

but about 10% slower than recursive,
top-down mergesort on typical systems

Bottom line. Simple and non-recursive version of mergesort.



Bottom-up mergesort: visual trace



Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*

Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*

Complexity of sorting

Computational complexity. Framework to study efficiency of algorithms for solving a particular problem X .

Model of computation. Allowable operations.

Cost model. Operation count(s).

Upper bound. Cost guarantee provided by **some** algorithm for X .

Lower bound. Proven limit on cost guarantee of **all** algorithms for X .


Optimal algorithm. Algorithm with best possible cost guarantee for X .

lower bound \sim upper bound

Example: sorting.

- Model of computation: decision tree. ← can access information only through compares
(e.g., Java Comparable framework)
- Cost model: # compares.
- Upper bound: $\sim N \lg N$ from mergesort.
- Lower bound: ?
- Optimal algorithm: ?

Decision tree (for 3 distinct items a, b, and c)




Compare-based lower bound for sorting

Proposition. Any compare-based sorting algorithm must use at least $\lg(N!) \sim N \lg N$ compares in the worst-case.

Pf.

- Assume array consists of N distinct values a_1 through a_N .
- Worst case dictated by **height** h of decision tree.
- Binary tree of height h has at most 2^h leaves.
- $N!$ different orderings \Rightarrow at least $N!$ leaves.



Compare-based lower bound for sorting

Proposition. Any compare-based sorting algorithm must use at least $\lg(N!) \sim N \lg N$ compares in the worst-case.

Pf.

- Assume array consists of N distinct values a_1 through a_N .
- Worst case dictated by **height** h of decision tree.
- Binary tree of height h has at most 2^h leaves.
- $N!$ different orderings \Rightarrow at least $N!$ leaves.

$$\begin{aligned} 2^h &\geq \# \text{leaves} \geq N! \\ \Rightarrow h &\geq \lg(N!) \sim N \lg N \end{aligned}$$

↑
Stirling's formula

Complexity of sorting

Model of computation. Allowable operations.

Cost model. Operation count(s).

Upper bound. Cost guarantee provided by some algorithm for X .

Lower bound. Proven limit on cost guarantee of all algorithms for X .

Optimal algorithm. Algorithm with best possible cost guarantee for X .

Example: sorting.

- Model of computation: decision tree.
- Cost model: # compares.
- Upper bound: $\sim N \lg N$ from mergesort.
- Lower bound: $\sim N \lg N$.
- Optimal algorithm = mergesort.

First goal of algorithm design: optimal algorithms.

Complexity results in context

Compares? Mergesort **is** optimal with respect to number compares.

Space? Mergesort **is not** optimal with respect to space usage.



Lessons. Use theory as a guide.

Ex. Design sorting algorithm that guarantees $\frac{1}{2} N \lg N$ compares?

Ex. Design sorting algorithm that is both time- and space-optimal?

Complexity results in context (continued)

Lower bound may not hold if the algorithm has information about:

- The initial order of the input.
- The distribution of key values.
- The representation of the keys.

Partially-ordered arrays. Depending on the initial order of the input,
we may not need $N \lg N$ compares.

insertion sort requires only $N-1$
compares if input array is sorted

Duplicate keys. Depending on the input distribution of duplicates,
we may not need $N \lg N$ compares.

stay tuned for 3-way quicksort

Digital properties of keys. We can use digit/character compares instead of
key compares for numbers and strings.

stay tuned for radix sorts

Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*

Algorithms


ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ **comparators**
- ▶ *stability*

Sort music library by artist name



	Name	Artist	Time	Album
12	<input checked="" type="checkbox"/> Let It Be	The Beatles	4:03	Let It Be
13	<input checked="" type="checkbox"/> Take My Breath Away	BERLIN	4:13	Top Gun – Soundtrack
14	<input checked="" type="checkbox"/> Circle Of Friends	Better Than Ezra	3:27	Empire Records
15	<input checked="" type="checkbox"/> Dancing With Myself	Billy Idol	4:43	Don't Stop
16	<input checked="" type="checkbox"/> Rebel Yell	Billy Idol	4:49	Rebel Yell
17	<input checked="" type="checkbox"/> Piano Man	Billy Joel	5:36	Greatest Hits Vol. 1
18	<input checked="" type="checkbox"/> Pressure	Billy Joel	3:16	Greatest Hits, Vol. II (1978 – 1985) (Disc 2)
19	<input checked="" type="checkbox"/> The Longest Time	Billy Joel	3:36	Greatest Hits, Vol. II (1978 – 1985) (Disc 2)
20	<input checked="" type="checkbox"/> Atomic	Blondie	3:50	Atomic: The Very Best Of Blondie
21	<input checked="" type="checkbox"/> Sunday Girl	Blondie	3:15	Atomic: The Very Best Of Blondie
22	<input checked="" type="checkbox"/> Call Me	Blondie	3:33	Atomic: The Very Best Of Blondie
23	<input checked="" type="checkbox"/> Dreaming	Blondie	3:06	Atomic: The Very Best Of Blondie
24	<input checked="" type="checkbox"/> Hurricane	Bob Dylan	8:32	Desire
25	<input checked="" type="checkbox"/> The Times They Are A-Changin'	Bob Dylan	3:17	Greatest Hits
26	<input checked="" type="checkbox"/> Livin' On A Prayer	Bon Jovi	4:11	Cross Road
27	<input checked="" type="checkbox"/> Beds Of Roses	Bon Jovi	6:35	Cross Road
28	<input checked="" type="checkbox"/> Runaway	Bon Jovi	3:53	Cross Road
29	<input checked="" type="checkbox"/> Rasputin (Extended Mix)	Boney M	5:50	Greatest Hits
30	<input checked="" type="checkbox"/> Have You Ever Seen The Rain	Bonnie Tyler	4:10	Faster Than The Speed Of Night
31	<input checked="" type="checkbox"/> Total Eclipse Of The Heart	Bonnie Tyler	7:02	Faster Than The Speed Of Night
32	<input checked="" type="checkbox"/> Straight From The Heart	Bonnie Tyler	3:41	Faster Than The Speed Of Night
33	<input checked="" type="checkbox"/> Holding Out For A Hero	Bonny Tyler	5:49	Meat Loaf And Friends
34	<input checked="" type="checkbox"/> Dancing In The Dark	Bruce Springsteen	4:05	Born In The U.S.A.
35	<input checked="" type="checkbox"/> Thunder Road	Bruce Springsteen	4:51	Born To Run
36	<input checked="" type="checkbox"/> Born To Run	Bruce Springsteen	4:30	Born To Run
37	<input checked="" type="checkbox"/> Jungleland	Bruce Springsteen	9:34	Born To Run
38	<input checked="" type="checkbox"/> Tug! Tug! Tug! (To Everything)	The Rude	3:57	Forrest Gump The Soundtrack (Disc 2)

Sort music library by song name

	Name	Artist	Time	Album
1	Alive	Pearl Jam	5:41	Ten
2	All Over The World	Pixies	5:27	Bossanova
3	All Through The Night	Cyndi Lauper	4:30	She's So Unusual
4	Allison Road	Gin Blossoms	3:19	New Miserable Experience
5	Ama, Ama, Ama Y Ensancha El ...	Extremoduro	2:34	Deltoya (1992)
6	And We Danced	Hooters	3:50	Nervous Night
7	As I Lay Me Down	Sophie B. Hawkins	4:09	Whaler
8	Atomic	Blondie	3:50	Atomic: The Very Best Of Blondie
9	Automatic Lover	Jay-Jay Johanson	4:19	Antenna
10	Baba O'Riley	The Who	5:01	Who's Better, Who's Best
11	Beautiful Life	Ace Of Base	3:40	The Bridge
12	Beds Of Roses	Bon Jovi	6:35	Cross Road
13	Black	Pearl Jam	5:44	Ten
14	Bleed American	Jimmy Eat World	3:04	Bleed American
15	Borderline	Madonna	4:00	The Immaculate Collection
16	Born To Run	Bruce Springsteen	4:30	Born To Run
17	Both Sides Of The Story	Phil Collins	6:43	Both Sides
18	Bouncing Around The Room	Phish	4:09	A Live One (Disc 1)
19	Boys Don't Cry	The Cure	2:35	Staring At The Sea: The Singles 1979–1985
20	Brat	Green Day	1:43	Insomniac
21	Breakdown	Deerheart	3:40	Deerheart
22	Bring Me To Life (Kevin Roen Mix)	Evanescence Vs. Pa...	9:48	
23	Californication	Red Hot Chili Pepp...	1:40	
24	Call Me	Blondie	3:33	Atomic: The Very Best Of Blondie
25	Can't Get You Out Of My Head	Kylie Minogue	3:50	Fever
26	Celebration	Kool & The Gang	3:45	Time Life Music Sounds Of The Seventies – C
27	Chaiwa Chaiwa	Sukhwinder Singh	5:11	Bombay Dreams


Comparable interface: review

Comparable interface: sort using a type's natural order.

```
public class Date implements Comparable<Date>
{
    private final int month, day, year;

    public Date(int m, int d, int y)
    {
        month = m;
        day   = d;
        year  = y;
    }

    ...
    public int compareTo(Date that)
    {
        if (this.year < that.year) return -1;
        if (this.year > that.year) return +1;
        if (this.month < that.month) return -1;
        if (this.month > that.month) return +1;
        if (this.day   < that.day)  return -1;
        if (this.day   > that.day)  return +1;
        return 0;
    }
}
```



natural order

Comparator interface

Comparator interface: sort using an alternate order.

```
public interface Comparator<Key>
    int compare(Key v, Key w)           compare keys v and w
```

Required property. Must be a total order.

Ex. Sort strings by:


- Natural order. Now is the time pre-1994 order for digraphs ch and ll and rr
- Case insensitive. is Now the time ↓
- Spanish. café cafetero cuarto churro nube ñoño
- British phone book. McKinley Mackintosh
- . . .

Comparator interface: system sort

To use with Java system sort:

- Create Comparator object.
- Pass as second argument to Arrays.sort().

```
String[] a;           uses natural order
...
Arrays.sort(a);      uses alternate order defined by
...
Arrays.sort(a, String.CASE_INSENSITIVE_ORDER);    Comparator<String> object
...
Arrays.sort(a, Collator.getInstance(new Locale("es")));
...
Arrays.sort(a, new BritishPhoneBookOrder());
...
```



Bottom line. Decouples the definition of the data type from the definition of what it means to compare two objects of that type.

Comparator interface: using with our sorting libraries

To support comparators in our sort implementations:

- Use Object instead of Comparable.
- Pass Comparator to sort() and less() and use it in less().

insertion sort using a Comparator

```
public static void sort(Object[] a, Comparator comparator)
{
    int N = a.length;
    for (int i = 0; i < N; i++)
        for (int j = i; j > 0 && less(comparator, a[j], a[j-1]); j--)
            exch(a, j, j-1);
}

private static boolean less(Comparator c, Object v, Object w)
{ return c.compare(v, w) < 0; }

private static void exch(Object[] a, int i, int j)
{ Object swap = a[i]; a[i] = a[j]; a[j] = swap; }
```

Comparator interface: implementing

To implement a comparator:

- Define a (nested) class that implements the Comparator interface.
- Implement the compare() method.

```
public class Student
{
    public static final Comparator<Student> BY_NAME      = new ByName();
    public static final Comparator<Student> BY_SECTION = new BySection();
    private final String name;
    private final int section;
    ...
    private static class ByName implements Comparator<Student>
    {
        public int compare(Student v, Student w)
        { return v.name.compareTo(w.name); }
    }

    private static class BySection implements Comparator<Student>
    {
        public int compare(Student v, Student w)
        { return v.section - w.section; }
    }
}
```

one Comparator for the class

this technique works here since no danger of overflow

Comparator interface: implementing

To implement a comparator:

- Define a (nested) class that implements the Comparator interface.
- Implement the compare() method.

`Arrays.sort(a, Student.BY_NAME);`


Andrews	3	A	664-480-0023	097 Little
Battle	4	C	874-088-1212	121 Whitman
Chen	3	A	991-878-4944	308 Blair
Fox	3	A	884-232-5341	11 Dickinson
Furia	1	A	766-093-9873	101 Brown
Gazsi	4	B	766-093-9873	101 Brown
Kanaga	3	B	898-122-9643	22 Brown
Rohde	2	A	232-343-5555	343 Forbes

`Arrays.sort(a, Student.BY_SECTION);`

Furia	1	A	766-093-9873	101 Brown
Rohde	2	A	232-343-5555	343 Forbes
Andrews	3	A	664-480-0023	097 Little
Chen	3	A	991-878-4944	308 Blair
Fox	3	A	884-232-5341	11 Dickinson
Kanaga	3	B	898-122-9643	22 Brown
Battle	4	C	874-088-1212	121 Whitman
Gazsi	4	B	766-093-9873	101 Brown

Polar order

Polar order. Given a point p , order points by polar angle they make with p .



```
Arrays.sort(points, p.POLAR_ORDER);
```


Application. Graham scan algorithm for convex hull. [see previous lecture]

High-school trig solution. Compute polar angle θ w.r.t. p using `atan2()`.

Drawback. Evaluating a trigonometric function is expensive.

Polar order

Polar order. Given a point p , order points by polar angle they make with p .



A ccw-based solution.

- If q_1 is above p and q_2 is below p , then q_1 makes smaller polar angle.
- If q_1 is below p and q_2 is above p , then q_1 makes larger polar angle.
- Otherwise, $ccw(p, q_1, q_2)$ identifies which of q_1 or q_2 makes larger angle.

Comparator interface: polar order

```
public class Point2D
{
    public final Comparator<Point2D> POLAR_ORDER = new PolarOrder();
    private final double x, y;
    ...
    private static int ccw(Point2D a, Point2D b, Point2D c)
    { /* as in previous lecture */ }

    private class PolarOrder implements Comparator<Point2D>
    {
        public int compare(Point2D q1, Point2D q2)
        {
            double dy1 = q1.y - y;
            double dy2 = q2.y - y;

            if (dy1 == 0 && dy2 == 0) { ... }
            else if (dy1 >= 0 && dy2 < 0) return -1;
            else if (dy2 >= 0 && dy1 < 0) return +1;
            else return -ccw(Point2D.this, q1, q2);
        }
    }
}
```

one Comparator for each point (not static)

p, q1, q2 horizontal

q1 above p; q2 below p

q1 below p; q2 above p

both above or below p

to access invoking point from within inner class

Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ **comparators**
- ▶ *stability*

Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ ***stability***

Stability

A typical application. First, sort by name; **then** sort by section.

`Selection.sort(a, Student.BY_NAME);`

Andrews	3	A	664-480-0023	097 Little
Battle	4	C	874-088-1212	121 Whitman
Chen	3	A	991-878-4944	308 Blair
Fox	3	A	884-232-5341	11 Dickinson
Furia	1	A	766-093-9873	101 Brown
Gazsi	4	B	766-093-9873	101 Brown
Kanaga	3	B	898-122-9643	22 Brown
Rohde	2	A	232-343-5555	343 Forbes

`Selection.sort(a, Student.BY_SECTION);`

Furia	1	A	766-093-9873	101 Brown
Rohde	2	A	232-343-5555	343 Forbes
Chen	3	A	991-878-4944	308 Blair
Fox	3	A	884-232-5341	11 Dickinson
Andrews	3	A	664-480-0023	097 Little
Kanaga	3	B	898-122-9643	22 Brown
Gazsi	4	B	766-093-9873	101 Brown
Battle	4	C	874-088-1212	121 Whitman

@#%&@! Students in section 3 no longer sorted by name.

A **stable** sort preserves the relative order of items with equal keys.

Stability

Q. Which sorts are stable?

A. Insertion sort and mergesort (but not selection sort or shellsort).

sorted by time	sorted by location (not stable)	sorted by location (stable)
Chicago 09:00:00	Chicago 09:25:52	Chicago 09:00:00
Phoenix 09:00:03	Chicago 09:03:13	Chicago 09:00:59
Houston 09:00:13	Chicago 09:21:05	Chicago 09:03:13
Chicago 09:00:59	Chicago 09:19:46	Chicago 09:19:32
Houston 09:01:10	Chicago 09:19:32	Chicago 09:19:46
Chicago 09:03:13	Chicago 09:00:00	Chicago 09:21:05
Seattle 09:10:11	Chicago 09:35:21	Chicago 09:25:52
Seattle 09:10:25	Chicago 09:00:59	Chicago 09:35:21
Phoenix 09:14:25	Houston 09:01:10	Houston 09:00:13
Chicago 09:19:32	Houston 09:00:13	Houston 09:01:10
Chicago 09:19:46	Phoenix 09:37:44	Phoenix 09:00:03
Chicago 09:21:05	Phoenix 09:00:03	Phoenix 09:14:25
Seattle 09:22:43	Phoenix 09:14:25	Phoenix 09:37:44
Seattle 09:22:54	Seattle 09:10:25	Seattle 09:10:11
Chicago 09:25:52	Seattle 09:36:14	Seattle 09:10:25
Chicago 09:35:21	Seattle 09:22:43	Seattle 09:22:43
Seattle 09:36:14	Seattle 09:10:11	Seattle 09:22:54
Phoenix 09:37:44	Seattle 09:22:54	Seattle 09:36:14

Note. Need to carefully check code ("less than" vs. "less than or equal to").

Stability: insertion sort

Proposition. Insertion sort is **stable**.

```
public class Insertion
{
    public static void sort(Comparable[] a)
    {
        int N = a.length;
        for (int i = 0; i < N; i++)
            for (int j = i; j > 0 && less(a[j], a[j-1]); j--)
                exch(a, j, j-1);
    }
}
```

i	j	0	1	2	3	4
0	0	B ₁	A ₁	A ₂	A ₃	B ₂
1	0	A ₁	B ₁	A ₂	A ₃	B ₂
2	1	A ₁	A ₂	B ₁	A ₃	B ₂
3	2	A ₁	A ₂	A ₃	B ₁	B ₂
4	4	A ₁	A ₂	A ₃	B ₁	B ₂
		A ₁	A ₂	A ₃	B ₁	B ₂

Pf. Equal items never move past each other.

Stability: selection sort

Proposition. Selection sort is **not** stable.

```
public class Selection
{
    public static void sort(Comparable[] a)
    {
        int N = a.length;
        for (int i = 0; i < N; i++)
        {
            int min = i;
            for (int j = i+1; j < N; j++)
                if (less(a[j], a[min]))
                    min = j;
            exch(a, i, min);
        }
    }
}
```

i	min	0	1	2
0	2	B ₁	B ₂	A
1	1	A	B ₂	B ₁
2	2	A	B ₂	B ₁

Pf by counterexample. Long-distance exchange might move an item past some equal item.

Stability: shellsort

Proposition. Shellsort sort is **not** stable.

```
public class Shell
{
    public static void sort(Comparable[] a)
    {
        int N = a.length;
        int h = 1;
        while (h < N/3) h = 3*h + 1;
        while (h >= 1)
        {
            for (int i = h; i < N; i++)
            {
                for (int j = i; j > h && less(a[j], a[j-h]); j -= h)
                    exch(a, j, j-h);
            }
            h = h/3;
        }
    }
}
```

h	0	1	2	3	4
	B ₁	B ₂	B ₃	B ₄	A ₁
4	A ₁	B ₂	B ₃	B ₄	B ₁
1	A ₁	B ₂	B ₃	B ₄	B ₁

Pf by counterexample. Long-distance exchanges.

Stability: mergesort

Proposition. Mergesort is **stable**.

```
public class Merge
{
    private static Comparable[] aux;
    private static void merge(Comparable[] a, int lo, int mid, int hi)
    { /* as before */ }

    private static void sort(Comparable[] a, int lo, int hi)
    {
        if (hi <= lo) return;
        int mid = lo + (hi - lo) / 2;
        sort(a, lo, mid);
        sort(a, mid+1, hi);
        merge(a, lo, mid, hi);
    }

    public static void sort(Comparable[] a)
    { /* as before */ }
}
```

Pf. Suffices to verify that merge operation is stable.

Stability: mergesort

Proposition. Merge operation is stable.

```
private static void merge(...)  
{  
    for (int k = lo; k <= hi; k++)  
        aux[k] = a[k];  
  
    int i = lo, j = mid+1;  
    for (int k = lo; k <= hi; k++)  
    {  
        if (i > mid) a[k] = aux[j++];  
        else if (j > hi) a[k] = aux[i++];  
        else if (less(aux[j], aux[i])) a[k] = aux[j++];  
        else a[k] = aux[i++];  
    }  
}
```

0	1	2	3	4	5	6	7	8	9	10
A ₁	A ₂	A ₃	B	D	A ₄	A ₅	C	E	F	G

Pf. Takes from left subarray if equal keys.


Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ ***stability***



<http://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *comparators*
- ▶ *stability*