

LAAN REQUEST WORKFLOW

# Results, Findings and Recommendations

A formal assessment of the authenticated LAAN Request pre-submit workflow, focused on reducing user effort while preserving correctness, traceability, review and submission safeguards.

|                              |                                 |                                    |                            |
|------------------------------|---------------------------------|------------------------------------|----------------------------|
| REPORT STATUS<br>Version 1.1 | EVIDENCE<br>Synthetic test data | CURRENT GATE<br>Prototype approved | PRODUCTION<br>Not approved |
|------------------------------|---------------------------------|------------------------------------|----------------------------|

5 / 5

Core regression passed

Baseline, canonical path, navigation and uploads

13 / 14

Focused Wave 2

One acceptance failure exposed unsafe date handling

0

Final submissions

All testing remained inside the safety boundary

298

Observed Site options

Primary lookup-effort candidate

7

Manual Stage 2 values

Reuse requires authoritative-source approval

2

Upload paths covered

Both work but use inconsistent interaction models

Executive assessment

The valid pre-submit paths are stable, but malformed commencement dates are not safely contained at Stage 1. An impossible date advanced once and produced a WordPress critical-error page in two reruns. This is the primary reliability blocker.

Recommended decision

Retain the familiar two-stage orientation. Shorten effort through safer validation, searchable canonical Site selection, synchronized cross-step context, consistent evidence handling, conditional disclosure and controlled reuse of authoritative data.

## Key conclusions

- Do not replace the two stages with one long page.
  - Preserve Back/Next value retention, keyboard access and responsive behavior.
  - Fix date validation and file/declaration state before production recommendation.
- Add Stage 2 context and consistent upload feedback.
  - Prototype Site search and measure representative lookup tasks.
  - Do not claim 20-30% improvement until human effort is measured.

# Evidence and Consolidated Results

## Executed result groups

| Group              | Run ID                  | Result   | Interpretation                                                                               |
|--------------------|-------------------------|----------|----------------------------------------------------------------------------------------------|
| Core regression    | LAN-20260817-224552-799 | 5 / 5    | Baseline map, canonical path, navigation preservation and both upload paths passed together. |
| Activity variants  | LAN-20260817-232432-028 | 2 / 2    | Inspection and Maintenance reached Stage 2.                                                  |
| Stage 1 validation | LAN-20260817-235644-162 | 2 / 3    | Required fields and terms passed; malformed date reproduced a critical error.                |
| Upload recovery    | LAN-20260817-232606-435 | 3 / 3    | Replace, clear and multi-file behavior preserved access-detail values.                       |
| Reload probes      | LAN-20260817-232654-082 | 2 probes | Substantial data loss was characterized; probe completion is not preservation success.       |
| Keyboard           | LAN-20260817-234416-180 | 2 / 2    | Critical controls in both stages were keyboard reachable.                                    |
| Responsive         | LAN-20260817-232821-387 | 2 / 2    | Phone and tablet paths completed without measured horizontal overflow.                       |

## Nine consolidated findings

| ID  | Finding                                                           | Evidence                        | Priority | Decision         |
|-----|-------------------------------------------------------------------|---------------------------------|----------|------------------|
| F01 | Two stages show progress but Stage 2 has limited request context. | Observed + inferred             | P1       | Improve          |
| F02 | Site selection exposes 298 native options.                        | Observed + inferred             | P1       | Investigate      |
| F03 | Required and optional uploads use different models.               | Observed                        | P1       | Improve          |
| F04 | Seven Stage 2 values are manually entered.                        | Observed; reuse unvalidated     | P1       | Investigate      |
| F05 | Tests preserve a safe pre-submit boundary.                        | Observed                        | P0       | Preserve         |
| F06 | Terms and confirmations add review content and interaction.       | Observed; necessity unvalidated | P2       | Test next        |
| F07 | Current timing cannot establish human efficiency.                 | Observed limitation             | P0       | Measure          |
| F08 | Reload clears most Stage 1 and all tested Stage 2 values.         | Observed                        | P1       | Improve recovery |
| F09 | Malformed dates are not safely rejected at Stage 1.               | Observed                        | P0       | Fix              |

### Evidence boundary

Automated runtime and the single 4.88-second load observation are not human completion-time measures. Final submission was intentionally excluded.

# Findings and User Impact

LAN-F09 - P0

## Unsafe date validation

Impossible dates can advance or trigger a critical error. Reject them inline, preserve all other valid context and fix the server exception.

LAN-F08 - P1

## Substantial reload loss

Refresh cleared date, Site, terms and all seven tested Stage 2 values. Add an unsaved-work warning and govern draft recovery separately.

LAN-F02 - P1

## Large Site option set

The 298-option selector is a lookup-effort candidate. Prototype hybrid search using name, address, owner and stable Site ID.

LAN-F06 - P2

## Terms and confirmation burden

Collapse lengthy terms and show applicable declarations only. Do not remove or combine confirmations without business/legal approval.

LAN-F07 - P0 measurement

## Efficiency remains unmeasured

Passing automation proves covered paths work; it does not prove speed or ease. Comparable user tasks are required.

LAN-F03 - P1

## Inconsistent evidence state

Upload controls differ, and clearing the required file left its confirmation checked. Use one status model and invalidate dependent completion.

LAN-F01 - P1

## Limited Stage 2 context

Values survive Back/Next navigation, but activity, date and Site are not summarized. Add a synchronized summary and Edit Context action.

LAN-F04 - P1

## Seven manual access values

Prepopulation may reduce effort, but only after Site, company, person and request sources and conflict rules are approved.

LAN-F05 - P0

## Safe testing boundary

Preserve zero unintended submissions, traceability, required-data checks and an explicit review checkpoint.

## Concluded form changes

### Implement or represent now

- Safe date guidance and inline rejection.
- Synchronized Stage 2 context summary.
- Consistent required/optional upload feedback.
- File-driven completion state.
- Unsaved-work warning.
- Keyboard and responsive preservation.

### Keep behind decision gates


- Authoritative prepopulation.
- Persistent drafts and autosave.
- Declaration removal or consolidation.
- Activity-specific conditional rules.
- Cross-workflow Access Request reuse.
- Claimed 20-30% efficiency improvement.

### Production release position

The recommended experience must not be described as production-ready until malformed-date handling is safe and file/declaration state cannot become internally inconsistent.

# Recommended Two-Stage Experience

The optimized flow retains the familiar portal orientation while reducing lookup, repetition, duplicate confirmation, corrective work and avoidable backtracking.



## Prioritized recommendations

| ID  | Recommendation                                                         | Priority | Implementation condition                                      |
|-----|------------------------------------------------------------------------|----------|---------------------------------------------------------------|
| R01 | Preserve submission blocking, traceability and required-data controls. | P0       | Default automation remains non-destructive.                   |
| R02 | Reject impossible dates before Stage 2.                                | P0       | No server error, silent normalization or unrelated data loss. |
| R03 | Keep file, declaration and evidence state consistent.                  | P0       | Required file removal must invalidate dependent completion.   |
| R04 | Standardize required and optional upload feedback.                     | P1       | Preserve required/optional meaning and security rules.        |
| R05 | Add a synchronized Stage 2 context summary.                            | P1       | Summary must always match Stage 1 fields.                     |
| R06 | Prototype canonical Site search.                                       | P1       | Preserve canonical ID and measure representative tasks.       |
| R07 | Warn about unsaved work and investigate recovery.                      | P1       | Draft retention and access rules require approval.            |
| R08 | Map authoritative sources for access details.                          | P1 gated | Resolve identity, staleness, conflict and editability.        |
| R09 | Validate terms and confirmation hierarchy.                             | P2 gated | Business/legal approval can veto simplification.              |

### Interface orientation

Use the full dashboard workspace, but keep the form inside a centered readable measure. Retain the portal sidebar and top navigation. Use a right-side assistant only where persistent context or completion checks provide clear value.

### Why not one page?

A single page may increase scanning and cognitive load without reducing required decisions. Current evidence supports improving the two stages, not removing them.

# Implementation Gates and Final Position

| Gate A - Reliability                                                                                                                                                                                                                                                                                                                                          | Gate B - Usability                                                                                                                                                                                                                                                                    | Gate C - Governance                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• <b>LAN-REQ-001 to LAN-REQ-006</b></li><li>• Preserve two stages and required data.</li><li>• Fix impossible-date handling.</li><li>• Preserve valid values.</li><li>• Keep evidence state consistent.</li><li>• Preserve review and submission boundaries.</li><li>• Retain keyboard and responsive access.</li></ul> | <ul style="list-style-type: none"><li>• <b>LAN-REQ-007 to LAN-REQ-010</b></li><li>• Add Stage 2 context summary.</li><li>• Standardize uploads.</li><li>• Prototype canonical Site search.</li><li>• Add unsaved-work warning.</li><li>• Compare against the same baseline.</li></ul> | <ul style="list-style-type: none"><li>• <b>LAN-REQ-011 to LAN-REQ-014</b></li><li>• Map authoritative data sources.</li><li>• Approve activity-specific rules.</li><li>• Validate terms and confirmations.</li><li>• Approve draft security and retention.</li><li>• Measure human effort.</li></ul> |

## Success and retest measures

| Measure       | Definition                                                   | Required outcome                                             |
|---------------|--------------------------------------------------------------|--------------------------------------------------------------|
| Manual effort | Fields, clicks, typing, uploads and confirmations.           | 20-30% target where rules permit; not yet achieved.          |
| Lookup effort | Search, selection and disambiguation actions.                | Lower for comparable Site tasks with no wrong-ID regression. |
| Corrections   | Validation and evidence-state recovery.                      | Lower; no server-error dead ends.                            |
| Preservation  | Valid data retained after navigation and recoverable errors. | No regression; improve interruption recovery.                |
| Accessibility | Keyboard, phone and tablet critical paths.                   | Preserve current passing behavior.                           |

## Limitations and prerequisites

- Human completion time and perceived ease were not measured.
  - Invalid file type/size and server retry remain untested.
  - The WordPress/PHP exception source is unknown.
  - Final submission was intentionally excluded.
- Authoritative data and conflict rules are unknown.
  - Access Requests has not been tested for reuse.
  - Draft retention and security are not approved.
  - Other activity/Site combinations remain outside coverage.

Formal conclusion

Proceed with controlled prototype comparison. The evidence supports a shorter, clearer and safer two-stage LAAN Request, led by safe date validation, consistent evidence state, cross-step context and interruption protection. Do not proceed to production until the documented technical and governance gates are resolved.

## Primary project sources

- docs/LAN\_FINDINGS\_SUMMARY.md
- docs/LAN\_RECOMMENDED\_FORM\_REQUIREMENTS.md
- docs/LAN\_FORM\_EFFICIENCY\_PLAN.md
- docs/LAN\_FIELD\_VARIANT\_MATRIX.md
- docs/LAN\_VALIDATION\_WAVE\_2.md
- test case result/history/LAN-20260817-224552-799.json

PROTOTYPE APPROVED

PRODUCTION APPROVAL PENDING